

# Cucumber Report

16 Sep, 2025 10:27:09 AM

Start : Sep 16, 10:26:54.842 AM

End : Sep 16, 10:27:08.937 AM

Duration : 14.095 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 7  
SKIPPED - 0


PASSED - 0  
FAILED - 0  
SKIPPED - 35




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>To be Verify the E2E Functionality in KBL website</u>	14.095 s	7	0	7	0	35	0	0	35

#	Feature Name	Scenario Name
1	<u>To be Verify the E2E Functionality in KBL website</u>	<u>To Validte the Guser user Flow in home page</u>
2		<u>To Validte the Login functionality with password field</u>
3		<u>To Validte the My account page options &amp; redirection in dashboard</u>
4		<u>To validate the search field functionality</u>
5		<u>To Validte the listing Buy now functionaity for Guest user</u>
6		<u>To Validate the PDP page to Cart Page for Guest user</u>
7		<u>To Validate the checkout flow for login user</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@E2E	7	0	7	0	1	0	1	0
@Case	7	0	7	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>To be Verify the E2E Functionality in KBL website</u>	7	0	7	0	14.095 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>To be Verify the E2E Functionality in KBL website</u>	<u>To Validte the Guser user Flow in home page</u>	5	0	0	5	3.464 s
2		<u>To Validte the Login functionality with password field</u>	4	0	0	4	1.618 s
3		<u>To Validte the My account page options &amp; redirection in dashboard</u>	3	0	0	3	1.058 s
4		<u>To validate the search field functionality</u>	6	0	0	6	1.080 s
5		<u>To Validte the listing Buy now functionaity for Guest user</u>	5	0	0	5	3.735 s
6		<u>To Validate the PDP page to Cart Page for Guest user</u>	4	0	0	4	1.862 s
7		<u>To Validate the checkout flow for login user</u>	8	0	0	8	1.214 s


## To be Verify the E2E Functionality in KBL website

<b>FAILED</b>	<b>DURATION - 14.095 s</b>	Scenarios Total - 7 Pass - 0 Fail - 7 Skip - 0		Steps Total - 35 Pass - 0 Fail - 0 Skip - 35	
/ 10:26:54.842 AM // 10:27:08.937 AM /					



## To Validte the Guser user Flow in home page

<b>FAILED</b>	<b>DURATION - 3.464 s</b>		Steps Total - 5 Pass - 0 Fail - 0 Skip - 5	
/ 10:26:54.846 AM // 10:26:58.310 AM /				
To be Verify the E2E Functionality in KBL website				
@E2E @Case				

#	Step / Hook Details	Status	Duration
	<b>BEFORE - org.steps.KBLHooks.Start()</b> org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=140.0.7339.128) Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_381' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2e1d31782120ae576647c014720493a8, get {url=https://betaeshop.kirloskarpumps.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 140.0.7339.128, chrome: {chromedriverVersion: 140.0.7339.82 (bc93617e21c3..., userDataDir: C:\Windows\SystemTemp\scope...), fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50578}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50578/devtoo..., se:cdpVersion: 140.0.7339.128, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2e1d31782120ae576647c014720493a8 at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)	<b>FAILED</b>	3.358 s


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at org.base.Utilityclass.launchurl(Utilityclass.java:134) at org.steps.KBLHooks.Start(KBLHooks.java:28) </pre>		
1	Given User open the Home page	SKIPPED	0.001 s
2	When When user opening the home page > To verify the header section all the Elements	SKIPPED	0.000 s
3	And User verify the home page sections is displayed or not	SKIPPED	0.001 s
4	And To verify the Category L1 > L2 sub-category navigation page	SKIPPED	0.000 s
5	Then Observe the Footer section links redirections	SKIPPED	0.000 s
	AFTER - org.steps.KBLHooks.End(io.cucumber.java.Scenario)	PASSED	0.087 s
	To Validatde the Guser user Flow in home page		
			

### To Validatde the Login functionality with password field

FAILED	DURATION - 1.618 s		Steps Total - 4 Pass - 0 Fail - 0 Skip - 4	
/ 10:26:58.322 AM // 10:26:59.940 AM /				
To be Verify the E2E Functionality in KBL website				
@E2E @Case				

#	Step / Hook Details	Status	Duration
	BEFORE - org.steps.KBLHooks.Start()	FAILED	1.495 s
	<pre> org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=140.0.7339.128) Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_381' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d31557ca03ab48f36b1e38f652e15644, get {url=https://betaeshop.kirloskarpumps.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 140.0.7339.128, chrome: </pre>		




#	Step / Hook Details	Status	Duration
	<pre>{chromedriverVersion: 140.0.7339.82 (bc93617e21c3..., userDataDir: C:\Windows\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50596}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50596/devtoo..., se:cdpVersion: 140.0.7339.128, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d31557ca03ab48f36b1e38f652e15644 at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at org.base.Utilityclass.launchurl(Utilityclass.java:134) at org.steps.KBLHooks.Start(KBLHooks.java:28)</pre>		
1	Given User open the Home page	SKIPPED	0.000 s
2	When Go the login page and select the login with password page	SKIPPED	0.000 s
3	And Enter the Email and passwors in repective field	SKIPPED	0.001 s
4	Then Observe the redirection to the my account page	SKIPPED	0.000 s
	AFTER - org.steps.KBLHooks.End(io.cucumber.java.Scenario)	PASSED	0.121 s
	To Valiadte the Login functionality with password field		
			



**To Valiadte the My account page options & redirection in dashboard**

FAILED	DURATION - 1.058 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 3</div>	
/ 10:26:59.948 AM // 10:27:01.006 AM /				
To be Verify the E2E Functionality in KBL website				
@E2E @Case				


#	Step / Hook Details	Status	Duration
	<b>BEFORE - org.steps.KBLHooks.Start()</b> org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=140.0.7339.128) Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_381' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [41262bc46197f5241b8f83ce34c8e2b5, get {url=https://betaeshop.kirloskarpumps.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 140.0.7339.128, chrome: {chromedriverVersion: 140.0.7339.82 (bc93617e21c3..., userDataDir: C:\Windows\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50610}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:50610/devtoo..., se.cdpVersion: 140.0.7339.128, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 41262bc46197f5241b8f83ce34c8e2b5 at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at org.base.Utilityclass.launchurl(Utilityclass.java:134) at org.steps.KBLHooks.Start(KBLHooks.java:28)	<b>FAILED</b>	0.977 s
1	Given User open the Home page	SKIPPED	0.000 s
2	When do the login and Observe the my account page options	SKIPPED	0.000 s
3	Then User click the My account options in dashbord and Observe the redirection page	SKIPPED	0.000 s
	<b>AFTER - org.steps.KBLHooks.End(io.cucumber.java.Scenario)</b> To Valiadte the My account page options & redirection in dashboard	<b>PASSED</b>	0.080 s

#	Step / Hook Details	Status	Duration
			



### To validate the search field functionality

<div>FAILED</div> <div>DURATION - 1.080 s</div>			<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 6</div>	
/ 10:27:01.024 AM // 10:27:02.104 AM /				
To be Verify the E2E Functionality in KBL website				
@E2E @Case				

#	Step / Hook Details	Status	Duration
	<b>BEFORE - org.steps.KBLHooks.Start()</b> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=140.0.7339.128) Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_381' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b51f25a906db34288cd52069a87b74b3, get {url=https://betaeshop.kirloskarpumps.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 140.0.7339.128, chrome: {chromedriverVersion: 140.0.7339.82 (bc93617e21c3..., userDataDir: C:\Windows\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50627}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50627/devtoo..., se:cdpVersion: 140.0.7339.128, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b51f25a906db34288cd52069a87b74b3     at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)     at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)     at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)     at java.lang.reflect.Constructor.newInstance(Constructor.java:423)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)</pre>	<b>FAILED</b>	0.984 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at org.base.Utilityclass.launchurl(Utilityclass.java:134) at org.steps.KBLHooks.Start(KBLHooks.java:28) </pre>		
1	Given User go to the Home page	SKIPPED	0.000 s
2	When User Enter the product name in search box "TL16010016A12211"	SKIPPED	0.000 s
3	And Observe the Related products suggestion.then,Click on any product name	SKIPPED	0.000 s
4	And Observe the Seeall navigation page "Surface pump"	SKIPPED	0.000 s
5	And Observe the navigation page using Enter button "Submersible Pump"	SKIPPED	0.000 s
6	Then Verify the Filter options in SLP page	SKIPPED	0.000 s
	AFTER - org.steps.KBLHooks.End(io.cucumber.java.Scenario)	PASSED	0.093 s
	To validate the search field functionality		
			

### To Valiadte the listing Buy now functionaity for Guest user



<b>FAILED</b>	DURATION - 3.735 s		Steps Total - 5 Pass - 0 Fail - 0 Skip - 5	
/ 10:27:02.110 AM // 10:27:05.845 AM /				
To be Verify the E2E Functionality in KBL website				
@E2E @Case				

#	Step / Hook Details	Status	Duration
	BEFORE - org.steps.KBLHooks.Start()	FAILED	3.718 s
	<pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: probably user data directory is already in use, please specify a unique value for --user-data-dir argument, or don't use --user-data-dir Host info: host: 'Z8-415', ip: '192.168.31.97' Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 11', os.arch: 'amd64', os. version: '10.0', java.version: '1.8.0_381' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*], extensions: []}}], </pre>		


#	Step / Hook Details	Status	Duration
	<pre>desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*], extensions: []}}</pre> <pre>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:148)</pre> <pre>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:106)</pre> <pre>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:67)</pre> <pre>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:165)</pre> <pre>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)</pre> <pre>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)</pre> <pre>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)</pre> <pre>at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:229)</pre> <pre>at org.openqa.selenium.remote.RemoteWebDriver.&lt;init&gt;(RemoteWebDriver.java:157)</pre> <pre>at org.openqa.selenium.chromium.ChromiumDriver.&lt;init&gt;(ChromiumDriver.java:101)</pre> <pre>at org.openqa.selenium.chrome.ChromeDriver.&lt;init&gt;(ChromeDriver.java:88)</pre> <pre>at org.openqa.selenium.chrome.ChromeDriver.&lt;init&gt;(ChromeDriver.java:84)</pre> <pre>at org.openqa.selenium.chrome.ChromeDriver.&lt;init&gt;(ChromeDriver.java:52)</pre> <pre>at org.base.Utilityclass.launchBrowser(Utilityclass.java:102)</pre> <pre>at org.steps.KBLHooks.Start(KBLHooks.java:23)</pre>		
1	Given User open the Home page	SKIPPED	0.000 s
2	When User go to the listing page	SKIPPED	0.000 s
3	And verify the Buy now CTA functionality	SKIPPED	0.000 s
4	And verify the Compare now option in listing page	SKIPPED	0.000 s
5	Then verify the added compare products in comparision page	SKIPPED	0.001 s
	<p>AFTER - org.steps.KBLHooks.End(io.cucumber.java.Scenario)</p> <pre>org.openqa.selenium.NoSuchSessionException: invalid session id: session deleted as the browser has closed the connection from disconnected: not connected to DevTools (Session info: chrome=140.0.7339.128) Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_381' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b51f25a906db34288cd52069a87b74b3, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 140.0.7339.128, chrome: {chromedriverVersion: 140.0.7339.82 (bc93617e21c3..., userDataDir: C:\Windows\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50627}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50627/devtoo..., se:cdpVersion: 140.0.7339.128, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b51f25a906db34288cd52069a87b74b3</pre> <pre>at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)</pre> <pre>at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)</pre> <pre>at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</pre> <pre>at java.lang.reflect.Constructor.newInstance(Constructor.java:423)</pre> <pre>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</pre> <pre>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</pre> <pre>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</pre>	FAILED	0.015 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at org.steps.KBLHooks.End(KBLHooks.java:44) </pre>		



### To Validate the PDP page to Cart Page for Guest user

<b>FAILED</b>	<b>DURATION - 1.862 s</b>		<b>Steps</b> Total - 4 <b>Pass - 0</b> <b>Fail - 0</b> <b>Skip - 4</b>	
/ 10:27:05.853 AM // 10:27:07.715 AM /				
To be Verify the E2E Functionality in KBL website				
@E2E @Case				

#	Step / Hook Details	Status	Duration
	<p>BEFORE - org.steps.KBLHooks.Start()</p> <pre> org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=140.0.7339.128) Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_381' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1bd6936f7986bb21bb73c71af6d79008, get {url=https://betaeshop.kirloskarpumps.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 140.0.7339.128, chrome: {chromedriverVersion: 140.0.7339.82 (bc93617e21c3..., userDataDir: C:\Windows\SystemTemp\scope...), fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50665}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50665/devtoo..., se:cdpVersion: 140.0.7339.128, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1bd6936f7986bb21bb73c71af6d79008 at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) </pre>	<b>FAILED</b>	1.760 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at org.base.Utilityclass.launchurl(Utilityclass.java:134) at org.steps.KBLHooks.Start(KBLHooks.java:28) </pre>		
1	Given User open the Home page	SKIPPED	0.003 s
2	And On click Buy now CTA or any product cards in listing page	SKIPPED	0.000 s
3	And Verify the correct delivery message based on TAT functionality	SKIPPED	0.000 s
4	Then verify the PDP page features and products prices & do the add to cart.	SKIPPED	0.000 s
	AFTER - org.steps.KBLHooks.End(io.cucumber.java.Scenario)	PASSED	0.092 s
	To Validate the PDP page to Cart Page for Guest user		
			

### To Validate the checkout flow for login user

FAILED		DURATION - 1.214 s			<div>Steps</div> <div>Total - 8</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 8</div>	
/ 10:27:07.723 AM // 10:27:08.937 AM /						
To be Verify the E2E Functionality in KBL website						
@E2E @Case						

#	Step / Hook Details	Status	Duration
	BEFORE - org.steps.KBLHooks.Start()	FAILED	1.130 s
	<pre> org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=140.0.7339.128) Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_381' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b993fce73f18ec7065042cf67417b2b5, get {url=https://betaeshop.kirloskarpumps.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 140.0.7339.128, chrome: {chromedriverVersion: 140.0.7339.82 (bc93617e21c3..., userDataDir: C:\Windows\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50569}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: </pre>		

#	Step / Hook Details	Status	Duration
	<p>WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50569/devtoo..., se:cdpVersion: 140.0.7339.128, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b993fce73f18ec7065042cf67417b2b5</p> <p>at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)</p> <p>at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)</p> <p>at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.lang.reflect.Constructor.newInstance(Constructor.java:423)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297)</p> <p>at org.base.Utilityclass.launchurl(Utilityclass.java:134)</p> <p>at org.steps.KBLHooks.Start(KBLHooks.java:28)</p>		
1	Given user opens the Home page and logs in	SKIPPED	0.000 s
2	When the user navigates to the listing page	SKIPPED	0.000 s
3	And clicks the "Buy Now" CTA or any product card on the listing page	SKIPPED	0.000 s
4	And adds the product to the cart and proceeds to the Cart page	SKIPPED	0.000 s
5	And verifies the Cart page features and Order summary detail.Then,proceeds to the Checkout page	SKIPPED	0.000 s
6	And enters the shipping and billing details	SKIPPED	0.000 s
7	And selects a payment option and places the order	SKIPPED	0.000 s
8	Then after successful payment, the user should see the Thank You page	SKIPPED	0.000 s
	AFTER - org.steps.KBLHooks.End(io.cucumber.java.Scenario)	PASSED	0.081 s
	To Validate the checkout flow for login user		
	