Duration: 1 m 37.196 s Start: Sep 09, 5:59:15.998 PM End: Sep 09, 6:00:53.194 PM Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 0 SKIPPED - 0 SKIPPED - 0 SKIPPED - 33 35 40 50 60 40 50 60 40 50 60 Pass % 70 30 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 100


Feature			Scer	nario			St	ер	
Name	Duration	T	P	F	S	T	P	F	S
To be Verify the E2E Functionality in KBL website	1 m 37.196 s	7	0	7	0	35	0	2	33

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	To be Verify the E2E Functionality in KBL website	To Valiadte the Guser user Flow in home page
2		To Valiadte the Login functionality with password field
3		To Valiadte the My account page options & redirection in dashboard
4		To validate the search field functionality
5		To Valiadte the listing Buy now functionalty for Guest user
6		To Validate the PDP page to Cart Page for Guest user
7		To Validate the checkout flow for login user


TAG	Scenario			Feature				
Name	T	P	F	S	T	P	F	S
@Case1	1	0	1	0	1	0	1	0
@E2E	7	0	7	0	1	0	1	0
@Case2	1	0	1	0	1	0	1	0
@Case3	1	0	1	0	1	0	1	0
@Case4	1	0	1	0	1	0	1	0
@Case5	1	0	1	0	1	0	1	0
@Case6	1	0	1	0	1	0	1	0
@Case7	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	To be Verify the E2E Functionality in KBL website	7	0	7	0	1 m 37.196 s

SCENARIOS SUMMARY -- 6 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To be Verify the E2E Functionality in KBL website	To Valiadte the Guser user Flow in home page	5	0	1	4	35.994 s
2		To Valiadte the Login functionality with password field	4	0	1	3	24.355 s
3		To Valiadte the My account page options & redirection in dashboard	3	0	0	3	2.614 s
4		To validate the search field functionality	6	0	0	6	5.018 s
5		To Valiadte the listing Buy now functionalty for Guest user	5	0	0	5	26.124 s
6		To Validate the PDP page to Cart Page for Guest user	4	0	0	4	1.252 s
7		To Validate the checkout flow for login user	8	0	0	8	1.744 s

DETAILED SECTION -- 7 --

To be Verify the E2E Functionality in KBL website

FAILED	DURATION - 1 m 37.196 s	Scenarios		Steps	
		Total - 7		Total - 35	
/ 5:59:15.998 PM //	['] 6:00:53.194 PM /	Pass - 0	7	Pass - 0	35
		Fail - 7		Fail - 2	
		Skip - 0		Skip - 33	

To Valiadte the Guser user Flow in home page



#	Step / Hook Details	Status	Duration
1	Given User open the Home page	FAILED	0.054 s
	junit.framework.AssertionFailedError: To check title at Home page at junit.framework.Assert.fail(Assert.java:57) at junit.framework.Assert.assertTrue(Assert.java:22) at org.base.Ultilityclass.checkpresentElement(Ultilityclass.java:687) at org.steps.KBLSteps.user_open_the_Home_page(KBLSteps.java:47) at ?.User open the Home page(file:///E:/KBL-Project/KBL-Business%20flow/src/test/resources/Feature/E2E.feature:7) * Not displayable characters are replaced by '?'.		
2	When When user opening the home page > To verify the header section all the Elements	SKIPPED	0.002 s
3	And User verify the home page sections is displayed or not	SKIPPED	0.000 s
4	And To verify the Categeory L1 > L2 sub-categeory navigation page	SKIPPED	0.000 s
5	Then Observe the Footer section links redirections	SKIPPED	0.000 s
	AFTER - org.steps.KBLHooks.End(io.cucumber.java.Scenario)	PASSED	0.168 s
	To Valiadte the Guser user Flow in home page		

#	Step / Hook Details	Status	Duration
	A		
	No correction to di pinta. Non correction to di pinta. Non correction to di pinta		


To Valiadte the Login functionality with password field

FAILED	DURATION - 24.355 s	0.15	1				Steps	
/ F. FO. F2. 027 DM	1 // C-00-1 C 202 DM /	0.1		į			Total - 4	
7 5.59.52.027 PM	1 // 6:00:16.382 PM /	0.1 -					Pass - 0	
To be Verify the E	E2E Functionality in KBL website	.05 -					Fail - 1	4
							Skip - 3	
@Case2 @E2E		0 -	1	1	3	i	_	
			'	2	3	*		

#	Step / Hook Details	Status	Duration
1	Given User open the Home page	FAILED	0.010 s
	junit.framework.AssertionFailedError: To check title at Home page at junit.framework.Assert.fail(Assert.java:57) at junit.framework.Assert.assertTrue(Assert.java:22) at org.base.Ultilityclass.checkpresentElement(Ultilityclass.java:687) at org.steps.KBLSteps.user_open_the_Home_page(KBLSteps.java:47) at ?.User open the Home page(file:///E:/KBL-Project/KBL-Business%20flow/src/test/resources/Feature/E2E.feature:17) * Not displayable characters are replaced by '?'.		
2	When Go the login page and select the login with password page	SKIPPED	0.000 s
3	And Enter the Email and passwors in repective field	SKIPPED	0.000 s
4	Then Observe the redirection to the my account page	SKIPPED	0.000 s
	AFTER - org.steps.KBLHooks.End(io.cucumber.java.Scenario)	PASSED	0.114 s
	To Valiadte the Login functionality with password field		
	The connection as interegrand and the connection as interesting and the connection as interesting as inte		

DETAILED SECTION -- 9 --

To Valiadte the My account page options & redirection in dashboard




#	Step / Hook Details	Status	Duration
	BEFORE - org.steps.KBLHooks.Start()	FAILED	2.607 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=139.0.7258.157) Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0', 381' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4438e0f1a75115cca85326244e9401d0, maximizeCurrentWindow {}] Capabilities {acceptlnsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.157, chrome: (chromedriverVersion: 139.0.7258.154 (9e0d6b2b47f, userDataDir: C:WindowsSystemTemplscope), fedcm:accounts: true, goog:chromeOptions: (debuggerAddress: localhost.52640), networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52640/devtoo, se:cdpVersion: 139.0.7258.157, setWindowRect: true, strictFileInteractability: false, timeouts: (implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:virtualAuthenticators: true} Session ID: 4438e0f1a75115cca85326244e9401d0 at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:42) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(OelegatingConstructorAccessorImpl.java:42) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWe	PAILED	2.007 \$
	at org.steps.KBLHooks.Start(KBLHooks.java:34)		
1	Given User open the Home page	SKIPPED	0.000 s

DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
2	When do the login and Observe the my account page options	SKIPPED	0.000 s
3	Then User click the My account options in dashbord and Observe the redirection page	SKIPPED	0.000 s
	AFTER - org.steps.KBLHooks.End(io.cucumber.java.Scenario)	FAILED	0.005 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=139.0.7258.157) Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_381' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4438e0f1a75115cca85326244e9401d0, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.157, chrome: (chromedriverVersion: 139.0.7258.154 (9e0d6b2b47r userDataDir: C:\Windows\SystemTemp\scope), fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52640}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), sec.dp: ws://localhost:52640/devtoo., sec.dp\version: 139.0.7258.157, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:intualAuthenticators: true} Session ID: 4438e0f1a75115cca85326244e9401d0 at sun.reflect.NativeConstructorAccessorImpl.newInstance0(NativeConstructorAccessorImpl.java:62) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.entitpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.getSCreenshotAs(Remote		


To validate the search field functionality



#	Step / Hook Details	Status	Duration
	BEFORE - org.steps.KBLHooks.Start()	FAILED	5.010 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=139.0.7258.157) Build info: version: '4.8.2', revision: '926dbfc730' System info: os.name: Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '13.8.0_381' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [480b60d4c4afaeeda31c777fd35baf7c, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.157, chrome: (chromedriverVersion: 139.0.7258.154 (9e0d6b2b47f, userDataDir: C:Windows\SystemTemp\scope\), fedcm:accounts: true, goog:chromeOptions: (debuggerAddress: localhost:51852), networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51852/devtoo, se:cdpVersion: 139.0.7258.157, setWindowRect: true, strictFileInteractability: false, timeouts: (implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:minpinLength: true, webauthn:extension:minpinLength: true, webauthn:extension:minpinLength: true, webauthn:extension:minpinLength: true, webauthn:extension:minpinLength: true, webauthn:extension:prf: true, webauthn:extensio		
1	Given User go to the Home page	SKIPPED	0.000 s
2	When User Enter the product name in search box "TL16010016A12211"	SKIPPED	0.001 s
3	And Observe the Related products suggestion.then,Click on any product name	SKIPPED	0.000 s
4	And Observe the Seeall navigation page "Surface pump"	SKIPPED	0.000 s
5	And Observe the navigation page using Enter button "Submersible Pump"	SKIPPED	0.000 s
6	Then Verify the Filter options in SLP page	SKIPPED	0.000 s
	AFTER - org.steps.KBLHooks.End(io.cucumber.java.Scenario)	FAILED	0.006 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=139.0.7258.157) Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_381' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [480b60d4c4afaeeda31c777fd35baf7c, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.157, chrome: {chromedriverVersion: 139.0.7258.154 (9e0d6b2b47f, userDataDir: C:\Windows\SystemTemp\scope},		

#	Step / Hook Details	Status	Duration
	fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51852}, networkConnectionEnabled: false, pageLoadStrategy:		
	normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51852/devtoo, se:cdpVersion: 139.0.7258.157, setWindowRect:		
	true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify,		
	webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,		
	webauthn:virtualAuthenticators: true} Session ID: 480b60d4c4afaeeda31c777fd35baf7c		
	at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)		
	at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.lang.reflect.Constructor.newInstance(Constructor.java:423)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)		
	at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318)		
	at org.steps.KBLHooks.End(KBLHooks.java:44)		

To Valiadte the listing Buy now functionaity for Guest user




#	Step / Hook Details	Status	Duration
	BEFORE - org.steps.KBLHooks.Start()	FAILED	25.999 s
	org.openqa.selenium.WebDriverException: unknown error: net::ERR_CONNECTION_RESET (Session info: chrome=139.0.7258.157) Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_381' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9189acdbdd1c3dc68354c2cad7f66e4c, get {url=https://betaeshop.kirloskarpumps.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.157, chrome: {chromedriverVersion: 139.0.7258.154 (9e0d6b2b47f, userDataDir: C:\Windows\SystemTemp\scope}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52142}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName:		

DETAILED SECTION -- 13 --

#	Step / Hook Details	Status	Duration
	WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52142/devtoo, se:cdpVersion: 139.0.7258.157, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9189acdbdd1c3dc68354c2cad7f66e4c at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:297) at org.base.Utilityclass.launchurl(Utilityclass.java:132) at org.steps.KBLHooks.Start(KBLHooks.java:28)		
1	Given User open the Home page	SKIPPED	0.000 s
2	When User go to the listing page	SKIPPED	0.000 s
3	And verify the Buy now CTA functionality	SKIPPED	0.000 s
4	And verify the Compare now option in listing page	SKIPPED	0.000 s
5	Then verify the added compare products in comparision page	SKIPPED	0.001 s
	AFTER - org.steps.KBLHooks.End(io.cucumber.java.Scenario) To Valiadte the listing Buy now functionality for Guest user This dis cont be readed To the reader of the the	PASSED	0.123 s

To Validate the PDP page to Cart Page for Guest user



#	Step / Hook Details	Status	Duration
	BEFORE - org.steps.KBLHooks.Start()	FAILED	1.169 s
	org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=139.0.7258.157) Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_381' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [bc3b3c7ddb42a58fa5044c264f16b81f, get {url=https://betaeshop.kirloskarpumps.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.157, chrome: {chromedriverVersion: 139.0.7258.154 (9e0d6b2b47f, userDataDir: C:Windows\SystemTempiscope}), fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54115/.networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), secup: ws://localhost:54115/devtoo, se::cdpVersion: 139.0.7258.157, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true) Session ID: bc3b3c7ddb42a58fa5044c264f16b81f at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:230) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.active.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.Betriote.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.Service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.seleniu		
1	Given User open the Home page	SKIPPED	0.000 s
2	And On click Buy now CTA or any product cards in listing page	SKIPPED	0.000 s
3	And Verify the correct delivery message based on TAT functionality	SKIPPED	0.001 s
4	Then verify the PDP page features and products prices & do the add to cart.	SKIPPED	0.000 s
	AFTER - org.steps.KBLHooks.End(io.cucumber.java.Scenario)	PASSED	0.082 s

#	Step / Hook Details	Status	Duration
	To Validate the PDP page to Cart Page for Guest user		
	This site can't be reached Out fire as a year inclinational material production. Fulling is country to your Significant Montal Significant.		
	20,4701,170101,570200		

To Validate the checkout flow for login user

FAILED DURATION - 1.744 s	0.15 Steps	
/ 6:00:51.450 PM // 6:00:53.194 PM /	0.1 - Total - 8	
7 0.00.31.430 FW/ 0.00.33.194 FW/	Pass - 0	
To be Verify the E2E Functionality in KBL website	.05	8
@Case7 @E2E	Skip - 8	
WCaser WEZE	1 2 3 4 5 6 7 8	

#	Step / Hook Details	Status	Duration
	BEFORE - org.steps.KBLHooks.Start()	FAILED	1.652 s
	org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=139.0.7258.157) Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_381' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [17d967e53f9356ede9434f06786f3643, get {url=https://betaeshop.kirloskarpumps.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.157, chrome: {chromedriverVersion: 139.0.7258.154 (9e0d6b2b47f, userDataDir: C:\Windows\SystemTemp\scope}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62250}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62250/devtoo, se:cdpVersion: 139.0.7258.157, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 17d967e53f9356ede9434f06786f3643		
	at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)		
	at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.lang.reflect.Constructor.newInstance(Constructor.java:423)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)		

DETAILED SECTION -- 16 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at org.base.Ultilityclass.launchurl(Ultilityclass.java:132) at org.steps.KBLHooks.Start(KBLHooks.java:28)		
1	Given user opens the Home page and logs in	SKIPPED	0.000 s
2	When the user navigates to the listing page	SKIPPED	0.000 s
3	And clicks the "Buy Now" CTA or any product card on the listing page	SKIPPED	0.000 s
4	And adds the product to the cart and proceeds to the Cart page	SKIPPED	0.000 s
5	And verifies the Cart page features and Order summary detail. Then, proceeds to the Checkout page	SKIPPED	0.000 s
6	And enters the shipping and billing details	SKIPPED	0.000 s
7	And selects a payment option and places the order	SKIPPED	0.001 s
8	Then after successful payment, the user should see the Thank You page	SKIPPED	0.000 s
	AFTER - org.steps.KBLHooks.End(io.cucumber.java.Scenario)	PASSED	0.090 s
	To Validate the checkout flow for login user		
	This situ can't be reached One files as a sea or industrial problemoral production and files and files are sea or industrial problemoral production and files are sea or industrial production and f		