

# Cucumber Report

11 Sep, 2025 1:35:59 PM

Start : Sep 11, 1:35:47.363 PM

End : Sep 11, 1:35:58.746 PM

Duration : 11.383 s

Features



Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 6  
SKIPPED - 0


PASSED - 0  
FAILED - 0  
SKIPPED - 31




| Feature  |          | Scenario |   |   |   | Step |   |   |    |
|--|----------|----------|---|---|---|------|---|---|----|
| Name   | Duration | T        | P | F | S | T    | P | F | S  |
| <u>To be Verify the E2E Functionality in KBL website</u> | 11.383 s | 6        | 0 | 6 | 0 | 31   | 0 | 0 | 31 |

| # | Feature Name   | Scenario Name  |
|---|--|--|
| 1 | <u>To be Verify the E2E Functionality in KBL website</u> | <u>To Validte the Guser user Flow in home page</u>                           |
| 2 |  | <u>To Validte the My account page options &amp; redirection in dashboard</u> |
| 3 |  | <u>To validate the search field functionality</u>                            |
| 4 |  | <u>To Validte the listing Buy now functionaity for Guest user</u>            |
| 5 |  | <u>To Validate the PDP page to Cart Page for Guest user</u>                  |
| 6 |  | <u>To Validate the checkout flow for login user</u>                          |

| TAG   | Scenario |   |   |   | Feature |   |   |   |
|-------|----------|---|---|---|---------|---|---|---|
| Name  | T        | P | F | S | T       | P | F | S |
| @E2E  | 6        | 0 | 6 | 0 | 1       | 0 | 1 | 0 |
| @Case | 6        | 0 | 6 | 0 | 1       | 0 | 1 | 0 |





| # | Feature Name   | T | P | F | S | Duration |
|---|--|---|---|---|---|----------|
| 1 | <u>To be Verify the E2E Functionality in KBL website</u> | 6 | 0 | 6 | 0 | 11.383 s |





| # | Feature Name   | Scenario Name  | T | P | F | S | Duration |
|---|--|--|---|---|---|---|----------|
| 1 | <u>To be Verify the E2E Functionality in KBL website</u> | <u>To Validte the Guser user Flow in home page</u>                           | 5 | 0 | 0 | 5 | 3.735 s  |
| 2 |  | <u>To Validte the My account page options &amp; redirection in dashboard</u> | 3 | 0 | 0 | 3 | 1.110 s  |
| 3 |  | <u>To validate the search field functionality</u>                            | 6 | 0 | 0 | 6 | 1.569 s  |
| 4 |  | <u>To Validte the listing Buy now functionaity for Guest user</u>            | 5 | 0 | 0 | 5 | 1.575 s  |
| 5 |  | <u>To Validate the PDP page to Cart Page for Guest user</u>                  | 4 | 0 | 0 | 4 | 1.813 s  |
| 6 |  | <u>To Validate the checkout flow for login user</u>                          | 8 | 0 | 0 | 8 | 1.526 s  |


## To be Verify the E2E Functionality in KBL website

|                                      |                            |           |   |            |   |
|--------------------------------------|----------------------------|-----------|---|------------|---|
| <b>FAILED</b>                        | <b>DURATION - 11.383 s</b> | Scenarios |  | Steps      |  |
| / 1:35:47.363 PM // 1:35:58.746 PM / |                            | Total - 6 |   | Total - 31 |   |
|                                      |                            | Pass - 0  |   | Pass - 0   |   |
|                                      |                            | Fail - 6  |   | Fail - 0   |   |
|                                      |                            | Skip - 0  |   | Skip - 31  |   |



## To Validte the Guser user Flow in home page

|   |  |  |   |   |
|---|--|--|---|---|
| <div>FAILED</div> <div>DURATION - 3.735 s</div>   |  |  | <div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 5</div> |  |
| / 1:35:47.363 PM // 1:35:51.098 PM /              |  |  |   |   |
| To be Verify the E2E Functionality in KBL website |  |  |   |   |
| @E2E @Case  |  |  |   |   |

| # | Step / Hook Details  | Status        | Duration |
|---|--|---------------|----------|
|   | <b>BEFORE - org.steps.KBLHooks.Start()</b><br>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=139.0.7258.157) Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_381' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [df5df8a6eae77abef130198bd42ad8e2, get {url=https://betaeshop.kirloskarpumps.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.157, chrome: {chromedriverVersion: 139.0.7258.154 (9e0d6b2b47f..., userDataDir: C:\Windows\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57392}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57392/devtoo..., se:cdpVersion: 139.0.7258.157, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: df5df8a6eae77abef130198bd42ad8e2<br>at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)<br>at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>at java.lang.reflect.Constructor.newInstance(Constructor.java:423)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) | <b>FAILED</b> | 3.620 s  |


| # | Step / Hook Details  | Status  | Duration |
|---|--|---------|----------|
|   | <pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at org.base.Utilityclass.launchurl(Utilityclass.java:132) at org.steps.KBLHooks.Start(KBLHooks.java:28) </pre> |         |          |
| 1 | Given User open the Home page  | SKIPPED | 0.001 s  |
| 2 | When When user opening the home page > To verify the header section all the Elements   | SKIPPED | 0.001 s  |
| 3 | And User verify the home page sections is displayed or not   | SKIPPED | 0.000 s  |
| 4 | And To verify the Category L1 > L2 sub-category navigation page  | SKIPPED | 0.000 s  |
| 5 | Then Observe the Footer section links redirections   | SKIPPED | 0.000 s  |
|   | AFTER - org.steps.KBLHooks.End(io.cucumber.java.Scenario)  | PASSED  | 0.078 s  |
|   | To Validte the Guser user Flow in home page  |         |          |
|   |   |         |          |

### To Validte the My account page options & redirection in dashboard



|   |  |                    |   |   |  |
|---|--|--------------------|---|---|--|
| <b>FAILED</b>                                     |  | DURATION - 1.110 s |  | <b>Steps</b><br>Total - 3<br>Pass - 0<br>Fail - 0<br>Skip - 3 |  |
| / 1:35:51.109 PM // 1:35:52.219 PM /              |  |                    |   |   |  |
| To be Verify the E2E Functionality in KBL website |  |                    |   |   |  |
| @E2E @Case  |  |                    |   |   |  |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | BEFORE - org.steps.KBLHooks.Start()  | FAILED | 1.021 s  |
|   | <pre> org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=139.0.7258.157) Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_381' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a98d2647ac0fb76e2847f146127c44b5, get {url=https://betaeshop.kirloskarpumps.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.157, chrome: </pre> |        |          |




| # | Step / Hook Details   | Status  | Duration |
|---|---|---------|----------|
|   | <pre>{chromedriverVersion: 139.0.7258.154 (9e0d6b2b47f..., userDataDir: C:\Windows\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57409}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57409/devtoo..., se:cdpVersion: 139.0.7258.157, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a98d2647ac0fb76e2847f146127c44b5 at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at org.base.Utilityclass.launchurl(Utilityclass.java:132) at org.steps.KBLHooks.Start(KBLHooks.java:28)</pre> |         |          |
| 1 | Given User open the Home page   | SKIPPED | 0.000 s  |
| 2 | When do the login and Observe the my account page options   | SKIPPED | 0.000 s  |
| 3 | Then User click the My account options in dashbord and Observe the redirection page   | SKIPPED | 0.000 s  |
|   | AFTER - org.steps.KBLHooks.End(io.cucumber.java.Scenario)   | PASSED  | 0.086 s  |
|   | To Validte the My account page options & redirection in dashboard   |         |          |
|   |    |         |          |



**To validate the search field functionality**

|   |  |  |   |   |
|---|--|--|---|---|
| <div>FAILED</div> <div>DURATION - 1.569 s</div>   |  |  | <div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 6</div> |  |
| / 1:35:52.236 PM // 1:35:53.805 PM /              |  |  |   |   |
| To be Verify the E2E Functionality in KBL website |  |  |   |   |
| @E2E @Case  |  |  |   |   |


| # | Step / Hook Details  | Status        | Duration |
|---|--|---------------|----------|
|   | <b>BEFORE - org.steps.KBLHooks.Start()</b><br>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=139.0.7258.157) Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_381' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0adcc5dde02eb603628c53c751546db2, get {url=https://betaeshop.kirloskarpumps.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.157, chrome: {chromedriverVersion: 139.0.7258.154 (9e0d6b2b47f..., userDataDir: C:\Windows\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57069}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:57069/devtoo..., se.cdpVersion: 139.0.7258.157, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0adcc5dde02eb603628c53c751546db2<br>at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)<br>at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>at java.lang.reflect.Constructor.newInstance(Constructor.java:423)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)<br>at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297)<br>at org.base.Utilityclass.launchurl(Utilityclass.java:132)<br>at org.steps.KBLHooks.Start(KBLHooks.java:28) | <b>FAILED</b> | 1.479 s  |
| 1 | Given User go to the Home page   | SKIPPED       | 0.000 s  |
| 2 | When User Enter the product name in search box "TL16010016A12211"  | SKIPPED       | 0.000 s  |
| 3 | And Observe the Related products suggestion.then,Click on any product name   | SKIPPED       | 0.000 s  |
| 4 | And Observe the Seeall navigation page "Surface pump"  | SKIPPED       | 0.000 s  |
| 5 | And Observe the navigation page using Enter button "Submersible Pump"  | SKIPPED       | 0.000 s  |

| # | Step / Hook Details   | Status  | Duration |
|---|---|---------|----------|
| 6 | Then Verify the Filter options in SLP page  | SKIPPED | 0.000 s  |
|   | AFTER - org.steps.KBLHooks.End(io.cucumber.java.Scenario)   | PASSED  | 0.087 s  |
|   | To validate the search field functionality  |         |          |
|   |  <p>This site can't be reached</p> <p>Attempting to connect to the address resulted in the following error:</p> <ul style="list-style-type: none"> <li>Checking the connection</li> <li>Checking the proxy forward and DNS configuration</li> <li>Resolving DNS (Network Unreachable)</li> </ul> <p>ERR_CONNECTION_REFUSED</p> |         |          |



### To Valiadte the listing Buy now functionaity for Guest user

|   |                    |  |  |   |
|---|--------------------|--|--|---|
| FAILED  | DURATION - 1.575 s |  | Steps<br>Total - 5<br>Pass - 0<br>Fail - 0<br>Skip - 5 |  |
| / 1:35:53.819 PM // 1:35:55.394 PM /              |                    |  |  |   |
| To be Verify the E2E Functionality in KBL website |                    |  |  |   |
| @E2E @Case  |                    |  |  |   |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | BEFORE - org.steps.KBLHooks.Start()  | FAILED | 1.483 s  |
|   | org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=139.0.7258.157) Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_381' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [21f1ce46ddc782deddecbbc91611b430, get {url=https://betaeshop.kirloskarpumps.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.157, chrome: {chromedriverVersion: 139.0.7258.154 (9e0d6b2b47f..., userDataDir: C:\Windows\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57085}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57085/devtoo..., se:cdpVersion: 139.0.7258.157, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 21f1ce46ddc782deddecbbc91611b430<br>at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)<br>at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>at java.lang.reflect.Constructor.newInstance(Constructor.java:423)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) |        |          |

| # | Step / Hook Details  | Status  | Duration |
|---|--|---------|----------|
|   | <pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at org.base.Utilityclass.launchurl(Utilityclass.java:132) at org.steps.KBLHooks.Start(KBLHooks.java:28) </pre> |         |          |
| 1 | Given User open the Home page  | SKIPPED | 0.000 s  |
| 2 | When User go to the listing page   | SKIPPED | 0.000 s  |
| 3 | And verify the Buy now CTA functionality   | SKIPPED | 0.000 s  |
| 4 | And verify the Compare now option in listing page  | SKIPPED | 0.000 s  |
| 5 | Then verify the added compare products in comparision page   | SKIPPED | 0.000 s  |
|   | AFTER - org.steps.KBLHooks.End(io.cucumber.java.Scenario)  | PASSED  | 0.092 s  |
|   | To Validatte the listing Buy now functionaity for Guest user   |         |          |
|   |   |         |          |

### To Validate the PDP page to Cart Page for Guest user



|   |  |  |   |  |
|---|--|--|---|--|
| <div>FAILED</div> <div>DURATION - 1.813 s</div>   |  | <div></div> | <div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 4</div> | <div></div> |
| / 1:35:55.397 PM // 1:35:57.210 PM /              |  |  |   |  |
| To be Verify the E2E Functionality in KBL website |  |  |   |  |
| @E2E @Case  |  |  |   |  |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | BEFORE - org.steps.KBLHooks.Start()   | FAILED | 1.806 s  |
|   | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=139.0.7258.157) Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 11', os.arch: 'amd64', |        |          |


| # | Step / Hook Details   | Status  | Duration |
|---|---|---------|----------|
|   | <p>os.version: '10.0', java.version: '1.8.0_381' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [200cda7ea5fd04ee4d88599448dcc03d, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.157, chrome: {chromedriverVersion: 139.0.7258.154 (9e0d6b2b47f..., userDataDir: C:\Windows\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61609}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61609/devtoo..., se:cdpVersion: 139.0.7258.157, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 200cda7ea5fd04ee4d88599448dcc03d</p> <p>at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br/> at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)<br/> at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br/> at java.lang.reflect.Constructor.newInstance(Constructor.java:423)<br/> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br/> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br/> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br/> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)<br/> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)<br/> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)<br/> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)<br/> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)<br/> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)<br/> at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.maximize(RemoteWebDriver.java:953)<br/> at org.base.Utillityclass.pagemaximize(Utillityclass.java:146)<br/> at org.steps.KBLHooks.Start(KBLHooks.java:34)</p> |         |          |
| 1 | Given User open the Home page   | SKIPPED | 0.000 s  |
| 2 | And On click Buy now CTA or any product cards in listing page   | SKIPPED | 0.000 s  |
| 3 | And Verify the correct delivery message based on TAT functionality  | SKIPPED | 0.000 s  |
| 4 | Then verify the PDP page features and products prices & do the add to cart.   | SKIPPED | 0.000 s  |
|   | <p>AFTER - org.steps.KBLHooks.End(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=139.0.7258.157) Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_381' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [200cda7ea5fd04ee4d88599448dcc03d, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.157, chrome: {chromedriverVersion: 139.0.7258.154 (9e0d6b2b47f..., userDataDir: C:\Windows\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61609}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61609/devtoo..., se:cdpVersion: 139.0.7258.157, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 200cda7ea5fd04ee4d88599448dcc03d</p> <p>at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)</p>  | FAILED  | 0.005 s  |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | <pre> at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at org.steps.KBLHooks.End(KBLHooks.java:44) </pre> |        |          |

### To Validate the checkout flow for login user

|   |                           |  |   |   |
|---|---------------------------|--|---|---|
| <b>FAILED</b>                                     | <b>DURATION - 1.526 s</b> |  | <b>Steps</b><br>Total - 8<br>Pass - 0<br>Fail - 0<br>Skip - 8 |  |
| / 1:35:57.220 PM // 1:35:58.746 PM /              |                           |  |   |   |
| To be Verify the E2E Functionality in KBL website |                           |  |   |   |
| @E2E @Case  |                           |  |   |   |

| # | Step / Hook Details  | Status        | Duration |
|---|--|---------------|----------|
|   | <p>BEFORE - org.steps.KBLHooks.Start()</p> <pre> org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=139.0.7258.157) Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_381' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0c0b4851304e9b8c4964a2fd334bd5dd, get {url=https://betaeshop.kirloskarpumps.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.157, chrome: {chromedriverVersion: 139.0.7258.154 (9e0d6b2b47f..., userDataDir: C:\Windows\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55628}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55628/devtoo..., se:cdpVersion: 139.0.7258.157, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0c0b4851304e9b8c4964a2fd334bd5dd at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) </pre> | <b>FAILED</b> | 1.448 s  |

| # | Step / Hook Details  | Status  | Duration |
|---|--|---------|----------|
|   | at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>at java.lang.reflect.Constructor.newInstance(Constructor.java:423)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)<br>at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297)<br>at org.base.Utilityclass.launchurl(Utilityclass.java:132)<br>at org.steps.KBLHooks.Start(KBLHooks.java:28) |         |          |
| 1 | Given user opens the Home page and logs in   | SKIPPED | 0.000 s  |
| 2 | When the user navigates to the listing page  | SKIPPED | 0.000 s  |
| 3 | And clicks the "Buy Now" CTA or any product card on the listing page   | SKIPPED | 0.000 s  |
| 4 | And adds the product to the cart and proceeds to the Cart page   | SKIPPED | 0.000 s  |
| 5 | And verifies the Cart page features and Order summary detail.Then,proceeds to the Checkout page  | SKIPPED | 0.000 s  |
| 6 | And enters the shipping and billing details  | SKIPPED | 0.000 s  |
| 7 | And selects a payment option and places the order  | SKIPPED | 0.000 s  |
| 8 | Then after successful payment, the user should see the Thank You page  | SKIPPED | 0.000 s  |
|   | AFTER - org.steps.KBLHooks.End(io.cucumber.java.Scenario)  | PASSED  | 0.078 s  |
|   | To Validate the checkout flow for login user   |         |          |
|   |    |         |          |