

Cucumber Report

9 Sep, 2025 4:42:24 PM

Start : Sep 09, 4:42:00.570 PM

End : Sep 09, 4:42:22.221 PM

Duration : 21.651 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 7
SKIPPED - 0


PASSED - 0
FAILED - 0
SKIPPED - 35




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>To be Verify the E2E Functionality in KBL website</u>	21.651 s	7	0	7	0	35	0	0	35

#	Feature Name	Scenario Name
1	<u>To be Verify the E2E Functionality in KBL website</u>	<u>To Validte the Guser user Flow in home page</u>
2		<u>To Validte the Login functionality with password field</u>
3		<u>To Validte the My account page options & redirection in dashboard</u>
4		<u>To validate the search field functionality</u>
5		<u>To Validte the listing Buy now functionaity for Guest user</u>
6		<u>To Validate the PDP page to Cart Page for Guest user</u>
7		<u>To Validate the checkout flow for login user</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Case1	1	0	1	0	1	0	1	0
@E2E	7	0	7	0	1	0	1	0
@Case2	1	0	1	0	1	0	1	0
@Case3	1	0	1	0	1	0	1	0
@Case4	1	0	1	0	1	0	1	0
@Case5	1	0	1	0	1	0	1	0
@Case6	1	0	1	0	1	0	1	0
@Case7	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>To be Verify the E2E Functionality in KBL website</u>	7	0	7	0	21.651 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>To be Verify the E2E Functionality in KBL website</u>	<u>To Validte the Guser user Flow in home page</u>	5	0	0	5	8.734 s
2		<u>To Validte the Login functionality with password field</u>	4	0	0	4	1.995 s
3		<u>To Validte the My account page options & redirection in dashboard</u>	3	0	0	3	1.984 s
4		<u>To validate the search field functionality</u>	6	0	0	6	1.861 s
5		<u>To Validte the listing Buy now functionaity for Guest user</u>	5	0	0	5	2.192 s
6		<u>To Validate the PDP page to Cart Page for Guest user</u>	4	0	0	4	2.397 s
7		<u>To Validate the checkout flow for login user</u>	8	0	0	8	2.370 s


To be Verify the E2E Functionality in KBL website

FAILED	DURATION - 21.651 s	Scenarios Total - 7 Pass - 0 Fail - 7 Skip - 0		Steps Total - 35 Pass - 0 Fail - 0 Skip - 35	
/ 4:42:00.570 PM // 4:42:22.221 PM /					



To Validte the Guser user Flow in home page

FAILED	DURATION - 8.734 s		Steps Total - 5 Pass - 0 Fail - 0 Skip - 5	
/ 4:42:00.574 PM // 4:42:09.308 PM /				
To be Verify the E2E Functionality in KBL website				
@Case1 @E2E				


#	Step / Hook Details	Status	Duration
	BEFORE - org.steps.KBLHooks.Start() org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=139.0.7258.157) Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_381' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [02aef61a082312d7e1514966fd99430d, get {url=https://betaeshop.kirloskarpumps.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.157, chrome: {chromedriverVersion: 139.0.7258.154 (9e0d6b2b47f..., userDataDir: C:\Windows\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58501}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58501/devtoo..., se:cdpVersion: 139.0.7258.157, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 02aef61a082312d7e1514966fd99430d at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)	FAILED	8.600 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at org.base.Utilityclass.launchurl(Utilityclass.java:132) at org.steps.KBLHooks.Start(KBLHooks.java:28) </pre>		
1	Given User open the Home page	SKIPPED	0.000 s
2	When When user opening the home page > To verify the header section all the Elements	SKIPPED	0.000 s
3	And User verify the home page sections is displayed or not	SKIPPED	0.000 s
4	And To verify the Category L1 > L2 sub-category navigation page	SKIPPED	0.000 s
5	Then Observe the Footer section links redirections	SKIPPED	0.000 s
	AFTER - org.steps.KBLHooks.End(io.cucumber.java.Scenario)	PASSED	0.104 s
	To Validte the Guser user Flow in home page		
			



To Validte the Login functionality with password field

<div>FAILED</div> <div>DURATION - 1.995 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 4</div>	
/ 4:42:09.328 PM // 4:42:11.323 PM /				
To be Verify the E2E Functionality in KBL website				
@Case2 @E2E				


#	Step / Hook Details	Status	Duration
	BEFORE - org.steps.KBLHooks.Start()	FAILED	1.896 s
	<pre> org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=139.0.7258.157) Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_381' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [89a611439a2bdec66bfb55b61bd7dda4, get {url=https://betaeshop.kirloskarpumps.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.157, chrome: </pre>		

#	Step / Hook Details	Status	Duration
	<pre>{chromedriverVersion: 139.0.7258.154 (9e0d6b2b47f..., userDataDir: C:\Windows\SystemTemp\scope..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58518}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58518/devtoo..., se:cdpVersion: 139.0.7258.157, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 89a611439a2bdec66bfb55b61bd7dda4 at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at org.base.Utilityclass.launchurl(Utilityclass.java:132) at org.steps.KBLHooks.Start(KBLHooks.java:28)</pre>		
1	Given User open the Home page	SKIPPED	0.000 s
2	When Go the login page and select the login with password page	SKIPPED	0.000 s
3	And Enter the Email and passwors in repective field	SKIPPED	0.000 s
4	Then Observe the redirection to the my account page	SKIPPED	0.000 s
	AFTER - org.steps.KBLHooks.End(io.cucumber.java.Scenario)	PASSED	0.096 s
	To Valiadte the Login functionality with password field		
			



To Valiadte the My account page options & redirection in dashboard

FAILED	DURATION - 1.984 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 3</div>	
/ 4:42:11.332 PM // 4:42:13.316 PM /				
To be Verify the E2E Functionality in KBL website				
@Case3 @E2E				


#	Step / Hook Details	Status	Duration
	BEFORE - org.steps.KBLHooks.Start() org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=139.0.7258.157) Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_381' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [83d4a91992fa4be9cd7e7875fa27edfb, get {url=https://betaeshop.kirloskarpumps.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.157, chrome: {chromedriverVersion: 139.0.7258.154 (9e0d6b2b47f..., userDataDir: C:\Windows\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58537}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:58537/devtoo..., se.cdpVersion: 139.0.7258.157, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 83d4a91992fa4be9cd7e7875fa27edfb at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at org.base.Utilityclass.launchurl(Utilityclass.java:132) at org.steps.KBLHooks.Start(KBLHooks.java:28)	FAILED	1.885 s
1	Given User open the Home page	SKIPPED	0.000 s
2	When do the login and Observe the my account page options	SKIPPED	0.000 s
3	Then User click the My account options in dashbord and Observe the redirection page	SKIPPED	0.000 s
	AFTER - org.steps.KBLHooks.End(io.cucumber.java.Scenario) To Valiadte the My account page options & redirection in dashboard	PASSED	0.097 s

#	Step / Hook Details	Status	Duration
			



To validate the search field functionality

<div>FAILED</div> <div>DURATION - 1.861 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 6</div>	<div></div>
/ 4:42:13.365 PM // 4:42:15.226 PM /				
To be Verify the E2E Functionality in KBL website				
@Case4 @E2E				


#	Step / Hook Details	Status	Duration
	<p>BEFORE - org.steps.KBLHooks.Start()</p> <p>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=139.0.7258.157) Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_381' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7b3ea1f78bd8e369fd1b0f45a279400d, get {url=https://betaeshop.kirloskarpumps.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.157, chrome: {chromedriverVersion: 139.0.7258.154 (9e0d6b2b47f..., userDataDir: C:\Windows\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58558}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58558/devtoo..., se:cdpVersion: 139.0.7258.157, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7b3ea1f78bd8e369fd1b0f45a279400d</p> <p>at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)</p> <p>at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)</p> <p>at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.lang.reflect.Constructor.newInstance(Constructor.java:423)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)</p>	FAILED	1.767 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at org.base.Utilityclass.launchurl(Utilityclass.java:132) at org.steps.KBLHooks.Start(KBLHooks.java:28) </pre>		
1	Given User go to the Home page	SKIPPED	0.000 s
2	When User Enter the product name in search box "TL16010016A12211"	SKIPPED	0.001 s
3	And Observe the Related products suggestion.then,Click on any product name	SKIPPED	0.000 s
4	And Observe the Seeall navigation page "Surface pump"	SKIPPED	0.000 s
5	And Observe the navigation page using Enter button "Submersible Pump"	SKIPPED	0.001 s
6	Then Verify the Filter options in SLP page	SKIPPED	0.000 s
	AFTER - org.steps.KBLHooks.End(io.cucumber.java.Scenario)	PASSED	0.091 s
	To validate the search field functionality		
			



To Valiadte the listing Buy now functionaity for Guest user

FAILED	DURATION - 2.192 s		Steps Total - 5 Pass - 0 Fail - 0 Skip - 5	
/ 4:42:15.236 PM // 4:42:17.428 PM /				
To be Verify the E2E Functionality in KBL website				
@Case5 @E2E				


#	Step / Hook Details	Status	Duration
	BEFORE - org.steps.KBLHooks.Start()	FAILED	2.104 s
	<pre> org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=139.0.7258.157) Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_381' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9b3adeabf277f5d136e30e369a565378, get {url=https://betaeshop.kirloskarpumps.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.157, chrome: {chromedriverVersion: 139.0.7258.154 (9e0d6b2b47f..., userDataDir: C:\Windows\SystemTemp\scope...}, fedcm:accounts: true, </pre>		

#	Step / Hook Details	Status	Duration
	<p>goog:chromeOptions: {debuggerAddress: localhost:58574}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58574/devtoo..., se:cdpVersion: 139.0.7258.157, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9b3adeabf277f5d136e30e369a565378</p> <p>at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at org.base.Utilityclass.launchurl(Utilityclass.java:132) at org.steps.KBLHooks.Start(KBLHooks.java:28)</p>		
1	Given User open the Home page	SKIPPED	0.000 s
2	When User go to the listing page	SKIPPED	0.001 s
3	And verify the Buy now CTA functionality	SKIPPED	0.000 s
4	And verify the Compare now option in listing page	SKIPPED	0.000 s
5	Then verify the added compare products in comparision page	SKIPPED	0.000 s
	AFTER - org.steps.KBLHooks.End(io.cucumber.java.Scenario)	PASSED	0.084 s
	To Validatde the listing Buy now functionaity for Guest user		
			



To Validate the PDP page to Cart Page for Guest user

<div>FAILED</div> <div>DURATION - 2.397 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 4</div>	
/ 4:42:17.440 PM // 4:42:19.837 PM /				
To be Verify the E2E Functionality in KBL website				
@Case6 @E2E				

#	Step / Hook Details	Status	Duration
	BEFORE - org.steps.KBLHooks.Start() org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=139.0.7258.157) Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_381' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e68a01d9d1521d8826fa0cfb09ae6cd2, get {url=https://betaeshop.kirloskarpumps.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.157, chrome: {chromedriverVersion: 139.0.7258.154 (9e0d6b2b47f..., userDataDir: C:\Windows\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58592}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:58592/devtoo..., se.cdpVersion: 139.0.7258.157, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e68a01d9d1521d8826fa0cfb09ae6cd2 at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at org.base.Utilityclass.launchurl(Utilityclass.java:132) at org.steps.KBLHooks.Start(KBLHooks.java:28)	FAILED	2.296 s
1	Given User open the Home page	SKIPPED	0.000 s
2	And On click Buy now CTA or any product cards in listing page	SKIPPED	0.002 s
3	And Verify the correct delivery message based on TAT functionality	SKIPPED	0.000 s
4	Then verify the PDP page features and products prices & do the add to cart.	SKIPPED	0.000 s
	AFTER - org.steps.KBLHooks.End(io.cucumber.java.Scenario)	PASSED	0.097 s

#	Step / Hook Details	Status	Duration
	<p>To Validate the PDP page to Cart Page for Guest user</p> 		

To Validate the checkout flow for login user

FAILED DURATION - 2.370 s / 4:42:19.851 PM // 4:42:22.221 PM / To be Verify the E2E Functionality in KBL website @Case7 @E2E		Steps Total - 8 Pass - 0 Fail - 0 Skip - 8	
-------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------	--------------------------------------------------------	-------------------------------------------------------------------------------------

#	Step / Hook Details	Status	Duration
	<p>BEFORE - org.steps.KBLHooks.Start()</p> <p>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=139.0.7258.157) Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_381' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f6f1d6b0f0de1d3ef7b755b6118f883c, get {url=https://betaeshop.kirloskarpumps.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.157, chrome: {chromedriverVersion: 139.0.7258.154 (9e0d6b2b47f..., userDataDir: C:\Windows\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58610}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58610/devtoo..., se:cdpVersion: 139.0.7258.157, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f6f1d6b0f0de1d3ef7b755b6118f883c</p> <p>at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)</p>	FAILED	2.279 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at org.base.Utilityclass.launchurl(Utilityclass.java:132) at org.steps.KBLHooks.Start(KBLHooks.java:28)		
1	Given user opens the Home page and logs in	SKIPPED	0.000 s
2	When the user navigates to the listing page	SKIPPED	0.000 s
3	And clicks the "Buy Now" CTA or any product card on the listing page	SKIPPED	0.000 s
4	And adds the product to the cart and proceeds to the Cart page	SKIPPED	0.000 s
5	And verifies the Cart page features and Order summary detail.Then,proceeds to the Checkout page	SKIPPED	0.000 s
6	And enters the shipping and billing details	SKIPPED	0.000 s
7	And selects a payment option and places the order	SKIPPED	0.001 s
8	Then after successful payment, the user should see the Thank You page	SKIPPED	0.000 s
	AFTER - org.steps.KBLHooks.End(io.cucumber.java.Scenario)	PASSED	0.077 s
	To Validate the checkout flow for login user		
	