

Cucumber Report

9 Sep, 2025 5:40:57 PM

Start : Sep 09, 5:26:31.040 PM

End : Sep 09, 5:40:54.796 PM

Duration : 14 m 23.756 s

Features



Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 4
FAILED - 3
SKIPPED - 0


PASSED - 19
FAILED - 2
SKIPPED - 14




| Feature | | Scenario | | | | Step | | | |
|--|---------------|----------|---|---|---|------|----|---|----|
| Name | Duration | T | P | F | S | T | P | F | S |
| <u>To be Verify the E2E Functionality in KBL website</u> | 14 m 23.756 s | 7 | 4 | 3 | 0 | 35 | 19 | 2 | 14 |

| # | Feature Name | Scenario Name |
|---|--|---|
| 1 | <u>To be Verify the E2E Functionality in KBL website</u> | <u>To Validte the listing Buy now functionaity for Guest user</u> |
| 2 | | <u>To Validate the PDP page to Cart Page for Guest user</u> |
| 3 | | <u>To Validate the checkout flow for login user</u> |

| TAG | Scenario | | | | Feature | | | |
|-------------|-----------------|----------|----------|----------|----------------|----------|----------|----------|
| Name | T | P | F | S | T | P | F | S |
| @Case1 | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @E2E | 7 | 4 | 3 | 0 | 1 | 0 | 1 | 0 |
| @Case2 | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @Case3 | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @Case4 | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @Case5 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @Case6 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @Case7 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |





| # | Feature Name | T | P | F | S | Duration |
|---|--|---|---|---|---|---------------|
| 1 | <u>To be Verify the E2E Functionality in KBL website</u> | 7 | 4 | 3 | 0 | 14 m 23.756 s |





| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--|--|---|---|---|---|--------------|
| 1 | <u>To be Verify the E2E Functionality in KBL website</u> | <u>To Validte the Guser user Flow in home page</u> | 5 | 5 | 0 | 0 | 2 m 44.595 s |
| 2 | | <u>To Validte the Login functionality with password field</u> | 4 | 4 | 0 | 0 | 50.603 s |
| 3 | | <u>To Validte the My account page options & redirection in dashboard</u> | 3 | 3 | 0 | 0 | 1 m 52.795 s |
| 4 | | <u>To validate the search field functionality</u> | 6 | 6 | 0 | 0 | 1 m 46.698 s |
| 5 | | <u>To Validte the listing Buy now functionaity for Guest user</u> | 5 | 1 | 1 | 3 | 6 m 19.942 s |
| 6 | | <u>To Validate the PDP page to Cart Page for Guest user</u> | 4 | 0 | 0 | 4 | 44.365 s |
| 7 | | <u>To Validate the checkout flow for login user</u> | 8 | 0 | 1 | 7 | 4.624 s |

To be Verify the E2E Functionality in KBL website



| | | | | | |
|--------------------------------------|--------------------------|--|---|---|---|
| FAILED | DURATION - 14 m 23.756 s | Scenarios Total - 7 Pass - 4 Fail - 3 Skip - 0 |  | Steps Total - 35 Pass - 19 Fail - 2 Skip - 14 |  |
| / 5:26:31.040 PM // 5:40:54.796 PM / | | | | | |
| | | | | | |

To Valiadte the Guser user Flow in home page

| | | | | |
|---|-------------------------|--|--|---|
| PASSED | DURATION - 2 m 44.595 s |  | Steps Total - 5 Pass - 5 Fail - 0 Skip - 0 |  |
| / 5:26:31.043 PM // 5:29:15.638 PM / | | | | |
| To be Verify the E2E Functionality in KBL website | | | | |
| @Case1 @E2E | | | | |



| # | Step / Hook Details | Status | Duration |
|---|--|--------|--------------|
| 1 | Given User open the Home page | PASSED | 0.123 s |
| 2 | When When user opening the home page > To verify the header section all the Elements | PASSED | 48.043 s |
| 3 | And User verify the home page sections is displayed or not | PASSED | 17.592 s |
| 4 | And To verify the Categeory L1 > L2 sub-categeory navigation page | PASSED | 0.000 s |
| 5 | Then Observe the Footer section links redirections | PASSED | 1 m 19.769 s |

To Valiadte the Login functionality with password field

| | | | | |
|---|---------------------|--|--|---|
| PASSED | DURATION - 50.603 s |  | Steps Total - 4 Pass - 4 Fail - 0 Skip - 0 |  |
| / 5:29:15.658 PM // 5:30:06.261 PM / | | | | |
| To be Verify the E2E Functionality in KBL website | | | | |
| @Case2 @E2E | | | | |



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User open the Home page | PASSED | 0.019 s |
| 2 | When Go the login page and select the login with password page | PASSED | 10.165 s |
| 3 | And Enter the Email and passwors in repective field | PASSED | 11.167 s |
| 4 | Then Observe the redirection to the my account page | PASSED | 7.746 s |

To Valiadte the My account page options & redirection in dashboard

| | | | | |
|---|-------------------------|--|--|---|
| PASSED | DURATION - 1 m 52.795 s |  | Steps Total - 3 Pass - 3 Fail - 0 Skip - 0 |  |
| / 5:30:06.273 PM // 5:31:59.068 PM / | | | | |
| To be Verify the E2E Functionality in KBL website | | | | |
| @Case3 @E2E | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|--------------|
| 1 | Given User open the Home page | PASSED | 0.047 s |
| 2 | When do the login and Observe the my account page options | PASSED | 16.039 s |
| 3 | Then User click the My account options in dashbord and Observe the redirection page | PASSED | 1 m 17.898 s |



To validate the search field functionality

| | | | | |
|---|-------------------------|---|--|---|
| PASSED | DURATION - 1 m 46.698 s |  | Steps Total - 6 Pass - 6 Fail - 0 Skip - 0 |  |
| / 5:31:59.109 PM // 5:33:45.807 PM / | | | | |
| To be Verify the E2E Functionality in KBL website | | | | |
| @Case4 @E2E | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User go to the Home page | PASSED | 0.075 s |
| 2 | When User Enter the product name in search box "TL16010016A12211" | PASSED | 0.349 s |
| 3 | And Observe the Related products suggestion.then,Click on any product name | PASSED | 13.775 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 4 | And Observe the Seeall navigation page "Surface pump" | PASSED | 13.219 s |
| 5 | And Observe the navigation page using Enter button "Submersible Pump" | PASSED | 15.836 s |
| 6 | Then Verify the Filter options in SLP page | PASSED | 40.204 s |

To Valiadte the listing Buy now functionaity for Guest user

| | | | | |
|--|--|--|---|---|
| <div>FAILED</div> <div>DURATION - 6 m 19.942 s</div> | |  | <div>Steps</div> <div>Total - 5</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 3</div> |  |
| / 5:33:45.818 PM // 5:40:05.760 PM / | | | | |
| To be Verify the E2E Functionality in KBL website | | | | |
| @Case5 @E2E | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|--------------|
| 1 | Given User open the Home page | PASSED | 0.021 s |
| 2 | When User go to the listing page <pre>org.openqa.selenium.json.JsonException: java.lang.reflect.InvocationTargetException Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_381' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [ef3308a6a2c679786fc43a13f717c8f2, actions {actions=[org.openqa.selenium.interactions.Sequence@4aac81ca]]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.157, chrome: {chromedriverVersion: 139.0.7258.154 (9e0d6b2b47f..., userDataDir: C:\Windows\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50520}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50520/devtoo..., se:cdpVersion: 139.0.7258.157, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ef3308a6a2c679786fc43a13f717c8f2 at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:362) at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:154) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287) at org.openqa.selenium.json.JsonOutput.lambda\$new\$22(JsonOutput.java:169) at java.util.stream.ForEachOps\$ForEachOp\$OfRef.accept(ForEachOps.java:184) at java.util.stream.ReferencePipeline\$2\$1.accept(ReferencePipeline.java:175) at java.util.Iterator.forEachRemaining(Iterator.java:116) at java.util.Spliterators\$IteratorSpliterator.forEachRemaining(Spliterators.java:1801) at java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:482) at java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:472) at java.util.stream.ForEachOps\$ForEachOp.evaluateSequential(ForEachOps.java:151)</pre> | FAILED | 4 m 14.295 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <p>at java.util.stream.ForEachOps\$ForEachOp\$OfRef.evaluateSequential(ForEachOps.java:174)</p> <p>at java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)</p> <p>at java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:418)</p> <p>at org.openqa.selenium.json.JsonOutput.lambda\$new\$23(JsonOutput.java:169)</p> <p>at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287)</p> <p>at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:182)</p> <p>at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:68)</p> <p>at org.openqa.selenium.json.JsonOutput.lambda\$new\$25(JsonOutput.java:177)</p> <p>at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287)</p> <p>at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:278)</p> <p>at org.openqa.selenium.json.Json.toJson(Json.java:42)</p> <p>at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:259)</p> <p>at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:122)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:181)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:611)</p> <p>at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:567)</p> <p>at org.openqa.selenium.interactions.Actions.perform(Actions.java:536)</p> <p>at org.base.Utilityclass.moveToElement(Utilityclass.java:258)</p> <p>at org.steps.KBLSteps.user_go_to_the_listing_page(KBLSteps.java:594)</p> <p>at ?.User go to the listing page(file:///E:/KBL-Project/KBL-Business%20flow/src/test/resources/Feature/E2E.feature:53)</p> <p>Suppressed: org.openqa.selenium.json.JsonException: Attempting to close incomplete json stream Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_381' Driver info: driver.version: RemoteWebDriver</p> <p>at org.openqa.selenium.json.JsonOutput.close(JsonOutput.java:303) at org.openqa.selenium.json.Json.toJson(Json.java:40) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:259)</p> <p>at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:122) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:181) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:611) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:567) at org.openqa.selenium.interactions.Actions.perform(Actions.java:536) at org.base.Utilityclass.moveToElement(Utilityclass.java:258) at org.steps.KBLSteps.user_go_to_the_listing_page(KBLSteps.java:594) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104)</p> | | |



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <p>at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:151) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27) at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:290) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:71) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:288) at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:58) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:268) at org.junit.runners.ParentRunner.run(ParentRunner.java:363) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:199) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90) at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:290) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:71) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:288) at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:58) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:268) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:234) at org.junit.internal.runners.statements.RunAfters.evaluate(RunAfters.java:27) at org.junit.runners.ParentRunner.run(ParentRunner.java:363) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:520) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:748) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:443) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:211) Caused by: java.lang.reflect.InvocationTargetException</p> <p>at sun.reflect.GeneratedMethodAccessor5.invoke(Unknown Source)</p> <p>at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>at java.lang.reflect.Method.invoke(Method.java:498)</p> <p>at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:358)</p> <p>at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:154)</p> <p>at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287)</p> <p>at org.openqa.selenium.json.JsonOutput.lambda\$new\$22(JsonOutput.java:169)</p> <p>at java.util.stream.ForEachOps\$ForEachOp\$OfRef.accept(ForEachOps.java:184)</p> <p>at java.util.stream.ReferencePipeline\$2\$1.accept(ReferencePipeline.java:175)</p> <p>at java.util.Iterator.forEachRemaining(Iterator.java:116)</p> <p>at java.util.Spliterators\$IteratorSpliterator.forEachRemaining(Spliterators.java:1801)</p> <p>at java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:482)</p> <p>at java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:472)</p> <p>at java.util.stream.ForEachOps\$ForEachOp.evaluateSequential(ForEachOps.java:151)</p> <p>at java.util.stream.ForEachOps\$ForEachOp\$OfRef.evaluateSequential(ForEachOps.java:174)</p> <p>at java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)</p> <p>at java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:418)</p> <p>at org.openqa.selenium.json.JsonOutput.lambda\$new\$23(JsonOutput.java:169)</p> <p>at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287)</p> <p>at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:182)</p> <p>at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:68)</p> <p>at org.openqa.selenium.json.JsonOutput.lambda\$new\$25(JsonOutput.java:177)</p> <p>at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287)</p> <p>at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:278)</p> <p>at org.openqa.selenium.json.Json.toJson(Json.java:42)</p> <p>at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:259)</p> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:122) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:181) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:611) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:567) at org.openqa.selenium.interactions.Actions.perform(Actions.java:536) at org.base.Utilityclass.moveToElement(Utilityclass.java:258) at org.steps.KBLSteps.user_go_to_the_listing_page(KBLSteps.java:594) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:151) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27) at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:290) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:71) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:288) at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:58) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:268) at org.junit.runners.ParentRunner.run(ParentRunner.java:363) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:199) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90) at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:290) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:71) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:288) at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:58) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:268) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:234) at org.junit.internal.runners.statements.RunAfters.evaluate(RunAfters.java:27) at org.junit.runners.ParentRunner.run(ParentRunner.java:363) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:520) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:748) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:443) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:211) </pre> <p>Caused by: org.openqa.selenium.TimeoutException: java.util.concurrent.TimeoutException Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_381' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [ef3308a6a2c679786fc43a13f717c8f2, findElement {using=xpath, value=([a[@class='menu-link']][1])}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.157, chrome: {chromedriverVersion: 139.0.7258.154 (9e0d6b2b47f..., userDataDir: C:\Windows\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50520}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50520/devtoo..., se:cdpVersion: 139.0.7258.157, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ef3308a6a2c679786fc43a13f717c8f2</p> <pre> at org.openqa.selenium.remote.http.netty.NettyHttpHandler.makeCall(NettyHttpHandler.java:65) at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42) at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:56) at org.openqa.selenium.remote.http.netty.NettyHttpHandler.execute(NettyHttpHandler.java:49) at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42) at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:56) at org.openqa.selenium.remote.http.netty.NettyClient.execute(NettyClient.java:99) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy39.getWrappedElement(Unknown Source) at org.openqa.selenium.interactions.PointerInput\$Origin.asArg(PointerInput.java:269) at org.openqa.selenium.interactions.PointerInput\$Move.encode(PointerInput.java:218) at org.openqa.selenium.interactions.Sequence.encode(Sequence.java:73) at org.openqa.selenium.interactions.Sequence.toJson(Sequence.java:82) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|--------------|
| | ... 77 more Caused by: java.util.concurrent.TimeoutException at java.util.concurrent.CompletableFuture.timedGet(CompletableFuture.java:1784) at java.util.concurrent.CompletableFuture.get(CompletableFuture.java:1928) at org.asynchttpclient.netty.NettyResponseFuture.get(NettyResponseFuture.java:206) at org.openqa.selenium.remote.http.netty.NettyHttpHandler.makeCall(NettyHttpHandler.java:59) * Not displayable characters are replaced by '?'. | | |
| 3 | And verify the Buy now CTA functionality | SKIPPED | 0.000 s |
| 4 | And verify the Compare now option in listing page | SKIPPED | 0.000 s |
| 5 | Then verify the added compare products in comparision page | SKIPPED | 0.000 s |
| | AFTER - org.steps.KBLHooks.End(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_381' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ef3308a6a2c679786fc43a13f717c8f2, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.157, chrome: {chromedriverVersion: 139.0.7258.154 (9e0d6b2b47f..., userDataDir: C:\Windows\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50520}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50520/devtoo..., se:cdpVersion: 139.0.7258.157, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ef3308a6a2c679786fc43a13f717c8f2 at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at org.steps.KBLHooks.End(KBLHooks.java:44) | FAILED | 1 m 47.556 s |

To Validate the PDP page to Cart Page for Guest user


| | | | | |
|---|--|--|---|---|
| <div>FAILED</div> <div>DURATION - 44.365 s</div> | |  | <div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 4</div> |  |
| / 5:40:05.784 PM // 5:40:50.149 PM / | | | | |
| To be Verify the E2E Functionality in KBL website | | | | |
| @Case6 @E2E | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|----------------|----------|
| | BEFORE - org.steps.KBLHooks.Start() org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=139.0.7258.157) Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_381' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [daeb7812ca6d474c2516f24fe6d52f26, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.157, chrome: {chromedriverVersion: 139.0.7258.154 (9e0d6b2b47f..., userDataDir: C:\Windows\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62307}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62307/devtoo..., se:cdpVersion: 139.0.7258.157, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: daeb7812ca6d474c2516f24fe6d52f26 at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.maximize(RemoteWebDriver.java:953) at org.base.Utilityclass.pagemaximize(Utilityclass.java:146) at org.steps.KBLHooks.Start(KBLHooks.java:34) | FAILED | 44.355 s |
| 1 | Given User open the Home page | SKIPPED | 0.000 s |
| 2 | And On click Buy now CTA or any product cards in listing page | SKIPPED | 0.003 s |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 3 | And Verify the correct delivery message based on TAT functionality | SKIPPED | 0.000 s |
| 4 | Then verify the PDP page features and products prices & do the add to cart. | SKIPPED | 0.000 s |
| | <p>AFTER - org.steps.KBLHooks.End(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=139.0.7258.157) Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_381' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [daeb7812ca6d474c2516f24fe6d52f26, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.157, chrome: {chromedriverVersion: 139.0.7258.154 (9e0d6b2b47f..., userDataDir: C:\Windows\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62307}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62307/devtoo..., se:cdpVersion: 139.0.7258.157, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: daeb7812ca6d474c2516f24fe6d52f26</p> <p>at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at org.steps.KBLHooks.End(KBLHooks.java:44)</p> | FAILED | 0.005 s |

To Validate the checkout flow for login user

| <div>FAILED</div> <div>DURATION - 4.624 s</div> | | <div><table border="1"><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>0.05</td></tr><tr><td>2</td><td>0.005</td></tr><tr><td>3</td><td>0.002</td></tr><tr><td>4</td><td>0.001</td></tr><tr><td>5</td><td>0.005</td></tr><tr><td>6</td><td>0.001</td></tr><tr><td>7</td><td>0.001</td></tr><tr><td>8</td><td>0.001</td></tr></tbody></table></div> | Step | Duration (s) | 1 | 0.05 | 2 | 0.005 | 3 | 0.002 | 4 | 0.001 | 5 | 0.005 | 6 | 0.001 | 7 | 0.001 | 8 | 0.001 | <div>Steps</div> <div>Total - 8</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 7</div> | <div><div>8</div></div> |
|---|--------------|---|------|--------------|---|------|---|-------|---|-------|---|-------|---|-------|---|-------|---|-------|---|-------|---|-------------------------|
| Step | Duration (s) | | | | | | | | | | | | | | | | | | | | | |
| 1 | 0.05 | | | | | | | | | | | | | | | | | | | | | |
| 2 | 0.005 | | | | | | | | | | | | | | | | | | | | | |
| 3 | 0.002 | | | | | | | | | | | | | | | | | | | | | |
| 4 | 0.001 | | | | | | | | | | | | | | | | | | | | | |
| 5 | 0.005 | | | | | | | | | | | | | | | | | | | | | |
| 6 | 0.001 | | | | | | | | | | | | | | | | | | | | | |
| 7 | 0.001 | | | | | | | | | | | | | | | | | | | | | |
| 8 | 0.001 | | | | | | | | | | | | | | | | | | | | | |
| / 5:40:50.172 PM // 5:40:54.796 PM / | | | | | | | | | | | | | | | | | | | | | | |
| To be Verify the E2E Functionality in KBL website | | | | | | | | | | | | | | | | | | | | | | |
| @Case7 @E2E | | | | | | | | | | | | | | | | | | | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given user opens the Home page and logs in junit.framework.AssertionFailedError: To check title at Home page at junit.framework.Assert.fail(Assert.java:57) at junit.framework.Assert.assertTrue(Assert.java:22) at org.base.Utilityclass.checkpresentElement(Utilityclass.java:687) at org.steps.KBLSteps.user_opens_the_home_page_and_logs_in(KBLSteps.java:933) at ?.user opens the Home page and logs in(file:///E:/KBL-Project/KBL-Business%20flow/src/test/resources/Feature/E2E.feature:71) * Not displayable characters are replaced by '?'. | FAILED | 0.050 s |
| 2 | When the user navigates to the listing page | SKIPPED | 0.001 s |
| 3 | And clicks the "Buy Now" CTA or any product card on the listing page | SKIPPED | 0.000 s |
| 4 | And adds the product to the cart and proceeds to the Cart page | SKIPPED | 0.000 s |
| 5 | And verifies the Cart page features and Order summary detail.Then,proceeds to the Checkout page | SKIPPED | 0.002 s |
| 6 | And enters the shipping and billing details | SKIPPED | 0.000 s |
| 7 | And selects a payment option and places the order | SKIPPED | 0.000 s |
| 8 | Then after successful payment, the user should see the Thank You page | SKIPPED | 0.000 s |
| | AFTER - org.steps.KBLHooks.End(io.cucumber.java.Scenario) | PASSED | 0.118 s |
| | To Validate the checkout flow for login user | | |
| |  | | |