

Cucumber Report

9 Sep, 2025 8:38:05 PM

Start : Sep 09, 8:21:26.077 PM

End : Sep 09, 8:38:02.936 PM

Duration : 16 m 36.859 s

Features



Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 5
FAILED - 2
SKIPPED - 0


PASSED - 29
FAILED - 1
SKIPPED - 5




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>To be Verify the E2E Functionality in KBL website</u>	16 m 36.859 s	7	5	2	0	35	29	1	5

#	Feature Name	Scenario Name
1	<u>To be Verify the E2E Functionality in KBL website</u>	<u>To Validte the listing Buy now functionaity for Guest user</u>
2		<u>To Validate the PDP page to Cart Page for Guest user</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Case1	1	1	0	0	1	0	1	0
@E2E	7	5	2	0	1	0	1	0
@Case2	1	1	0	0	1	0	1	0
@Case3	1	1	0	0	1	0	1	0
@Case4	1	1	0	0	1	0	1	0
@Case5	1	0	1	0	1	0	1	0
@Case6	1	0	1	0	1	0	1	0
@Case7	1	1	0	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>To be Verify the E2E Functionality in KBL website</u>	7	5	2	0	16 m 36.859 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>To be Verify the E2E Functionality in KBL website</u>	<u>To Validte the Guser user Flow in home page</u>	5	5	0	0	2 m 54.204 s
2		<u>To Validte the Login functionality with password field</u>	4	4	0	0	37.640 s
3		<u>To Validte the My account page options & redirection in dashboard</u>	3	3	0	0	1 m 58.713 s
4		<u>To validate the search field functionality</u>	6	6	0	0	1 m 34.320 s
5		<u>To Validte the listing Buy now functionaity for Guest user</u>	5	3	1	1	3 m 22.345 s
6		<u>To Validate the PDP page to Cart Page for Guest user</u>	4	0	0	4	3 m 3.258 s
7		<u>To Validate the checkout flow for login user</u>	8	8	0	0	3 m 6.261 s

To be Verify the E2E Functionality in KBL website



FAILED	DURATION - 16 m 36.859 s	Scenarios Total - 7 Pass - 5 Fail - 2 Skip - 0		Steps Total - 35 Pass - 29 Fail - 1 Skip - 5	
/ 8:21:26.077 PM // 8:38:02.936 PM /					

To Valiadte the Guser user Flow in home page

PASSED	DURATION - 2 m 54.204 s		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 8:21:26.081 PM // 8:24:20.285 PM /				
To be Verify the E2E Functionality in KBL website				
@Case1 @E2E				



#	Step / Hook Details	Status	Duration
1	Given User open the Home page	PASSED	0.099 s
2	When When user opening the home page > To verify the header section all the Elements	PASSED	47.426 s
3	And User verify the home page sections is displayed or not	PASSED	15.104 s
4	And To verify the Categeory L1 > L2 sub-categeory navigation page	PASSED	0.000 s
5	Then Observe the Footer section links redirections	PASSED	1 m 39.938 s

To Valiadte the Login functionality with password field

PASSED	DURATION - 37.640 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 8:24:20.307 PM // 8:24:57.947 PM /				
To be Verify the E2E Functionality in KBL website				
@Case2 @E2E				



#	Step / Hook Details	Status	Duration
1	Given User open the Home page	PASSED	0.028 s
2	When Go the login page and select the login with password page	PASSED	5.875 s
3	And Enter the Email and passwors in repective field	PASSED	11.287 s
4	Then Observe the redirection to the my account page	PASSED	7.469 s

To Valiadte the My account page options & redirection in dashboard

PASSED	DURATION - 1 m 58.713 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:24:57.959 PM // 8:26:56.672 PM /				
To be Verify the E2E Functionality in KBL website				
@Case3 @E2E				

#	Step / Hook Details	Status	Duration
1	Given User open the Home page	PASSED	0.019 s
2	When do the login and Observe the my account page options	PASSED	15.619 s
3	Then User click the My account options in dashbord and Observe the redirection page	PASSED	1 m 29.993 s



To validate the search field functionality

PASSED	DURATION - 1 m 34.320 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 8:26:56.708 PM // 8:28:31.028 PM /				
To be Verify the E2E Functionality in KBL website				
@Case4 @E2E				

#	Step / Hook Details	Status	Duration
1	Given User go to the Home page	PASSED	0.021 s
2	When User Enter the product name in search box "TL16010016A12211"	PASSED	0.473 s
3	And Observe the Related products suggestion.then,Click on any product name	PASSED	15.891 s

#	Step / Hook Details	Status	Duration
4	And Observe the Seeall navigation page "Surface pump"	PASSED	11.218 s
5	And Observe the navigation page using Enter button "Submersible Pump"	PASSED	16.881 s
6	Then Verify the Filter options in SLP page	PASSED	38.621 s

To Valiadte the listing Buy now functionaity for Guest user

FAILED	DURATION - 3 m 22.345 s		Steps Total - 5 Pass - 3 Fail - 1 Skip - 1	
/ 8:28:31.040 PM // 8:31:53.385 PM /				
To be Verify the E2E Functionality in KBL website				
@Case5 @E2E				


#	Step / Hook Details	Status	Duration
1	Given User open the Home page	PASSED	0.023 s
2	When User go to the listing page	PASSED	1 m 12.157 s
3	And verify the Buy now CTA functionality	PASSED	16.065 s
4	And verify the Compare now option in listing page org.openqa.selenium.json.JsonException: java.lang.reflect.InvocationTargetException Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_381' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9889a1bc9dadc3cf52fe1334c4be856d, actions {actions=[org.openqa.selenium.interactions.Sequence@45f1413c]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.157, chrome: {chromedriverVersion: 139.0.7258.154 (9e0d6b2b47f..., userDataDir: C:\Windows\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59846}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59846/devtoo..., se:cdpVersion: 139.0.7258.157, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9889a1bc9dadc3cf52fe1334c4be856d at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:362) at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:154) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287) at org.openqa.selenium.json.JsonOutput.lambda\$new\$22(JsonOutput.java:169) at java.util.stream.ForEachOps\$ForEachOp\$OfRef.accept(ForEachOps.java:184) at java.util.stream.ReferencePipeline\$2\$1.accept(ReferencePipeline.java:175) at java.util.Iterator.forEachRemaining(Iterator.java:116) at java.util.Spliterators\$IteratorSpliterator.forEachRemaining(Spliterators.java:1801) at java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:482)	FAILED	1 m 28.000 s

#	Step / Hook Details	Status	Duration
	<p>at java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:472)</p> <p>at java.util.stream.ForEachOps\$ForEachOp.evaluateSequential(ForEachOps.java:151)</p> <p>at java.util.stream.ForEachOps\$ForEachOp\$OfRef.evaluateSequential(ForEachOps.java:174)</p> <p>at java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)</p> <p>at java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:418)</p> <p>at org.openqa.selenium.json.JsonOutput.lambda\$new\$23(JsonOutput.java:169)</p> <p>at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287)</p> <p>at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:182)</p> <p>at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:68)</p> <p>at org.openqa.selenium.json.JsonOutput.lambda\$new\$25(JsonOutput.java:177)</p> <p>at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287)</p> <p>at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:278)</p> <p>at org.openqa.selenium.json.Json.toJson(Json.java:42)</p> <p>at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:259)</p> <p>at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:122)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:181)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:611)</p> <p>at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:567)</p> <p>at org.openqa.selenium.interactions.Actions.perform(Actions.java:536)</p> <p>at org.base.Utilityclass.moveToElement(Utilityclass.java:258)</p> <p>at org.steps.KBLSteps.verify_the_compare_now_option_in_listing_page(KBLSteps.java:732)</p> <p>at ?.verify the Compare now option in listing page(file:///E:/KBL-Project/KBL-Business%20flow/src/test/resources/Feature/E2E.feature:55)</p> <p>Suppressed: org.openqa.selenium.json.JsonException: Attempting to close incomplete json stream Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_381' Driver info: driver.version: RemoteWebDriver</p> <p>at org.openqa.selenium.json.JsonOutput.close(JsonOutput.java:303) at org.openqa.selenium.json.Json.toJson(Json.java:40) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:259)</p> <p>at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:122) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:181) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:611) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:567) at org.openqa.selenium.interactions.Actions.perform(Actions.java:536) at org.base.Utilityclass.moveToElement(Utilityclass.java:258) at org.steps.KBLSteps.verify_the_compare_now_option_in_listing_page(KBLSteps.java:732) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.</p>		



#	Step / Hook Details	Status	Duration
	<p>runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:151) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27) at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:290) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:71) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:288) at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:58) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:268) at org.junit.runners.ParentRunner.run(ParentRunner.java:363) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:199) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90) at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:290) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:71) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:288) at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:58) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:268) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:234) at org.junit.internal.runners.statements.RunAfters.evaluate(RunAfters.java:27) at org.junit.runners.ParentRunner.run(ParentRunner.java:363) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:520) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:748) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:443) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:211) Caused by: java.lang.reflect.InvocationTargetException</p> <p>at sun.reflect.GeneratedMethodAccessor5.invoke(Unknown Source)</p> <p>at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>at java.lang.reflect.Method.invoke(Method.java:498)</p> <p>at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:358)</p> <p>at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:154)</p> <p>at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287)</p> <p>at org.openqa.selenium.json.JsonOutput.lambda\$new\$22(JsonOutput.java:169)</p> <p>at java.util.stream.ForEachOps\$ForEachOp\$OfRef.accept(ForEachOps.java:184)</p> <p>at java.util.stream.ReferencePipeline\$2\$1.accept(ReferencePipeline.java:175)</p> <p>at java.util.Iterator.forEachRemaining(Iterator.java:116)</p> <p>at java.util.Spliterators\$IteratorSpliterator.forEachRemaining(Spliterators.java:1801)</p> <p>at java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:482)</p> <p>at java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:472)</p> <p>at java.util.stream.ForEachOps\$ForEachOp.evaluateSequential(ForEachOps.java:151)</p> <p>at java.util.stream.ForEachOps\$ForEachOp\$OfRef.evaluateSequential(ForEachOps.java:174)</p> <p>at java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)</p> <p>at java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:418)</p> <p>at org.openqa.selenium.json.JsonOutput.lambda\$new\$23(JsonOutput.java:169)</p> <p>at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287)</p> <p>at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:182)</p> <p>at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:68)</p> <p>at org.openqa.selenium.json.JsonOutput.lambda\$new\$25(JsonOutput.java:177)</p> <p>at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287)</p>		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:278) at org.openqa.selenium.json.Json.toJson(Json.java:42) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:259) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:122) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:181) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:611) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:567) at org.openqa.selenium.interactions.Actions.perform(Actions.java:536) at org.base.Utilityclass.moveToElement(Utilityclass.java:258) at org.steps.KBLSteps.verify_the_compare_now_option_in_listing_page(KBLSteps.java:732) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:151) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27) at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:290) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:71) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:288) at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:58) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:268) at org.junit.runners.ParentRunner.run(ParentRunner.java:363) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:199) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90) at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:290)		

#	Step / Hook Details	Status	Duration
	<pre> at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:71) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:288) at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:58) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:268) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:234) at org.junit.internal.runners.statements.RunAfters.evaluate(RunAfters.java:27) at org.junit.runners.ParentRunner.run(ParentRunner.java:363) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:520) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:748) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:443) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:211) </pre> <p>Caused by: org.openqa.selenium.UnhandledAlertException: unexpected alert open: {Alert text : An error occurred while loading pincode data.} (Session info: chrome=139.0.7258.157): An error occurred while loading pincode data. Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_381' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9889a1bc9dad3cf52fe1334c4be856d, findElement {using=xpath, value=("//div[@class='product-item-info'])[2]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.157, chrome: {chromedriverVersion: 139.0.7258.154 (9e0d6b2b47f..., userDataDir: C:\Windows\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59846}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59846/devtoo..., se:cdpVersion: 139.0.7258.157, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9889a1bc9dad3cf52fe1334c4be856d</p> <pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy39.getWrappedElement(Unknown Source) at org.openqa.selenium.interactions.PointerInput\$Origin.asArg(PointerInput.java:269) at org.openqa.selenium.interactions.PointerInput\$Move.encode(PointerInput.java:218) at org.openqa.selenium.interactions.Sequence.encode(Sequence.java:73) at org.openqa.selenium.interactions.Sequence.toJson(Sequence.java:82) </pre> <p>* Not displayable characters are replaced by '?'. </p>		


#	Step / Hook Details	Status	Duration
5	Then verify the added compare products in comparison page	SKIPPED	0.006 s
	AFTER - org.steps.KBLHooks.End(io.cucumber.java.Scenario)	PASSED	11.547 s
	To Valiadte the listing Buy now functionaity for Guest user		
			

To Validate the PDP page to Cart Page for Guest user

FAILED		DURATION - 3 m 3.258 s			Steps Total - 4 Pass - 0 Fail - 0 Skip - 4	
/ 8:31:53.410 PM // 8:34:56.668 PM /						
To be Verify the E2E Functionality in KBL website						
@Case6 @E2E						

#	Step / Hook Details	Status	Duration
	BEFORE - org.steps.KBLHooks.Start()	FAILED	3 m 1.891 s
	org.openqa.selenium.TimeoutException: java.util.concurrent.TimeoutException Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_381' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f0568a27891cb07522e0ef30ea15b9ad, get {url=https://betaeshop.kirloskarpumps.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 139.0.7258.157, chrome: {chromedriverVersion: 139.0.7258.154 (9e0d6b2b47f..., userDataDir: C:\Windows\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57489}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57489/devtoo..., se:cdpVersion: 139.0.7258.157, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f0568a27891cb07522e0ef30ea15b9ad at org.openqa.selenium.remote.http.netty.NettyHttpHandler.makeCall(NettyHttpHandler.java:65) at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42) at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:56) at org.openqa.selenium.remote.http.netty.NettyHttpHandler.execute(NettyHttpHandler.java:49) at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42) at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:56) at org.openqa.selenium.remote.http.netty.NettyClient.execute(NettyClient.java:99)		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at org.base.Utilityclass.launchurl(Utilityclass.java:132) at org.steps.KBLHooks.Start(KBLHooks.java:28) Caused by: java.util.concurrent.TimeoutException at java.util.concurrent.CompletableFuture.timedGet(CompletableFuture.java:1784) at java.util.concurrent.CompletableFuture.get(CompletableFuture.java:1928) at org.asynchttpclient.netty.NettyResponseFuture.get(NettyResponseFuture.java:206) at org.openqa.selenium.remote.http.netty.NettyHttpHandler.makeCall(NettyHttpHandler.java:59) at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42) at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:56) at org.openqa.selenium.remote.http.netty.NettyHttpHandler.execute(NettyHttpHandler.java:49) at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42) at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:56) at org.openqa.selenium.remote.http.netty.NettyClient.execute(NettyClient.java:99) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at org.base.Utilityclass.launchurl(Utilityclass.java:132) at org.steps.KBLHooks.Start(KBLHooks.java:28) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.TestCase.run(TestCase.java:98) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:151) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27) at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:290) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:71) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:288) at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:58) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:268) at org.junit.runners.ParentRunner.run(ParentRunner.java:363) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:199) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90) at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:290) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:71) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:288) at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:58) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:268) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:234) at org.junit.internal.runners.statements.RunAfters.evaluate(RunAfters.java:27) at org.junit.runners.ParentRunner.run(ParentRunner.java:363) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:520) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:748) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:443) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:211) </pre>		
1	Given User open the Home page	SKIPPED	0.001 s
2	And On click Buy now CTA or any product cards in listing page	SKIPPED	0.000 s
3	And Verify the correct delivery message based on TAT functionality	SKIPPED	0.000 s
4	Then verify the PDP page features and products prices & do the add to cart.	SKIPPED	0.000 s
	AFTER - org.steps.KBLHooks.End(io.cucumber.java.Scenario)	PASSED	1.361 s
	To Validate the PDP page to Cart Page for Guest user		
			

To Validate the checkout flow for login user


PASSED

DURATION - 3 m 6.261 s

/ 8:34:56.675 PM // 8:38:02.936 PM /

To be Verify the E2E Functionality in KBL website

@Case7 @E2E



Step	Duration (s)
1	24.023
2	21.959
3	44.240
4	22.412
5	15.747
6	5.171
7	27.022
8	6.643


Steps

Total - 8

Pass - 8

Fail - 0

Skip - 0



#	Step / Hook Details	Status	Duration
1	Given user opens the Home page and logs in	PASSED	24.023 s
2	When the user navigates to the listing page	PASSED	21.959 s
3	And clicks the "Buy Now" CTA or any product card on the listing page	PASSED	44.240 s
4	And adds the product to the cart and proceeds to the Cart page	PASSED	22.412 s
5	And verifies the Cart page features and Order summary detail.Then,proceeds to the Checkout page	PASSED	15.747 s
6	And enters the shipping and billing details	PASSED	5.171 s
7	And selects a payment option and places the order	PASSED	27.022 s
8	Then after successful payment, the user should see the Thank You page	PASSED	6.643 s