

Cucumber Report

29 Oct, 2025 2:29:31 PM

Start : Oct 29, 2:29:08.019 PM

End : Oct 29, 2:29:30.420 PM

Duration : 22.401 s

Features




Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 5




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>To be Verify the E2E Functionality in KBL website</u>	22.401 s	1	0	1	0	6	0	1	5

#	Feature Name	Scenario Name
1	<u>To be Verify the E2E Functionality in KBL website</u>	<u>To validate the Request for Quote for KBL site products</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Case4	1	0	1	0	1	0	1	0
@E2E	1	0	1	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	<u>To be Verify the E2E Functionality in KBL website</u>	1	0	1	0	22.401 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>To be Verify the E2E Functionality in KBL website</u>	<u>To validate the Request for Quote for KBL site products</u>	6	0	1	5	22.398 s

To be Verify the E2E Functionality in KBL website

FAILED	DURATION - 22.401 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 6 Pass - 0 Fail - 1 Skip - 5	
/ 2:29:08.019 PM // 2:29:30.420 PM /					

To validate the Request for Quote for KBL site products

FAILED	DURATION - 22.398 s		Steps Total - 6 Pass - 0 Fail - 1 Skip - 5	
/ 2:29:08.022 PM // 2:29:30.420 PM /				
To be Verify the E2E Functionality in KBL website				
@Case4 @E2E				

#	Step / Hook Details	Status	Duration
1	Given the user login into the application <pre>org.openqa.selenium.json.JsonException: java.lang.reflect.InvocationTargetException Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_381' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ff568e004b0c9584a95bfb9be7400dc2, actions {actions=[org.openqa.selenium.interactions.Sequence@6deee370]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 141.0.7390.123, chrome: {chromedriverVersion: 141.0.7390.122 (b477534e7e1..., userDataDir: C:\Windows\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61447}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61447/devtoo..., se:cdpVersion: 141.0.7390.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ff568e004b0c9584a95bfb9be7400dc2 at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:362) at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:154) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287) at org.openqa.selenium.json.JsonOutput.lambda\$new\$22(JsonOutput.java:169) at java.util.stream.ForEachOps\$ForEachOp\$OfRef.accept(ForEachOps.java:184) at java.util.stream.ReferencePipeline\$2\$1.accept(ReferencePipeline.java:175) at java.util.Iterator.forEachRemaining(Iterator.java:116) at java.util.Spliterators\$IteratorSpliterator.forEachRemaining(Spliterators.java:1801)</pre>	FAILED	8.576 s

#	Step / Hook Details	Status	Duration
	at java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:482) at java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:472) at java.util.stream.ForEachOps\$ForEachOp.evaluateSequential(ForEachOps.java:151) at java.util.stream.ForEachOps\$ForEachOp\$OfRef.evaluateSequential(ForEachOps.java:174) at java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:418) at org.openqa.selenium.json.JsonOutput.lambda\$new\$23(JsonOutput.java:169) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287) at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:182) at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:68) at org.openqa.selenium.json.JsonOutput.lambda\$new\$25(JsonOutput.java:177) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:278) at org.openqa.selenium.json.Json.toJson(Json.java:42) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:259) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:122) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:181) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:611) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:567) at org.openqa.selenium.interactions.Actions.perform(Actions.java:536) at org.base.Utilityclass.moveToElement(Utilityclass.java:290) at org.steps.KBLSteps.the_user_login_into_the_application(KBLSteps.java:4087) at ?.the user login into the application(file:///E:/KBL-Project/KBL-Business%20flow/src/test/resources/Feature/E2E.feature:140) Suppressed: org.openqa.selenium.json.JsonException: Attempting to close incomplete json stream Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_381' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.json.JsonOutput.close(JsonOutput.java:303) at org.openqa.selenium.json.Json.toJson(Json.java:40) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:259) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:122) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:181) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:611) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:567) at org.openqa.selenium.interactions.Actions.perform(Actions.java:536) at org.base.Utilityclass.moveToElement(Utilityclass.java:290) at org.steps.KBLSteps.the_user_login_into_the_application(KBLSteps.java:4087) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.		

#	Step / Hook Details	Status	Duration
	cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:151) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27) at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:290) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:71) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:288) at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:58) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:268) at org.junit.runners.ParentRunner.run(ParentRunner.java:363) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:199) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90) at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:290) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:71) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:288) at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:58) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:268) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:234) at org.junit.internal.runners.statements.RunAfters.evaluate(RunAfters.java:27) at org.junit.runners.ParentRunner.run(ParentRunner.java:363) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:520) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:748) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:443) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:211) Caused by: java.lang.reflect.InvocationTargetException at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:358) at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:154) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287) at org.openqa.selenium.json.JsonOutput.lambda\$new\$22(JsonOutput.java:169) at java.util.stream.ForEachOps\$ForEachOp\$OfRef.accept(ForEachOps.java:184) at java.util.stream.ReferencePipeline\$2\$1.accept(ReferencePipeline.java:175) at java.util.Iterator.forEachRemaining(Iterator.java:116) at java.util.Spliterators\$IteratorSpliterator.forEachRemaining(Spliterators.java:1801) at java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:482) at java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:472) at java.util.stream.ForEachOps\$ForEachOp.evaluateSequential(ForEachOps.java:151) at java.util.stream.ForEachOps\$ForEachOp\$OfRef.evaluateSequential(ForEachOps.java:174) at java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:418) at org.openqa.selenium.json.JsonOutput.lambda\$new\$23(JsonOutput.java:169) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287) at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:182) at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:68) at org.openqa.selenium.json.JsonOutput.lambda\$new\$25(JsonOutput.java:177)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:278) at org.openqa.selenium.json.Json.toJson(Json.java:42) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:259) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:122) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:181) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:611) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:567) at org.openqa.selenium.interactions.Actions.perform(Actions.java:536) at org.base.Utilityclass.moveToElement(Utilityclass.java:290) at org.steps.KBLSteps.the_user_login_into_the_application(KBLSteps.java:4087) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:151) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27) at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:290) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:71) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:288) at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:58) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:268) at org.junit.runners.ParentRunner.run(ParentRunner.java:363) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:199) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90)		

#	Step / Hook Details	Status	Duration
	<pre> at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:290) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:71) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:288) at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:58) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:268) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:234) at org.junit.internal.runners.statements.RunAfters.evaluate(RunAfters.java:27) at org.junit.runners.ParentRunner.run(ParentRunner.java:363) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:520) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:748) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:443) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:211) </pre> Caused by: org.openqa.selenium.NoSuchSessionException: invalid session id: session deleted as the browser has closed the connection from disconnected: not connected to DevTools (Session info: chrome=141.0.7390.123) Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_381' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ff568e004b0c9584a95bfb9be7400dc2, findElement {using=id, value=loginWithPassword}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 141.0.7390.123, chrome: {chromedriverVersion: 141.0.7390.122 (b477534e7e1..., userDataDir: C:\Windows\SystemTemp\scope...), fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61447}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61447/devtoo..., se:cdpVersion: 141.0.7390.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ff568e004b0c9584a95bfb9be7400dc2 <pre> at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) </pre>		

#	Step / Hook Details	Status	Duration
	at com.sun.proxy.\$Proxy39.getWrappedElement(Unknown Source) at org.openqa.selenium.interactions.PointerInput\$Origin.asArg(PointerInput.java:269) at org.openqa.selenium.interactions.PointerInput\$Move.encode(PointerInput.java:218) at org.openqa.selenium.interactions.Sequence.encode(Sequence.java:73) at org.openqa.selenium.interactions.Sequence.toJson(Sequence.java:82) * Not displayable characters are replaced by '?'.		
2	When the user navigates to the Pump Products listing page from the category menu	SKIPPED	0.002 s
3	And adds an products to the Qutation cart page and do the request for Qutation	SKIPPED	0.001 s
4	And Observe teh Quote Request Number and Approve Qutation in admin panel	SKIPPED	0.001 s
5	And After,approving place the order from my account Quote page	SKIPPED	0.001 s
6	And After placed order,Verify the Quotaton status in admin panel Quote page	SKIPPED	0.000 s
	AFTER - org.steps.KBLHooks.End(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_381' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ff568e004b0c9584a95bfb9be7400dc2, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 141.0.7390.123, chrome: {chromedriverVersion: 141.0.7390.122 (b477534e7e1..., userDataDir: C:\Windows\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61447}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61447/devtoo..., se:cdpVersion: 141.0.7390.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ff568e004b0c9584a95bfb9be7400dc2 at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at org.steps.KBLHooks.End(KBLHooks.java:46)	FAILED	0.694 s