

Cucumber Report

29 Oct, 2025 9:38:46 AM

Start : Oct 29, 9:38:43.041 AM

End : Oct 29, 9:38:45.340 AM

Duration : 2.299 s

Features



Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 4
SKIPPED - 0


PASSED - 0
FAILED - 0
SKIPPED - 26




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>To be Verify the E2E Functionality in Petit Beteau site</u>	2.299 s	4	0	4	0	26	0	0	26

#	Feature Name	Scenario Name
1	<u>To be Verify the E2E Functionality in Petit Beteau site</u>	<u>To Validate Sorting, Paginaton function and Billing address detail updation in checkout page for new loggedin users</u>
2		<u>To Validate the checkout flow for logged-in user</u>
3		<u>To Validate the guest user checkout flow via quick view from PLP</u>
4		<u>To validate the search field functionlaity for products level</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Case1	4	0	4	0	1	0	1	0
@E2E	4	0	4	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>To be Verify the E2E Functionality in Petit Beteau site</u>	4	0	4	0	2.299 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>To be Verify the E2E Functionality in Petit Beteau site</u>	<u>To Validate Sorting,Paginaton function and Billing address detail updaton in checkout page for new loggedin users</u>	8	0	0	8	1.146 s
2		<u>To Validate the checkout flow for logged-in user</u>	8	0	0	8	0.331 s
3		<u>To Validate the guest user checkout flow via quick view from PLP</u>	7	0	0	7	0.348 s
4		<u>To validate the search field functionlaity for products level</u>	3	0	0	3	0.431 s

To be Verify the E2E Functionality in Petit Beteau site

FAILED	DURATION - 2.299 s	Scenarios Total - 4 Pass - 0 Fail - 4 Skip - 0		Steps Total - 26 Pass - 0 Fail - 0 Skip - 26	
/ 9:38:43.041 AM // 9:38:45.340 AM /					

To Validate Sorting, Paginaton function and Billing address detail updation in checkout page for new loggedin users

<div>FAILED</div> <div>DURATION - 1.146 s</div>			<div>Steps</div> <div>Total - 8</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 8</div>	
/ 9:38:43.045 AM // 9:38:44.191 AM /				
To be Verify the E2E Functionality in Petit Beteau site				
@Case1 @E2E				



#	Step / Hook Details	Status	Duration
	BEFORE - org.steps.PBHooks.Start() io.github.bonigarcia.wdm.config.WebDriverManagerException: java.net.UnknownHostException: googlechromelabs.github.io at io.github.bonigarcia.wdm.WebDriverManager.handleException(WebDriverManager.java:1435) at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1195) at io.github.bonigarcia.wdm.WebDriverManager.fallback(WebDriverManager.java:1451) at io.github.bonigarcia.wdm.WebDriverManager.handleException(WebDriverManager.java:1432) at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1195) at io.github.bonigarcia.wdm.WebDriverManager.handleException(WebDriverManager.java:1425) at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1195) at io.github.bonigarcia.wdm.WebDriverManager.setup(WebDriverManager.java:427) at org.base.Utilityclass.launchBrowser(Utilityclass.java:104) at org.steps.PBHooks.Start(PBHooks.java:25) Caused by: java.net.UnknownHostException: googlechromelabs.github.io at java.net.InetAddress.getAllByName0(InetAddress.java:1299) at java.net.InetAddress.getAllByName(InetAddress.java:1205) at java.net.InetAddress.getAllByName(InetAddress.java:1127) at org.apache.hc.client5.http.SystemDefaultDnsResolver.resolve(SystemDefaultDnsResolver.java:43) at org.apache.hc.client5.http.impl.io.DefaultHttpClientConnectionOperator.connect(DefaultHttpClientConnectionOperator.java:141)	FAILED	1.121 s

#	Step / Hook Details	Status	Duration
	at org.apache.hc.client5.http.impl.io.PoolingHttpClientConnectionManager.connect(PoolingHttpClientConnectionManager.java:447) at org.apache.hc.client5.http.impl.classic.InternalExecRuntime.connectEndpoint(InternalExecRuntime.java:162) at org.apache.hc.client5.http.impl.classic.InternalExecRuntime.connectEndpoint(InternalExecRuntime.java:172) at org.apache.hc.client5.http.impl.classic.ConnectExec.execute(ConnectExec.java:142) at org.apache.hc.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51) at org.apache.hc.client5.http.impl.classic.ProtocolExec.execute(ProtocolExec.java:192) at org.apache.hc.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51) at org.apache.hc.client5.http.impl.classic.HttpRequestRetryExec.execute(HttpRequestRetryExec.java:96) at org.apache.hc.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51) at org.apache.hc.client5.http.impl.classic.ContentCompressionExec.execute(ContentCompressionExec.java:152) at org.apache.hc.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51) at org.apache.hc.client5.http.impl.classic.RedirectExec.execute(RedirectExec.java:115) at org.apache.hc.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51) at org.apache.hc.client5.http.impl.classic.InternalHttpClient.doExecute(InternalHttpClient.java:170) at org.apache.hc.client5.http.impl.classic.CloseableHttpClient.execute(CloseableHttpClient.java:87) at org.apache.hc.client5.http.impl.classic.CloseableHttpClient.execute(CloseableHttpClient.java:55) at org.apache.hc.client5.http.classic.HttpClient.executeOpen(HttpClient.java:183) at io.github.bonigarcia.wdm.online.HttpClient.execute(HttpClient.java:162) at io.github.bonigarcia.wdm.online.Parser.parseJson(Parser.java:50) at io.github.bonigarcia.wdm.managers.ChromeDriverManager.getDriverUrls(ChromeDriverManager.java:119) at io.github.bonigarcia.wdm.WebDriverManager.createUrlHandler(WebDriverManager.java:1456) at io.github.bonigarcia.wdm.WebDriverManager.download(WebDriverManager.java:1277) at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1189) at io.github.bonigarcia.wdm.WebDriverManager.fallback(WebDriverManager.java:1451) at io.github.bonigarcia.wdm.WebDriverManager.handleException(WebDriverManager.java:1432) at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1195) at io.github.bonigarcia.wdm.WebDriverManager.handleException(WebDriverManager.java:1425) at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1195) at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1195) at io.github.bonigarcia.wdm.WebDriverManager.setup(WebDriverManager.java:427) at org.base.Utilityclass.launchBrowser(Utilityclass.java:104) at org.steps.PBHooks.Start(PBHooks.java:25) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.TestCase.run(TestCase.java:98) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:151) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27) at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:290) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:71) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:288) at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:58) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:268) at org.junit.runners.ParentRunner.run(ParentRunner.java:363) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:199) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90) at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:290) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:71) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:288) at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:58) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:268) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:234) at org.junit.internal.runners.statements.RunAfters.evaluate(RunAfters.java:27) at org.junit.runners.ParentRunner.run(ParentRunner.java:363) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:520) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:748) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:443) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:211)		
1	Given user opens the Home page as a login user	SKIPPED	0.001 s
2	When the user navigates from a main category to a subcategory	SKIPPED	0.000 s
3	And the user selects a Sort By option and verifies the sorted product listing	SKIPPED	0.000 s
4	And the user checks the pagination functionality on the PLP page	SKIPPED	0.000 s
5	And the user clicks on a product and is redirected to the Product Detail Page	SKIPPED	0.000 s
6	And User adds multiple item to cart,then,removes items from cart and observes order summary calculation	SKIPPED	0.000 s
7	Then the user enters shipping and billing address details in checkout page	SKIPPED	0.000 s
8	And after entering the address details, the user selects a payment option and places the order	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
	AFTER - org.steps.PBHooks.End(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException at org.steps.PBHooks.End(PBHooks.java:42)		

To Validate the checkout flow for logged-in user



FAILED		DURATION - 0.331 s			Steps Total - 8 Pass - 0 Fail - 0 Skip - 8	
/ 9:38:44.205 AM // 9:38:44.536 AM /						
To be Verify the E2E Functionality in Petit Beteau site						
@Case1 @E2E						

#	Step / Hook Details	Status	Duration
	BEFORE - org.steps.PBHooks.Start()	FAILED	0.328 s
	io.github.bonigarcia.wdm.config.WebDriverManagerException: java.net.UnknownHostException: googlechromelabs.github.io at io.github.bonigarcia.wdm.WebDriverManager.handleException(WebDriverManager.java:1435) at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1195) at io.github.bonigarcia.wdm.WebDriverManager.fallback(WebDriverManager.java:1451) at io.github.bonigarcia.wdm.WebDriverManager.handleException(WebDriverManager.java:1432) at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1195) at io.github.bonigarcia.wdm.WebDriverManager.handleException(WebDriverManager.java:1425) at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1195) at io.github.bonigarcia.wdm.WebDriverManager.setup(WebDriverManager.java:427) at org.base.Utilityclass.launchBrowser(Utilityclass.java:104) at org.steps.PBHooks.Start(PBHooks.java:25) Caused by: java.net.UnknownHostException: googlechromelabs.github.io at java.net.InetAddress.getAllByName0(InetAddress.java:1299) at java.net.InetAddress.getAllByName(InetAddress.java:1205) at java.net.InetAddress.getAllByName(InetAddress.java:1127) at org.apache.hc.client5.http.SystemDefaultDnsResolver.resolve(SystemDefaultDnsResolver.java:43) at org.apache.hc.client5.http.impl.io.DefaultHttpClientConnectionOperator.connect(DefaultHttpClientConnectionOperator.java:141) at org.apache.hc.client5.http.impl.io.PoolingHttpClientConnectionManager.connect(PoolingHttpClientConnectionManager.java:447) at org.apache.hc.client5.http.impl.classic.InternalExecRuntime.connectEndpoint(InternalExecRuntime.java:162) at org.apache.hc.client5.http.impl.classic.InternalExecRuntime.connectEndpoint(InternalExecRuntime.java:172) at org.apache.hc.client5.http.impl.classic.ConnectExec.execute(ConnectExec.java:142) at org.apache.hc.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51)		

#	Step / Hook Details	Status	Duration
	at org.apache.hc.client5.http.impl.classic.ProtocolExec.execute(ProtocolExec.java:192) at org.apache.hc.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51) at org.apache.hc.client5.http.impl.classic.HttpRequestRetryExec.execute(HttpRequestRetryExec.java:96) at org.apache.hc.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51) at org.apache.hc.client5.http.impl.classic.ContentCompressionExec.execute(ContentCompressionExec.java:152) at org.apache.hc.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51) at org.apache.hc.client5.http.impl.classic.RedirectExec.execute(RedirectExec.java:115) at org.apache.hc.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51) at org.apache.hc.client5.http.impl.classic.InternalHttpClient.doExecute(InternalHttpClient.java:170) at org.apache.hc.client5.http.impl.classic.CloseableHttpClient.execute(CloseableHttpClient.java:87) at org.apache.hc.client5.http.impl.classic.CloseableHttpClient.execute(CloseableHttpClient.java:55) at org.apache.hc.client5.http.classic.HttpClient.executeOpen(HttpClient.java:183) at io.github.bonigarcia.wdm.online.HttpClient.execute(HttpClient.java:162) at io.github.bonigarcia.wdm.online.Parser.parseJson(Parser.java:50) at io.github.bonigarcia.wdm.managers.ChromeDriverManager.getDriverUrls(ChromeDriverManager.java:119) at io.github.bonigarcia.wdm.WebDriverManager.createUrlHandler(WebDriverManager.java:1456) at io.github.bonigarcia.wdm.WebDriverManager.download(WebDriverManager.java:1277) at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1189) at io.github.bonigarcia.wdm.WebDriverManager.fallback(WebDriverManager.java:1451) at io.github.bonigarcia.wdm.WebDriverManager.handleException(WebDriverManager.java:1432) at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1195) at io.github.bonigarcia.wdm.WebDriverManager.handleException(WebDriverManager.java:1425) at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1195) at io.github.bonigarcia.wdm.WebDriverManager.setup(WebDriverManager.java:427) at org.base.Utilityclass.launchBrowser(Utilityclass.java:104) at org.steps.PBHooks.Start(PBHooks.java:25) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.TestCase.run(TestCase.java:98) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:151) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27) at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:290) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:71) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:288) at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:58) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:268) at org.junit.runners.ParentRunner.run(ParentRunner.java:363) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:199) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90) at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:290) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:71) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:288) at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:58) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:268) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:234) at org.junit.internal.runners.statements.RunAfters.evaluate(RunAfters.java:27) at org.junit.runners.ParentRunner.run(ParentRunner.java:363) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:520) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:748) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:443) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:211)		
1	Given the user opens the Home page and do the login	SKIPPED	0.000 s
2	When the user selects a category and subcategory option from the Home page	SKIPPED	0.000 s
3	And the Product Listing Page is displayed based on the selected category	SKIPPED	0.000 s
4	And the user clicks on any one product image based on the applied filter	SKIPPED	0.000 s
5	And the user navigates from the Product Detail Page to the cart page	SKIPPED	0.000 s
6	And the user clicks on the checkout button	SKIPPED	0.000 s
7	And the user select the shipp addrres details and navigated to the Payment Options section	SKIPPED	0.000 s
8	Then the user Select the payment option and places the order.Then,Verify the order detail in my account page	SKIPPED	0.000 s
	AFTER - org.steps.PBHooks.End(io.cucumber.java.Scenario)	FAILED	0.000 s
	java.lang.NullPointerException at org.steps.PBHooks.End(PBHooks.java:42)		

To Validate the guest user checkout flow via quick view from PLP



<div>FAILED</div> <div>DURATION - 0.348 s</div>			<div>Steps</div> <div>Total - 7</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 7</div>	
/ 9:38:44.541 AM // 9:38:44.889 AM /				
To be Verify the E2E Functionality in Petit Beteau site				
@Case1 @E2E				

#	Step / Hook Details	Status	Duration
	BEFORE - org.steps.PBHooks.Start() io.github.bonigarcia.wdm.config.WebDriverManagerException: java.net.UnknownHostException: googlechromelabs.github.io at io.github.bonigarcia.wdm.WebDriverManager.handleException(WebDriverManager.java:1435) at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1195) at io.github.bonigarcia.wdm.WebDriverManager.fallback(WebDriverManager.java:1451) at io.github.bonigarcia.wdm.WebDriverManager.handleException(WebDriverManager.java:1432) at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1195) at io.github.bonigarcia.wdm.WebDriverManager.handleException(WebDriverManager.java:1425) at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1195) at io.github.bonigarcia.wdm.WebDriverManager.setup(WebDriverManager.java:427) at org.base.Utillityclass.launchBrowser(Utillityclass.java:104) at org.steps.PBHooks.Start(PBHooks.java:25) Caused by: java.net.UnknownHostException: googlechromelabs.github.io at java.net.InetAddress.getAllByName0(InetAddress.java:1299) at java.net.InetAddress.getAllByName(InetAddress.java:1205) at java.net.InetAddress.getAllByName(InetAddress.java:1127) at org.apache.hc.client5.http.SystemDefaultDnsResolver.resolve(SystemDefaultDnsResolver.java:43) at org.apache.hc.client5.http.impl.io.DefaultHttpClientConnectionOperator.connect(DefaultHttpClientConnectionOperator.java:141) at org.apache.hc.client5.http.impl.io.PoolingHttpClientConnectionManager.connect(PoolingHttpClientConnectionManager.java:447) at org.apache.hc.client5.http.impl.classic.InternalExecRuntime.connectEndpoint(InternalExecRuntime.java:162) at org.apache.hc.client5.http.impl.classic.InternalExecRuntime.connectEndpoint(InternalExecRuntime.java:172) at org.apache.hc.client5.http.impl.classic.ConnectExec.execute(ConnectExec.java:142) at org.apache.hc.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51) at org.apache.hc.client5.http.impl.classic.ProtocolExec.execute(ProtocolExec.java:192) at org.apache.hc.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51) at org.apache.hc.client5.http.impl.classic.HttpRequestRetryExec.execute(HttpRequestRetryExec.java:96) at org.apache.hc.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51) at org.apache.hc.client5.http.impl.classic.ContentCompressionExec.execute(ContentCompressionExec.java:152) at org.apache.hc.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51) at org.apache.hc.client5.http.impl.classic.RedirectExec.execute(RedirectExec.java:115)	FAILED	0.342 s

#	Step / Hook Details	Status	Duration
	at org.apache.hc.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51) at org.apache.hc.client5.http.impl.classic.InternalHttpClient.doExecute(InternalHttpClient.java:170) at org.apache.hc.client5.http.impl.classic.CloseableHttpClient.execute(CloseableHttpClient.java:87) at org.apache.hc.client5.http.impl.classic.CloseableHttpClient.execute(CloseableHttpClient.java:55) at org.apache.hc.client5.http.classic.HttpClient.executeOpen(HttpClient.java:183) at io.github.bonigarcia.wdm.online.HttpClient.execute(HttpClient.java:162) at io.github.bonigarcia.wdm.online.Parser.parseJson(Parser.java:50) at io.github.bonigarcia.wdm.managers.ChromeDriverManager.getDriverUrls(ChromeDriverManager.java:119) at io.github.bonigarcia.wdm.WebDriverManager.createUrlHandler(WebDriverManager.java:1456) at io.github.bonigarcia.wdm.WebDriverManager.download(WebDriverManager.java:1277) at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1189) at io.github.bonigarcia.wdm.WebDriverManager.fallback(WebDriverManager.java:1451) at io.github.bonigarcia.wdm.WebDriverManager.handleException(WebDriverManager.java:1432) at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1195) at io.github.bonigarcia.wdm.WebDriverManager.handleException(WebDriverManager.java:1425) at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1195) at io.github.bonigarcia.wdm.WebDriverManager.setup(WebDriverManager.java:427) at org.base.Utilityclass.launchBrowser(Utilityclass.java:104) at org.steps.PBHooks.Start(PBHooks.java:25) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.TestCase.run(TestCase.java:98) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:151) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27) at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:290) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:71) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:288) at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:58)		

#	Step / Hook Details	Status	Duration
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:268) at org.junit.runners.ParentRunner.run(ParentRunner.java:363) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:199) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90) at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:290) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:71) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:288) at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:58) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:268) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:234) at org.junit.internal.runners.statements.RunAfters.evaluate(RunAfters.java:27) at org.junit.runners.ParentRunner.run(ParentRunner.java:363) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:520) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:748) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:443) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:211)		
1	Given the user opens the Home page as a guest and selects a category to navigate to the Product Listing Page	SKIPPED	0.000 s
2	When the user clicks on the quick view of any product from the PLP	SKIPPED	0.000 s
3	And on the quick view popup, the user selects the size and quantity for the product	SKIPPED	0.000 s
4	And the user clicks the Add to Cart button and is navigated to the Cart page	SKIPPED	0.000 s
5	And the user clicks the Checkout button as a guest user	SKIPPED	0.000 s
6	Then the user completes mobile number verification and observes the page response	SKIPPED	0.000 s
7	And the user clicks on the Continue to Payment button and places the order	SKIPPED	0.000 s
	AFTER - org.steps.PBHooks.End(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException at org.steps.PBHooks.End(PBHooks.java:42)		

To validate the search field functionality for products level

<div>FAILED</div> <div>DURATION - 0.431 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 3</div>	
/ 9:38:44.909 AM // 9:38:45.340 AM /				
To be Verify the E2E Functionality in Petit Beteau site				
@Case1 @E2E				

#	Step / Hook Details	Status	Duration
	BEFORE - org.steps.PBHooks.Start() io.github.bonigarcia.wdm.config.WebDriverManagerException: java.net.UnknownHostException: googlechromelabs.github.io at io.github.bonigarcia.wdm.WebDriverManager.handleException(WebDriverManager.java:1435) at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1195) at io.github.bonigarcia.wdm.WebDriverManager.fallback(WebDriverManager.java:1451) at io.github.bonigarcia.wdm.WebDriverManager.handleException(WebDriverManager.java:1432) at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1195) at io.github.bonigarcia.wdm.WebDriverManager.handleException(WebDriverManager.java:1425) at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1195) at io.github.bonigarcia.wdm.WebDriverManager.setup(WebDriverManager.java:427) at org.base.Utillityclass.launchBrowser(Utillityclass.java:104) at org.steps.PBHooks.Start(PBHooks.java:25) Caused by: java.net.UnknownHostException: googlechromelabs.github.io at java.net.InetAddress.getAllByName0(InetAddress.java:1299) at java.net.InetAddress.getAllByName(InetAddress.java:1205) at java.net.InetAddress.getAllByName(InetAddress.java:1127) at org.apache.hc.client5.http.SystemDefaultDnsResolver.resolve(SystemDefaultDnsResolver.java:43) at org.apache.hc.client5.http.impl.io.DefaultHttpClientConnectionOperator.connect(DefaultHttpClientConnectionOperator.java:141) at org.apache.hc.client5.http.impl.io.PoolingHttpClientConnectionManager.connect(PoolingHttpClientConnectionManager.java:447) at org.apache.hc.client5.http.impl.classic.InternalExecRuntime.connectEndpoint(InternalExecRuntime.java:162) at org.apache.hc.client5.http.impl.classic.InternalExecRuntime.connectEndpoint(InternalExecRuntime.java:172) at org.apache.hc.client5.http.impl.classic.ConnectExec.execute(ConnectExec.java:142) at org.apache.hc.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51) at org.apache.hc.client5.http.impl.classic.ProtocolExec.execute(ProtocolExec.java:192) at org.apache.hc.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51) at org.apache.hc.client5.http.impl.classic.HttpRequestRetryExec.execute(HttpRequestRetryExec.java:96) at org.apache.hc.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51) at org.apache.hc.client5.http.impl.classic.ContentCompressionExec.execute(ContentCompressionExec.java:152) at org.apache.hc.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51) at org.apache.hc.client5.http.impl.classic.RedirectExec.execute(RedirectExec.java:115)	FAILED	0.424 s

#	Step / Hook Details	Status	Duration
	at org.apache.hc.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51) at org.apache.hc.client5.http.impl.classic.InternalHttpClient.doExecute(InternalHttpClient.java:170) at org.apache.hc.client5.http.impl.classic.CloseableHttpClient.execute(CloseableHttpClient.java:87) at org.apache.hc.client5.http.impl.classic.CloseableHttpClient.execute(CloseableHttpClient.java:55) at org.apache.hc.client5.http.classic.HttpClient.executeOpen(HttpClient.java:183) at io.github.bonigarcia.wdm.online.HttpClient.execute(HttpClient.java:162) at io.github.bonigarcia.wdm.online.Parser.parseJson(Parser.java:50) at io.github.bonigarcia.wdm.managers.ChromeDriverManager.getDriverUrls(ChromeDriverManager.java:119) at io.github.bonigarcia.wdm.WebDriverManager.createUrlHandler(WebDriverManager.java:1456) at io.github.bonigarcia.wdm.WebDriverManager.download(WebDriverManager.java:1277) at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1189) at io.github.bonigarcia.wdm.WebDriverManager.fallback(WebDriverManager.java:1451) at io.github.bonigarcia.wdm.WebDriverManager.handleException(WebDriverManager.java:1432) at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1195) at io.github.bonigarcia.wdm.WebDriverManager.handleException(WebDriverManager.java:1425) at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1195) at io.github.bonigarcia.wdm.WebDriverManager.setup(WebDriverManager.java:427) at org.base.Utilityclass.launchBrowser(Utilityclass.java:104) at org.steps.PBHooks.Start(PBHooks.java:25) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.TestCase.run(TestCase.java:98) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:151) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27) at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:290) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:71) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:288) at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:58)		

#	Step / Hook Details	Status	Duration
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:268) at org.junit.runners.ParentRunner.run(ParentRunner.java:363) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:199) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90) at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:290) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:71) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:288) at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:58) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:268) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:234) at org.junit.internal.runners.statements.RunAfters.evaluate(RunAfters.java:27) at org.junit.runners.ParentRunner.run(ParentRunner.java:363) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:520) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:748) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:443) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:211)		
1	Given user opens the Home page as a guest user	SKIPPED	0.000 s
2	When User Enter the product name in search box "TROUSERS"	SKIPPED	0.001 s
3	Then User Should be visible related product.then,Click on any product and navigate to the PDP page	SKIPPED	0.000 s
	AFTER - org.steps.PBHooks.End(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException at org.steps.PBHooks.End(PBHooks.java:42)		