

Cucumber Report

30 Oct, 2025 2:37:42 AM

Start : Oct 30, 2:37:30.777 AM

End : Oct 30, 2:37:41.755 AM

Duration : 10.978 s

Features



Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 4
SKIPPED - 0


PASSED - 0
FAILED - 0
SKIPPED - 26




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>To be Verify the E2E Functionality in Petit Beteau site</u>	10.978 s	4	0	4	0	26	0	0	26

#	Feature Name	Scenario Name
1	<u>To be Verify the E2E Functionality in Petit Beteau site</u>	<u>To Validate Sorting, Paginaton function and Billing address detail updation in checkout page for new loggedin users</u>
2		<u>To Validate the checkout flow for logged-in user</u>
3		<u>To Validate the guest user checkout flow via quick view from PLP</u>
4		<u>To validate the search field functionlaity for products level</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Case1	4	0	4	0	1	0	1	0
@E2E	4	0	4	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>To be Verify the E2E Functionality in Petit Beteau site</u>	4	0	4	0	10.978 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>To be Verify the E2E Functionality in Petit Beteau site</u>	<u>To Validate Sorting,Paginaton function and Billing address detail updaton in checkout page for new loggedin users</u>	8	0	0	8	4.635 s
2		<u>To Validate the checkout flow for logged-in user</u>	8	0	0	8	2.295 s
3		<u>To Validate the guest user checkout flow via quick view from PLP</u>	7	0	0	7	1.983 s
4		<u>To validate the search field functionlaity for products level</u>	3	0	0	3	2.011 s

To be Verify the E2E Functionality in Petit Beteau site

FAILED	DURATION - 10.978 s	Scenarios Total - 4 Pass - 0 Fail - 4 Skip - 0		Steps Total - 26 Pass - 0 Fail - 0 Skip - 26	
/ 2:37:30.777 AM // 2:37:41.755 AM /					

To Validate Sorting, Paginaton function and Billing address detail updation in checkout page for new loggedin users



FAILED	DURATION - 4.635 s		Steps Total - 8 Pass - 0 Fail - 0 Skip - 8	
/ 2:37:30.779 AM // 2:37:35.414 AM /				
To be Verify the E2E Functionality in Petit Beteau site				
@Case1 @E2E				

#	Step / Hook Details	Status	Duration
	BEFORE - org.steps.PBHooks.Start() org.openqa.selenium.WebDriverException: unknown error: cannot determine loading status from unknown error: cannot determine loading status from target frame detached (Session info: chrome=142.0.7444.59) Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_381' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [982c4cf4384d435373ac61c07182a6b0, get {url=https://www.petit-bateau.ae/en/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 142.0.7444.59, chrome: {chromedriverVersion: 141.0.7390.122 (b477534e7e1..., userDataDir: C:\Windows\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55509}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdpVersion: 142.0.7444.59, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 982c4cf4384d435373ac61c07182a6b0 at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)	FAILED	4.542 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at org.base.Utilityclass.launchurl(Utilityclass.java:148) at org.steps.PBHooks.Start(PBHooks.java:29)		
1	Given user opens the Home page as a login user	SKIPPED	0.003 s
2	When the user navigates from a main category to a subcategory	SKIPPED	0.000 s
3	And the user selects a Sort By option and verifies the sorted product listing	SKIPPED	0.000 s
4	And the user checks the pagination functionality on the PLP page	SKIPPED	0.000 s
5	And the user clicks on a product and is redirected to the Product Detail Page	SKIPPED	0.000 s
6	And User adds multiple item to cart,then,removes items from cart and observes order summary calculation	SKIPPED	0.000 s
7	Then the user enters shipping and billing address details in checkout page	SKIPPED	0.000 s
8	And after entering the address details, the user selects a payment option and places the order	SKIPPED	0.000 s
	AFTER - org.steps.PBHooks.End(io.cucumber.java.Scenario)	FAILED	0.051 s
	org.openqa.selenium.NoSuchSessionException: invalid session id: session deleted as the browser has closed the connection from disconnected: not connected to DevTools (Session info: chrome=142.0.7444.59) Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_381' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [982c4cf4384d435373ac61c07182a6b0, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 142.0.7444.59, chrome: {chromedriverVersion: 141.0.7390.122 (b477534e7e1..., userDataDir: C:\Windows\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55509}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55509/devtoo..., se:cdpVersion: 142.0.7444.59, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 982c4cf4384d435373ac61c07182a6b0 at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at org.steps.PBHooks.End(PBHooks.java:42)		



To Validate the checkout flow for logged-in user

FAILED		DURATION - 2.295 s			<div>Steps</div> <div>Total - 8</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 8</div>	
/ 2:37:35.429 AM // 2:37:37.724 AM /						
To be Verify the E2E Functionality in Petit Beteau site						
@Case1 @E2E						

#	Step / Hook Details	Status	Duration
	BEFORE - org.steps.PBHooks.Start() org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=142.0.7444.59) Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_381' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [276c58690bd73e513e6e086a62cfb025, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 142.0.7444.59, chrome: {chromedriverVersion: 141.0.7390.122 (b477534e7e1..., userDataDir: C:\Windows\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60463}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60463/devtoo..., se:cdpVersion: 142.0.7444.59, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 276c58690bd73e513e6e086a62cfb025 at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)	FAILED	2.281 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.maximize(RemoteWebDriver.java:953) at org.base.Utilityclass.pagemaximize(Utilityclass.java:162) at org.steps.PBHooks.Start(PBHooks.java:31)		
1	Given the user opens the Home page and do the login	SKIPPED	0.000 s
2	When the user selects a category and subcategory option from the Home page	SKIPPED	0.000 s
3	And the Product Listing Page is displayed based on the selected category	SKIPPED	0.000 s
4	And the user clicks on any one product image based on the applied filter	SKIPPED	0.000 s
5	And the user navigates from the Product Detail Page to the cart page	SKIPPED	0.001 s
6	And the user clicks on the checkout button	SKIPPED	0.000 s
7	And the user select the shipp addrres details and navigated to the Payment Options section	SKIPPED	0.000 s
8	Then the user Select the payment option and places the order.Then,Verify the order detail in my account page	SKIPPED	0.000 s
	AFTER - org.steps.PBHooks.End(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=142.0.7444.59) Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_381' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [276c58690bd73e513e6e086a62cfb025, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 142.0.7444.59, chrome: {chromedriverVersion: 141.0.7390.122 (b477534e7e1..., userDataDir: C:\Windows\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60463}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60463/devtoo..., se:cdpVersion: 142.0.7444.59, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 276c58690bd73e513e6e086a62cfb025 at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at org.steps.PBHooks.End(PBHooks.java:42)	FAILED	0.008 s

To Validate the guest user checkout flow via quick view from PLP

FAILED	DURATION - 1.983 s		Steps Total - 7 Pass - 0 Fail - 0 Skip - 7	
/ 2:37:37.731 AM // 2:37:39.714 AM /				
To be Verify the E2E Functionality in Petit Bateau site				
@Case1 @E2E				

#	Step / Hook Details	Status	Duration
	<p>BEFORE - org.steps.PBHooks.Start()</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=142.0.7444.59) Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_381' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [49572ead8d8e3cc12b6edb13c8afa9b0, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 142.0.7444.59, chrome: {chromedriverVersion: 141.0.7390.122 (b477534e7e1..., userDataDir: C:\Windows\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53306}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:53306/devtoo..., se:cdpVersion: 142.0.7444.59, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 49572ead8d8e3cc12b6edb13c8afa9b0</p> <p>at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.maximize(RemoteWebDriver.java:953) at org.base.Utillityclass.pagemaximize(Utillityclass.java:162) at org.steps.PBHooks.Start(PBHooks.java:31)</p>	FAILED	1.970 s
1	Given the user opens the Home page as a guest and selects a category to navigate to the Product Listing Page	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
2	When the user clicks on the quick view of any product from the PLP	SKIPPED	0.000 s
3	And on the quick view popup, the user selects the size and quantity for the product	SKIPPED	0.000 s
4	And the user clicks the Add to Cart button and is navigated to the Cart page	SKIPPED	0.000 s
5	And the user clicks the Checkout button as a guest user	SKIPPED	0.000 s
6	Then the user completes mobile number verification and observes the page response	SKIPPED	0.000 s
7	And the user clicks on the Continue to Payment button and places the order	SKIPPED	0.000 s
	AFTER - org.steps.PBHooks.End(io.cucumber.java.Scenario)	FAILED	0.009 s
	<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=142.0.7444.59) Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_381' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [49572ead8d8e3cc12b6edb13c8afa9b0, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 142.0.7444.59, chrome: {chromedriverVersion: 141.0.7390.122 (b477534e7e1..., userDataDir: C:\Windows\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53306}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:53306/devtoo..., se:cdpVersion: 142.0.7444.59, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 49572ead8d8e3cc12b6edb13c8afa9b0</p> <p>at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at org.steps.PBHooks.End(PBHooks.java:42)</p>		

To validate the search field functionality for products level

FAILED	DURATION - 2.011 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 3</div>	
/ 2:37:39.744 AM // 2:37:41.755 AM /				
To be Verify the E2E Functionality in Petit Beteau site				
@Case1 @E2E				

#	Step / Hook Details	Status	Duration
	BEFORE - org.steps.PBHooks.Start() org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=142.0.7444.59) Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_381' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f4e8baba3e4fa4c4218eb7d4f03e54f1, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 142.0.7444.59, chrome: {chromedriverVersion: 141.0.7390.122 (b477534e7e1..., userDataDir: C:\Windows\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62287}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62287/devtoo..., se:cdpVersion: 142.0.7444.59, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f4e8baba3e4fa4c4218eb7d4f03e54f1 at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.maximize(RemoteWebDriver.java:953) at org.base.Utilityclass.pagemaximize(Utilityclass.java:162) at org.steps.PBHooks.Start(PBHooks.java:31)	FAILED	2.002 s
1	Given user opens the Home page as a guest user	SKIPPED	0.000 s
2	When User Enter the product name in search box "TROUSERS"	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
3	Then User Should be visible related product.then,Click on any product and navigate to the PDP page	SKIPPED	0.000 s
	<p>AFTER - org.steps.PBHooks.End(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=142.0.7444.59) Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_381' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f4e8baba3e4fa4c4218eb7d4f03e54f1, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 142.0.7444.59, chrome: {chromedriverVersion: 141.0.7390.122 (b477534e7e1..., userDataDir: C:\Windows\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62287}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62287/devtoo..., se:cdpVersion: 142.0.7444.59, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f4e8baba3e4fa4c4218eb7d4f03e54f1</p> <p>at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)</p> <p>at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)</p> <p>at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.lang.reflect.Constructor.newInstance(Constructor.java:423)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318)</p> <p>at org.steps.PBHooks.End(PBHooks.java:42)</p>	FAILED	0.005 s