Cucumber Report

Start : Oct 28, 6:21:00.531 PM	*End : Oct 28, 6:22:24.455 PM*	*Duration : 1 m 23.924 s*
Features	Scenarios	Steps
PASSED - 0 *FAILED - 1* *SKIPPED - 0*	*PASSED - 0* *FAILED - 4* *SKIPPED - 0*	*PASSED - 2* *FAILED - 1* *SKIPPED - 23*

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
To be Verify the E2E Functionality in Petit Beteau site	1 m 23.924 s	4	0	4	0	26	2	1	23

#	Feature Name	Scenario Name
1	*To be Verify the E2E Functionality in Petit Beteau site*	*To Validate Sorting,Paginaton function and Billing address detail updation in checkout page for new loggedin users*
2		*To Validate the checkout flow for logged-in user*
3		*To Validate the guest user checkout flow via quick view from PLP*
4		*To validate the search field functionlaity for products level*

TAG	Scenario				Feature			
Name	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
@Case1	4	0	4	0	1	0	1	0
@E2E	4	0	4	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	To be Verify the E2E Functionality in Petit Beteau site	4	0	4	0	1 m 23.924 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To be Verify the E2E Functionality in Petit Beteau site	To Validate Sorting,Paginaton function and Billing address detail updation in checkout page for new loggedin users	8	2	1	5	1 m 15.184 s
2		To Validate the checkout flow for logged-in user	8	0	0	8	2.978 s
3		To Validate the guest user checkout flow via quick view from PLP	7	0	0	7	2.570 s
4		To validate the search field functionlaity for products level	3	0	0	3	3.077 s

To be Verify the E2E Functionality in Petit Beteau site

| FAILED	DURATION - 1 m 23.924 s	Scenarios		Steps	
/ 6:21:00.531 PM // 6:22:24.455 PM /		Total - 4		Total - 26	
		Pass - 0	4	Pass - 2	26
		Fail - 4		Fail - 1	
		Skip - 0		Skip - 23	

To Validate Sorting,Paginaton function and Billing address detail updation in checkout page for new loggedin users

FAILED	DURATION - 1 m 15.184 s		Steps	
/ 6:21:00.534 PM // 6:22:15.718 PM /			Total - 8	
To be Verify the E2E Functionality in Petit Beteau site			Pass - 2	8
			Fail - 1	
@Case1 @E2E			Skip - 5	

#	Step / Hook Details	Status	Duration
1	Given user opens the Home page as a login user	PASSED	27.118 s
2	When the user navigates from a main category to a subcategory	PASSED	18.221 s
3	And the user selects a Sort By option and verifies the sorted product listing	FAILED	20.296 s

	java.lang.AssertionError: To verify the Sorting Url
	     at org.junit.Assert.fail(Assert.java:88)
	     at org.junit.Assert.assertTrue(Assert.java:41)
	     at org.base.Ultilityclass.checkpresentElement(Ultilityclass.java:745)
	     at org.steps.PBSteps.the_user_selects_a_sort_by_option_and_verifies_the_sorted_product_listing(PBSteps.java:1076)
	     at ?.the user selects a Sort By option and verifies the sorted product listing(file:///E:/PB-Project/Petit-Beatu/src/test/resources/Feature/E2E.feature:10)
	 * Not displayable characters are replaced by '?'.		

4	And the user checks the pagination functionality on the PLP page	SKIPPED	0.001 s
5	And the user clicks on a product and is redirected to the Product Detail Page	SKIPPED	0.001 s
6	And User adds multiple item to cart,then,removes items from cart and observes order summary calculation	SKIPPED	0.000 s
7	Then the user enters shipping and billing address details in checkout page	SKIPPED	0.000 s
8	And after entering the address details, the user selects a payment option and places the order	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
	AFTER - org.steps.PBHooks.End(io.cucumber.java.Scenario)	PASSED	3.263 s
	To Validate Sorting,Paginaton function and Billing address detail updation in checkout page for new loggedin users		

## To Validate the checkout flow for   logged-in user

FAILED	DURATION - 2.978 s		Steps
/ 6:22:15.750 PM // 6:22:18.728 PM /			Total - 8
			Pass - 0
To be Verify the E2E Functionality in Petit Beteau site			Fail - 0
			Skip - 8
@Case1 @E2E			

#	Step / Hook Details	Status	Duration
	BEFORE - org.steps.PBHooks.Start()	FAILED	2.949 s

	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=141.0.7390.123) Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_381' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d9103cb5fccb73f6d568561e5edeafda, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 141.0.7390.123, chrome: {chromedriverVersion: 141.0.7390.122 (b477534e7e1..., userDataDir: C:\Windows\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53199}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:53199/devtoo. .., se:cdpVersion: 141.0.7390.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d9103cb5fccb73f6d568561e5edeafda
	  at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
	  at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.lang.reflect.Constructor.newInstance(Constructor.java:423)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.maximize(RemoteWebDriver.java:953) at org.base.Ultilityclass.pagemaximize(Ultilityclass.java:162) at org.steps.PBHooks.Start(PBHooks.java:31)		
1	Given the user opens the Home page and do the login	SKIPPED	0.000 s
2	When the user selects a category and subcategory option from the Home page	SKIPPED	0.001 s
3	And the Product Listing Page is displayed based on the selected category	SKIPPED	0.001 s
4	And the user clicks on any one product image based on the applied filter	SKIPPED	0.001 s
5	And the user navigates from the Product Detail Page to the cart page	SKIPPED	0.000 s
6	And the user clicks on the checkout button	SKIPPED	0.000 s
7	And the user select the shipp addrres details and navigated to the Payment Options section	SKIPPED	0.000 s
8	Then the user Select the payment option and places the order.Then,Verify the order detail in my account page	SKIPPED	0.001 s
	AFTER - org.steps.PBHooks.End(io.cucumber.java.Scenario)	FAILED	0.017 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=141.0.7390.123) Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_381' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d9103cb5fccb73f6d568561e5edeafda, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 141.0.7390.123, chrome: {chromedriverVersion: 141.0.7390.122 (b477534e7e1..., userDataDir: C:\Windows\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53199}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:53199/devtoo..., se:cdpVersion: 141.0.7390.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d9103cb5fccb73f6d568561e5edeafda at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)		
	at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318)		
	at org.steps.PBHooks.End(PBHooks.java:42)		

To Validate the guest user checkout flow via quick view from PLP

FAILED	DURATION - 2.570 s		Steps
/ 6:22:18.767 PM // 6:22:21.337 PM /			Total - 7
			Pass - 0
To be Verify the E2E Functionality in Petit Beteau site			Fail - 0
			Skip - 7
@Case1 @E2E			

7

#	Step / Hook Details	Status	Duration
	BEFORE - org.steps.PBHooks.Start()	FAILED	2.540 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=141.0.7390.123) Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_381' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2185b861a17af8327dc4ac32a28fee6f, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 141.0.7390.123, chrome: {chromedriverVersion: 141.0.7390.122 (b477534e7e1..., userDataDir: C:\Windows\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64567}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:64567/devtoo..., se:cdpVersion: 141.0.7390.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2185b861a17af8327dc4ac32a28fee6f at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.maximize(RemoteWebDriver.java:953) at org.base.Ultilityclass.pagemaximize(Ultilityclass.java:162) at org.steps.PBHooks.Start(PBHooks.java:31)		
1	Given the user opens the Home page as a guest and selects a category to navigate to the Product Listing Page	SKIPPED	0.000 s
2	When the user clicks on the quick view of any product from the PLP	SKIPPED	0.000 s
3	And on the quick view popup, the user selects the size and quantity for the product	SKIPPED	0.000 s
4	And the user clicks the Add to Cart button and is navigated to the Cart page	SKIPPED	0.000 s
5	And the user clicks the Checkout button as a guest user	SKIPPED	0.000 s
6	Then the user completes mobile number verification and observes the page response	SKIPPED	0.002 s
7	And the user clicks on the Continue to Payment button and places the order	SKIPPED	0.004 s
	AFTER - org.steps.PBHooks.End(io.cucumber.java.Scenario)	FAILED	0.018 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=141.0.7390.123) Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_381' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2185b861a17af8327dc4ac32a28fee6f, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 141.0.7390.123, chrome: {chromedriverVersion: 141.0.7390.122 (b477534e7e1..., userDataDir: C:\Windows\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64567}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:64567/devtoo..., se:cdpVersion: 141.0.7390.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2185b861a17af8327dc4ac32a28fee6f at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at org.steps.PBHooks.End(PBHooks.java:42)		

To validate the search field functionlaity for products level

FAILED	DURATION - 3.077 s
/ 6:22:21.378 PM // 6:22:24.455 PM /	
To be Verify the E2E Functionality in Petit Beteau site	
@Case1 @E2E	

Steps
Total - 3
Pass - 0
Fail - 0
Skip - 3

3

#	Step / Hook Details	Status	Duration
	BEFORE - org.steps.PBHooks.Start()	FAILED	3.069 s

	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=141.0.7390.123) Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_381' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1a576326d4e9827b949ade2fbd9cfc76, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 141.0.7390.123, chrome: {chromedriverVersion: 141.0.7390.122 (b477534e7e1..., userDataDir: C:\Windows\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61133}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61133/devtoo. .., se:cdpVersion: 141.0.7390.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1a576326d4e9827b949ade2fbd9cfc76
	    at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
	    at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.lang.reflect.Constructor.newInstance(Constructor.java:423)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	    at org.openqa.selenium.remote.RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.maximize(RemoteWebDriver.java:953)
	    at org.base.Ultilityclass.pagemaximize(Ultilityclass.java:162)
	    at org.steps.PBHooks.Start(PBHooks.java:31)		

1	Given user opens the Home page as a guest user	SKIPPED	0.000 s
2	When User Enter the product name in search box "TROUSERS"	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
3	Then User Should be visible related product.then,Click on any product and navigate to the PDP page	SKIPPED	0.000 s
	AFTER - org.steps.PBHooks.End(io.cucumber.java.Scenario)	FAILED	0.005 s

	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=141.0.7390.123) Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_381' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1a576326d4e9827b949ade2fbd9cfc76, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 141.0.7390.123, chrome: {chromedriverVersion: 141.0.7390.122 (b477534e7e1..., userDataDir: C:\Windows\SystemTemp\scope...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61133}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61133/devtoo..., se:cdpVersion: 141.0.7390.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1a576326d4e9827b949ade2fbd9cfc76
	    at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
	    at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.lang.reflect.Constructor.newInstance(Constructor.java:423)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	    at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318)
	    at org.steps.PBHooks.End(PBHooks.java:42)		