CDSL VENTURES LIMITED

CVLKRA API Intermediaries (SEBI registered) Web Services

URLs

- o Test https://krapancheck.cvlindia.com/CVLPANInquiry.svc
- o Live https://PANCheck.www.kracvl.com/CVLPANInquiry.svc

20-Jul-2020

• This document explain the about the Web Service provided to the Intermediaries of CVLKRA Application.



Contents

| GetPassword | 3 |
|------------------------------|----|
| Description | 3 |
| Method | 3 |
| Request Attributes | 3 |
| Response | 3 |
| GetPANStatus | 4 |
| Description | 4 |
| Method | 4 |
| Request Attributes | 4 |
| Response | 4 |
| Error Response | 5 |
| Response Attributes | 6 |
| Error Codes | 8 |
| SolicitPANDetailsFetchALLKRA | 8 |
| Description | 8 |
| Method | 8 |
| Request Attributes | 9 |
| Response Attributes | 9 |
| InsertUpdateKYCRecord | 10 |
| Description | 10 |
| Method | 10 |
| Request Attributes | 10 |
| Response Attributes | 10 |
| Error Codes | 11 |
| Pre-requisite | 11 |



GetPassword

Description

This web service is used to get the encryption of the user password using the user specified hashing key. The encrypted password and the passkey are to be used in any method that is being called in the web service. The user is advised to get the encrypted password for each and every request separately.

Method

GetPassword

Request Attributes

| Input Fields | Description |
|--------------|-------------------------------------------------------------------------------------|
| Password | The password of the user in CVLKRA Application |
| PassKey | The user defined key for encrypting the password can be Alpha / Numeric combination |

Response

<GetPasswordResponse xmlns="https://krapancheck.cvlindia.com" xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
<GetPasswordResult>
<APP_RES_ROOT xmlns="">
<APP_GET_PASS>KXaJeH8RKCmxOKCu5g6m4g!3d!3d</APP_GET_PASS>
</APP_RES_ROOT>
</GetPasswordResult>
</GetPasswordResponse>



GetPANStatus

Description

This web service is used to get the details of PAN along with the status of the same present in the CVLKRA system as well as all other KRAs.

Single Pan per request is allowed.

Method

GetPANStatus

Request Attributes

| Input | Description |
|------------|--------------------------------------------------------------------|
| Parameters | |
| panNo | The PAN No for which the details are requested. |
| username | The authorized user id of the CVLKRA system enabled to use the web |
| | services |
| PosCode | The POS Code to which the user id is attached to |
| Password | The encrypted password fetched by the user using the GetPassword |
| | Method of the web services |
| PassKey | The key used to generate the encrypted password |

Response

```
<GetPanStatusResponse xmlns="https://krapancheck.cvlindia.com/"
xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-
instance">
<GetPanStatusResult>
<APP RES ROOT xmlns="">
      <APP_PAN_INQ>
             <APP_PAN_NO>AJSPB1234T</APP_PAN_NO>
             <APP_NAME>ABC</APP_NAME>
             <APP_STATUS>002</APP_STATUS>
             <aPP_STATUSDT>13/12/2016 16:16:15</aPP_STATUSDT>
             <aPP_ENTRYDT>03/01/2012 14:01:02</aPP_ENTRYDT>
             <aPP_MODDT>15/12/2017 10:06:03</aPP_MODDT>
             <APP_STATUS_DELTA/>
             <APP UPDT STATUS>001</APP UPDT STATUS>
             <APP_HOLD_DEACTIVE_RMKS/>
             <APP UPDT RMKS/>
             <APP_KYC_MODE>1</APP_KYC_MODE>
             <APP_IPV_FLAG>Y</APP_IPV_FLAG>
             <APP_UBO_FLAG/>
```



```
</APP_PAN_INQ>
      <APP_PAN_SUMM>
             <BATCH_ID>03/04/2019 13:04:16</BATCH_ID>
             <aPP_RESPONSE_DATE>03/04/2019 13:04:16</aPP_RESPONSE_DATE>
             <APP_TOTAL_REC>1</APP_TOTAL_REC>
      </APP_PAN_SUMM>
</APP_RES_ROOT>
</GetPanStatusResult>
</GetPanStatusResponse>
Error Response
<APP_RES_ROOT>
  <APP_PAN_INQ>
      <ERROR>
             <ERROR_CODE>WEBERR-001</ERROR_CODE>
             <ERROR_MSG>Invalid User ID / PosCode / Password / Access Privilege Not
Set</ERROR_MSG>
      </ERROR>
 </APP PAN INQ>
</APP_RES_ROOT>
```



Response Attributes

| Output Parameters | Description | | | | | | | |
|-------------------|-------------------------------------------------|--------|-------|-------|-------|-------|--|--|
| APP_PAN_NO | The PAN No for which the details are requested. | | | | | | | |
| APP_NAME | KYC Holder Name | | | | | | | |
| APP_STATUS | KYC Status in codes | | | | | | | |
| | Status Description | CVLKRA | NDML | DOTEX | CAMS | KARVY | | |
| | Not Checked with respective KRA | 000 | 100 | 200 | 300 | 400 | | |
| | Submitted | 001 | 101 | 201 | 301 | 401 | | |
| | KRA Verified | 002 | 102 | 202 | 302 | 402 | | |
| | Hold | 003 | 103 | 203 | 303 | 403 | | |
| | Rejected | 004 | 104 | 204 | 304 | 404 | | |
| | Not available | 005 | 005 | 005 | 005 | 005 | | |
| | Deactivated | 006 | 106 | 206 | 306 | 406 | | |
| | Existing KYC Submitted | 011 | 111 | 211 | 311 | 411 | | |
| | Existing KYC Verified | 012 | 112 | 212 | 312 | 412 | | |
| | Existing KYC hold | 013 | 113 | 213 | 313 | 413 | | |
| | Existing KYC Rejected | 014 | 114 | 214 | 314 | 414 | | |
| | KYC REGISTERED WITH CVLMF | 022 | | | | | | |
| | Not Checked with Multiple KRA | | 888 | 888 | 888 | 888 | | |
| | Invalid PAN NO Format 999 999 999 999 | | | | | 999 | | |
| APP_STATUSDT | KYC Status Last Updated Date | | | | | | | |
| APP_ENTRYDT | KYC Creation Date | | | | | | | |
| APP_MODDT | Modification date , if any | | | | | | | |
| APP_UPDT_STATUS | Status of Modification Request | | | | | | | |
| | Status Description | | | DOTEX | CAMS | KARVY | | |
| | Not Checked with Respective KRA | 000 | 100 | 200 | 300 | 400 | | |
| | Modification Under Process | 001 | 101 | 202 | 1 302 | 1 401 | | |
| | Modification Registered | | 2 102 | 202 | 2 302 | 2 402 | | |
| | Modification Hold | | 3 103 | 203 | 3 303 | 3 403 | | |
| | Modification Rejected | 004 | 104 | 204 | 1 304 | 404 | | |
| | Not available (will not be displayed |) 005 | 105 | 205 | 305 | 405 | | |
| | Deactivated | 006 | | | | | | |
| | Not Checked with Multiple KRA | | 888 | 888 | 888 | 888 | | |



| APP_HOLD_DEACTIVE_RMKS | Hold / | Deact | ivate Rer | narks | |
|------------------------|------------------------------------|-------------------------------------------------|--------------------------------------------------|-------------------------------------------------------------------|--|
| APP_UPDT_RMKS | Modification hold / reject remarks | | | | |
| APP_KYC_MODE | e-KYC | is applicable only for New Individual KYC | | | |
| | | Code | Code Description | | |
| | | 0 | 0 Normal KYC | | |
| | Ī | 1 | e-KYC v | vith OTP | |
| | Ī | 2 | e-KYC v | vith Biometric | |
| | | | If No value present (Blank), treat as Normal KYC | | |
| APP_IPV_FLAG | In per | son vei | rification | | |
| | Code | Des | cription | Remarks | |
| | Υ | Yes | | | |
| | N | No | | | |
| | E | Exe | mpted | Applicable only in case of MF investment less than 50000/Year/AMC | |
| | | | | less than sees, real, rune | |
| APP_STATUS_DELTA | Missir | ng Field | Details | | |
| | Code | : | | Description | |
| | 00 | All r | mandator | ry fields available | |
| | 01 | Nan | ne of the | Applicant not available | |
| | 02 | Fath | Fathers / Spouse Name not available | | |
| | 03 | Gen | der not a | available | |
| | 04 | Mar | rital Statu | ıs not available | |
| | 05 | DOE | 3 not ava | ilable | |
| | 06 | Nati | ionality r | not available | |
| | 07 | Resi | idential S | tatus not available | |
| | 80 | | | itity not available | |
| | 09 | Cori | responde | nce Address not available | |
| | 10 | | | espondence Address not available | |
| | 11 | - | Permanent Address not available | | |
| | 12 | _ | | nanent Address not available | |
| | 13 | | Applicants Signature not available | | |
| | 14 | - | | ot available | |
| | 15 | _ | Date of Incorporation not available | | |
| | 16 | Place of Incorporation not available | | | |
| | 17 | Date of commencement of business not available | | | |
| | 18 | Status (Non Individual) not available | | | |
| | 19 | Number of Promoters/Partners/Karta/Trustees and | | | |
| | | whole time directors not available | | | |
| | 20 | Name of related person not available | | | |
| | 21 | Relation with Applicant not available | | | |



| | 22 | Permanent Address of Related person not available |
|--------------|------------------|-------------------------------------------------------|
| | 23 | KYC Image is incomplete |
| | 24 | Contact details are not available |
| APP_UBO_FLAG | UBO Flag details | |
| | Code | Description |
| | Υ | Yes |
| | N | No |
| | | In case UBO detail not available, BLANK value will be |
| | | passed |

Error Codes

| Error Code | Description |
|------------|-----------------------------------------------------------------|
| WEBERR-001 | Invalid User ID / PosCode / Password / Access Privilege Not Set |
| WEBERR-002 | Invalid XML |
| WEBERR-005 | UNKNOWN ERROR |
| WEBERR-006 | Invalid Record Count |
| WEBERR-007 | Invalid Batch Size |
| WEBERR-008 | Invalid / Expired Batch No. |
| WEBERR-009 | Invalid RTA Code (APP_RTA_CODE) provided |
| WEBERR-010 | Invalid Intermediary Code (APP_POS_CODE) provided |
| WEBERR-011 | Invalid KRA Code (APP_KRA_CODE) provided |
| WEBERR-012 | Invalid DOB (APP_DOB_INCORP) PROVIDED |
| WEBERR-013 | You are not allowed to fetch the details |
| WEBERR-014 | Invalid OTHKRA Code (APP_OTHKRA_CODE) provided |
| WEBERR-015 | Access Limit exceeded |

SolicitPANDetailsFetchALLKRA

Description

This web service is used to get the full details of PAN present in the CVLKRA system as well as Other KRA.

The web service accepts single request at each time.

Method

SolicitPANDetailsFetchALLKRA

Request Attributes

| Input Parameters | Description |
|---------------------|---------------------------------------------------------------------------------------------|
| Input-XML | <app_req_root></app_req_root> |
| | <app_pan_inq></app_pan_inq> |
| | <app_pan_no>AAAPA1111A</app_pan_no> |
| | <app_dob_incorp>12/12/1959</app_dob_incorp> |
| | <app_pos_code>CDSL</app_pos_code> |
| | <app_rta_code>CDSL</app_rta_code> |
| | <app_kra_code>CVLKRA</app_kra_code> |
| | <fetch_type>I</fetch_type> |
| | |
| | |
| | XML Parameters explanation: |
| | APP_PAN_NO |
| | → Should be the Pan Number for which the data need to be fetched APP_DOB_INCORP |
| | → Should be the DOB in case of Individual and Date of Incorporation in case |
| | of Non-Individual in DD/MM/YYYY format |
| | APP_POS_CODE |
| | → Should be the POS Code of the Intermediary who is fetching the record. APP_RTA_CODE |
| | → In case of RTA then POS Code of the RTA who is fetching on behalf of the Intermediary |
| | → In case of Intermediaries fetching for themselves then POS Code of the Intermediary |
| | APP_KRA_CODE |
| | → Should be the KRA Code (CVLKRA / NDML / DOTEX / CAMS / KARVY) |
| | where the Pan in available, In case the Source of Pan is not known then |
| | BLANK value can be passed |
| | FETCH_TYPE |
| | → I – In case of DATA & IMAGE is required |
| | → E – In case only DATA is required |
| | → X – In case only IMAGE is required |
| username | The authorized user id of the CVLKRA system enabled to use the web services |
| PosCode | The POS Code to which the user id is mapped. |
| Password | The encrypted password fetched by the user using the GetPassword Method of the web services |
| PassKey | The key used to generate the encrypted password |
| | The state of Garage and area there have not |

Response Attributes



Refer to the Download document structure from $\underline{CVLKRA} \rightarrow Downloads \rightarrow File Structures$

InsertUpdateKYCRecord

Description

This web service is used to Add / Modify the PAN available only in the CVLKRA system. The web service accepts single request at each time.

Method

InsertUpdateKYCRecord

Request Attributes

| Input | Description |
|------------|------------------------------------------------------------------------------------|
| Parameters | |
| Input-XML | Input File structure differs for Individual / Non-Individual – Old / New KYC type, |
| | refer to the upload document structure from CVLKRA → Downloads → File |
| | Structures |
| username | The authorized user id of the CVLKRA system enabled to use the web services |
| PosCode | The POS Code to which the user id is mapped. |
| Password | The encrypted password fetched by the user using the GetPassword Method of the |
| | web services |
| PassKey | The key used to generate the encrypted password |

Response Attributes

```
<ROOT>
<KYCDATA>
  <APP_PAN_NO>AAAPA1234A</APP_PAN_NO>
  <APP_PAN_DOB></APP_PAN_DOB>
  <APP_NAME>SANDEEP SINGH</APP_NAME>
  <APP_STATUS></APP_STATUS>
  <APP_MODF_ACK>129272</APP_MODF_ACK>
  <APP_ENTRYDT/>
  <APP_ENTRYDT/>
  <APP_MODDT/>
  <APP_POS_CODE>CDSL</APP_POS_CODE>
  </KYCDATA>
  <FOOTER>
```



```
<APP_RESPONSE_DATE>24/05/2016 14:30:03</APP_RESPONSE_DATE>
<APP_TOTAL_REC>1</APP_TOTAL_REC>
</FOOTER>
</ROOT>
```

Error Codes

| Error Code | Description |
|------------|-----------------------------------------------------------------|
| WEBERR-001 | Invalid User ID / PosCode / Password / Access Privilege Not Set |
| WEBERR-002 | Invalid XML |
| WEBERR-005 | UNKNOWN ERROR |
| WEBERR-006 | Invalid Record Count |
| WEBERR-007 | Invalid Batch Size |
| WEBERR-008 | Invalid / Expired Batch No. |
| WEBERR-009 | Invalid RTA Code (APP_RTA_CODE) provided |
| WEBERR-010 | Invalid Intermediary Code (APP_POS_CODE) provided |
| WEBERR-011 | Invalid KRA Code (APP_KRA_CODE) provided |
| WEBERR-012 | Invalid DOB (APP_DOB_INCORP) PROVIDED |
| WEBERR-013 | You are not allowed to fetch the details |
| WEBERR-014 | Invalid OTHKRA Code (APP_OTHKRA_CODE) provided |
| WEBERR-015 | Access Limit exceeded |

Pre-requisite

Make sure only TLS 1.2 protocol is enabled to connect to the above mentioned URL's