Swati Mall.   Programming in C.

07-04-2020.   CS-1st yr

C Program to Add Two Matrices Using Multi-dimensional Arrays

Program to Add Two Matrices

```c
#include <stdio.h>
int main() {
    int r, c, a[100][100], b[100][100], sum[100][100], i, j;
    printf("Enter the number of rows (between 1 and 100): ");
    scanf("%d", &r);
    printf("Enter the number of columns (between 1 and 100): ");
    scanf("%d", &c);

    printf("\nEnter elements of 1st matrix:\n");
    for (i = 0; i < r; ++i)
        for (j = 0; j < c; ++j) {
            printf("Enter element a%d%d: ", i + 1, j + 1);
            scanf("%d", &a[i][j]);
        }

    printf("Enter elements of 2nd matrix:\n");
    for (i = 0; i < r; ++i)
        for (j = 0; j < c; ++j) {
            printf("Enter element a%d%d: ", i + 1, j + 1);
            scanf("%d", &b[i][j]);
        }

    // adding two matrices
```

```
    for (i = 0; i < r; ++i)
        for (j = 0; j < c; ++j) {
            sum[i][j] = a[i][j] + b[i][j];
        }

    // printing the result
    printf("\nSum of two matrices: \n");
    for (i = 0; i < r; ++i)
        for (j = 0; j < c; ++j) {
            printf("%d    ", sum[i][j]);
            if (j == c - 1) {
                printf("\n\n");
            }
        }

    return 0;
}
```

Output

```
Enter the number of rows (between 1 and 100): 2
Enter the number of columns (between 1 and 100): 3

Enter elements of 1st matrix:
Enter element a11: 2
Enter element a12: 3
Enter element a13: 4
Enter element a21: 5
Enter element a22: 2
Enter element a23: 3
Enter elements of 2nd matrix:
Enter element a11: -4
Enter element a12: 5
Enter element a13: 3
Enter element a21: 5
Enter element a22: 6
Enter element a23: 3

Sum of two matrices:
-2   8   7

10   8   6
```

In this program, the user is asked to enter the number of rows r and columns c.
Then, the user is asked to enter the elements of the two matrices (of order $r*c$).

Program to Find the Transpose of a Matrix

```c
#include <stdio.h>
int main() {
    int a[10][10], transpose[10][10], r, c, i, j;
    printf("Enter rows and columns: ");
    scanf("%d %d", &r, &c);

    // Assigning elements to the matrix
    printf("\nEnter matrix elements:\n");
    for (i = 0; i < r; ++i)
        for (j = 0; j < c; ++j) {
            printf("Enter element a%d%d: ", i + 1, j + 1);
            scanf("%d", &a[i][j]);
        }

    // Displaying the matrix a[][]
    printf("\nEntered matrix: \n");
    for (i = 0; i < r; ++i)
        for (j = 0; j < c; ++j) {
            printf("%d  ", a[i][j]);
            if (j == c - 1)
                printf("\n");
        }

    // Finding the transpose of matrix a
    for (i = 0; i < r; ++i)
        for (j = 0; j < c; ++j) {
            transpose[j][i] = a[i][j];
```

```
        }

    // Displaying the transpose of matrix a
    printf("\nTranspose of the matrix:\n");
    for (i = 0; i < c; ++i)
        for (j = 0; j < r; ++j) {
            printf("%d  ", transpose[i][j]);
            if (j == r - 1)
                printf("\n");
        }
    return 0;
}
```

Output

```
Enter rows and columns: 2
3

Enter matrix elements:
Enter element a11: 1
Enter element a12: 4
Enter element a13: 0
Enter element a21: -5
Enter element a22: 2
Enter element a23: 7

Entered matrix:
1   4   0
-5   2   7

Transpose of the matrix:
1   -5
4   2
0   7
```