

```

#include <stdio.h>
#include <sys/ipc.h>
#include <sys/shm.h>
#include <string.h>

int main() {
    key_t key = 1234;

    int shmid = shmget(key, 1024, 0666 | IPC_CREAT);

    char *str = (char*) shmatt(shmid, NULL, 0);

    printf("Enter message: ");
    fgets(str, 100, stdin);

    printf("Data written to shared memory: %s\n",
str);

    return 0;
}

```

```

[spartzyy@localhost ~]$ ls
' '      data.txt      fork      opendir.c
rev.sh   third.sh
a        Desktop      fork.c    pari
script.awk val.awk      Documents four.sh   Pictures
ab       Videos
scripts Downloads    frogprog.c program
ab.awk1  vj.awk      frokprog.c program.c
sec.awk  emp.awk
ab.c     write
second.sh emp.txt     id.awk    Public
a.out    writer
av.awk   fibo.sh    marks.awk reader
shellscrp writer.c
awk      fifth.sh   marks.txt reader.c
shell.sh
b        file.txt   Music     rec
sixth.sh
c        first.csv opendir    reversenum
Templates

[spartzyy@localhost ~]$ vi sender.c
[spartzyy@localhost ~]$ vi receiver.c
[spartzyy@localhost ~]$ gcc sender.c -o sender
[spartzyy@localhost ~]$ gcc receiver.c -o receiver
[spartzyy@localhost ~]$ ./sender
Enter message: Hello IPC
Data written to shared memory: Hello IPC

[spartzyy@localhost ~]$ ./receiver
Data read from shared memory: Hello IPC

[spartzyy@localhost ~]$

```

```

#include <stdio.h>
#include <sys/ipc.h>
#include <sys/shm.h>
#include <string.h>

int main() {
    key_t key = 1234;

    int shmid = shmget(key, 1024, 0666 | IPC_CREAT);

    char *str = (char*) shmatt(shmid, NULL, 0);

    printf("Enter message: ");
    fgets(str, 100, stdin);

    printf("Data written to shared memory: %s\n",
str);

    return 0;
}

```