

```

[Spartzyy@localhost ~]$ cd shellscrp
[Spartzyy@localhost shellscrp]$ vi calculator.sh
[Spartzyy@localhost shellscrp]$ chmod +x calculator.sh
[Spartzyy@localhost shellscrp]$ ./calculator.sh
Enter first number:
5
Enter second number:
10
1.Add 2.Subtract 3.Multiply 4.Divide
1
Result = 15
[Spartzyy@localhost shellscrp]$ ./calculator.sh
Enter first number:
5
Enter second number:
10
1.Add 2.Subtract 3.Multiply 4.Divide
2
Result = -5
[Spartzyy@localhost shellscrp]$ ./calculator.sh
Enter first number:
5
Enter second number:
10
1.Add 2.Subtract 3.Multiply 4.Divide
3
Result = 50
[Spartzyy@localhost shellscrp]$ ./calculator.sh\
>
Enter first number:
5
Enter second number:
10
1.Add 2.Subtract 3.Multiply 4.Divide
4
Result = 0
[Spartzyy@localhost shellscrp]$

```

```

#!/bin/bash
echo "Enter first number: "
read a
echo "Enter second number: "
read b
echo "1.Add 2.Subtract 3.Multiply 4.Divide"
read ch
case $ch in
    1) echo "Result = $(expr $a + $b)" ;;
    2) echo "Result = $(expr $a - $b)" ;;
    3) echo "Result = $(expr $a \* $b)" ;;
    4) echo "Result = $(expr $a / $b)" ;;
    *) echo "Invalid choice" ;;
esac

```

```
Result = 0  
[Spartzyy@localhost shellscrip]$
```

```
#!/bin/bash  
echo "Enter first number:"  
read a  
echo "Enter second number:"  
read b  
echo "1.Add 2.Subtract 3.Multiply 4.Divide"  
read ch  
case $ch in  
  1) echo "Result = $(expr $a + $b)" ;;  
  2) echo "Result = $(expr $a - $b)" ;;  
  3) echo "Result = $(expr $a \* $b)" ;;  
  4) echo "Result = $(expr $a / $b)" ;;  
  *) echo "Invalid choice" ;;  
esac
```

2 / 6



```
[Spartzyy@localhost ~]$ cd shellscrip  
[Spartzyy@localhost shellscrip]$ vi calculator.sh  
[Spartzyy@localhost shellscrip]$ chmod +x calculator.sh  
[Spartzyy@localhost shellscrip]$ ./calculator.sh  
Enter first number:  
5  
Enter second number:  
10  
1.Add 2.Subtract 3.Multiply 4.Divide  
1  
  
Result = 15
```

```
echo "Enter a year:"  
read y  
if [ $((y%400)) -eq 0 ] || [ $((y%4)) -eq 0 -a $((y%100)) -ne 0 ]  
then  
  echo "Leap year"  
else  
  echo "Not Leap year"  
fi
```

```
#!/bin/bash  
read -p "Enter a number:" num  
rev=0  
temp=$num  
while [ $temp -ne 0 ]  
do  
  digit=$(( temp % 10 ))  
  rev=$(( rev * 10 + digit ))  
  temp=$(( temp / 10 ))  
done  
echo "Reversed number: $rev"
```