

Sr. No.	Class and name of town.		Civic administration Status (in 1980)	Population.	Scheduled Castes and Scheduled Tribes population.		Road length (in kms.)		System of sewerage.	Number of latrines.		
										Water Borne.	Service.	Others.
(1)	(2)		(3)	(4)	(5)		(6)		(7)	(8)	(9)	(10)
1.	II	Alandur	M	97,449	SC 11,238 ST 151		PR (36.00) KR (11.40)		OSD	..	2,500	1,009
2.	I	Ambattur	TC	115,901	SC 15,008 ST 268		PR (35.30) KR (41.40)		CD	1,051	10,261	18
3.	V	Ammavarikuppam	NP	6,818	SC 365 ST 17		PR (4.00) KR ..		..	..	..	..
4.	IV	Anakaputtur	NP	15,298	SC 1,853 ST 108		PR (1.75) KR (7.55)		OSD	654	..	..
5.	IV	Arani	NP	10,481	SC 1,439 ST 208		PR (1.89) KR (3.40)		PT	..	27	..
6.	I	Avadi	TC	124,701	SC 16,307 ST 1,204		PR (48.20) KR (24.00)		CD	3,200	873	..
7.	VI	Chembarambakkam	GP	2,445	SC 713 ST 2		PR (4.00) KR (21.60)		OSD	..	..	..
8.	III	Chengalpattu	M	47,329	SC 5,576 ST 318		PR (37.18) KR ..		OSD	1,792	1,798	..
9.	V	Cheyur	GP	8,659	SC 4,141 ST 72		PR (2.00) KR (6.00)		..	1	25	50
10.		Kanchipuram	..							See Kanchipuram		
		Kanchipuram Urban Agglomeration		145,254	SC 7,873 ST 435		PR (74.91) KR (29.36)		..	1,347	8,587	425
	I	Kanchipuram	M	130,926	SC 3,394 ST 304		PR (67.91) KR (0.36)		S	1,152	8,587	..
	VI	Nattapettai	GP	4,783	SC 1,169 ST 95		PR (2.00) KR (10.00)		OSD	125	..	150
	VI	Putteri	GP	2,360	SC 1,797 ST ..		PR (2.00) KR (8.00)		OSD	10	..	75
	V	Sevilimedu	GP	7,185	SC 1,513 ST 36		PR (3.00) KR (2.00)		OSD	60	..	200
11.	VI	Kannapalaiyam	GP	2,702	SC 502 ST ..		PR (4.00) KR (24.20)		OSD	..	..	..
12.	VI	Kathirvedu	GP	2,168	SC 1,040 ST ..		PR (2.60) KR ..		OSD	6	35	..
13.	III	Kattivakkam	TC	22,101	SC 2,284 ST 191		PR (3.81) KR (9.75)		CD	476	15	..
14.	VI	Kattupakkam	GP	2,467	SC 990 ST 11		PR (2.00) KR (1.50)		OSD	..	..	..
15.	VI	Kottivakkam	GP	3,650	SC 837 ST ..		PR (4.00) KR ..		CD	..	..	..
16.	IV	Kunnathur	NP	16,424	SC 3,879 ST 34		PR (2.60) KR (11.10)		OSD	20	20	..
17.	III	Madavaram	TC	47,452	SC 11,117 ST 157		PR (20.58) KR (40.98)		OSD	175	630	41
18.	VI	Madippakkam	GP	2,269	SC 828 ST ..		PR (6.50) KR ..		CD	..	..	..

DIRECTORY

IV.

AMENITIES, 1979.

Method of disposal of night soil.	Protected water supply.		Fire lighting service.	Electrification (Number of connections)				
	Source of supply.	System of storage with capacity in litres (in brackets).		Domestic	Industrial	Commercial	Road lighting (points.)	Others.
(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)
WB, ST	W	..	Guindy (2 kms.)	14,666	2,086	2,020	1,538	178
WB, ST	W	..	Yes	9,686	1,760	..	1,670	..
..	T	OHT (20,000) GLR (8,000)	Tiruttani (22 kms.)	811	..	215	326	25
ST	T	OHT (65,000)	Minambakkam (6 kms.)	1,900	19	122	139	3
B, ST	T	OHT (40,000)	Gummudipundi (15 kms.)	700	20	150	180	..
WB, ST	T	OHT (750,000)	Yes	5,549	184	1,142	1,758	212
..	W	..	Avadi (6 kms.)	30	6	32	53	20
WB, ST	T	SR (4,050,000)	Yes.	4,371	337	1,676	997	..
WB	T	OHT (15,750)	Chengalpattu (47 kms.)	302	15	114	143	115
Urban Agglomeration.								
..	..	..	..	13,097	778	3,615	2,611	144
WB, ST	T	OHT (9,000,000)	Yes.	11,845	776	3,609	2,176	144
B, ST	T	OHT (150,000)	Kanchipuram (7 kms.)	527	1	1	275	..
B, ST	T	OHT (250,000)	Kanchipuram (4 kms.)	275	..	2	65	..
B, ST	T	OHT (100,000)	Kanchipuram (2 kms.)	450	1	3	95	..
..	W	..	Avadi (5 kms.)	40	..	..	69	10
B, WB	T	OHT (1,500)	Ambattur (10 kms.)	74	3	15	80	1
WB, ST	W	..	Ennore (2 kms.)	718	15	60	393	..
..	W	..	Avadi (9 kms.)	48	3	20	68	50
WB, ST	W	..	Tambaram (5 kms.)	151	26	37	180	..
WB	T, W	OHT (5,000)	Minambakkam (11 kms.)	687	15	1	289	..
WB, ST	T, W	OHT (13,500)	Sembium (3 kms.)	617	45	125	1,023	84
WB, ST	W	..	Guindy (3 kms.)	177	3	6	35	..

1981 CENSUS—
STATE—
CIVIC AND OTHER

Sl.No.	Class and name of town.		Civic adminis- tration Status (in 1980).	Population.	Scheduled Castes and Scheduled Tribes. population.	Road length. (in Kms.)	System of sewerage.	Number of latrines.		
								Water Borne.	Service.	Others.
(1)	(2)		(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
19.	III	Madurantakam ..	M	22,373	SC 2,733 ST 307	PR (10.23) KR (0.86)	OSD	60	500	..
20.	V	Maduravoyal ..	NP	7,447	SC 2,518 ST 7	PR (7.40) KR (21.60)	OSD, CD	..	..	..
21.	VI	Mattur ..	GP	2,327	SC 735 ST 18	PR (2.00) KR (2.60)	OSD	..	..	..
22.	VI	Melmanambedu ..	GP	2,269	SC 999 ST 108	PR (3.00) KR 25.00)	OSD	..	..	..
23.	VI	Minambakkam ..	GP	3,092	SC 1,463 ST 11	PR (3.00) KR ..	CD	..	..	..
24.	VI	Mudichchur ..	GP	1,225	SC 715 ST ..	PR (2.00) KR ..	CD	..	..	..
25.	VI	Nadukkuthagai ..	GP	2,659	SC 1,027 ST 8	PR (3.00) KR (29.00)	OSD	..	..	..
26.	V	Nandambakkam ..	NP	7,676	SC 797 ST 61	PR (2.43) KR (2.29)	OSD	200	..	..
27.	IV	Naravarikuppam ..	NP	14,674	SC 2,272 ST 538	PR (9.91) KR (0.92)	CD	..	170	10
28.	Nattapettai							See Kanchipuram		
29.	VI	Nazarethpettai ..	GP	4,150	SC 842 ST ..	PR (4.00) KR (21.80)	OSD	4	..	..
30.	VI	Nemilicheri ..	GP	1,688	SC 820 ST 82	PR (2.00) KR (30.00)	OSD	..	..	..
31.	V	Nerkunram ..	GP	5,630	SC 2,022 ST ..	PR (8.00) KR (3.00)	OSD	2	65	..
32.	II	Pallavaram ..	M	83,901	SC 14,227 ST 183	PR (80.41) KR (37.15)	OSD, CD	2,000	3,298	..
33.	VI	Pallikaranai ..	GP	3,929	SC 1,607 ST 70	PR (3.00) KR ..	CD	..	..	..
34.	III	Pammal ..	NP	27,822	SC 5,796 ST 19	PR (5.90) KR (4.80)	CD	..	40	..
35.	V	Peerkankaranai ..	GP	5,275	SC 774 ST 89	PR (3.00) KR ..	CD	..	..	..
36.	V	Perungalattur ..	NP	5,285	SC 942 ST 188	PR (10.14) KR (1.14)	OSD	40	60	20
37.	VI	Perungudi ..	GP	4,277	SC 578 ST 60	PR (1.50) KR ..	CD	..	..	..
38.	IV	Poddatturpetta ..	NP	13,128	SC 853 ST 133	PR (1.00) KR (0.40)	OSD	..	2	..
39.	V	Polichalur ..	GP	5,132	SC 1,507 ST 67	PR .. KR ..	CD	..	..	..
40.	IV	Ponneri ..	NP	16,021	SC 3,858 ST 236	PR (15.00) KR (1.50)	OSD	..	175	..
41.	III	Poonamallee ..	NP	23,667	SC 5,068 ST 26	PR (21.29) KR ..	OSD, CD	..	315	..

TOWN DIRECTORY.

MENT—IV.

AMENITIES. 1979.

Method of disposal of night soil.	Protected water supply.		Fire lighting Service.	Electricification (Number of connections).				
	Source of supply.	System of storage with capacity in litres (in brackets)		Domestic.	Industrial	Commercial.	Road lighting (points).	Others.
(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)
WB	T	OHT (1,85,250) PT (2,280)	Chengalraju (24 kms.)	1,154	107	442	344	..
..	T	OHT (40,000)	Kilpauk (8 kms.)	278	28	44	186	..
..	W	..	Manali (3 kms.)	52	1	10	82	..
WB	T,W	..	Avadi (8 kms.)	50	5	8	52	45
WB, ST	T	OHT (40,000)	Yes.	96	..	15	26	..
WB, ST	W	..	Tambaram (8 kms.)	72	1	4	60	..
..	W	..	Avadi (12 kms.)	20	..	..	33	20
ST	W	..	Guindy (3 kms.)	1300	80	150	204	..
B, WB	T	OHT (2,500)	Manali (10 kms.)	720	95	225	82	..
Urban Agglomeration.								
..	T,W	..	Avadi (12 kms.)	200	49	80	53	30
..	W,T	..	Avadi (10 kms.)	25	..	..	40	..
..	W	..	Kilpauk (7 kms.)	200	..	13	75	..
WB, ST	T	BWP (250,000)	Minambakkam (3 kms.)	6,002	425	587	1,312	1,404
WB, ST	W	..	Minambakkam (13 kms.)	324	8	19	114	..
WB	T	OHT (250,000)	Minambakkam (6 kms.)	2,800	80	320	422	..
WB, ST	W	..	Tambaram (5 kms.)	311	4	20	148	..
WB, ST	W	..	Tambaram (3 kms.)	500	1	48	316	..
WB, ST	T	OHT (50,000)	Minambakkam (10 kms.)	417	21	18	480	..
WB	W	..	Arakkonam (52 kms.)	1,200	8	91	152	154
WB, ST	W	..	Minambakkam (7 kms.)	302	3	12	60	..
WB	T	BWP	Gummidipundi (13 kms.)	610	40	352	327	150
WB	T	OHT (1,100,000)	Avadi (11 kms.)	3,200	55	342	443	..

Sl.No.	Class and name of town.		Civic administration Status. (in 1980)	Population.		Scheduled Caste and Scheduled Tribe. population.	Road length (in Kms.)		System of sewerage.	Number of latrines.		
										Water Borne.	Service.	Others.
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)			
42	V	Pujal	NP	9,262	SC ST	5,017 ..	PR (4.60) KR (8.80)	OSD	40	57	..	..
43	V	Pulicat	GP	7,396	SC ST	855 329	PR (3.40) KR (3.00)	OSD	..	..	..	..
44		Putteri						See Kanchipuram Urban				
45	VI	Sadayankuppam	GP	1,389	SC ST	493 9	PR (3.10) KR (1.80)	OSD	..	..	..	..
46	VI	Sennirkuppam	GP	4,197	SC ST	1,108 21	PR (3.00) KR (12.60)	OSD	2	..	..	..
47		Sevilimedu						See Kanchipuram Urban				
48	IV	Sittalapakkam	NP	11,718	SC ST	1,420 260	PR (13.05) KR (2.65)	CD	..	150	50	..
49	VI	Soranjeri	GP	2,207	SC ST	916 21	PR (3.00) KR (7.10)	OSD	..	14	..	..
50	IV	Sriperumbudur	NP	10,926	SC ST	2,811 156	PR (71.00) KR (73.80)	OSD	..	29	335	..
51	III	St. Thomas Mount-cum Pallavaram	CB	33,367	SC ST	6,122 109	PR (22.53) KR ..	OSD	200	19	1,700	..
52	II	Tambaram	M	86,923	SC ST	11,895 499	PR (70.95) KR (2.98)	CD	9,940	2,700	..	..
53	IV	Tanganur	NP	10,227	SC ST	1,586 87	PR (10.91) KR (1.05)	OSD	..	10	..	..
54	IV	Tirukkalukunram	NP	19,804	SC ST	1,629 228	PR (13.00) KR (9.00)	CD	215	60	120	..
55	IV	Tirumahishai	NP	11,014	SC ST	2,188 ..	PR (0.48) KR (8.05)	OSD, CD	600	28	56	..
56	V	Tirunirmalai	NP	9,953	SC ST	2,365 30	PR (5.95) KR (5.90)	OSD	..	..	..	..
57	VI	Tirusulam	GP	4,802	SC ST	2,583 2	PR (1.00) KR ..	CD	..	..	..	..
58	III	Tiruttani	NP	24,496	SC ST	2,115 1,051	PR (8.00) KR (3.00)	OSD	..	116	..	..
59	III	Tiruvallur	M	32,156	SC ST	4,761 162	PR (12.83) KR (0.98)	OSD	..	1,470	55	..
60	IV	Tiruverkadu	TC	17,226	SC ST	7,255 117	PR (3.00) KR (28.27)	OSD	..	..	..	..
61	I	Tiruvottiyur	M	134,014	SC ST	14,117 576	PR (27.14) KR (33.34)	OSD, CD	1,051	12,085	46	..
62	IV	Uttiramerur	NP	19,489	SC ST	2,181 85	PR (16.20) KR (15.40)	OSD	505	144	10	..
63	VI	Varadharajapuram	GP	2,151	SC ST	848 ..	PR (1.00) KR (25.10)	OSD	..	..	..	..
64	VI	Vellannur	GP	4,332	SC ST	1,216 ..	PR (12.00) KR ..	OSD	..	1	..	..
65	VI	Vengavasal	GP	1,791	SC ST	721 ..	PR (2.60) KR ..	CD	..	..	..	..
66	IV	Walajabad	NP	10,731	SC ST	2,554 47	PR (15.36) KR (4.23)	OSD	1	5	..	..

DIRECTORY.

MENT—IV.

AMENITIES 1979.

Method of disposal of night soil.	Protected water supply.		Fire fighting Service.	Electrification (Number of connections).				
	Source of supply.	System of storage with capacity in litres (in brackets.)		Domestic.	Industrial.	Commercial.	Road lighting (points.)	Others.
(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)
BWB	T	OHT (5,000)	Vysarpadi (12 kms.)	600	10	120	207	1
WB	W	..	Gummudipundi (32 kms.)	432	10	52	80	..
Agglomeration.								
..	T	OHT (1,500)	Manali (5 kms.)	30	..	4	34	..
..	T,W	..	Avadi (2 kms.)	303	7	80	72	90
Agglomeration.								
WB, ST	W	..	Tambaram (3 kms.)	1,000	..	3	325	..
WB	W	..	Avadi (10 kms)	36	1	..	55	..
WB	TK, T	OHT (3,200)	Yes.	621	128	175	321	10
WB	T	OHT (1,000,000)	Guindy (3 kms.)	1,800	20	50	770	..
WB, ST	T	OHT (400,000)	Yes.	8,691	361	1,367	2,460	..
WB, ST	T	OHT (5,000)	Avadi (11 kms)	800	29	40	300	5
WB	T	OHT (350,000)	Chengalpattu (15 kms.)	856	57	452	363	1,600
WB, ST	T	OHT (1,250)	Avadi (15 kms.)	1,000	25	143	186	..
ST	T	OHT (16,000)	Tambaram (10 kms.)	1,000	..	100	144	..
WB, ST	W	..	Minambakkam (3 kms.)	82	11	25	33	..
WB	T	IG (365,000)	Arakkonam (8 kms.)	2,803	195	..	510	..
WB, ST	T,W	OHT (625,000)	Yes.	1,553	193	929	610	466
ST	T,W	OHT (8,000)	Avadi (3 kms.)	2,347	32	845	326	57
WB, ST	T	IG (1926,000)	Ennore (6 kms.)	3,802	378	1,996	1,309	140
WB	T	OHT (350,000)	Chengalpattu (28 kms.)	3,000	26	201	532	..
..	W,T	..	Poonamallee (2 kms.)	60	2	5	32	35
..	T	HT (7,500)	Avadi (7 kms.)	40	..	4	144	..
B,ST	W	..	Minambakkam (8 kms.)	82	1	7	94	..
WB	T	OHT (265,000)	Kanchipuram (12 kms.)	1,020	32	..	450	..