

In the name of God

Department of Physics Shahid Beheshti University

COMPUTATIONAL PHYSICS

Exercise Set 3

(Due Date: 1401/12/28)

Error analysis and propagation: Using the input file, write a proper program to do following tasks:

A : Read input data file which contains more than 10^6 one-column data. and spilt it to 100 input files.

B : Making directories and send each data set to corresponding directory.

C : compute the PDF ($p_i(x)$), $i = 1, \dots, 100$) of each data sets using Top-Hat kernel for $\Delta x = 0.1$, $\Delta x = 0.01$ and $\Delta x = 0.001$.

D : Compute $\sigma_m(p_i(x))$. Plot $p_i(x)$ versus x and show its error-bar for some of data sets.

E :Then based on smoothing approach, consider $\mathcal{B}(X) = e^{-X^2/2\sigma}$ with $\sigma = 2$, $\sigma = 0.2$ in order to smooth PDF. Explain you results.

E : Compute $p(x(i), x(j))$ and compare it with each one-point probability density function by determining $\Delta(\tau) = |p(x(t + \tau), x(t)) - p(x(t + \tau))p(x(t))|$. For 5 arbitrary sets plot $\Delta(\tau)$ as a function of τ . Explain your results.

Good luck, Movahed
