



# ThingWorx Flow Connector for Azure Data Lake Storage

User Guide  
Version 1.0.0



Software Change Log .....	3
Introduction and Installation .....	4
About the Connector .....	4
Installing the ThingWorx Flow Connector for Azure Data Lake Storage .....	4
ThingWorx Flow Connector for Azure Data Lake Storage .....	5
Connector Release Version .....	5
Supported Actions .....	5
Supported Triggers .....	5
Supported Authorization .....	5
Adding a Connection .....	5
ADLS Shared Key Connection .....	6
Create Container .....	8
Using the Create Container Action .....	8
Delete Blob .....	9
Using the Delete Blob Action .....	9
Delete Container .....	10
Using the Delete Container Action .....	10
Download Blob .....	11
Using the Download Blob Action .....	11
List Blobs .....	12
Using the List Blobs Action .....	12
List Containers .....	13
Using the List Containers Action .....	13
Upload Blob .....	14
Using the Upload Blob Action .....	14
Examples .....	15
Upload a Blob from ThingWorx File Repository .....	15
Download a Blob to ThingWorx File Repository .....	17

## ThingWorx Flow Connector for Azure Data Lake Storage

Known Limitations .....	20
Compatibility .....	20
Document Revision History.....	20

## Software Change Log

Version	Release Date	Changes	Contributors
1.0.0	January 21, 2020	Initial Release	Matt Rice

## Introduction and Installation

Extensibility is a core aspect of the architecture and design of ThingWorx. Partners, third parties, and general ThingWorx users can easily add new functionality into the system, seamlessly. Extensions can be in the form of Service (function/method) Libraries, Connector Templates, Widgets, and more. ThingWorx Flow Connectors can be used in a workflow to exchange information between ThingWorx Flow and the connected system, or to trigger workflows based on the occurrence of events in the external system.

This document provides installation and usage instructions for the ThingWorx Flow Connector for Azure Data Lake Storage (ADLS).

### About the Connector

Azure Storage is a Microsoft-managed service providing cloud storage that is highly available, secure, durable, scalable, and redundant. This connector allows you to interact with and manipulate the unstructured data stored in Azure Data Lake Storage Gen2 including the listing of Containers and Blobs, the creation and deletion of Containers, the upload and download of Blobs, and the deletion of Blobs. The initial release only works with Containers for Blob Storage and do not yet work with File Shares, Tables, or Queues. Authentication is performed via a shared key.

The connector runs in ThingWorx Flow and is built on node.js and utilizes Microsoft's Azure Storage libraries for JavaScript. The connector is intended to work similarly to other storage providers like Box, Dropbox, Google Drive, and OneDrive.

### Installing the ThingWorx Flow Connector for Azure Data Lake Storage

1. Open a shell or terminal window on the ThingWorx Flow server.
2. Copy the `ptc-adls-connector-1-0-0.zip` file to any directory.
3. Unzip the `ptc-adls-connector-1-0-0.zip` file.
4. Change into the `ptc-adls-connector` directory.
5. Run the following command to deploy the custom connector package to the ThingWorx Flow installation directory:

```
flow-deploy connector --sourceDir . --targetDir  
<ThingWorx_Flow_Install_Directory> --allow_schema_overwrite
```

6. Run the following command to load connector metadata into the ThingWorx Flow server:

```
flow-deploy migrate --sourceDir <ThingWorx_Flow_Install_Directory>  
-u <Username_for_ThingWorx_Flow_Database>  
-p <Password_for_ThingWorx_Flow_Database>
```



For more information about deploying connectors, please see the ThingWorx Help Center at [http://support.ptc.com/help/thingworx\\_hc/thingworx\\_8\\_hc/en/index.html#page/ThingWorx/Help/Integration\\_Orchestration/ConnectorDevelopmentSDK/DeployingConnectors.html](http://support.ptc.com/help/thingworx_hc/thingworx_8_hc/en/index.html#page/ThingWorx/Help/Integration_Orchestration/ConnectorDevelopmentSDK/DeployingConnectors.html)

## ThingWorx Flow Connector for Azure Data Lake Storage


This connector allows you to interact with and manipulate the unstructured data stored in Azure Data Lake Storage Gen2 including the listing of Containers and Blobs, the creation and deletion of Containers, the upload and download of Blobs, and the deletion of Blobs.

### Connector Release Version

ADLS Connector 1.0.0.

### Supported Actions

- Create Container
- Delete Blob
- Delete Container
- Download Blob
- List Blobs
- List Containers
- Upload Blob



### Supported Triggers

None

### Supported Authorization

ADLS connector supports the following authorization:

- **Shared Key**

To access the ADLS actions, you need to add a connection.


### Adding a Connection


ADLS connection is required for each ADLS connector action. Select one of the following authentication types:

- **Shared Key**

### ADLS Shared Key Connection

To add a new shared key connection, do the following:

1. From the ThingWorx Flow Dashboard, click on your username in the upper right corner and select **Settings**.
2. Click **CONNECTED ACCOUNTS > Connections**.
3. Click the plus sign  and select **Azure Storage Account Shared Key** then enter the following details in the Add Connection window:




The screenshot shows the 'Add Connection' window for 'Azure Storage Account Shared Key'. It includes a search bar, a title bar with the Azure logo and 'Azure Storage Account Shared Key', and three required fields: 'Connection Label' (with value 'Azure\_Storage\_Account\_Shared\_Key1'), 'Storage Account Name' (with value 'myadlsaccount'), and 'Storage Account Access Key' (with a long alphanumeric key). There are 'SAVE' and 'CLOSE' buttons at the bottom.

- **Connection Label** – Auto populated. You can provide a connection label of your choice.
- **Storage Account Name** – The name of the Azure storage account. This is the **Storage account name** listed in Settings > Access Keys in the Azure portal for your storage account.
- **Storage Account Access key** – The shared key of the Azure storage account. This is the **Key** value for either key1 or key2 listed in Settings > Access Keys in the Azure portal for your storage account.



You need to log in to your Azure portal to retrieve this information.

## ThingWorx Flow Connector for Azure Data Lake Storage



4. Click **SAVE** to save and test the authorization.

- Testing the authorization should happen within 1-2 seconds and will timeout after 1 minute. If it fails you will get an error and you cannot save the connection.

⚠ Error occurred, Please contact our support team or try again.

- A successful authentication test will save the connection.

✓ Connection validated successfully

5. Click **CLOSE** to close the Add Connection window.

🗨 Click **TEST** to verify the authentication.




## Create Container

Use this action to create a Container.

### Using the Create Container Action

To use this action in your workflow, you need to connect it to ThingWorx Flow. To connect to the flow, do the following:

1. Drag the **Create Container** action under the **Azure Data Lake Storage** connector to the canvas, place the point on the action, and then click  or double-click the action. The Create Container action window opens.
2. Edit the label name, if needed. By default, the label name is the same as the action name.
3. Specify an existing **Shared Key Connection** or add a new one.
4. In the **Container Name** field, enter the name of the container to create.



The Container and Blob names must comply with the naming conventions specified at <https://docs.microsoft.com/en-us/rest/api/storageservices/naming-and-referencing-containers--blobs--and-metadata>.


5. Click **Done**.

## Delete Blob

Use this action to delete a Blob.

### Using the Delete Blob Action

To use this action in your workflow, you need to connect it to ThingWorx Flow. To connect to the flow, do the following:

1. Drag the **Delete Blob** action under the **Azure Data Lake Storage** connector to the canvas, place the point on the action, and then click  or double-click the action. The Delete Blob action window opens.
2. Edit the label name, if needed. By default, the label name is the same as the action name.
3. Specify an existing **Shared Key Connection** or add a new one.
4. In the **Container Name** field, enter the name of the container that contains the blob.



The Container and Blob names must comply with the naming conventions specified at <https://docs.microsoft.com/en-us/rest/api/storageservices/naming-and-referencing-containers--blobs--and-metadata>.


5. In the **Blob Name** field, enter the name of the blob to delete.
6. Click **Done**.

## Delete Container

Use this action to delete a Container.

### Using the Delete Container Action

To use this action in your workflow, you need to connect it to ThingWorx Flow. To connect to the flow, do the following:

1. Drag the **Delete Container** action under the **Azure Data Lake Storage** connector to the canvas, place the point on the action, and then click  or double-click the action. The Delete Container action window opens.
2. Edit the label name, if needed. By default, the label name is the same as the action name.
3. Specify an existing **Shared Key Connection** or add a new one.
4. In the **Container Name** field, enter the name of the container to delete.



The Container and Blob names must comply with the naming conventions specified at <https://docs.microsoft.com/en-us/rest/api/storageservices/naming-and-referencing-containers--blobs--and-metadata>.


5. Click **Done**.

## Download Blob

Use this action to download a Blob.

### Using the Download Blob Action

To use this action in your workflow, you need to connect it to ThingWorx Flow. To connect to the flow, do the following:

1. Drag the **Download Blob** action under the **Azure Data Lake Storage** connector to the canvas, place the point on the action, and then click  or double-click the action. The Download Blob action window opens.
2. Edit the label name, if needed. By default, the label name is the same as the action name.
3. Specify an existing **Shared Key Connection** or add a new one.
4. In the **Container Name** field, enter the name of the container that contains the blob.



The Container and Blob names must comply with the naming conventions specified at <https://docs.microsoft.com/en-us/rest/api/storageservices/naming-and-referencing-containers--blobs--and-metadata>.


5. In the **Blob Name** field, enter the name of the blob to download.
6. Click **Done**.

## List Blobs

Use this action to list blobs in a container.

### Using the List Blobs Action

To use this action in your workflow, you need to connect it to ThingWorx Flow. To connect to the flow, do the following:

1. Drag the **List Blobs** action under the **Azure Data Lake Storage** connector to the canvas, place the point on the action, and then click  or double-click the action. The List Blobs action window opens.
2. Edit the label name, if needed. By default, the label name is the same as the action name.
3. Specify an existing **Shared Key Connection** or add a new one.
4. In the **Container Name** field, enter the name of the container from which to get the list of blobs.



The Container and Blob names must comply with the naming conventions specified at <https://docs.microsoft.com/en-us/rest/api/storageservices/naming-and-referencing-containers--blobs--and-metadata>.


5. Click **Done**.

## List Containers

Use this action to list containers.

### Using the List Containers Action

To use this action in your workflow, you need to connect it to ThingWorx Flow. To connect to the flow, do the following:


1. Drag the **List Containers** action under the **Azure Data Lake Storage** connector to the canvas, place the point on the action, and then click  or double-click the action. The List Containers action window opens.
2. Edit the label name, if needed. By default, the label name is the same as the action name.
3. Specify an existing **Shared Key Connection** or add a new one.
4. Click **Done**.

## Upload Blob

Use this action to upload a blob.

### Using the Upload Blob Action

To use this action in your workflow, you need to connect it to ThingWorx Flow. To connect to the flow, do the following:

1. Drag the **Upload Blob** action under the **Azure Data Lake Storage** connector to the canvas, place the point on the action, and then click  or double-click the action. The Upload Blob action window opens.
2. Edit the label name, if needed. By default, the label name is the same as the action name.
3. Specify an existing **Shared Key Connection** or add a new one.
4. In the **Container Name** field, enter the name of the container to store the blob.



The Container and Blob names must comply with the naming conventions specified at <https://docs.microsoft.com/en-us/rest/api/storageservices/naming-and-referencing-containers--blobs--and-metadata>.


5. In the **Blob Name** field, enter the name of the blob.
6. In the **Data** field, enter the data for the blob. This can be plain text or encoded binary data.
7. In the **Encoding** field, select the encoding type of the data.
8. Click **Done**.

## Examples

Here are examples of using the connector for various use cases.

### Upload a Blob from ThingWorx File Repository


Create a workflow using the ThingWorx Download File action and the ADLS Upload Blob action.



Configure the **Download File** action:

1. Select the **Authentication Type** and **Connection**.
2. In the **Source** field, select the following source file details:
  - **Repository** – ThingWorx source repository from where the file is to be downloaded.
  - **File Path** – Path within the repository.
  - **File Name** – Name of the repository file to be downloaded.
  - **Delete Repository File** – Select one of the following actions:
    - **false** – Does not delete the file from the ThingWorx repository after download.
    - **true** – Deletes the file from the ThingWorx repository after download.
3. In the **Destination** field, select **Stream** to stream the binary content of the file to the Upload Blob action.



 Download File

▼ Source

s Repository (required) ⓘ

x ADLSFileRepository ▼

s File Path (required) ⓘ

x / ▼

s File Name (required) ⓘ

x file1.txt ▼

b Delete Repository File ⓘ

false ▼

▼ Destination

s Type (required) ⓘ

x Stream ▼

Input

Parameter

No output available from previous activities

Id: \$a1 Version: 1


Cancel

Done

Configure the **Upload Blob** action:

1. Specify an existing **Shared Key Connection** or add a new one.
2. In the **Container Name** field, enter the name of the container to store the blob.
3. In the **Blob Name** field, enter the name of the blob.
4. In the **Data** field, drag the Content Stream property from the Download File output into this field. It will be something like `{{ $a1.contentStream }}`.
5. In the **Encoding** field, select the encoding type of the data.

16



## ThingWorx Flow Connector for Azure Data Lake Storage

Upload Blob

Label (required)  
Upload Blob

Shared Key Connection

Azure\_Storage\_Account\_Shared\_Key1

TEST

Container Name (required)

container1

Blob Name (required)

IoT\_Data\_Architecture.pptx

Data (required)

{{ \$a1.contentStream }}

Encoding

utf8

Input

Parameter

a1 - Download File

Content Stream


Message

Id: \$a2 Version: 1

Cancel Done

### Download a Blob to ThingWorx File Repository

Create a workflow using the ThingWorx Download File action and the ADLS Upload Blob action.



Configure the **Download Blob** action:

1. Specify an existing **Shared Key Connection** or add a new one.
2. In the **Container Name** field, enter the name of the container that contains the blob.
3. In the **Blob Name** field, enter the name of the blob to download.

**Download Blob**

Label (required)  
Download Blob

Shared Key Connection  
Azure\_Storage\_Account\_Shared\_Key1 TEST

Container Name (required)  
container1

Blob Name (required)  
file1.txt

No output available from previous activities


Id: \$a0 Version: 1

Cancel Done

Configure the **Upload File** action:

1. Select the **Authentication Type** and **Connection**.
2. In the **Type** field, select a format in which the source data is provided.
  - **File**
    - **File Path** – The File Path property from the Download Blob output. For example, `{{ $a0.filepath }}`.
    - **Format** – File content format.
3. In the **Destination** field, enter the destination details where the data is uploaded:
  - **Repository** – Select the ThingWorx repository where the file is to be uploaded.
  - **File Path** – File path within repository.
  - **File Name** – Name of the repository file. For example, you can use the File Name property from the Download Blob output such as `{{ $a0.filename }}`.

## ThingWorx Flow Connector for Azure Data Lake Storage

 Upload File

▼ Source

s Type (required) ⓘ

x File

▼

s File Path (required) ⓘ

{{\${a0.filepath}}}

</>

s Format

application/octet-stream

▼

▼ Destination

s Repository (required) ⓘ

x ADLSFileRepository

▼

s File Path (required) ⓘ

x /

▼

s File Name (required) ⓘ

from\_adls\_{{\${a0.filename}}}

</>

Input

Parameter

a0 - Download Blob

s File Name


s File Path

Id: \$a1 Version: 1

Cancel

Done

19

 thingworx

## Known Limitations

Only Storage Containers and Blobs are currently supported. File Shares, Tables, and Queues are not yet supported.
Hierarchical Containers have not been tested.

## Compatibility

This extension was tested for compatibility with the following ThingWorx Flow version(s):

ThingWorx Flow Version	8.5.0, 8.5.1, 8.5.2, 8.5.3
------------------------	----------------------------

## Document Revision History

Revision Date	Version	Description of Change
January 17, 2020	1.0.0	Initial version