Qwen3-VL-8B trial

Nov 6, 2026 · @zylah

Verdict

The Qwen3-VL-8B trial passed every item on the given checklist, so the full run can start. It ran as Kaggle version 8 on GPU T4 x2, from 16:28 to 16:53 UTC (25 minutes), on the first 20 images of each version (500 images, 315 cut-out shapes). The code was byte-identical to commit `cadcd07`, with model weights at revision `0c351dd0`.

Checklist

Every check comes from her runner's guide in `docs/original_README.md`.

Check	Result	Evidence from the log
The run says "Successfully ran"	Pass	Kaggle status COMPLETE for version 8
No `Traceback`	Pass	0 tracebacks in 1,137 log lines; all 4 scorers exited with code 0
`100.0` in every `parsed` column	Pass	100.0% parsed in every version of all 4 datasets; analysis joined 1.000 parsed for each
Speed lines present	Pass	shapes 2.24 s, hard 2.17 s, objects 2.17 s, lines 0.75 s per image; naming 0.79 s per shape
Answers follow the format	Pass	e.g. `circle: 1, triangle: 2, square: 0, star: 1` and `box: 3`

The trial also ran `analysis.py` once on these answers, which the checklist does not ask for. It finished without errors, so the full run's analysis should work too.

What the trial answers show

Clutter lowers accuracy on every dataset, as the study expects. With only 20 images per version these are sanity checks, not results.

Dataset	Clean, all counts right	Hardest clutter version	Accuracy there
Objects	100%	everything	10%
Lines	100% (right box)	crossings_8	45%
Shapes	40%	lookalikes	0%
Shapes Hard	20%	everything	0%

On Shapes and Shapes Hard, the 8B model is weak even on clean images. The plan's floor rule decides whether those two datasets count.

Time and GPU hours

The full Qwen run should take about 8.8 GPU hours over its two halves, which fits easily in the 21.6 hours left this week. The notebook estimated each half from the trial's speed, rounding up slightly.

Half	Datasets	Estimate
Part A	shapes (2,000 images), hard (5,000 images)	4.5 h
Part B	objects (2,500 images), lines (3,000 images), naming (7,475 shapes)	4.3 h

GPU quota at 16:54 UTC: 8.4 of 30 hours used, 21.6 left. It resets on 2026-11-07 at 00:00 UTC. The Gemma 4 E4B full run (started 16:37 UTC, about 9 hours) uses one of the two GPU slots, so part A can run beside it.

Next steps

One warning appears after each first answer, but it did not affect the run. With `transformers` 5.22.1, the scripts' `add_special_tokens=False` triggers "Kwargs passed to `processor.__call__` have to be in `processor_kwargs` dict". It applies to every model on this commit.

- [ ] Start Qwen part A: the Qwen notebook is pre-set to `STAGE = "full"`, `PART = "1"` (version 9); Save Version, then Save & Run All
- [ ] Start Qwen part B (`PART = "2"`) when a GPU slot frees up

- [ ] Send the trial log (`log_qwen3vl8b_trial_partall.txt`) and this summary