

Fleetcentric.ai

Logo & Mini Brand Guidelines

This guide formalizes the supplied Fleetcentric.ai identity into a reusable professional logo system. The original symbol is preserved and cleaned into vector artwork; variants are provided for digital products, documents, print, vehicles and social profiles.



1. Logo System

Primary horizontal: symbol + Fleetcentric.ai. Recommended for websites, app headers, documents and presentations.

Stacked: symbol above wordmark. Recommended where a square or centered composition is preferable.

Symbol: standalone mark for app icons, favicon, dashboards, vehicle decals and social avatars.

Wordmark: Fleetcentric.ai without the symbol for compact placements.

2. Brand Colors

Color	HEX	RGB	CMYK (approx.)	Use
Fleetcentric Navy	#00254D	0, 37, 77	100, 52, 0, 70	Primary text / dark backgrounds
Fleetcentric Teal	#03D2C7	3, 210, 199	99, 0, 5, 18	Accent / .ai / symbol accent
White	#FFFFFF	255, 255, 255	0, 0, 0, 0	Reverse logo / backgrounds
Black	#000000	0, 0, 0	0, 0, 0, 100	Monochrome print

CMYK values are working approximations for print; a printer should proof the colors before production. Pantone matching is optional and should be selected only against a physical proof.

3. Typography

Logo wordmark: Inter ExtraBold (800) is the recommended editable wordmark reference. The source artwork has been reconstructed as clean vector artwork; if the exact original font is later identified, it can replace the live wordmark while preserving the approved proportions.

Brand/UI type: Inter is recommended as the primary product typeface. Use Regular/Medium for body text and Semibold/Bold for headings and UI labels.

4. Clear Space

Maintain clear space around the logo equal to at least the width of the symbol's main vertical stroke (X). No text, icons, borders or photography should enter this protected area. Increase the clear space in busy environments.



5. Minimum Sizes

Digital horizontal logo: recommended minimum width 120 px. Standalone symbol: 24 px minimum for UI, with 32 px+ preferred. Favicon: symbol only. Print horizontal logo: approximately 30 mm minimum width; symbol: approximately 8 mm minimum. At very small sizes, use the symbol rather than the full wordmark.

6. Backgrounds & Variants

Use the standard navy + teal logo on white/light neutral backgrounds. Use the reverse version (white wordmark on navy, teal accent) on sufficiently dark backgrounds. Use all-black or all-white only when production constraints require monochrome output.

7. Do Not

Do not stretch or compress the logo; rotate it; change approved colors; replace the wordmark typeface without approval; add drop shadows, glows or bevels; place it over busy imagery without a clean area; crop the symbol; or rearrange elements outside the approved variants.

8. Deliverables

The package includes editable SVG masters, PDF vector files, EPS files for professional/legacy print workflows, high-resolution transparent PNGs, JPG previews, favicon/icon exports from 16 px through 1024 px, and this brand guide.

Recommended folder structure

- 01_Master_Vector** — SVG / PDF / EPS
- 02_PNG** — transparent high-resolution exports
- 03_JPG** — preview/document exports
- 04_Icons** — favicon and app icon sizes
- 05_Brand_Guide** — logo usage and color/type specifications

Fleetcentric.ai — AI-powered fleet & transport management