```
Code
```

```
1. index.php
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Dashboard</title>
  <link rel="stylesheet"</pre>
href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css">
  link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/font-awesome/4.7.0/css/font-
awesome.min.css">
  <script src="https://code.jquery.com/jquery-3.5.1.min.js"></script>
  <script src="https://cdn.jsdelivr.net/npm/popper.js@1.16.1/dist/umd/popper.min.js"></script>
  <script src="https://stackpath.bootstrapedn.com/bootstrap/4.5.2/js/bootstrap.min.js"></script>
  <style>
    .wrapper{
      width: 600px;
      margin: 0 auto;
    table tr td:last-child{
       width: 120px;
  </style>
  <script>
    $(document).ready(function(){
       $('[data-toggle="tooltip"]').tooltip();
    });
  </script>
</head>
<body>
  <div class="wrapper">
    <div class="container-fluid">
       <div class="row">
         <div class="col-md-12">
           <div class="mt-5 mb-3 clearfix">
              <h2 class="pull-left">Employees Details</h2>
              <a href="create.php" class="btn btn-success pull-right"><i class="fa fa-plus"></i>
Add New Employee</a>
           </div>
           <?php
           // Include config file
           require once "config.php";
           $sql = "SELECT * FROM employees";
           if($result = mysqli query($link, $sql)){
              if(mysqli num rows(\$result) > 0){
                echo '';
                  echo "<thead>";
                     echo "";
                       echo "#";
```

```
echo "Name";
                      echo "Address";
                      echo "Salary";
                      echo "Action";
                   echo "";
                 echo "</thead>";
                 echo "";
                 while($row = mysqli fetch array($result)){
                   echo "";
                      echo "<td>" . $row['id'] . "</td>";
                      echo "" . $row['name'] . "";
                      echo "" . $row['address'] . "";
                      echo "" . $row['salary'] . "";
                      echo "";
                        echo '<a href="read.php?id='. $row['id'] .'" class="mr-3" title="View
Record" data-toggle="tooltip"><span class="fa fa-eye"></span></a>';
                        echo '<a href="update.php?id='. $row['id'] ."" class="mr-3" title="Update
Record" data-toggle="tooltip"></span class="fa fa-pencil"></span></a>';
                        echo '<a href="delete.php?id='. $row['id'] .'" title="Delete Record" data-
toggle="tooltip"><span class="fa fa-trash"></span></a>';
                      echo "";
                   echo "";
                 }
                 echo "";
               echo "";
               mysqli free result($result);
             } else{
               echo '<div class="alert alert-danger"><em>No records were found.</em></div>';
           } else{
             echo "Oops! Something went wrong. Please try again later.";
           mysqli close($link);
           ?>
        </div>
      </div>
    </div>
  </div>
</body>
</html>
2. config.php
<?php
define('DB SERVER', 'localhost');
define('DB USERNAME', 'root');
define('DB PASSWORD', ");
define('DB NAME', 'wt');
$link = mysqli_connect(DB_SERVER, DB_USERNAME, DB_PASSWORD, DB_NAME);
if($link === false){
```

```
die("ERROR: Could not connect. " . mysqli connect error());
}
?>
3. create.php
<?php
// Include config file
require once "config.php";
$name = $address = $salary = "";
$name err = $address err = $salary err = "";
if($ SERVER["REQUEST METHOD"] == "POST"){
  // Validate name
  $input name = trim($ POST["name"]);
  if(empty($input name)){
    $name err = "Please enter a name.";
  } elseif(!filter var($input name, FILTER VALIDATE REGEXP,
array("options"=>array("regexp"=>"/^[a-zA-Z\s]+$/")))
    $name err = "Please enter a valid name.";
  } else{
    $name = $input name;
  $input address = trim($ POST["address"]);
  if(empty($input address)){
    $address err = "Please enter an address.";
  } else{
    $address = $input address;
  $input salary = trim($ POST["salary"]);
  if(empty($input salary)){
    $salary err = "Please enter the salary amount.";
  } elseif(!ctype digit($input salary)){
    $salary err = "Please enter a positive integer value.";
  } else{
    $salary = $input salary;
  if(empty($name err) && empty($address err) && empty($salary err)){
    $sql = "INSERT INTO employees (name, address, salary) VALUES (?, ?, ?)";
    if($stmt = mysqli prepare($link, $sql)){
       mysqli_stmt_bind_param($stmt, "sss", $param_name, $param_address, $param_salary);
       $param name = $name;
       $param address = $address;
       $param salary = $salary;
       if(mysqli stmt execute($stmt)){
         header("location: index.php");
         exit();
       } else{
         echo "Oops! Something went wrong. Please try again later.";
```

```
mysqli stmt close($stmt);
  mysqli close($link);
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Create Record</title>
  <link rel="stylesheet"</pre>
href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css">
  <style>
    .wrapper{
       width: 600px;
       margin: 0 auto;
  </style>
</head>
<body>
  <div class="wrapper">
    <div class="container-fluid">
       <div class="row">
         <div class="col-md-12">
            <h2 class="mt-5">Create Record</h2>
            Please fill this form and submit to add employee record to the database.
            <form action="<?php echo htmlspecialchars($ SERVER["PHP SELF"]); ?>"
method="post">
              <div class="form-group">
                <label>Name</label>
                <input type="text" name="name" class="form-control <?php echo (!)</pre>
empty($name err)) ? 'is-invalid' : "; ?>" value="<?php echo $name; ?>">
                 <span class="invalid-feedback"><?php echo $name err;?></span>
              </div>
              <div class="form-group">
                 <label>Address</label>
                <textarea name="address" class="form-control <?php echo (!
empty($address err)) ? 'is-invalid' : "; ?>"><?php echo $address; ?></textarea>
                 <span class="invalid-feedback"><?php echo $address err;?></span>
              <div class="form-group">
                <label>Salary</label>
                <input type="text" name="salary" class="form-control <?php echo (!)</pre>
empty($salary err)) ? 'is-invalid' : "; ?>" value="<?php echo $salary; ?>">
                 <span class="invalid-feedback"><?php echo $salary err;?></span>
              <input type="submit" class="btn btn-primary" value="Submit">
              <a href="index.php" class="btn btn-secondary ml-2">Cancel</a>
            </form>
```

```
</div>
       </div>
    </div>
  </div>
</body>
</html>
4. delete.php
<?php
if(isset($ POST["id"]) && !empty($ POST["id"])){
  require once "config.php";
  $sql = "DELETE FROM employees WHERE id = ?";
  if($stmt = mysqli prepare($link, $sql)){
    mysqli stmt bind param($stmt, "i", $param id);
    $param id = trim($ POST["id"]);
    if(mysqli stmt execute($stmt)){
       header("location: index.php");
       exit();
    } else{
       echo "Oops! Something went wrong. Please try again later.";
     }
  mysqli stmt close($stmt);
  mysqli_close($link);
} else{
  if(empty(trim($ GET["id"]))){
    header("location: error.php");
    exit();
  }
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Delete Record</title>
  <link rel="stylesheet"</pre>
href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css">
  <style>
    .wrapper{
       width: 600px;
       margin: 0 auto;
  </style>
</head>
<body>
  <div class="wrapper">
    <div class="container-fluid">
       <div class="row">
```

```
<div class="col-md-12">
            <h2 class="mt-5 mb-3">Delete Record</h2>
           <form action="<?php echo htmlspecialchars($ SERVER["PHP SELF"]); ?>"
method="post">
              <div class="alert alert-danger">
                <input type="hidden" name="id" value="<?php echo trim($ GET["id"]); ?>"/>
                Are you sure you want to delete this employee record?
                   <input type="submit" value="Yes" class="btn btn-danger">
                   <a href="index.php" class="btn btn-secondary">No</a>
              </div>
           </form>
         </div>
       </div>
    </div>
  </div>
</body>
</html>
5. update.php
<?php
require once "config.php";
$name = $address = $salary = "";
$name err = $address err = $salary err = "";
if(isset($ POST["id"]) && !empty($ POST["id"])){
  $id = $ POST["id"];
  $input name = trim($ POST["name"]);
  if(empty($input name)){
    $name err = "Please enter a name.";
  } elseif(!filter var($input name, FILTER_VALIDATE_REGEXP,
array("options" => array("regexp" => "/^[a-zA-Z\s]+\$/")))) \{
    $name err = "Please enter a valid name.";
  } else{
    $name = $input name;
  $input address = trim($ POST["address"]);
  if(empty($input address)){
    $address_err = "Please enter an address.";
  } else{
    $address = $input address;
  $input salary = trim($ POST["salary"]);
  if(empty($input_salary)){
    $salary err = "Please enter the salary amount.";
  } elseif(!ctype digit($input salary)){
    $salary err = "Please enter a positive integer value.";
  } else{
    $salary = $input salary;
```

```
if(empty($name err) && empty($address err) && empty($salary err)){
    $sql = "UPDATE employees SET name=?, address=?, salary=? WHERE id=?";
    if($stmt = mysqli prepare($link, $sql)){
       mysqli stmt bind param($stmt, "sssi", $param name, $param address, $param salary,
$param id);
       $param name = $name;
       $param address = $address;
       $param salary = $salary;
       param_id = id;
       if(mysqli stmt execute($stmt)){
         header("location: index.php");
         exit();
       } else{
         echo "Oops! Something went wrong. Please try again later.";
    }
    mysqli stmt close($stmt);
  mysqli close($link);
} else{
  if(isset($ GET["id"]) && !empty(trim($ GET["id"]))){
    $id = trim($ GET["id"]);
    $sql = "SELECT * FROM employees WHERE id = ?";
    if($stmt = mysqli prepare($link, $sql)){
       mysqli stmt bind param($stmt, "i", $param id);
       param id = id;
       if(mysqli stmt execute($stmt)){
         $result = mysqli stmt get result($stmt);
         if(mysqli num rows($result) == 1){
            $row = mysqli fetch array($result, MYSQLI ASSOC);
           ne = row["name"];
           $address = $row["address"];
           $salary = $row["salary"];
         } else{
           // URL doesn't contain valid id. Redirect to error page
           header("location: error.php");
           exit();
         }
       } else{
         echo "Oops! Something went wrong. Please try again later.";
       }
    mysqli stmt close($stmt);
    mysqli close($link);
  } else{
    // URL doesn't contain id parameter. Redirect to error page
    header("location: error.php");
    exit();
```

```
}
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Update Record</title>
  <link rel="stylesheet"</pre>
href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css">
  <style>
    .wrapper{
       width: 600px;
       margin: 0 auto;
  </style>
</head>
<body>
  <div class="wrapper">
    <div class="container-fluid">
       <div class="row">
         <div class="col-md-12">
            <h2 class="mt-5">Update Record</h2>
            Please edit the input values and submit to update the employee record.
           <form action="<?php echo
htmlspecialchars(basename($ SERVER['REQUEST URI'])); ?>" method="post">
              <div class="form-group">
                <label>Name</label>
                <input type="text" name="name" class="form-control <?php echo (!)</pre>
empty($name err)) ? 'is-invalid' : "; ?>" value="<?php echo $name; ?>">
                <span class="invalid-feedback"><?php echo $name err;?></span>
              </div>
              <div class="form-group">
                <label>Address</label>
                <textarea name="address" class="form-control <?php echo (!
empty($address_err)) ? 'is-invalid' : "; ?>"><?php echo $address; ?></textarea>
                <span class="invalid-feedback"><?php echo $address err;?></span>
              </div>
              <div class="form-group">
                <label>Salary</label>
                <input type="text" name="salary" class="form-control <?php echo (!)</pre>
empty($salary err)) ? 'is-invalid' : "; ?>" value="<?php echo $salary; ?>">
                <span class="invalid-feedback"><?php echo $salary err;?></span>
              </div>
              <input type="hidden" name="id" value="<?php echo $id; ?>"/>
              <input type="submit" class="btn btn-primary" value="Submit">
              <a href="index.php" class="btn btn-secondary ml-2">Cancel</a>
           </form>
         </div>
```

```
</div>
    </div>
  </div>
</body>
</html>
6. read.php
<?php
if(isset($ GET["id"]) && !empty(trim($ GET["id"]))){
  require once "config.php";
  $sql = "SELECT * FROM employees WHERE id = ?";
  if($stmt = mysqli prepare($link, $sql)){
    mysqli stmt bind param($stmt, "i", $param id);
    $param id = trim($ GET["id"]);
    if(mysqli stmt execute($stmt)){
       $result = mysqli stmt get result($stmt);
       if(mysqli num rows($result) == 1){
         $row = mysqli fetch array($result, MYSQLI ASSOC);
         $name = $row["name"];
         $address = $row["address"];
         $salary = $row["salary"];
       } else{
         header("location: error.php");
         exit();
       }
     } else{
       echo "Oops! Something went wrong. Please try again later.";
  mysqli_stmt close($stmt);
  mysqli close($link);
} else{
  // URL doesn't contain id parameter. Redirect to error page
  header("location: error.php");
  exit();
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>View Record</title>
  k rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css">
  <style>
    .wrapper{
       width: 600px;
       margin: 0 auto;
```

```
</style>
</head>
<body>
  <div class="wrapper">
    <div class="container-fluid">
      <div class="row">
        <div class="col-md-12">
          <h1 class="mt-5 mb-3">View Record</h1>
          <div class="form-group">
             <label>Name</label>
             <b><?php echo $row["name"]; ?></b>
          </div>
          <div class="form-group">
             <label>Address</label>
             <b><?php echo $row["address"]; ?></b>
          </div>
          <div class="form-group">
             <label>Salary</label>
             <b><?php echo $row["salary"]; ?></b>
          </div>
          <a href="index.php" class="btn btn-primary">Back</a>
        </div>
      </div>
    </div>
  </div>
</body>
</html>
```











