

Frontend Product Roadmap

A complete product and screen blueprint for the MyPageSEO SaaS frontend.

Frontend only • Backend already available • Designed for implementation in Lovable

Primary #27424A	Secondary #C9302C
Product character Serious, mature, data-driven B2B SaaS	Core principle Clarity over novelty; function over decoration

Purpose of this document

This document is the master frontend context for the next stage of MyPageSEO development. It defines the product hierarchy, screen inventory, navigation model, expected content, agency/business differences, design language, and implementation sequence. It is intended to keep future Lovable prompts coherent across the entire project.

The benchmark material supplied for this project is a BrightLocal-style Local SEO reporting experience white-labelled under PagePros. It is used here as a maturity and feature benchmark—not as the source architecture of MyPageSEO.

1. Product Vision

MyPageSEO is a Local SEO management platform for businesses and agencies. The frontend should make local search performance understandable, actionable, and reportable without feeling like a toy, an AI demo, or a generic dashboard template.

The product should move beyond collect → report toward collect → understand → recommend → execute → measure.

The core atomic object is the **Location**. In this product, "location" means a specific Google Business Profile (GBP). Business users primarily manage their own locations; agency users manage clients and their assigned locations.

The application therefore has three conceptual layers:

- **Organization layer:** identity, subscription, team, clients, billing, settings and white-label configuration.
- **Location layer:** rankings, GBP, reviews, citations, competitors, reports and actions for a specific GBP.
- **Intelligence/action layer:** ranking intelligence, GBP intelligence, competitive intelligence, citation intelligence, reputation/content and reporting/automation.

Frontend scope

- All screens, layouts, navigation, components, states, filters, tables, charts, modals, drawers and workflows.
- Responsive behavior and reusable design patterns.
- Business and Agency experience differences.
- Client-facing/report-facing presentation.
- Integration points represented in the UI; backend/API implementation is out of scope.

Out of scope

- Backend architecture, database design, APIs, workers, scraping infrastructure or third-party service implementation.
- Rebuilding backend capabilities that already exist.
- Assuming functionality that the backend does not expose; frontend screens should map to available backend capabilities.

2. Product Architecture

The frontend should be organized around reusable product concepts rather than dozens of disconnected pages.

Core hierarchy

Organization
→ Clients (Agency only)
→ Locations
→ Location workspace
→ Rankings / GBP / Citations / Competitors / Reports / Actions

Primary product areas

Area	Purpose	Primary audience
Dashboard	Understand overall local visibility and what needs attention.	Business + Agency
Locations	Manage and access GBP locations.	Business + Agency
Rankings	Track Google, Local Finder, map and geographic performance.	Business + Agency
GBP	Audit and manage profile health, reviews and posts.	Business + Agency
Citations	Monitor citation consistency and later support citation campaigns.	Business + Agency
Competitors	Compare local competitors and identify gaps.	Business + Agency
Reports	Create, view, download, email and schedule client-ready reports.	Business + Agency
Clients	Manage agency clients and assign locations.	Agency
Automations	Manage recurring or event-driven actions.	Business + Agency
Settings	Organization, team, integrations, billing, notifications and white label.	Business + Agency

Business vs Agency

Capability	Business	Agency
Own locations	Yes, subject to plan limit	Yes
More than 3 locations	No / plan-dependent constraint	Yes
Clients	No	Yes
Assign locations to clients	No	Yes
White-label reports	No	Yes
Client users	No	Yes
Team management	Limited / plan-dependent	Yes

3. Navigation & Application Shell

The shell must feel stable and predictable. Navigation should not change radically from screen to screen.

Primary sidebar

```
Dashboard
Locations
Rankings
  Rank Tracker
  Map Rankings
  Local Search Grid
GBP
  Overview
  Audit
  Reviews
  Posts
Citations
Competitors
Reports
Clients (Agency)
Automations
Settings
```

Location workspace navigation

Once a location is selected, the UI should provide a persistent location context such as business name, city/region and a clear secondary navigation. Users should never wonder which GBP they are currently viewing.

```
Location header
Business Name • City, Region
Rating • Review count
```

```
Overview | Rankings | GBP | Citations | Competitors | Reports
```

Global header

- Location/client switcher.
- Global search or quick navigation.
- Notifications.
- Help/support.
- User/account menu.

Navigation principles

- Use clear nouns: Rankings, GBP, Citations, Competitors, Reports.
- Avoid marketing language inside the application.
- Do not expose every advanced control in the sidebar.
- Keep the current organization/client/location context visible.
- Agency workflows should add capability without making the business interface feel cluttered.

4. Visual & UX Design System

The visual direction is deliberately mature. MyPageSEO should look like software built by a company that understands Local SEO—not an AI-generated dashboard trying to prove how many gradients it knows.

Brand palette

Role	Value	Usage
Primary	#27424A	Navigation, active states, primary controls, headings, structural accents.
Secondary	#C9302C	Important actions, critical attention, destructive actions and selected emphasis.
Success	Semantic green	Positive status only.
Warning	Semantic amber	Needs attention / pending.
Neutral	Grays	Borders, backgrounds, secondary information.

Visual rules

- Light interface as default.
- Strong typography hierarchy.
- Subtle borders and restrained shadows.
- Whitespace should create hierarchy, not giant empty zones.
- Tables are first-class UI components.
- Charts must answer a question; do not use charts as decoration.
- Use rounded corners modestly. Avoid everything becoming a pill.
- Use red carefully. Brand red should not replace semantic status colors.
- Animations should be minimal and functional.
- No glassmorphism, floating blobs, excessive gradients or neon accents.
- No oversized “AI” badges or “magic” language.
- Avoid excessive dashboard-card nesting.

Density model

Screen type	Desired density	Reason
Executive dashboard	Medium	Fast comprehension and prioritization.
Operational screens	High	SEO professionals need to inspect lots of data efficiently.
Client reports	Low / medium	Presentation and comprehension.

5. Authentication & Onboarding

Authentication should be simple and trustworthy. Onboarding should prevent the empty-dashboard problem.

Screens

Route	Screen	Expected content
/login	Login	Email, password, remember option, login, forgot password, signup, optional social login.
/signup	Signup	Business vs Agency choice, user details, organization name, country, terms.
/forgot-password	Forgot password	Email input, confirmation state.
/reset-password	Reset password	New password, confirmation, success state.
/verify-email	Verify email	Verification state, resend action.
/onboarding	Onboarding	Guided setup for organization, Google connection, GBP selection, keywords and competitors.

Business onboarding flow

Create account → organization information → connect Google → select GBP → add keywords → add competitors → confirm setup → dashboard.

Agency onboarding flow

Create account → agency information → connect Google → add first client → select/assign location → add keywords → add competitors → configure reporting brand → dashboard.

Important empty states

- No locations yet.
- Google not connected.
- Location connected but ranking data not collected yet.
- No keywords configured.
- No competitors configured.
- No reports generated yet.

6. Dashboard & Location Management

Dashboard is an executive summary. It should answer: How am I doing? What changed? What needs attention? What should I do next?

Business dashboard

- Local Visibility score and trend.
- Average rank and trend.
- GBP Health score.
- Review rating, volume and unanswered reviews.
- Citation health.
- Ranking movement summary.
- Key competitor position.
- Recommended actions.

Agency dashboard

- Clients count.
- Locations count.
- Average portfolio visibility.
- Average GBP health.
- Locations with ranking declines.
- Unanswered reviews across portfolio.
- GBP issues requiring attention.
- Reports ready / scheduled / failed.
- Portfolio table with client, location, visibility and trend.

Locations list — /locations

A professional management table with search, filters and bulk-oriented actions.

Column	Purpose
Location	Business/GBP name and city.
Client	Agency ownership/assignment.
Visibility	Current local visibility score and change.
GBP	GBP health score.
Reviews	Rating and review count.
Rank	Average rank or primary ranking metric.
Status	Active, setup required, disconnected, etc.

Location overview — /locations/:locationId

Persistent header + location navigation + executive overview. This is the atomic workspace from which all location-level modules are accessed.

7. Rankings Module

Rankings is a core product engine. The frontend should treat Google, Local Finder, map and geographic ranking views as different presentations of a shared ranking data model.

Benchmark-derived requirements

The supplied BrightLocal-style ranking report includes Average Google Position, Keyword and Positional Movement, Google Local Pack Coverage, historical average-position charting, ranking distribution buckets, rankings tables, keyword groups and chosen competitor comparisons. ■filecite■turn0file6■

Screens

Screen	Key content
Ranking Overview	Average rank, keyword movement, positional movement, Local Pack coverage, history, distribution and top movers.
Keywords	Keyword table, current rank, previous rank, change, result type, search volume if available, filters and bulk actions.
Keyword Groups	Groups, group-level performance, chart/table views, create/edit/delete group.
Map Rankings	Map/Local Finder ranking results, date comparisons, keyword and search-location context.
Local Search Grid	Grid configuration, geographic heatmap, rank per point, average/coverage metrics.
Competitor Rankings	Tracked competitor comparisons by keyword and date.

Ranking Overview layout

Summary metrics
→ Average Google Position
→ Keyword Movement
→ Positional Movement
→ Local Pack Coverage

Historical position chart
Ranking distribution
Rankings table / top movers

Ranking table controls

- Google / Local Finder result type.
- Current vs comparison date.
- Top N filter.
- Keyword group filter.
- Improved / declined / unchanged filters.
- Chart / table toggle where useful.
- Export where supported.

8. Map Rankings & Local Search Grid

These should not be treated as separate backend concepts in the frontend specification. They are views of the ranking engine.

Map Rankings

- Keyword selector.
- Date comparison.
- Search location.
- Current and previous rank.
- Competitor context.
- Map/Local Finder result visualization where supported.

Local Search Grid

- Keyword selection.
- Grid size.
- Radius.
- Search type.
- Scan date.
- Interactive grid/map.
- Rank at each point.
- Average rank / visibility summary.
- Historical comparison.

Frontend behavior

The grid should be treated as a professional analytical tool, not a decorative heatmap. The user must understand what each point represents, when the scan occurred, which keyword was searched and what the rank means.

Important implementation note

Whether these screens can be fully enabled depends on what ranking/grid data the existing backend exposes. The frontend roadmap defines the experience; it should not invent unavailable data.

9. GBP Module

GBP is the second major intelligence area. The benchmark demonstrates that a useful GBP audit goes well beyond a checklist.

Benchmark-derived requirements

The supplied GBP audit includes profile/NAP data, opening hours, photos, review information, duplicate checks, NAP comparison and other ranking-factor checks. It also compares Local Pack results across keywords and exposes competitor metrics such as citations, key citations, links, linking domains, website authority, review count, star rating, photos and categories. ■filecite■turn0file5■ ■filecite■turn0file4■

Screens

Screen	Sections
GBP Overview	Profile, health, recent reviews, recent posts, recommendations.
GBP Audit	Profile information, NAP, hours, photos, reviews, duplicates, website signals, ranking factors.
GBP Audit Competitors	Keyword-specific Local Pack table and competitor comparison.
Reviews	Rating summary, review list, response status, filters and reply actions.
Posts	Post list/calendar, drafts, scheduled, published, failed, create/edit.

GBP Audit score presentation

Avoid a meaningless single score with no explanation. If a score is displayed, the user should be able to see the contributing areas and the actions required to improve them.

10. Reviews & GBP Posts

This is where MyPageSEO moves from reporting toward execution.

Reviews — `/locations/:id/reviews`

- Overall rating and review count.
- New reviews in selected period.
- Response rate.
- Unanswered count.
- Review table with rating, text, date, response status and actions.
- Filters for rating, responded/unanswered and date.
- View on Google where supported.

AI review response workflow

Review → Generate response → Review/edit → Publish. AI should be a supporting function inside the workflow, not the visual identity of the application.

Posts — `/locations/:id/posts`

- Calendar/list views.
- Draft, scheduled, published and failed statuses.
- Post type: update, offer, event where supported.
- Topic, copy, CTA and image.
- Generate draft as an optional assistant action.
- Schedule and publish controls.
- Post history.

Content calendar

The calendar should be operational and restrained: dates, post status, title/topic and publishing state. Avoid oversized calendar cards and decorative illustrations.

11. Citation Module

The first frontend goal should be citation intelligence/audit. Full citation fulfillment can be introduced when the backend workflow is ready.

Benchmark-derived requirements

The supplied citation campaign report shows campaign-level tracking, aggregator/network status and individual citation statuses including Ordered, To Do, Submitted, Pending, Live, Updated, Existing and Replaced. Individual rows include citation site, site type, authority, date, status, notes and actions. ■filecite■turn0file3■

Citation dashboard — /locations/:id/citations

- Citation Health score.
- Correct / consistent listings.
- Inconsistent listings.
- Missing listings.
- Duplicate listings.
- Recent changes.

Citation table

Column	Expected content
Directory	Directory/site name.
Type	General, niche, aggregator/network, etc.
Status	Correct, incorrect, missing, duplicate, pending, etc.
NAP	Name/address/phone consistency.
Authority	Authority metric where available.
Last checked	Timestamp.
Actions	View, inspect, fix workflow where supported.

Later: Citation Builder

If the backend supports citation fulfillment, add campaign creation, ordered sites, submission tracking, replacement handling, notes and live-link verification. The benchmark shows why this should be modeled as a campaign workflow rather than a simple checklist. ■filecite■turn0file3■

12. Competitor Intelligence

Competitors should be more than a list of businesses. The frontend should expose measurable competitive gaps.

Screens

Screen	Expected content
Competitor Overview	Competitor cards/table, rating, reviews, ranking, photos, GBP indicators.
Keyword Comparison	Keyword-by-keyword rank comparison across tracked competitors.
Competitive Gaps	Review gap, ranking gap, citation gap, GBP/content gap where data supports it.

Competitive comparison pattern

Metric	You	Competitor A	Competitor B
Reviews	347	512	298
Rating	4.8	4.7	4.9
Average rank	4.7	2.1	3.8
Photos	42	61	37

Recommended insight

Where the backend supports the required data, the UI should summarize the most important measurable gap in plain language—for example, “Competitor A has 165 more reviews” or “You are outranked for 17 tracked keywords.” This is more valuable than adding more raw columns.

13. Reporting System

Reports are a major output of the platform, especially for agencies, but they should not define the entire product. The underlying data modules remain the source of truth.

Mandatory reports

Report	Core content
Rank Tracker Report	Ranking history, movement, distribution, Local Pack/map data, keywords, competitors.
GBP Audit Report	Profile health, NAP, reviews, duplicates, ranking factors and Local Pack competitors.
Competitor Analysis Report	Competitor ranking, GBP, review, citation and gap analysis.
Citation Report	Citation coverage, consistency, status, authority and issues.

Report center — /reports

- Report list with location, type, date and status.
- View.
- Download.
- Email.
- Schedule.
- Delete/archive where appropriate.

Report creation — /reports/create

- Location/client.
- Report type.
- Date range.
- Sections.
- Branding.
- Recipients.
- Schedule if required.

Scheduled reports — /reports/scheduled

- Client.
- Report type.
- Schedule.
- Recipients.
- Active/paused/failed status.
- Last sent / next scheduled.

14. Agency & White-Label Experience

Agency functionality is not a separate application. It is the same product with additional organizational and client-management capabilities.

Clients — /clients

- Client list.
- Client status.
- Location count.
- Portfolio visibility.
- Reports.
- Search and filters.
- Add client.

Client detail — /clients/:id

- Client overview.
- Assigned locations.
- Reports.
- Client users.
- Activity.
- Add/remove location.
- Invite client.

White label — /settings/white-label

Area	Controls
Brand	Agency name, logo, favicon, primary/secondary colors.
Reports	Logo, footer, contact information, hide MyPageSEO branding, report title.
Email	Sender name, reply-to and signature.
Future	Custom reporting/app domain.

Agency client view

A client should see only the locations, reports and information assigned to them. The visual experience should remain consistent with MyPageSEO while respecting the agency's white-label configuration.

15. Automations, Billing, Integrations & Settings

These areas support the product but should not dominate the main navigation.

Automations — /automations

- Automation list with active/paused/failed status.
- Review response automation.
- GBP post scheduling/publishing automation.
- Scheduled report delivery.
- Future ranking-change alerts.
- Create/edit/disable automation.

Example workflow

New review → generate response → approval or auto-publish → record result.

Billing — /settings/billing

- Current plan.
- Location usage.
- Keyword usage where applicable.
- Client usage where applicable.
- Renewal date.
- Payment method.
- Invoices.
- Upgrade/downgrade/cancel.

Integrations — /settings/integrations

- Google Business Profile.
- Google Search Console where supported.
- Google Analytics where supported.
- Future integrations should use the same connection-card pattern.

Settings

Organization • Profile • Team • Permissions • Integrations • Notifications • Billing • White Label
• Security

Notifications

- Ranking changes.
- New reviews.
- Report ready.
- Citation issues.
- GBP issues.

- Automation failures.

16. Master Screen Inventory

The following inventory is the working frontend sitemap. Individual screens may contain tabs, drawers and modal states rather than requiring every interaction to become a separate route.

Group	Screens / views
Auth	Login; Signup; Forgot Password; Reset Password; Verify Email
Onboarding	Business onboarding; Agency onboarding; Google/GBP connection; setup completion
Dashboard	Business dashboard; Agency dashboard
Locations	Location list; Add location; Location overview; Location settings
Rankings	Overview; Keywords; Keyword groups; Positions; Map rankings; Local Search Grid; Competitor rankings
GBP	Overview; Audit; Audit competitor analysis; Reviews; Review reply; Posts; Post editor/calendar
Citations	Citation overview; Citation table; Citation details; Campaign UI later
Competitors	Competitor overview; comparison; competitive gaps
Reports	Report library; report viewer; create report; scheduled reports
Agency	Clients; client detail; client locations; client users; agency team
Automations	Automation list; create/edit automation; automation detail/log
Settings	Organization; profile; team; permissions; integrations; notifications; billing; white label; security
Support	Help/support entry point; documentation link

This is approximately 35–40 frontend views/states when fully realized, but many are reusable patterns around a small number of core objects.

17. Reusable Frontend Patterns

Lovable prompts should build reusable components rather than re-inventing controls on every page.

Core reusable components

- Application shell.
- Sidebar navigation.
- Global header.
- Organization/client/location switcher.
- Page header.
- Section header.
- Metric summary.
- Trend indicator.
- Data table.
- Filter bar.
- Date-range selector.
- Comparison selector.
- Chart container.
- Score/health indicator.
- Status badge.
- Empty state.
- Loading/skeleton state.
- Error state.
- Confirmation dialog.
- Side drawer.
- Form field patterns.
- Report preview.
- Toast/notification.
- Pagination.

Every data-heavy page must define four states

State	Requirement
Loading	Professional skeleton or progress treatment; never a blank screen.
Empty	Explain why data is absent and provide the next useful action.
Success	Normal data presentation with clear hierarchy.
Error	Human-readable explanation and retry/support action.

Tables

Tables should support sticky headers where useful, sorting, filtering, sensible column visibility and responsive behavior. Do not sacrifice usability merely to make a table look visually minimal.

18. Frontend Development Roadmap

Build in coherent vertical slices. Each phase should leave the application in a usable state.

Phase	Build	Outcome
1	Shell & Identity	Login, signup, onboarding, shell, navigation, account context.
2	Location Core	Locations, location overview, business/agency dashboards.
3	Rankings	Ranking overview, keywords, groups, positions, map rankings.
4	GBP	GBP overview, audit, competitor analysis, reviews.
5	Citations	Citation dashboard, table and details; campaign UI if supported.
6	Reports	Report library, viewer, creation, download, email, scheduling.
7	Agency	Clients, client detail, assignment, team, white label.
8	Execution	AI review replies, posts, content calendar, publishing, automations.
9	Advanced Local Search	Local Search Grid, richer map views, advanced competitive intelligence.

Build discipline

- Do not jump between unrelated modules while a screen family is unfinished.
- Build shared components before duplicating patterns.
- Keep terminology stable across all prompts.
- Do not introduce a new visual treatment for each page.
- When a page is complete, reuse its patterns elsewhere rather than redesigning them.

19. Lovable Prompting & Coherence Rules

The next stage of the project will use Lovable prompts page-by-page. This document is intended to be the persistent product context that keeps those prompts aligned.

Every future Lovable prompt should specify

- Exact route/screen being built.
- Where the screen sits in the navigation.
- Whether it is organization-level, client-level or location-level.
- The existing reusable components it should use.
- The data it should display from the existing backend.
- Actions and navigation destinations.
- Loading, empty, success and error states.
- Business vs Agency differences.
- Responsive behavior.
- No backend changes unless explicitly requested.

Design language to repeat in prompts

“Use the established MyPageSEO visual system: primary #27424A, secondary #C9302C, light professional B2B SaaS interface, restrained borders and shadows, strong typography, practical information density, mature tables and charts, minimal animation, no gradients, no glassmorphism, no oversized rounded cards, no decorative AI effects.”

AI feature rule

AI is a capability, not the visual identity. Use AI controls where they improve a workflow, such as “Generate reply” or “Generate draft”. Do not make the interface scream that AI exists.

Consistency rule

If a later prompt proposes a component, navigation pattern, terminology or visual behavior that conflicts with this document, prefer the established system unless the product specification is intentionally revised.

20. Product Quality Bar

The following is the quality bar for the finished frontend.

Dimension	Expected standard
Professionalism	Looks like established B2B software, not a template or AI demo.
Information architecture	Users always understand organization, client and location context.
Data density	Operational screens expose enough information for real SEO work.
Clarity	Metrics, trends, problems and actions are immediately understandable.
Consistency	Same controls, spacing, typography, status patterns and navigation behavior throughout.
Actionability	Where possible, insights lead directly to a useful action.
Agency readiness	Clients, locations, reports and white-label workflows feel native rather than bolted on.
Accessibility	Readable contrast, keyboard-friendly controls and sensible labels.
Responsive behavior	Desktop-first data density with thoughtful tablet/mobile adaptation.

The product should pass the “experienced operator” test:

A person who manages real Local SEO campaigns should be able to open the application, understand what changed, inspect the underlying data, act on an issue, and produce a client-ready report without fighting the interface.

Appendix A — Benchmark Notes

The supplied reference files were reviewed visually because their PDFs contain rendered screenshots rather than extractable text.

Ranking benchmark

The ranking report screenshots show a location-level report with Overview, Positions, Rankings Table, Keyword Groups and Chosen Competitors. The Overview contains Average Google Position, Keyword and Positional Movement, Google Local Pack Coverage, historical position data and ranking distribution. The Rankings Table supports date comparison and Google/Local Finder views. ■filecite■turn0file6■

GBP benchmark

The GBP audit screenshots show Summary information including NAP data, opening hours, photos and reviews, plus tabs/sections for Reviews, Duplicates, NAP Comparison and other ranking factors. A separate view compares Local Pack results for a keyword and exposes competitor metrics. ■filecite■turn0file5■ ■filecite■turn0file4■

Citation benchmark

The citation campaign screenshots show aggregator/network status, campaign history, ordered citation counts and per-directory statuses such as Submitted, Pending, Live, Updated, Existing and Replaced. Individual records include site type, authority, date, notes and view/link actions. ■filecite■turn0file3■

Use of benchmark material

These observations establish a maturity baseline for the frontend. They are not a requirement to copy the reference application's visual design. MyPageSEO should retain the useful information architecture while presenting it through the more restrained, modern and coherent design system defined in this document.

Appendix B — Master Brief for Future Chats

When continuing this project in a new chat, use the following as the short-form project brief:

MyPageSEO Frontend

Frontend only. Backend is already built and should not be redesigned unless explicitly requested. Frontend will be implemented using Lovable.

Users: Business and Agency. Agency adds more locations, clients, client-location assignment, client users, team capabilities and white-label reporting.

Core location: A “location” means a Google Business Profile.

Mandatory reports: Rank Tracker, GBP Audit, Competitor Analysis, Citation Report.

Core product modules: Dashboard, Locations, Rankings, GBP, Reviews, Posts, Citations, Competitors, Reports, Clients, Automations, Billing, Settings, White Label.

Advanced ranking: Map Rankings and Local Search Grid are views/capabilities of the ranking engine, not separate conceptual products.

Brand: Primary #27424A. Secondary #C9302C.

Design: Serious, mature, experienced B2B SaaS. Light interface, restrained colors, strong typography, practical density, excellent tables and charts, subtle borders/shadows. No gradients, glassmorphism, neon, excessive pills, excessive rounded cards, decorative AI effects or “AI magic” UI.

Product philosophy: collect → understand → recommend → execute → measure.

Frontend development: Build screen-by-screen with reusable components and strict coherence. Every prompt must specify route, context, components, data, actions, states and responsive behavior. Do not invent backend capabilities.

End of master roadmap.