

# JS (OOP)

## Summary Sheet

### **Qs1. What is Object Oriented Programming (OOP)?**

Ans. Object-Oriented Programming (OOP) is a programming paradigm in computer science that relies on the concept of classes and objects. It is used to structure a software program into simple, reusable pieces of code blueprints (usually called classes), which are used to create individual instances of objects.

### **Qs2. What are some benefits of using OOP in JavaScript?**

Ans. Some benefits of using OOP in JavaScript includes:

- a. Improved code organization (structure of code)
- b. Reusability of code
- c. Better maintainability of code
- d. Closeness to real-world objects

### **Qs3. What is the difference between an object and a class in JavaScript?**

Ans. Objects in JS is a standalone entity, with properties, methods and a type. It can be created directly from functions or through constructor functions.

Class in JS acts as a blueprint for creating objects.

### **Qs4. What is a constructor function in JS?**

Ans. constructor function is a special function that is used to create & initialize objects in JS. When a new object is created using a constructor function, it is automatically assigned a set of properties and methods that are defined within the function.

### **Qs5. What is a prototype chain in JavaScript?**

Ans. Every object in JavaScript has a built-in property, which is called its prototype. The prototype is itself an object, so the prototype will have its own prototype, making

what's called a prototype chain. The chain ends when we reach a prototype that has null for its own prototype.

**Qs6. What is the difference between a constructor and a class in JavaScript?**

Ans. A constructor is a function that creates an object, while a class is a blueprint for creating objects. Classes define the framework whereas, constructor actually creates the objects & initializes them.

(In JavaScript, classes are syntactic sugar over constructor functions.)

**Qs7. Why is the “new” keyword used in JavaScript?**

Ans. The 'new' keyword is used to create an instance of an object. When used with a constructor function, it creates a new object and sets the constructor function's 'this' keyword to point to the new object.

**Qs8. What is Inheritance in OOP?**

Ans. Inheritance in OOP is defined as the ability of a class to derive properties and characteristics from another class while having its own properties as well.

**Qs9. What is the “super” keyword in JS?**

Ans. The super keyword in JavaScript acts as a reference variable to the parent class. It is mainly used when we want to access a variable, method, or constructor in the base class from the derived class.

**Qs10. What will be the output for the following code:**

```
class Box {
  constructor(name, l, b) {
    this.name = name;
    this.l = l;
    this.b = b;
  }

  area() {
    let area = this.l * this.b;
    console.log(`Box area is ${area}`);
  }
}

class Square extends Box {
  constructor(a) {
    super("square", a, a);
  }

  area() {
    let area = this.l * this.b;
    console.log(`Square area is ${area}`);
  }
}

let sq1 = new Square(4);
sq1.area();
```

Ans. The output will be "Square area is 16" as the child class (Square) implementation of area() function will override parent class (Box) implementation of the function with the same name.