



Vidyavardhini's College of Engineering & Technology

Department of Computer Engineering

Experiment No. 2
Use of Sqoop tool
Date of Performance:
Date of Submission:



AIM: To install SQOOP and execute basic commands of Hadoop eco system component Sqoop.

THEORY:

Installation and configuration of SQOOP

1) Download SQOOP from <https://sqoop.apache.org>

2) Unzip and Install SQOOP

After Downloading the SQOOP, we need to Unzip the sqoop-1.4.7.bin_hadoop-2.6.0.tar.gz file.

3) Create a folder and move the final extracted file in it.

4) Set up the environment variables

a. Set SQOOP_HOME

b. Set up path variable

5) Configure SQOOP

Basic SQOOP commands:

1. List Table

This command lists the particular table of the database in MYSQL server.

```
sqoop list - tables --connect jdbc:mysql://localhost/payment --username gatner
```

2. Target directory

This command import table in a specific directory in HDFS. -m denotes mapper argument. They have an integer value.

```
$ sqoop import --connect jdbc:mysql://localhost/inventory --username jony -table inventory --m 1 --target-dir/inv
```

3. sqoop-eval

This command runs quickly SQL queries of the respective database.

```
$ sqoop eval --connect --query "SQLQuery"
```



4. sqoop – version

This command displays version of the sqoop.

```
$ sqoop version      sqoop {revnumber}
```

5. sqoop-job

This command allows us to create a job, the parameters that are created can be invoked at any time. They take options like (–create,–delete,–show,–exit).

```
$ sqoop job --create --import --connect --table
```

6. code gen

This Sqoop command creates java class files which encapsulate the imported records. All the java files are recreated, and new versions of a class are generated. They generate code to interact with database records. Retrieves a list of all the columns and their datatypes.

```
$ sqoop codegen --connect -table
```



7. List Database

This Sqoop command lists have all the available database in the RDBMS server.

```
>$ sqoop list - database -- connect
```





OUTPUT:







Vidyavardhini's College of Engineering & Technology

Department of Computer Engineering







```
Command Prompt
Microsoft Windows [Version 10.0.22000.2295]
(c) Microsoft Corporation. All rights reserved.

C:\Users\admin>echo %SQOOP_HOME%
C:\sqoop-1.4.7

C:\Users\admin>sqoop list-databases --connect jdbc:mysql://localhost/ --username sqoop -P
Warning: HBASE_HOME and HBASE_VERSION not set.
Warning: HCAT_HOME not set
Warning: HCATALOG_HOME does not exist HCatalog imports will fail.
Please set HCATALOG_HOME to the root of your HCatalog installation.
Warning: ACCUMULO_HOME not set.
Warning: ZOOKEEPER_HOME not set.
Warning: HBASE_HOME does not exist HBase imports will fail.
Please set HBASE_HOME to the root of your HBase installation.
Warning: ACCUMULO_HOME does not exist Accumulo imports will fail.
Please set ACCUMULO_HOME to the root of your Accumulo installation.
Warning: ZOOKEEPER_HOME does not exist Accumulo imports will fail.
Please set ZOOKEEPER_HOME to the root of your Zookeeper installation.
2023-09-13 04:22:22,757 INFO sqoop.Sqoop: Running Sqoop version: 1.4.7
Enter password:
2023-09-13 04:22:26,809 INFO manager.MySQLManager: Preparing to use a MySQL streaming resultset.
Loading class `com.mysql.jdbc.Driver'. This is deprecated. The new driver class is `com.mysql.cj.jdbc.Driver'. The driver
is automatically registered via the SPI and manual loading of the driver class is generally unnecessary.
mysql
information_schema
performance_schema
sys
C:\Users\admin>
```

```
Command Prompt
No such sqoop tool: list. See 'sqoop help'.

C:\Users\admin>sqoop list-tables --connect jdbc:mysql://localhost/ --username sqoop -P
Warning: HBASE_HOME and HBASE_VERSION not set.
Warning: HCAT_HOME not set
Warning: HCATALOG_HOME does not exist HCatalog imports will fail.
Please set HCATALOG_HOME to the root of your HCatalog installation.
Warning: ACCUMULO_HOME not set.
Warning: ZOOKEEPER_HOME not set.
Warning: HBASE_HOME does not exist HBase imports will fail.
Please set HBASE_HOME to the root of your HBase installation.
Warning: ACCUMULO_HOME does not exist Accumulo imports will fail.
Please set ACCUMULO_HOME to the root of your Accumulo installation.
Warning: ZOOKEEPER_HOME does not exist Accumulo imports will fail.
Please set ZOOKEEPER_HOME to the root of your Zookeeper installation.
2023-09-13 04:25:49,023 INFO sqoop.Sqoop: Running Sqoop version: 1.4.7
Enter password:
2023-09-13 04:25:53,985 INFO manager.MySQLManager: Preparing to use a MySQL streaming resultset.
Loading class `com.mysql.jdbc.Driver'. This is deprecated. The new driver class is `com.mysql.cj.jdbc.Driver'. The driver
is automatically registered via the SPI and manual loading of the driver class is generally unnecessary.

C:\Users\admin>
```

CONCLUSION:

Installing Apache Sqoop and executing basic commands in the Hadoop ecosystem component Sqoop is fundamental for efficient data integration between Hadoop and relational databases.

Sqoop simplifies data transfer, and by following installation and configuration steps, users can easily import data into Hadoop or export it to a relational database. These basic commands form the foundation for more advanced data integration and analysis in the Hadoop ecosystem, making Sqoop an indispensable tool for big data professionals.