## ✓ Congratulations! You passed!

TO PASS 80% or higher



grade 100%

## **PHP Arrays**

TOTAL POINTS 11			
1.	In PHP arrays can either be key / value (i.e. an associative array) or indexed by integers (i.e. a linear array).  True  False	1/1 point	
2.	Which symbol is used to associate a key to a value in an associative array?   -> -> -> -> -> >>	1/1 point	
	✓ Correct		
3.	Fill in the blank to echo 'Arrays'  1	1/1 point	
	<pre>\$stuff['Arrays'] \$stuff['course'] \$stuff[1] \$stuff['topic']</pre>		
	✓ Correct		
4.	<pre>What is the output of  1</pre>	1/1 point	
	<ul> <li>True</li> <li>0</li> <li>1</li> <li>There is no output</li> <li>False</li> </ul>		
	✓ Correct		

5.	In PHP you cannot make an array of associative arrays.	1/1 point
	○ True	
	False	
	✓ Correct	
6.	The [] function is used to rearrange an array in random order.	1/1 point
0.	The	17 i polite
	shuffle()	
	✓ Correct	
7.	Which of these are built-in sorting functions provided by PHP?	1/1 point
	✓ ksort()	
	✓ Correct	
	- covtO	
	✓ sort()	
	✓ Correct	
	v total	
	✓ asort()	
	✓ Correct	
	isort()	
	What first have been deeper the complete black when a state of the large	
8.	What function is used to sort the array in alphabetical order of the keys?	1/1 point
	ksort()	
	✓ Correct	
9.	What function is used to sort the values in array and keep the keys intact?	1/1 point
	asort()	
	✓ Correct	
10.	What function can be used to split a string into an array words based on a delimiter? For instance, create a three element array from the string 'I am great!!!'.	1 / 1 point
	element array from the string ranning readis.	
	explode()	
	✓ Correct	
11.	var_dump will display the name, key/value pairs, and data types of a variable.	1/1 point
	① True	

O False