



Mohit-codex / rtfinternship

Type / to search



<> Code

Issues

Pull requests

Agents

Actions

Projects

Wiki

Security and quality

Insights

Settings

rtfinternship / Dayfive.java



Mohit-codex program five

fd49344 · 2 minutes ago

History

Code

Blame



Raw



```
3  class Expense {  
4  }  
2  
3  class Expense {  
4      double amount;  
5      String category;  
6      String date;  
7  
8      Expense(double amount, String category, String date) {  
9          this.amount = amount;  
10         this.category = category;  
11         this.date = date;  
12     }  
13 }  
14  
15 public class Dayfive {  
16     static List<Expense> expenses = new ArrayList<>();  
17     static Scanner sc = new Scanner(System.in);  
18  
19     public static void main(String[] args) {  
20         int choice;  
21         do {
```

```
22         System.out.println("\n--- Expense Tracker ---");
23         System.out.println("1. Add Expense");
24         System.out.println("2. View All Expenses");
25         System.out.println("3. Total Spending");
26         System.out.println("4. Category-wise Spending");
27         System.out.println("5. Highest Expense");
28         System.out.println("6. Monthly Summary");
29         System.out.println("7. Exit");
30         System.out.print("Enter choice: ");
31         choice = sc.nextInt();
32
33         switch (choice) {
34             case 1 -> addExpense();
35             case 2 -> viewAll();
36             case 3 -> totalSpending();
37             case 4 -> categoryWise();
38             case 5 -> highestExpense();
39             case 6 -> monthlySummary();
40             case 7 -> System.out.println("Goodbye!");
41             default -> System.out.println("Invalid choice!");
42         }
43     } while (choice != 7);
44 }
45
46 ✓ static void addExpense() {
47     System.out.print("Amount: ");
48     double amount = sc.nextDouble();
49     sc.nextLine();
50     System.out.print("Category: ");
51     String category = sc.nextLine();
52     System.out.print("Date (dd-mm-yyyy): ");
53     String date = sc.nextLine();
54     expenses.add(new Expense(amount, category, date));
55     System.out.println("Expense Added!");
56 }
```

```
57
58 ✓ static void viewAll() {
59     if (expenses.isEmpty()) {
60         System.out.println("No expenses found.");
61         return;
62     }
63     System.out.println("Amount | Category | Date");
64     System.out.println("-----");
65     for (Expense e : expenses) {
66         System.out.println(e.amount + " | " + e.category + " | " + e.date);
67     }
68 }
69
70 ✓ static void totalSpending() {
71     double total = 0;
72     for (Expense e : expenses) total += e.amount;
73     System.out.println("Total Spending: " + total);
74 }
75
76 ✓ static void categoryWise() {
77     Map<String, Double> map = new HashMap<>();
78     for (Expense e : expenses) {
79         map.put(e.category, map.getOrDefault(e.category, 0.0) + e.amount);
80     }
81     System.out.println("Category-wise Spending:");
82     for (Map.Entry<String, Double> entry : map.entrySet()) {
83         System.out.println(entry.getKey() + " : " + entry.getValue());
84     }
85 }
86
87 ✓ static void highestExpense() {
88     Expense highest = null;
89     for (Expense e : expenses) {
90         if (highest == null || e.amount > highest.amount)
91             highest = e;
```

```
92         }
93         if (highest != null)
94             System.out.println("Highest: " + highest.amount + " | " + highest.category + " | " + highest.date);
95         else
96             System.out.println("No expenses found.");
97     }
98
99     ✓ static void monthlySummary() {
100         Map<String, Double> map = new HashMap<>();
101         for (Expense e : expenses) {
102             // date format: dd-mm-yyyy, extract mm-yyyy as key
103             String month = e.date.substring(3); // "mm-yyyy"
104             map.put(month, map.getOrDefault(month, 0.0) + e.amount);
105         }
106         System.out.println("Monthly Summary:");
107         for (Map.Entry<String, Double> entry : map.entrySet()) {
108             System.out.println(entry.getKey() + " : " + entry.getValue());
109         }
110     }
111 }
```