

1. INTRODUCTION

The online News portal has been developed to override the problem prevailing in the practicingng manual system.This Software is supported to elimination and in some case reduce the hardship faced by this existing system.Moreover this system is designed for the particular need of the company to carry out operation in a smooth and effective manner.

The application is reduse as much as possible to avoid errors while entering the data. It also provide error message while entering invalid data. No formal knowledge is needed for the user to use this system. Thus by this all it proves it is user-friendly. Online News Portal, as described, above, can lead to error free, secure, reliable and fast management system.it can assist the user to concentrate on their other activates rather to concentrate on the record keeping. Thus it will help organization in better utilization of recourse.online News portal,as described above ,can lead to error free,secure ,reliable and fast management system.it can assist the user to conection o their other actives rather to concentrant on the record keeping. Thus it will help user organization in better utilization of resource .That means that one need not be distracted by information that is not relevant, while being able to reach the information

2. OBJECTIVES

The main objective of the Project on online News portal is to manage the details of News, category, Latest News, Bollywood news, policies news .it manages all the information about News. News Report, Bollywood News, News. The project is totally built at administrative end and thus only the administrator is guaranteed the access. The purpose of the project is to built an application program to reduce the manual work for managing of the News category, Latest News, Bollywood News.

Functionalities Provided by Online News Portal:

Provide the searching facilities based on various factors. Such as News, Latest News, Weather News, Bollywood News.

Online News Portal also manage the News Report details online for News detail, Bollywood news details, business details news.

It tracks all the information of Category, News Report, business news etc. Manages the information of category.

Show the all information and descriptions of the news, Latest News to increase efficient of manages the news.

Editing, adding and updating of Record is improved which result in proper resources management of News Data. It deals with monitoring the information and transaction of political news.

3. TOOLS/ENVIRONMENT

HARDWARE REQUIREMENT:

Processor speed: 2.80 GHZ

Hard disk: 500 MB

CPU: Intel Core 2 Duo E7300

SOFTWARE REQUIREMENT:

Front end: HTML, CSS, JS

Backend: PHP

Editor: Visual Studio Code

Xampp

SQL (MySQL)

OPERATING ENVIRONMENT:


Windows 7

Windows 10


4. ANALYSIS DOCUMENT

Data flow Diagram: A data flow diagram (DFD) is a graphical representation of the “flow” of data through an information system.

Zero Level DFD: It is also known as a context diagram. It's designed to be an abstraction view, showing the system as a single process with its relationship to external entities. It represents the entire system as a single bubble with input and output data indicated by incoming/outgoing arrows




1st Level DFD: In 1-level DFD, the context diagram is decomposed into multiple bubbles/processes. In this level, we highlight the main functions of the system and breakdown the high-level process of 0-level DFD into subprocesses.



Level 1 Data flow diagram


Use Case

A use case is a methodology used in software engineering to identify, clarify, and organize system requirements. It represents interactions between an external actor and the system to achieve a specific goal or task.



ER DIAGRAM

An Entity-Relationship (ER) diagram serves as a visual representation of the underlying data model within a system. In this diagram, entities are portrayed as rectangles, attributes as ovals, and relationships as diamonds. Connecting lines illustrate the associations between entities, offering a comprehensive view of how different components relate to one another.



ER-DIAGRAM


5. DESIGN DOCUMENT

Modularization Design

- **Registration:** - If any new user he/she can create a new account
- **Login Form:** - In this form the user can login your account with email- ID and Password
- **Add Category:** - Adding a new category to your portal involves several steps, including planning, designing, implementing, and testing.
- **Add Post:** - Adding a new category for posts in a portal involves several specific steps. Here's a detailed guide tailored for adding a category specifically for posts.
- **Add Images:** - Adding an image to a post on your portal involves a series of steps that include uploading the image, storing it, and displaying it within the post.
- **Check Availability:** - Check Availability feature to your portal involves several steps, including designing the user interface, implementing backend logic to handle availability queries, and ensuring the feature is responsive and user-friendly.
- **Contact Us:** - Adding a "Contact Us" feature to your portal involves several steps, from designing the formto handling form submissions on the backend
- **Dashboard:** - Creating a dashboard for your portal involves designing a user-friendly interface to displayimportant metrics, data, and controls.

6. Flowchart

7.



8. PROGRAM CODE

Aboutus.php

```
<?php

session_start(); include('includes/config.php');error_reporting(0);
if(strlen($_SESSION['login'])==0)

{

header('location:index.php');

} else{ if(isset($_POST['update']))

{

$pagetype='aboutus';

$pagetitle=$_POST['pagetitle'];

$pagedetails=addslashes($_POST['pagedescription']);

$query=mysqli_query($con,"update tblpages set PageTitle='$pagetitle',Description='$pagedetails'
where PageName='$pagetype' "); if($query)
{

$msg="About us page successfully updated ";

} else{

$error="Something went wrong . Please try again.";
}

}

$>

<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<meta name="description" content="A fully featured admin theme which can be used to build
CRM,CMS, etc.">
<meta name="author" content="Coderthemes">
<!-- App favicon -->
<link rel="shortcut icon" href="assets/images/favicon.ico">
<!-- App title -->
```

```

<title>Newsportal | About us Page</title>

<!-- Summernote css -->
<link href="../plugins/summernote/summernote.css" rel="stylesheet" />

<!-- Select2 -->
<link href="../plugins/select2/css/select2.min.css" rel="stylesheet" type="text/css" />      <!--
Jquery filer css -->

<link href="../plugins/jquery.filer/css/jquery.filer.css" rel="stylesheet" />
<link href="../plugins/jquery.filer/css/themes/jquery.filer-dragdropbox-theme.css" rel="stylesheet"
/>      <!-- App css -->

<link href="assets/css/bootstrap.min.css" rel="stylesheet" type="text/css" />
<link href="assets/css/core.css" rel="stylesheet" type="text/css" />

<link href="assets/css/components.css" rel="stylesheet" type="text/css" />

<link href="assets/css/icons.css" rel="stylesheet" type="text/css" />

<link href="assets/css/pages.css" rel="stylesheet" type="text/css" />

<link href="assets/css/menu.css" rel="stylesheet" type="text/css" />

<link href="assets/css/responsive.css" rel="stylesheet" type="text/css" />

<link rel="stylesheet" href="../plugins/switchery/switchery.min.css">

<script src="assets/js/modernizr.min.js"></script>

</head>

<body class="fixed-left">

<!-- Begin page -->
<div id="wrapper">
<!-- Top Bar Start -->
<?php include('includes/topheader.php');?>
<?php include('includes/leftsidebar.php');?>
<div class="content-page">
<!-- Start content -->
<div class="content"><div class="container">
<div class="row">

<div class="col-xs-12">

<div class="page-title-box">
<h4 class="page-title">About Page </h4>
<ol class="breadcrumb p-0 m-0">
```

```

<li>
<a href="#">Pages</a>
</li>

<li class="active">
About us
</li>
</ol>

<div class="clearfix"></div>
</div>
</div>
</div>
<!-- end row -->

<div class="row">
<div class="col-sm-6">
<!--Success Message-->
<?php if($msg){ ?>
<div class="alert alert-success" role="alert">
<strong>Well done!</strong> <?php echo htmlentities($msg);?>
</div>
<?php } ?>
<!--Error Message-->
<?php if($error){ ?>
<div class="alert alert-danger" role="alert">
<strong>Oh snap!</strong> <?php echo htmlentities($error);?></div>
<?php } ?>
</div>
</div>
<?php

```

```

$pagetype='aboutus';

$query=mysqli_query($con,"select PageTitle,Description from tblpages where
PageName='".$pagetype"");while($row=mysqli_fetch_array($query))

{
?>
<div class="row">
<div class="col-md-10 col-md-offset-1">
<div class="p-6">
<div class="">
<form name="aboutus" method="post">
<div class="form-group m-b-20">

<label for="exampleInputEmail1">Page Title</label>

<input type="text" class="form-control" id="pagetitle" name="pagetitle" value="<?php echo
htmlentities($row['PageTitle'])?>" required>
</div>
<div class="row">

<div class="col-sm-12">

<div class="card-box">
<h4 class="m-b-30 m-t-0 header-title"><b>Page Details</b></h4>

<textarea class="summernote" name="pagedescription" required><?php echo
htmlentities($row['Description'])?></textarea>

</div>

</div>

</div>

<?php } ?

<button type="submit" name="update" class="btn btn-success waves-effect waves-light">Update
andPost</button>
</form>

</div>

</div> <!-- end p-20 -->

</div> <!-- end col -->

</div>

<!-- end row -->
</div> <!-- container -->

```

```

</div> <!-- content -->

<?php include('includes/footer.php');?>
<script>    var resizefunc = [];

</script>
<!-- jQuery -->
<script src="assets/js/jquery.min.js"></script>
<script src="assets/js/bootstrap.min.js"></script>
<script src="assets/js/detect.js"></script>

<script src="assets/js/fastclick.js"></script>

<script src="assets/js/jquery.blockUI.js"></script>

<script src="assets/js/waves.js"></script>

<script src="assets/js/jquery.slimscroll.js"></script>

<script src="assets/js/jquery.scrollTo.min.js"></script>

<script src="../plugins/switchery/switchery.min.js"></script>
<script src="../plugins/summernote/summernote.min.js"></script>

<!-- Select 2 -->

<script src="../plugins/select2/js/select2.min.js"></script>

<!-- Jquery filer js -->

<script src="../plugins/jquery.filer/js/jquery.filer.min.js"></script>

<!-- page specific js -->
<script src="assets/pages/jquery.blog-add.init.js"></script>
<!-- App js -->
<script src="assets/js/jquery.core.js"></script>

<script src="assets/js/jquery.app.js"></script> >   jQuery(document).ready(function(){
$('.summernote').summernote({      height: 240, // set editor height
minHeight: null, // set minimum height of editor           maxHeight: null, // set
maximum height of editor      focus: false // set focus to editable area after initializing
summernote
});

// Select2
$(".select2").select2();
$(".select2-limiting").select2({      maximumSelectionLength: 2
});

```

```

    });
</script>

<script src="../plugins/switchery/switchery.min.js"></script>
<script src="../plugins/summernote/summernote.min.js"></script>
</body>
</html>

<?php } ?>

```

Add_category.php

```

<?php session_start(); include('includes/config.php'); error_reporting(0);
if(strlen($_SESSION['login'])==0)
{
header('location:index.php');
} else{
if(isset($_POST['submit'])){
$category=$_POST['cateory'];
$description=$_POST['description'];

$status=1;

$query=mysqli_query($con,"insert into tblcategory(CategoryName,Description,Is_Active)
values('$category','$description','$status')"); if($query)
{

$msg="Category created "; }else{
$error="Something went wrong . Please try again.";
}
}
?>
<!DOCTYPE html>
<html lang="en">
<head>

<title>Newsportal | Add Category</title>
<!-- App css -->

<link href="assets/css/bootstrap.min.css" rel="stylesheet" type="text/css" />
<link href="assets/css/core.css" rel="stylesheet" type="text/css" />
<link href="assets/css/components.css" rel="stylesheet" type="text/css" />

<link href="assets/css/icons.css" rel="stylesheet" type="text/css" />
<link href="assets/css/pages.css" rel="stylesheet" type="text/css" />
<link href="assets/css/menu.css" rel="stylesheet" type="text/css" />

```

```
<link href="assets/css/responsive.css" rel="stylesheet" type="text/css" />
<link rel="stylesheet" href="../plugins/switchery/switchery.min.css">
<script src="assets/js/modernizr.min.js"></script>

</head>
<body class="fixed-left">
<div id="wrapper">
<?php include('includes/topheader.php');?>
<?php include('includes/leftsidebar.php');?>

<div class="content-page">
<div class="content">

<div class="container">

<div class="row">
<div class="col-xs-12">

<div class="page-title-box">
<h4 class="page-title">Add Category</h4>

<ol class="breadcrumb p-0 m-0">

<li>
<a href="#">Admin</a>
</li>
<li>
<a href="#">Category </a>
</li>
<li class="active">Add Category
</li>
</ol>
<body class="fixed-left">
<!-- Begin page -->
<div id="wrapper">

<?php include('includes/topheader.php');?>
<?php include('includes/leftsidebar.php');?>

<!-- Left Sidebar End -->
<div class="content-page">
<!-- Start content -->
<div class="content">

<div class="container">
<div class="row">
<div class="col-xs-12">
<div class="page-title-box">

<h4 class="page-title">Add Category</h4>
```

```

<ol class="breadcrumb p-0 m-0">
<li>
<a href="#">Admin</a>

</li>
<li>
<a href="#">Category </a>

</li>
<li class="active">Add Category
</li>

</ol>

<div class="form-group">

<label class="col-md-2 control-label">Category</l

<div class="col-md-
<input type="text" class="form-control" value="" name="category" required>

</div>
</div>

<div class="form-group">

<label class="col-md-2 control-label">Category Description</label>

<div class="col-md-10">

<textarea class="form-control" rows="5" name="description" required></textarea>

</div>

</div>

<div class="form-group">
<label class="col-md-2 control-label">&nbsp;</label>

<div class="col-md-10">

<button type="submit" class="btn btncustom waves-effect waves-light btn-md"
name="submit">Submit</button>

</div>
</d>
</form>
</div>
</div>
</div>
</div>

```

```

</div>
</div> <!-- container -->
</div> <!-- content -->

<?php include('includes/footer.php');?>
</div>

</div> <script>      var resizefunc = [];
```

</script>

```
<script src="assets/js/jquery.min.js"></script>
```

```
<script src="assets/js/bootstrap.min.js"></script>
```

```
<script src="assets/js/detect.js"></script>
```

```
<script src="assets/js/fastclick.js"></script>
```

```
<script src="assets/js/jquery.blockUI.js"></script>
```

```
<script src="assets/js/waves.js"></script>
```

```
<script src="assets/js/jquery.slimscroll.js"></script>
```

```
<script src="assets/js/jquery.scrollTo.min.js"></script>
```

```
<script src="../plugins/switchery/switchery.min.js"></script>
```

```
<script src="assets/js/jquery.core.js"></script>
```

```
<script src="assets/js/jquery.app.js"></script>
```

```
</body>
```

```
</html>
```

```
<?php } ?>
```

```

session_start(); include('includes/config.php'); error_reporting(0);
if(strlen($_SESSION['login'])==0)
{
header('location:index.php');
}
else
{
if(isset($_POST['submit']))
```

```
{
$category=$_POST['category'];
$description=$_POST['description'];
```

```

$status=1;

$query=mysqli_query($con,"insert into tblcategory(CategoryName,Description,Is_Active)
values('$category','$description','$status')"); if($query)
{
$msg="Category created ";
}
else
{
$error="Something went wrong . Please try again.";
}
}
?>

<!DOCTYPE html>
<html lang="en">

<head>

<title>Newsportal | Add Category</title>
<link href="assets/css/bootstrap.min.css" rel="stylesheet" type="text/css" />

<link href="assets/css/core.css" rel="stylesheet" type="text/css" />

<link href="assets/css/components.css" rel="stylesheet" type="text/css" />
<link href="assets/css/icons.css" rel="stylesheet" type="text/css" />

<link href="assets/css/pages.css" rel="stylesheet" type="text/css" />

<link href="assets/css/menu.css" rel="stylesheet" type="text/css" />

<link href="assets/css/responsive.css" rel="stylesheet" type="text/css" />

<link rel="stylesheet" href="../plugins/switchery/switchery.min.css">

<script src="assets/js/modernizr.min.js"></script>
</head>
<body class="fixed-left">
<!-- Begin page -->

<div id="wrapper">
<!-- Top Bar Start -->

<?php include('includes/topheader.php');?>
<!-- Top Bar End -->

<?php include('includes/leftsidebar.php');?>

<div class="content-page">

```

```
<div class="content">  
<div class="container">  
<div class="row">  
<div class="col-xs-12">  
<div class="page-title-box"> <h4 class="page-title">Add Category</h4>  
<ol class="breadcrumb p-0 m-0">  
<li>  
<a href="#">Admin</a>  
</li>  
<li>  
<a href="#">Category </a>  
</li>  
<li class="active">Add Category  
</li>  
</ol>  
<div class="clearfix"></div>  
</div>  
<!-- end row -->  
<div class="row">  
<div class="col-sm-12">  
<div class="card-box">  
<h4 class="m-t-0 header-title"><b>Add Category </b></h4>  
<hr />  
<div class="row">  
<div class="col-sm-6">  
<?php if($msg){ ?>  
<div class="alert alert-success" role="alert">  
<strong>Well done!</strong> <?php echo htmlentities($msg);?>
```

```

</div>

<?php } ?>
<?php if($error){ ?>

<div class="alert alert-danger" role="alert">

<strong>Oh snap!</strong> <?php echo htmlentities($error);?></div>

<?php } ?>
</div>

</div>
<div class="row">

<div class="col-md-6">

<form class="form-horizontal" name="category" method="post">

<div class="form-group">

<label class="col-md-2 control-label">Category</label>

<div class="col-md-10">

<input type="text" class="form-control" value="" name="category" required>

</div>

</div>
<div class="form-group">

<label class="col-md-2 control-label">Category Description</label>

<div class="col-md-10">

<textarea class="form-control" rows="5" name="description" required></textarea>

</div>
</div>
<div class="form-group">

<label class="col-md-2 control-label">&nbsp;</label>

<div class="col-md-10">

<button type="submit" class="btn btn-custom waves-effect waves-light btnmd" name="submit">
Submit
</button>
</div>

```

```

</div>
</form>

</div>

</div>

</div>

</div>

</div>

<!-- end row -->
</div><!-- container -->
</div><!-- content -->
<?php include('includes/footer.php');?>
</div>
</div>
<script>var resizefunc = [];</script>
<script src="assets/js/jquery.min.js"></script>

<script src="assets/js/bootstrap.min.js"></script>

<script src="assets/js/detect.js"></script>

<script src="assets/js/fastclick.js"></script> <script src="assets/js/jquery.blockUI.js"></script>

<script src="assets/js/waves.js"></script>

<script src="assets/js/jquery.slimscroll.js"></script>

<script src="assets/js/jquery.scrollTo.min.js"></script>
<script src="../plugins/switchery/switchery.min.js"></script>
<script src="assets/js/jquery.core.js"></script>

<script src="assets/js/jquery.app.js"></script>
</body>

</html>

<?php } ?>

<?php
session_start(); include('includes/config.php'); error_reporting(0);
if(strlen($_SESSION['login'])==0)
{
header('location:index.php');
}

```

```

else
{
// For adding post if(isset($_POST['submit']))
{
$posttitle=$_POST['posttitle'];

$catid=$_POST['category'];

$subcatid=$_POST['subcategory'];

$postdetails=addslashes($_POST['postdescription']);

$postedby=$_SESSION['login'];

$arr = explode(" ",$posttitle);

$url=implode("-",$arr);

$imgfile=$_FILES["postimage"]["name"];
$extension = substr($imgfile,strlen($imgfile)-4,strlen($imgfile));
$allowed_extensions = array(".jpg","jpeg",".png",".gif");
// Validation for allowed extensions .in_array() function searches an array for a specific value.
if(!in_array($extension,$allowed_extensions))
{ echo "<script>alert('Invalid format. Only jpg / jpeg/ png /gif format allowed');</script>";
}

else
{
$imgnewfile=md5($imgfile).$extension;
move_uploaded_file($_FILES["postimage"]["tmp_name"],"postimages/".$imgnewfile);
$status=1;

$query=mysqli_query($con,"insert into
tblposts(PostTitle,CategoryId,SubCategoryId,PostDetails,PostUrl,Is_Active,PostImage,postedBy)
values('$posttitle','$catid','$subcatid','$postdetails','$url','$status','$imgnewfile','$postedby')");
if($query)
{
$msg="Post successfully added ";
}
else
{
$error="Something went wrong . Please try again.";
}
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="utf-8">

```

```

<meta name="viewport" content="width=device-width, initial-scale=1.0">
<meta name="description" content="A fully featured admin theme which can be used to build CRM,CMS, etc.">
<meta name="author" content="Coderthemes">
<link rel="shortcut icon" href="assets/images/favicon.ico">

<title>Newsportal | Add Post</title>
<link href="../plugins/summernote/summernote.css" rel="stylesheet" />
<link href="../plugins/select2/css/select2.min.css" rel="stylesheet" type="text/css" />

<link href="../plugins/jquery.filer/css/jquery.filer.css" rel="stylesheet" />
<link href="../plugins/jquery.filer/css/themes/jquery.filer-dragdropbox-theme.css" rel="stylesheet"/>

<link href="assets/css/bootstrap.min.css" rel="stylesheet" type="text/css" />
<link href="assets/css/core.css" rel="stylesheet" type="text/css" />
<link href="assets/css/components.css" rel="stylesheet" type="text/css" />
<link href="assets/css/icons.css" rel="stylesheet" type="text/css" />
<link href="assets/css/pages.css" rel="stylesheet" type="text/css" />
<link href="assets/css/menu.css" rel="stylesheet" type="text/css" />
<link href="assets/css/responsive.css" rel="stylesheet" type="text/css" />
<link rel="stylesheet" href="../plugins/switchery/switchery.min.css">

<script src="assets/js/modernizr.min.js"></script>

<script> functiongetSubCat(val) {
$.ajax({ type:"POST", url:"get_subcategory.php", data:'catid='+val, success: function(data){
$("#subcategory").html(data);
}
});
}
</script>
</head>
<body class="fixed-left">
<div id="wrapper">
<?php include('includes/topheader.php');?>
<?php include('includes/leftsidebar.php');?>
<div class="content-page">
<div class="content">

```

```

<div class="container">
<div class="row">
<div class="col-xs-12">
<div class="page-title-box">
<h4 class="page-title">Add Post </h4>
<ol class="breadcrumb p-0 m-0">
<li>
<a href="#">Post</a>
</li>
<li>
<a href="#">Add Post </a>
</li>
<li class="active">Add Post
</li>
</ol>
<div class="clearfix"></div>
</div>
</div>
<div class="row">
<div class="col-sm-6">
<?php if($msg){ ?>
<div class="alert alert-success" role="alert">
<strong>Well done!</strong> <?php echo htmlentities($msg);?>
</div>
<?php } ?>
<?php if($error){ ?>
<div class="alert alert-danger" role="alert">
<strong>Oh snap!</strong> <?php echo htmlentities($error);?></div>

```

```

<?php } ?>
</div>

</div>
<div class="row">
<div class="col-md-10 col-md-offset-1">

<div class="p-6">
<div class="">

<form name="addpost" method="post" enctype="multipart/form-data">

<div class="form-group m-b-20">
<label for="exampleInputEmail1">Post Title</label>

<input type="text" class="form-control" id="posttitle" name="posttitle" placeholder="Enter title" required> </div>
<div class="form-group m-b-20">

<label for="exampleInputEmail1">Category</label>

<select class="form-control" name="category" id="category" onChange="getSubCat(this.value);"
required>

<option value="">Select Category </option>
<?php
$ret=mysqli_query($con,"select id,CategoryName from tblcategory where Is_Active=1");
while($result=mysqli_fetch_array($ret))
{
?>
<option value=<?php echo htmlentities($result['id']);?>><?php echo
htmlentities($result['CategoryName']);?>></option>
<?php } ?>
</select>

</div>
<div class="form-group m-b-20">

<label for="exampleInputEmail1">Sub Category</label>

<select class="form-control" name="subcategory" id="subcategory" required>

</select>

</div>
<div class="row">

<div class="col-sm-12">

```

```

<div class="card-box">
<h4 class="m-b-30 m-t-0 header-title"><b>Post Details</b></h4>

<textarea class="summernote" name="postdescription" required></textarea>

</div>
</div>

</div>

<div class="row">
<div class="col-sm-12">

<div class="card-box">

<h4 class="m-b-30 m-t-0 header-title"><b>Feature Image</b></h4>

<input type="file" class="form-control" id="postimage" name="postimage" required>

</div>

</div>

</div>
<button type="submit" name="submit" class="btn btn-success waves-effect waves-light">Save and Post</button>

<button type="button" class="btn btn-danger waves-effect waves-light">Discard</button>

</form>

</div>

</div> <!-- end p-20 -->

</div> <!-- end col -->
</div>
</div> <!-- container -->
</div> <!-- content -->
<?php include('includes/footer.php');?>
</div>
</div>
<script>
var resizefunc = [];
</script>
<script src="assets/js/jquery.min.js"></script>

<script src="assets/js/bootstrap.min.js"></script>
<script src="assets/js/detect.js"></script><script src="assets/js/fastclick.js"></script>

```

```

<script src="assets/js/jquery.blockUI.js"></script>

<script src="assets/js/waves.js"></script>

<script src="assets/js/jquery.slimscroll.js"></script>
<script src="assets/js/jquery.scrollTo.min.js"></script>

<script src="../plugins/switchery/switchery.min.js"></script>
<script src="../plugins/summernote/summernote.min.js"></script>
<script src="../plugins/select2/js/select2.min.js"></script>
<script src="../plugins/jquery.filer/js/jquery.filer.min.js"></script>
<script src="assets/pages/jquery.blog-add.init.js"></script>

<script src="assets/js/jquery.core.js"></script>

<script src="assets/js/jquery.app.js"></script>
<script>
jQuery(document).ready(function(){
$('.summernote').summernote({
height: 240, // seteditor height
minHeight: null, // set minimum height of editormaxHeight: null, // set maximum
height of editor focus: false
// set focus to editable area after initializing summernote
});
$(".select2").select2();
$(".select2-limiting").select2({maximumSelectionLength: 2
});
});
});
</script>
<script src="../plugins/switchery/switchery.min.js"></script>
<script src="../plugins/summernote/summernote.min.js"></script>
</body>
</html>
<?php } ?>
<?php session_start(); include('includes/config.php');error_reporting(0);
if(strlen($_SESSION['login'])
==0)
{
header('location:index.php');
}
else
{
// For adding post if(isset($_POST['submit']))
{

$posttitle=$_POST['posttitle'];
$catid=$_POST['category'];

$subcatid=$_POST['subcategory'];
$postdetails=addslashes($_POST['postdescription']);

```

```

$postedby=$_SESSION['login'];

$arr = explode(" ",$posttitle);

$url=implode("-",$arr);

$imgfile=$_FILES["postimage"]["name"];
$extension = substr($imgfile,strlen($imgfile)-4,strlen($imgfile));
$allowed_extensions = array(".jpg","jpeg",".png",".gif");

if(!in_array($extension,$allowed_extensions))

{ echo "<script>alert('Invalid format. Only jpg / jpeg/ png /gif format allowed');</script>";

}

else
{
$imgnewfile=md5($imgfile).$extension; // Code for move image into directory
move_uploaded_file($_FILES["postimage"]["tmp_name"],"postimages/".$imgnewfile);
$status=1;

$query=mysqli_query($con,"insert into
tblposts(PostTitle,CategoryId,SubCategoryId,PostDetails,PostUrl,Is_Active,PostImage,postedBy)
values('$posttitle','$catid','$subcatid','$postdetails','$url','$status','$imgnewfile','$postedby')");
if($query)
{
$msg="Post successfully added ";
}
else
{
$error="Something went wrong . Please try again.";
}
}
}

?>
<!DOCTYPE html>
<html lang="en">

<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">

<meta name="description" content="A fully featured admin theme which can be used to build
CRM,CMS, etc.">

<meta name="author" content="Coderthemes">

<link rel="shortcut icon" href="assets/images/favicon.ico">

```

```

<title>Newsportal | Add Post</title>
<link href="../plugins/summernote/summernote.css" rel="stylesheet" />

<link href="../plugins/select2/css/select2.min.css" rel="stylesheet" type="text/css" />
<link href="../plugins/jquery.filer/css/jquery.filer.css" rel="stylesheet" />

<link href="../plugins/jquery.filer/css/themes/jquery.filer-dragdropbox-theme.css" rel="stylesheet"
/>
<link href="assets/css/bootstrap.min.css" rel="stylesheet" type="text/css" />

<link href="assets/css/core.css" rel="stylesheet" type="text/css" />

<link href="assets/css/components.css" rel="stylesheet" type="text/css" />
<link href="assets/css/icons.css" rel="stylesheet" type="text/css" />

<link href="assets/css/pages.css" rel="stylesheet" type="text/css" />

<link href="assets/css/menu.css" rel="stylesheet" type="text/css" />

<link href="assets/css/responsive.css" rel="stylesheet" type="text/css" />

<link rel="stylesheet" href="../plugins/switchery/switchery.min.css">

<script src="assets/js/modernizr.min.js"></script>

<script> functiongetSubCat(val) {

$.ajax({ type:

"POST", url:

"get_subcategory.php", data:'catid='+val, success: function(data){

$("#subcategory").html(data);
}
});
}
</script>
</head>
<body class="fixed-left">
<!-- Begin page --&gt;
&lt;div id="wrapper"&gt;
<!-- Top Bar Start --&gt;

&lt;?php include('includes/topheader.php');?&gt;
&lt;?php include('includes/leftsidebar.php');?&gt;
&lt;div class="content-page"&gt;
&lt;div class="content"&gt;

&lt;div class="container"&gt;
</pre>

```

```

<div class="row">
<div class="col-xs-12">

<div class="page-title-box">
<h4 class="page-title">Add Post </h4>

<ol class="breadcrumb p-0 m-0">
<li>

<a href="#">Post</a>

</li>
<li>

<a href="#">Add Post </a>

</li>

<li class="active">Add Post
</li>

</ol>

<div class="clearfix"></div>

</div>
<!-- end row -->

<div class="row">

<div class="col-sm-6">

<?php if($msg){ ?>

<div class="alert alert-success" role="alert"><strong>Well done!</strong> <?php echo
htmlentities($msg);?>

</div>

<?php } ?>
<?php if($error){ ?>

<div class="alert alert-danger" role="alert">

<strong>Oh snap!</strong> <?php echo htmlentities($error);?></div>

<?php } ?>
</div>

```

```

</div>
<div class="row">

<div class="col-md-10 col-md-offset-1">
<div class="p-6">
<div class="">

<form name="addpost" method="post" enctype="multipart/form-data">
<div class="form-group m-b-20">
<label for="exampleInputEmail1">Post Title</label>
<input type="text" class="form-control" id="posttitle" name="posttitle" placeholder="Enter title" required></div>

<div class="form-group m-b-20">
<label for="exampleInputEmail1">Category</label>
<select class="form-control" name="category" id="category" onChange="getSubCat(this.value);"
required>
<option value="">Select Category </option>

<?php
$ret=mysqli_query($con,"select id,CategoryName from tblcategory where Is_Active=1");
while($result=mysqli_fetch_array($ret))
{
?>
<option value=<?php echo htmlentities($result['id']);?>><?php echo
htmlentities($result['CategoryName']);?></option>

<?php } ?>
</select>

</div>
<div class="form-group m-b-20">
<label for="exampleInputEmail1">Sub Category</label>
<select class="form-control" name="subcategory" id="subcategory" required>
</select>

</div>
<div class="row">

```

```

<div class="col-sm-12">
  <div class="card-box">
    <h4 class="m-b-30 m-t-0 header-title"><b>Post Details</b></h4>
    <textarea class="summernote" name="postdescription" required></textarea>
  </div>
</div>
<div class="row">
  <div class="col-sm-12">
    <div class="card-box">
      <h4 class="m-b-30 m-t-0 header-title"><b>Feature Image</b></h4>
      <input type="file" class="form-control" id="postimage" name="postimage" required>
    </div>
  </div>
</div>
<button type="submit" name="submit" class="btn btn-success waves-effect waves-light">Save and Post</button>
<button type="button" class="btn btn-danger waves-effect waves-light">Discard</button>
</form>
</div>
</div> <!-- end p-20 -->
</div> <!-- end col -->
</div>
</div> <!-- container -->
</div> <!-- content -->
<?php include('includes/footer.php');?>
</div>
</div>
<script>
var resizefunc = [];
</script>

<script src="assets/js/jquery.min.js"></script>

```

```

<script src="assets/js/bootstrap.min.js"></script>
<script src="assets/js/detect.js"></script>
<script src="assets/js/fastclick.js"></script>
<script src="assets/js/jquery.blockUI.js"></script>
<script src="assets/js/waves.js"></script>
<script src="assets/js/jquery.slimscroll.js"></script>
<script src="assets/js/jquery.scrollTo.min.js"></script>
<script src="../plugins/switchery/switchery.min.js"></script>
<script src="../plugins/summernote/summernote.min.js"></script>
<script src="../plugins/select2/js/select2.min.js"></script>

<script src="../plugins/jquery.filer/js/jquery.filer.min.js"></script>
<script src="assets/pages/jquery.blog-add.init.js"></script>
<script src="assets/js/jquery.core.js"></script>

<script src="assets/js/jquery.app.js"></script>
<script>

jQuery(document).ready(function(){
  $('.summernote').summernote({
    height: 240,           // seteditor height
    minHeight: null,      // set minimum height of editormaxHeight: null,      // set maximum
    height of editor       focus: false
  });

  $(".select2").select2();
  $(".select2-limiting").select2({ maximumSelectionLength: 2 });
});

</script>

<script src="../plugins/switchery/switchery.min.js"></script>
<script src="../plugins/summernote/summernote.min.js"></script>

</body>

</html>

<?php } ?>
<?php session_start();
include('includes/config.php');

error_reporting(0); if(strlen($_SESSION['login'])==0)

```

```

{

header('location:index.php');
}
else
{
// Code for Add New Sub Adminif(isset($_POST['submit'])){

$username=$_POST['sadminusername'];

$email=$_POST['emailid'];

$password=md5($_POST['pwd']);

$usertype='0';

$query=mysqli_query($con,"insert into
tbladmin(AdminUserName,AdminEmailId,AdminPassword,userType )
values('$username','$email','$password','$usertype')"); if($query){ echo "<script>alert('Sub-admin
details added successfully.');//</script>"; echo "<scripttype='text/javascript'> document.location =
'add-subadmins'; </script>";
} else { echo "<script>alert('Something went wrong. Please tryagain.');//</script>";
}
}
?>

<!DOCTYPE html>

<html lang="en">

<head>
<title>Newsportal | Add Subadmin</title>
<link href="assets/css/bootstrap.min.css" rel="stylesheet" type="text/css" />

<link href="assets/css/core.css" rel="stylesheet" type="text/css" />

<link href="assets/css/components.css" rel="stylesheet" type="text/css" />

<link href="assets/css/icons.css" rel="stylesheet" type="text/css" />

<link href="assets/css/pages.css" rel="stylesheet" type="text/css" />

<link href="assets/css/menu.css" rel="stylesheet" type="text/css" />

<link href="assets/css/responsive.css" rel="stylesheet" type="text/css" />

<link rel="stylesheet" href="../plugins/switchery/switchery.min.css">

<script src="assets/js/modernizr.min.js"></script>
<script> function checkAvailability() {

```

```

$("#loaderIcon").show(); jQuery.ajax({ url: "check_availability.php",
data:'username='+$("#sadminusername").val(), type: "POST", success:function(data){

$("#user-availability-status").html(data);

$("#loaderIcon").hide();
},
error:function(){ }
});
}

</script>

</head>
<body class="fixed-left">
<div id="wrapper">
<?php include('includes/topheader.php');?>
<?php include('includes/leftsidebar.php');?>
<div class="content-page">
<div class="content">

<div class="container">

<div class="row">

<div class="col-xs-12">

<div class="page-title-box">

<h4 class="page-title">Add Subadmin</h4>

<ol class="breadcrumb p-0 m-0">

<li>
<a href="#">Admin</a>

</li>

<li>
<a href="#">Subadmin </a>

</li>
<li class="active">Add Subadmin
</li>

</ol>

<div class="clearfix"></div>
</div>

```

```

<div class="row">
  <div class="col-sm-12">
    <div class="card-box">
      <h4 class="m-t-0 header-title"><b>Add Subadmin </b></h4>
      <hr />
      <form class="form-horizontal" name="addsubadmin" method="post">
        <div class="form-group">
          <label for="exampleInputusername">Username (used for login)</label>
          <input type="text" placeholder="Enter Sub-Admin Username" name="subadminusername" id="subadminusername" class="form-control" pattern="^a-zA-Z[a-zA-Z0-9-_]{5,12}$" title="Username must be alphanumeric 5 to 12 chars" onBlur="checkAvailability()" required>
          <span id="user-availability-status" style="font-size:14px;"></span>
        </div>
        <div class="form-group">
          <label for="emailid">Email Id</label>
          <input type="email" class="form-control" id="emailid" name="emailid" placeholder="Enter email" required>
        </div>
        <div class="form-group">
          <label for="password">Password</label>
          <input type="password" class="form-control" id="pwd" name="pwd" placeholder="Enter password" required>
        </div>
        <div class="form-group">
          <label class="col-md-2 control-label">&nbsp;</label>
          <div class="col-md-10">
            <button type="submit" class="btn btn-custom waves-effect waves-light btn-md" id="submit" name="submit">
              Submit</button>
            </div>
          </div>
        </form>

```

```

</div>
</div>
</div>

</div>

</div> <!-- container -->
</div> <!-- content -->
<?php include('includes/footer.php');?>
</div>

</div>

<script>

var resizefunc = [];

</script>
<script src="assets/js/jquery.min.js"></script>

<script src="assets/js/bootstrap.min.js"></script>

<script src="assets/js/detect.js"></script>

<script src="assets/js/fastclick.js"></script>
<script src="assets/js/jquery.blockUI.js"></script>

<script src="assets/js/waves.js"></script>

<script src="assets/js/jquery.slimscroll.js"></script>

<script src="assets/js/jquery.scrollTo.min.js"></script>      <script
src="../plugins/switchery/switchery.min.js"></script>
<script src="assets/js/jquery.core.js"></script>

<script src="assets/js/jquery.app.js"></script>
</body>

</html>

<?php } ?>

<?php session_start();
include('includes/config.php');

error_reporting(0); if(strlen($_SESSION['login'])==0)

{

```

```

header('location:index.php');
} else{ if(isset($_POST['submitsubcat'])) {

$categoryid=$_POST['category'];
$subcatname=$_POST['subcategory']; $subcatdescription=$_POST['sucatdescription'];

$status=1;

$query=mysqli_query($con,"insert into
tblsubcategory(CategoryId,Subcategory,SubCatDescription,Is_Active)
values('$categoryid','$subcatname','$subcatdescription','$status')"); if($query)

{

$msg="Sub-Category created ";

}

else

{

$error="Something went wrong . Please try again.";

}

?>
<!DOCTYPE html>

<html lang="en">

<head>

<title>Newsportal | Add Sub Category</title>
<link href="assets/css/bootstrap.min.css" rel="stylesheet" type="text/css" />

<link href="assets/css/core.css" rel="stylesheet" type="text/css" />

<link href="assets/css/components.css" rel="stylesheet" type="text/css" />

<link href="assets/css/icons.css" rel="stylesheet" type="text/css" />

<link href="assets/css/pages.css" rel="stylesheet" type="text/css" />

<link href="assets/css/menu.css" rel="stylesheet" type="text/css" />

<link href="assets/css/responsive.css" rel="stylesheet" type="text/css" />
<link rel="stylesheet" href="../plugins/switchery/switchery.min.css">

```

```
<script src="assets/js/modernizr.min.js"></script>

</head>
<body class="fixed-left">
<!-- Begin page --&gt;
&lt;div id="wrapper"&gt;
&lt;?php include('includes/topheader.php');?&gt;
&lt;?php include('includes/leftsidebar.php');?&gt;
&lt;div class="content-page"&gt;
&lt;div class="content"&gt;

&lt;div class="container"&gt;

&lt;div class="row"&gt;

&lt;div class="col-xs-12"&gt;

&lt;div class="page-title-box"&gt;

&lt;h4 class="page-title"&gt;Add Sub-Category&lt;/h4&gt;

&lt;ol class="breadcrumb p-0 m-0"&gt;

&lt;li&gt;
&lt;a href="#"&gt;Admin&lt;/a&gt;&lt;/li&gt;

&lt;li&gt;
&lt;a href="#"&gt;Category &lt;/a&gt;
&lt;/li&gt;

&lt;li class="active"&gt; Add Sub-Category
&lt;/li&gt;

&lt;/ol&gt;
&lt;div class="clearfix"&gt;&lt;/div&gt;

&lt;/div&gt;
&lt;!-- end row --&gt;
&lt;div class="row"&gt;

&lt;div class="col-sm-12"&gt;

&lt;div class="card-box"&gt;
&lt;h4 class="m-t-0 header-title"&gt;&lt;b&gt;Add Sub-Category &lt;/b&gt;&lt;/h4&gt;

&lt;hr /&gt;</pre>
```

```

<div class="row">

<div class="col-sm-6">
<?php if($msg){ ?>

<div class="alert alert-success" role="alert">

<strong>Well done!</strong> <?php echo htmlentities($msg);?>

</div>

<?php } ?>
<?php if($error){ ?>

<div class="alert alert-danger" role="alert">

<strong>Oh snap!</strong> <?php echo htmlentities($error);?></div>

<?php } ?>
</div>

</div>
<div class="row">

<div class="col-md-6">

<form class="form-horizontal" name="category"
method="post"><div class="form-group">

<label class="col-md-2 control-label">Category</label>

<div class="col-md-10">

<select class="form-control" name="category" required>

<option value="">Select Category </option>

<?php
$ret=mysqli_query($con,"select id,CategoryName from tblcategory where Is_Active=1");
while($result=mysqli_fetch_array($ret))
{
?>
<option value="<?php echo htmlentities($result['id']);?>"><?php echo
htmlentities($result['CategoryName']);?></option>

<?php } ?>

</select>

</div>

```

```

</div>
<div class="form-group">

<label class="col-md-2 control-label">Sub-Category</label>
<div class="col-md-10">

<input type="text" class="form-control" value=""
name="subcategory" required>

</div>
</div>
<div class="form-group">

<label class="col-md-2 control-label">Sub-Category Description</label>

<div class="col-md-10">

<textarea class="form-control" rows="5" name="sucatdescription"
required></textarea>

</div>

</div>
<div class="form-group">

<label class="col-md-2 control-label">&ampnbsp</label>
<div class="col-md-10">
<button type="submit" class="btn btn-custom waves-effect waves-lightbtnmd"
name="submitsubcat">
Submit
</button>

</div>
</div>
</form>
</div>
</div>
</div>

</div>
</div>
</div> <!-- container -->

</div> <!-- content -->
<?php include('includes/footer.php');?>
</div>
</div>

<!-- END wrapper -->

```

```

<script>

var resizefunc = [];
</script>
<script src="assets/js/jquery.min.js"></script>
<script src="assets/js/bootstrap.min.js"></script>

<script src="assets/js/detect.js"></script>

<script src="assets/js/fastclick.js"></script>

<script src="assets/js/jquery.blockUI.js"></script>

<script src="assets/js/waves.js"></script>
<script src="assets/js/jquery.slimscroll.js"></script>

<script src="assets/js/jquery.scrollTo.min.js"></script>

<script src="../plugins/switchery/switchery.min.js"></script>
<!-- App js -->

<script src="assets/js/jquery.core.js"></script>

<script src="assets/js/jquery.app.js"></script>
</body>

</html>

<?php } ?>

```

Change subcategory

```

<?php session_start(); include('includes/config.php');error_reporting(0);
if(strlen($_SESSION['login'])
==0)

{

header('location:index.php');

} else{ if(isset($_POST['update']))

{

$imgfile=$_FILES["postimage"]["name"];
$extension = substr($imgfile,strlen($imgfile)-4,strlen($imgfile));
$allowed_extensions = array(".jpg","jpeg",".png",".gif");
// Validation for allowed extensions .in_array() function searches an array for a specific value.
if(!in_array($extension,$allowed_extensions))
{ echo "<script>alert('Invalid format. Only jpg / jpeg/ png /gif format allowed');</script>";


}
}
}

```

```

}

else
{
$imgnewfile=md5($imgfile).$extension; // Code for move image into directory
move_uploaded_file($_FILES["postimage"]["tmp_name"],"postimages/".$imgnewfile);
$postid=intval($_GET['pid']);

$query=mysqli_query($con,"update tblposts set PostImage='".$imgnewfile' where id='".$postid"");
if($query)

{
$msg="Post Feature Image updated ";
}

$error="Something went wrong . Please try again./";

}

}

?>
<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">

<meta name="description" content="A fully featured admin theme which can be used to build
CRM,CMS, etc.">

<meta name="author" content="Coderthemes">
<link rel="shortcut icon" href="assets/images/favicon.ico">
<title>Newsportal | Add Post</title>
<link href="../plugins/summernote/summernote.css" rel="stylesheet" />
<link href="../plugins/select2/css/select2.min.css" rel="stylesheet" type="text/css" />
<link href="../plugins/jquery.filer/css/jquery.filer.css" rel="stylesheet" />

<link href="../plugins/jquery.filer/css/themes/jquery.filer-dragdropbox-theme.css" rel="stylesheet"
/>
<link href="assets/css/bootstrap.min.css" rel="stylesheet" type="text/css" />

<link href="assets/css/core.css" rel="stylesheet" type="text/css" />

<link href="assets/css/components.css" rel="stylesheet" type="text/css" />
<link href="assets/css/icons.css" rel="stylesheet" type="text/css" />

```

```

<link href="assets/css/pages.css" rel="stylesheet" type="text/css" />
<link href="assets/css/menu.css" rel="stylesheet" type="text/css" />
<link href="assets/css/responsive.css" rel="stylesheet" type="text/css" />
<link rel="stylesheet" href="../plugins/switchery/switchery.min.css">
<script src="assets/js/modernizr.min.js"></script>
<script> functiongetSubCat(val) {
$.ajax({ type:
"POST", url:
"get_subcategory.php",
data:'catid='+val, success: function(data){
$("#subcategory").html(data);
}
});
}
</script>
</head>
<body class="fixed-left">
<div id="wrapper">
<?php include('includes/topheader.php');?>
<?php include('includes/leftsidebar.php');?>
<div class="content-page">

<!-- Start content -->
<div class="content">

<div class="container">
<div class="row">
<div class="col-xs-12">

<div class="page-title-box">
<h4 class="page-title">Update Image </h4>
<ol class="breadcrumb p-0 m-0">
<li>
<a href="#">Admin</a>
</li>

```

```

<li>
<a href="#"> Posts </a>
</li>

<li>
<a href="#"> Edit Posts </a>
</li>

<li class="active">Update Image</li>

</ol>

<div class="clearfix"></div>
<div class="row">
<div class="col-sm-6">
<!--Success Message-->

<?php if($msg){ ?>
<div class="alert alert-success" role="alert">
<strong>Well done!</strong> <?php echo htmlentities($msg);?>
</div>

<?php } ?>
<!--Error Message-->

<?php if($error){ ?>
<div class="alert alert-danger" role="alert">
<strong>Oh snap!</strong> <?php echo htmlentities($error);?></div>
<?php } ?>
</div>

</div>

<form name="addpost" method="post" enctype="multipart/form-data">

<?php
$postid=intval($_GET['pid']);
$query=mysqli_query($con,"select PostImage,PostTitle from tblposts where id='$postid' and Is_Active=1");
while($row=mysqli_fetch_array($query))

```

```

{
?>
<div class="row">

<div class="col-md-10 col-md-offset-1">

<div class="p-6">

<div class="">

<form name="addpost" method="post">

<div class="form-group m-b-20">
<label for="exampleInputEmail1">Post Title</label>

<input type="text" class="form-control" id="posttitle" value="<?php echo
htmlentities($row['PostTitle']);?>" name="posttitle" readonly>

</div>
<div class="row">

<div class="col-sm-12">
<div class="card-box">

<h4 class="m-b-30 m-t-0 header-title"><b>Current Post Image</b></h4>

 <br />
</div>

</div>
<?php } ?>

<div class="row">

<div class="col-sm-12">
<div class="card-box">

<h4 class="m-b-30 m-t-0 header-title"><b>New Feature Image</b></h4>

<input type="file" class="form-control" id="postimage" name="postimage" required>

</div>
</div>

</div>

```

```

<button type="submit" name="update" class="btn btn-success waves-effect waves-light">Update
</button> </form>
</div>

</div> <!-- end p-20 -->
</div> <!-- end col -->

</div>

<!-- end row -->
</div> <!-- container -->

</div> <!-- content -->
<?php include('includes/footer.php');?>
</div>
</div>

<!-- END wrapper -->
<script>

var resizefunc = [];
</script>
<script src="assets/js/jquery.min.js"></script>

<script src="assets/js/bootstrap.min.js"></script>

<script src="assets/js/detect.js"></script>

<script src="assets/js/fastclick.js"></script>
<script src="assets/js/jquery.blockUI.js"></script>

<script src="assets/js/waves.js"></script>

<script src="assets/js/jquery.slimscroll.js"></script>

<script src="assets/js/jquery.scrollTo.min.js"></script>

<script src="../plugins/switchery/switchery.min.js"></script>

<!--Summernote js-->

<script src="../plugins/summernote/summernote.min.js"></script>

<!-- Select 2 -->

<script src="../plugins/select2/js/select2.min.js"></script>

<!-- Jquery filer js -->

```

```

<script src="../plugins/jquery.filer/js/jquery.filer.min.js"></script>

<!-- page specific js -->
<script src="assets/pages/jquery.blog-add.init.js"></script>
<!-- App js -->

<script src="assets/js/jquery.core.js"></script>

<script src="assets/js/jquery.app.js"></script>
<script src="../plugins/switchery/switchery.min.js"></script>
<!--Summernote js-->
<script src="../plugins/summernote/summernote.min.js"></script>

</body>

</html>

<?php } ?>
```

Change password

```

<?php session_start();
include('includes/config.php');

error_reporting(0); if(strlen($_SESSION['login'])==0) {

header('location:index.php');

} else{ if(isset($_POST['submit'])) {

}

$password=$_POST['password'];

$options = ['cost' => 12];

$hashedpass=password_hash($password, PASSWORD_BCRYPT, $options);

$adminid=$_SESSION['login'];
$newpassword=$_POST['newpassword'];

$newhashedpass=password_hash($newpassword, PASSWORD_BCRYPT, $options);
date_default_timezone_set('Asia/Kolkata');// change according timezone

$currentTime = date( 'd-m-Y h:i:s A', time () );

$sql=mysqli_query($con,"SELECT AdminPassword FROM tbladmin where
AdminUserName='$adminid' ||
AdminEmailId='$adminid'");

$num=mysqli_fetch_array($sql);if($num>0)
```

```

{

$dbpassword=$num['AdminPassword'];

if (password_verify($password, $dbpassword)) {
$con=mysqli_query($con,"update tbladmin set AdminPassword='$newhashedpass',
updationDate='$currentTime' where AdminUserName='$adminid'");

$msg="Password Changed Successfully !!";

}

else

{
$error="Old Password not match !!";

}

?>
<!DOCTYPE html>

<html lang="en">

<head>
<title>Newsportal | Add Category</title>
<!-- App css -->
<link href="assets/css/bootstrap.min.css" rel="stylesheet" type="text/css" />

<link href="assets/css/core.css" rel="stylesheet" type="text/css" />

<link href="assets/css/components.css" rel="stylesheet" type="text/css" />

<link href="assets/css/icons.css" rel="stylesheet" type="text/css" />

<link href="assets/css/pages.css" rel="stylesheet" type="text/css" />

<link href="assets/css/menu.css" rel="stylesheet" type="text/css" />

<link href="assets/css/responsive.css" rel="stylesheet" type="text/css" />

<link rel="stylesheet" href="../plugins/switchery/switchery.min.css">

<script src="assets/js/modernizr.min.js"></script>
<script type="text/javascript">function valid()

{

```

```

if(document.chngpwd.password.value=="")
{
    alert("Current Password Filed is Empty !!");
    document.chngpwd.password.focus();
    return false;
}

} else if(document.chngpwd.newpassword.value=="")
{
    alert("New Password Filed is Empty!!!");
    document.chngpwd.newpassword.focus();
    return false;
}

}
else if(document.chngpwd.confirmpassword.value=="")
{
    alert("Confirm Password Filed is Empty!!!");
    document.chngpwd.confirmpassword.focus();
    return false;
}

} else if(document.chngpwd.newpassword.value!=document.chngpwd.confirmpassword.value)
{
    alert("Password and Confirm Password Field do not match
        !!"); document.chngpwd.confirmpassword.focus();
    return false;
}
}
Return true;
}
</script>
</head>
<body class="fixed-left">
<!-- Begin page -->

<div id="wrapper">
<!-- Top Bar Start -->

<?php include('includes/topheader.php');?>
<?php include('includes/leftsidebar.php');?>

<!-- Left Sidebar End -->
<div class="content-page">

<!-- Start content -->
<div class="content">

<div class="container">

```

```

<div class="row">
  <div class="col-xs-12">
    <div class="page-title-box">
      <h4 class="page-title">Change Password</h4>
      <ol class="breadcrumb p-0 m-0">
        <li>
          <a href="#">Admin</a>
        </li>
        <li class="active">Change Password
        </li>
      </ol>
      <div class="clearfix"></div>
    </div>
    <!-- end row -->
    <div class="row">
      <div class="col-sm-12">
        <div class="card-box">
          <h4 class="m-t-0 header-title"><b>Change Password </b></h4>
          <hr />
          <div class="row">
            <div class="col-sm-6">
              <!-- Success Message-->
              <?php if($msg){ ?>
                <div class="alert alert-success" role="alert">
                  <strong>Well done!</strong> <?php echo htmlentities($msg);?>
                </div>
              <?php } ?>
              <!--Error Message-->
              <?php if($error){ ?>
                <div class="alert alert-danger" role="alert">
                  <strong>Oh snap!</strong> <?php echo htmlentities($error);?>
                <?php } ?>
              </div>
            </div>
          </div>
        </div>
      </div>
    </div>
  </div>

```

```

<div class="row">
  <div class="col-md-10">
    <form class="form-horizontal" name="chngpwd" method="post" onSubmit="return valid();">
      <div class="form-group">
        <label class="col-md-4 control-label">Current Password</label>
        <div class="col-md-8">
          <input type="text" class="form-control" value="" name="password" required>
        </div>
      </div>
      <div class="form-group">
        <label class="col-md-4 control-label">New Password</label>
        <div class="col-md-8">
          <input type="text" class="form-control" value="" name="newpassword" required>
        </div>
      </div>
      <div class="form-group">
        <label class="col-md-4 control-label">Confirm Password</label>
        <div class="col-md-8">
          <input type="text" class="form-control" value="" name="confirmpassword" required>
        </div>
      </div>
      <div class="form-group">
        <label class="col-md-4 control-label">&nbsp;</label>
        <div class="col-md-8">
          <button type="submit" class="btn btn-custom waves-effect waves-light btn-md" name="submit">
            Submit
          </button>
        </div>
      </div>
    </form>
  </div>
</div>

```

```

</div>

</div>

</div>
<!-- end row -->
</div> <!-- container -->
</div><!-- content -->
<?php include('includes/footer.php');?>
</div>
</div>
<script>
var resizefunc = [];
</script>
<!-- jQuery -->

<script src="assets/js/jquery.min.js"></script>

<script src="assets/js/bootstrap.min.js"></script>

<script src="assets/js/detect.js"></script>
<script src="assets/js/fastclick.js"></script>
<script src="assets/js/jquery.blockUI.js"></script>

<script src="assets/js/waves.js"></script>

<script src="assets/js/jquery.slimscroll.js"></script>

<script src="assets/js/jquery.scrollTo.min.js"></script>

<script src="../plugins/switchery/switchery.min.js"></script>
<!-- App js -->

<script src="assets/js/jquery.core.js"></script>

<script src="assets/js/jquery.app.js"></script>
</body>

</html>

<?php } ?>

```

Check availability

```

<?php require_once("includes/config.php"); // code username availability
if(!empty($_POST["username"]))
{
    $uname= $_POST["username"]; $query=mysqli_query($con,"select AdminUserName from
tbladminwhere AdminUserName='$uname'");

```

```

$row=mysqli_num_rows($query); if($row>0){ echo "<span style='color:red'> Usernamealready
exists. Try with another username</span>"; echo
"<script>$('#submit').prop('disabled',true);</script>";

} else{ echo "<span style='color:green'> Username available forRegistration .</span>"; echo
"<script>$('#submit').prop('disabled',false);</script>";

}
}

?>

```

Contact us

```

<?php session_start(); include('includes/config.php');error_reporting(0);
if(strlen($_SESSION['login'])
==0)
{
header('location:index.php');
}
else
{
if( is set($_P O S T['u pdat e'])
))
{
$pagetype='contactus';

$pagetitle=$_POST['pagetitle'];

$pagedetails=$_POST['pagedescription'];

$query=mysqli_query($con,"update tblpages set PageTitle='$pagetitle',Description='$pagedetails'
where PageName='$pagetype' "); if($query)

{
$msg="About us page successfully updated ";

}

else
{
$error="Something went wrong . Please try again.";
}
}
?>

<!DOCTYPE html>

<html lang="en">

<head>
<meta charset="utf-8">

```

```

<meta name="viewport" content="width=device-width, initial-scale=1.0">
<meta name="description" content="A fully featured admin theme which can be used to build
CRM,CMS, etc.">
<meta name="author" content="Coderthemes">
<!-- App favicon -->

<link rel="shortcut icon" href="assets/images/favicon.ico">

<!-- App title -->

<title>Newsportal | Contact us Page</title>
<!-- Summernote css -->

<link href="../plugins/summernote/summernote.css" rel="stylesheet" />
<!-- Select2 -->

<link href="../plugins/select2/css/select2.min.css" rel="stylesheet" type="text/css" />
<!-- Jquery filer css -->

<link href="../plugins/jquery.filer/css/jquery.filer.css" rel="stylesheet" />

<link href="../plugins/jquery.filer/css/themes/jquery.filer-dragdropbox-theme.css"
rel="stylesheet"/>
<!-- App css -->

<link href="assets/css/bootstrap.min.css" rel="stylesheet" type="text/css" />

<link href="assets/css/core.css" rel="stylesheet" type="text/css" />

<link href="assets/css/components.css" rel="stylesheet" type="text/css" />

<link href="assets/css/icons.css" rel="stylesheet" type="text/css" />
<link href="assets/css/pages.css" rel="stylesheet" type="text/css" />

<link href="assets/css/menu.css" rel="stylesheet" type="text/css" />
<link href="assets/css/responsive.css" rel="stylesheet" type="text/css" />

<link rel="stylesheet" href="../plugins/switchery/switchery.min.css">

<script src="assets/js/modernizr.min.js"></script>
</head>
<body class="fixed-left">
<!-- Begin page -->
<div id="wrapper">
<!-- Top Bar Start -->

<?php include('includes/topheader.php');?>
<?php include('includes/leftsidebar.php');?>

```

```

<div class="content-page">
<!-- Start content -->

<div class="content">

<div class="container">
<div class="row">

<div class="col-xs-12">

<div class="page-title-box">

<h4 class="page-title">Contact us Page </h4>

<ol class="breadcrumb p-0 m-0">
<li>

<a href="#">Pages</a>

</li>
<li class="active">Contact us
</li>

</ol>

<div class="clearfix"></div>

</div>

<!-- end row -->
<div class="row">

<div class="col-sm-6">

<!--Success Message-->

<?php if($msg){ ?>

<div class="alert alert-success" role="alert">

<strong>Well done!</strong> <?php echo htmlentities($msg);?>

</div>

<?php } ?>
<!--Error Message-->

<?php if($error){ ?>
<div class="alert alert-danger" role="alert">

```

```

<strong>Oh snap!</strong> <?php echo htmlentities($error);?></div>
<?php } ?>
</div>
</div>
<?php
$pagetype='contactus';
$query=mysqli_query($con,"select PageTitle,Description from tblpages where
PageName='".$pagetype"");while($row=mysqli_fetch_array($query))
{
?>
<div class="row">
<div class="col-md-10 col-md-offset-1">
<div class="p-6">
<div class="">
<form name="aboutus" method="post">
<div class="form-group m-b-20">
<label for="exampleInputEmail1">Page Title</label>
<input type="text" class="form-control" id="pagetitle" name="pagetitle" value="<?php echo
htmlentities($row['PageTitle'])?>" required>
</div>
<div class="row">
<div class="col-sm-12">
<div class="card-box">
<h4 class="m-b-30 m-t-0 header-title"><b>Page Details</b></h4>
<textarea class="summernote" name="pagedescription" required><?php echo
htmlentities($row['Description'])?></textarea>
</div>
</div>

```

```

</div>

<?php } ?>

<button type="submit" name="update" class="btn btn-success waves-effect waves-light">Update
andPost</button>
</form>

</div>
</div> <!-- end p-20 -->

</div> <!-- end col -->

</div>

<!-- end row -->
</div> <!-- container -->

</div> <!-- content -->
<?php include('includes/footer.php');?>

</div>
</div>
<script>

var resizefunc = [];

</script>
<!-- jQuery -->

<script src="assets/js/jquery.min.js"></script>

<script src="assets/js/bootstrap.min.js"></script>

<script src="assets/js/detect.js"></script>

<script src="assets/js/fastclick.js"></script>

<script src="assets/js/jquery.blockUI.js"></script>

<script src="assets/js/waves.js"></script>

<script src="assets/js/jquery.slimscroll.js"></script>
<script src="assets/js/jquery.scrollTo.min.js"></script>

<script src="../plugins/switchery/switchery.min.js"></script>
<!--Summernote js-->
<script src="../plugins/summernote/summernote.min.js"></script>

```

```

<!-- Select 2 -->

<script src="../plugins/select2/js/select2.min.js"></script>

<!-- Jquery filer js -->

<script src="../plugins/jquery.filer/js/jquery.filer.min.js"></script>
<!-- page specific js -->

<script src="assets/pages/jquery.blog-add.init.js"></script>

<!-- App js -->

<script src="assets/js/jquery.core.js"></script>

<script src="assets/js/jquery.app.js"></script>

<script>

jQuery(document).ready(function(){

$('.summernote').summernote({
    height: 240, // set editor height
    minHeight: null,
    maxHeight: null,
    focus: false
}
// set focus to editable area after initializing summernote
});

// Select2

$(".select2").select2();

$(".select2-limiting").select2({maximumSelectionLength: 2
});

});

});

</script>

<script src="../plugins/switchery/switchery.min.js"></script>
<script src="../plugins/summernote/summernote.min.js"></script>

</body>

</html>

<?php } ?>

```

Dashboard

```
<?php session_start();
include('includes/config.php');

error_reporting(0); if(strlen($_SESSION['login'])==0)

{

header('location:index.php');
}

else
{

?>

<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="utf-8">

<meta name="viewport" content="width=device-width, initial-scale=1.0">

<meta name="description" content="A fully featured admin theme which can be used to build
CRM,CMS, etc.">

<meta name="author" content="Coderthemes">

<!-- App title -->

<title>News Portal | Dashboard</title>

<link rel="stylesheet" href="../plugins/morris/morris.css">
<!-- App css -->
<link href="assets/css/bootstrap.min.css" rel="stylesheet" type="text/css" />

<link href="assets/css/core.css" rel="stylesheet" type="text/css" />

<link href="assets/css/components.css" rel="stylesheet" type="text/css" />

<link href="assets/css/icons.css" rel="stylesheet" type="text/css" />
<link href="assets/css/pages.css" rel="stylesheet" type="text/css" />
<link href="assets/css/menu.css" rel="stylesheet" type="text/css" />
<link href="assets/css/responsive.css" rel="stylesheet" type="text/css" />
```

```

<link rel="stylesheet" href="../plugins/switchery/switchery.min.css">
<script src="assets/js/modernizr.min.js"></script>
</head>

<body class="fixed-left">

<!-- Begin page -->

<div id="wrapper">
<!-- Top Bar Start -->

<div class="topbar">
<!-- LOGO -->

<div class="topbar-left">
<a href="index.html" class="logo"><span>NP<span>Admin</span></span><i class="mdi mdi-layers"></i></a>

<!-- Image logo -->

<!--<a href="index.html" class="logo">-->
<!--<span>-->
<!---->
<!--</span>-->
<!--<i>-->

<!---->
<!--</i>-->
<!--</a>-->

</div>

<!-- Button mobile view to collapse sidebar menu -->
<?php include('includes/topheader.php');?>

</div>
<?php include('includes/leftsidebar.php');?>

<div class="content-page">

<!-- Start content -->

```

```

<div class="content">
<div class="container">

<div class="row">
<div class="col-xs-12">
<div class="page-title-box">
<h4 class="page-title">Dashboard</h4>
<ol class="breadcrumb p-0 m-0">
<li>
<a href="#">NewsPortal</a>
</li>
<li>
<a href="#">Admin</a>
</li>
<li class="active">Dashboard
</li>
</ol>
<div class="clearfix"></div>
</div>

<!-- end row -->

<div class="row">
<a href="manage-categories.php">
<div class="col-lg-4 col-md-4 col-sm-6">
<div class="card-box widget-box-one">
<i class="mdi mdi-chart-areaspline widget-one-icon"></i>
<div class="wigdet-one-content">
<p class="m-0 text-uppercase font-600 font-secondary text-overflow" title="Statistics">Categories Listed</p>
<?php $query=mysqli_query($con,"select * from tblcategory where Is_Active=1");>

```

```

$countcat=mysqli_num_rows($query);

?>

<h2><?php echo htmlentities($countcat);?> <small></small></h2>

</div>

</div>

</div></a><!-- end col -->

<a href="manage-subcategories.php">

<div class="col-lg-4 col-md-4 col-sm-6">
<div class="card-box widget-box-one">

<i class="mdi mdi-layers widget-one-icon"></i>

<div class="wigdet-one-content">

<p class="m-0 text-uppercase font-600 font-secondary text-overflow" title="User This Month">Listed Subcategories</p>
<?php $query=mysqli_query($con, "select * from tblsubcategory where Is_Active=1");

$countsubcat=mysqli_num_rows($query);

?>
<h2><?php echo htmlentities($countsubcat);?> <small></small></h2>

</div>

</div>

</div><!-- end col -->

</a>

<a href="manage-posts.php">

<div class="col-lg-4 col-md-4 col-sm-6">
<div class="card-box widget-box-one">

<i class="mdi mdi-layers widget-one-icon"></i>

<div class="wigdet-one-content">
<p class="m-0 text-uppercase font-600 font-secondary text-overflow" title="User This Month">Live News</p>

```

```

<?php $query=mysqli_query($con,"select * from tblposts where Is_Active=1");

$countposts=mysqli_num_rows($query);

?>
<h2><?php echo htmlentities($countposts);?> <small></small></h2>

</div>

</div>

</div><!-- end col -->

</a>
</div>

<!-- end row -->

<div class="row">

<a href="trash-posts.php"> <div class="col-lg-4 col-md-4 col-sm-6">

<div class="card-box widget-box-one">

<i class="mdi mdi-layers widget-one-icon"></i>

<div class="wigdet-one-content">

<p class="m-0 text-uppercase font-600 font-secondary text-overflow" title="User This Month">Trash News</p>

<?php $query=mysqli_query($con,"select * from tblposts where Is_Active=0");

$countposts=mysqli_num_rows($query);

?>

<h2><?php echo htmlentities($countposts);?> <small></small></h2>

</div>

</div>

</div></a>

</div>

```

```

</div> <!-- container -->
</div> <!-- content -->

<?php include('includes/footer.php');?>

</div>
<div class="side-bar right-bar">

<a href="javascript:void(0);" class="right-bar-toggle">
<i class="mdi mdi-close-circle-outline"></i>
</a>

<h4 class="">Settings</h4>
<div class="setting-list nicescroll">

<div class="row m-t-20">

<div class="col-xs-8">

<h5 class="m-0">Notifications</h5>

<p class="text-muted m-b-0"><small>Do you need them?</small></p>
</div>

<div class="col-xs-4 text-right">
<input type="checkbox" checked data-plugin="switchery" data-color="#7fc1fc" datasize="small"/>
</div>
</div>

<div class="row m-t-20">

<div class="col-xs-8">

<h5 class="m-0">API Access</h5>

<p class="m-b-0 text-muted"><small>Enable/Disable access</small></p>
</div>

<div class="col-xs-4 text-right">
<input type="checkbox" checked data-plugin="switchery" data-color="#7fc1fc" datasize="small"/>

```

```

</div>

</div>

<div class="row m-t-20">

<div class="col-xs-8">
<h5 class="m-0">Auto Updates</h5>

<p class="m-b-0 text-muted"><small>Keep up to date</small></p>

</div>

<div class="col-xs-4 text-right">

<input type="checkbox" checked data-plugin="switchery" data-color="#7fc1fc" datasize="small"/>
</div>

</div>

<div class="row m-t-20">

<div class="col-xs-8">

<h5 class="m-0">Online Status</h5>

<p class="m-b-0 text-muted"><small>Show your status to all</small></p>

</div>

<div class="col-xs-4 text-right">

<input type="checkbox" checked data-plugin="switchery" data-color="#7fc1fc" datasize="small"/>
</div>

</div>

</div>

<!-- /Right-bar -->

</div>

<!-- END wrapper -->

```

```

<script>

var resizefunc = [];
</script>

<!-- jQuery --&gt;

&lt;script src="assets/js/jquery.min.js"&gt;&lt;/script&gt;

&lt;script src="assets/js/bootstrap.min.js"&gt;&lt;/script&gt;

&lt;script src="assets/js/detect.js"&gt;&lt;/script&gt;

&lt;script src="assets/js/fastclick.js"&gt;&lt;/script&gt;

&lt;script src="assets/js/jquery.blockUI.js"&gt;&lt;/script&gt;

&lt;script src="assets/js/waves.js"&gt;&lt;/script&gt;

&lt;script src="assets/js/jquery.slimscroll.js"&gt;&lt;/script&gt;

&lt;script src="assets/js/jquery.scrollTo.min.js"&gt;&lt;/script&gt;

&lt;script src="../plugins/switchery/switchery.min.js"&gt;&lt;/script&gt;

<!-- Counter js --&gt;

&lt;script src="../plugins/waypoints/jquery.waypoints.min.js"&gt;&lt;/script&gt;

&lt;script src="../plugins/counterup/jquery.counterup.min.js"&gt;&lt;/script&gt;

<!--Morris Chart--&gt;

&lt;script src="../plugins/morris/morris.min.js"&gt;&lt;/script&gt; &lt;script src="../plugins/raphael/raphael-min.js"&gt;&lt;/script&gt;

<!-- Dashboard init --&gt;

&lt;script src="assets/pages/jquery.dashboard.js"&gt;&lt;/script&gt;
&lt;!-- App js --&gt;

&lt;script src="assets/js/jquery.core.js"&gt;&lt;/script&gt;

&lt;script src="assets/js/jquery.app.js"&gt;&lt;/script&gt;
&lt;/body&gt;
</pre>

```

```

</html>

<?php } ?>

Edit category
<?php session_start();
include('includes/config.php');

error_reporting(0); if(strlen($_SESSION['login'])==0)

{
header('location:index.php');
}

else{ if(isset($_POST['submit']))

{

$catid=intval($_GET['cid']);

$category=$_POST['category'];

$description=$_POST['description'];

$query=mysqli_query($con,"Update tblcategory set
CategoryName='$category',Description='$description' where id='$catid'"); if($query)

{

$msg="Category Updated successfully ";

}

else

{



$error="Something went wrong . Please try again.";

}

}

?>
<!DOCTYPE html>

<html lang="en">

<head>

```

```

<title>Newsportal | Add Category</title>

<!-- App css -->

<link href="assets/css/bootstrap.min.css" rel="stylesheet" type="text/css" />
<link href="assets/css/core.css" rel="stylesheet" type="text/css" />
<link href="assets/css/components.css" rel="stylesheet" type="text/css" />
<link href="assets/css/icons.css" rel="stylesheet" type="text/css" />
<link href="assets/css/pages.css" rel="stylesheet" type="text/css" />
<link href="assets/css/menu.css" rel="stylesheet" type="text/css" />
<link href="assets/css/responsive.css" rel="stylesheet" type="text/css" />
<link rel="stylesheet" href="../plugins/switchery/switchery.min.css">

<script src="assets/js/modernizr.min.js"></script>

</head>
<body class="fixed-left">
<!-- Begin page -->
<div id="wrapper">
<!-- Top Bar Start -->

<?php include('includes/topheader.php');?>

<!-- Top Bar End -->

<!-- ===== Left Sidebar Start ===== -->

<?php include('includes/leftsidebar.php');?>

<!-- Left Sidebar End -->

<div class="content-page">

<!-- Start content -->

<div class="content">

<div class="container">
<div class="row">

<div class="col-xs-12">
<div class="page-title-box">

```

```

<h4 class="page-title">Edit Category</h4>

<ol class="breadcrumb p-0 m-0">

<li>

<a href="#">Admin</a>
</li>
<li>

<a href="#">Category </a>

</li>

<li class="active">Edit Category
</li>

</ol>

<div class="clearfix"></div>

</div>

<!-- end row -->

<div class="row">

<div class="col-sm-12">

<div class="card-box">

<h4 class="m-t-0 header-title"><b>Edit Category </b></h4>

<hr />

<div class="row">
<div class="col-sm-6">

<!--Success Message-->
<?php if($msg){ ?>

<div class="alert alert-success" role="alert">

<strong>Well done!</strong> <?php echo htmlentities($msg);?>

</div>

<?php } ?>

```

```

<!--Error Message-->

<?php if($error){ ?>

<div class="alert alert-danger" role="alert">
<strong>Oh snap!</strong> <?php echo htmlentities($error);?></div>

<?php } ?>
</div>

</div>

<?php
$catid=intval($_GET['cid']);

$query=mysqli_query($con,"Select id,CategoryName,Description,PostingDate,UpdationDate from
tblcategory where Is_Active=1 and id='$catid'");

$cnt=1; while($row=mysqli_fetch_array($query)) {

?>

<div class="row">
<div class="col-md-6">
<form class="form-horizontal" name="category"
method="post">
<div class="form-group">
<label class="col-md-2 control-label">Category</label>
<div class="col-md-10">
<input type="text" class="form-control" value="<?php echo
htmlentities($row['CategoryName']);?>" name="category" required>
</div>
</div>

<div class="form-group">
<label class="col-md-2 control-label">Category Description</label>

```

```
<div class="col-md-10">  
    <textarea class="form-control" rows="5" name="description" required><?php echo  
    htmlentities($row['Description']);?></textarea>  
  </div>  
  </div>  
  <?php } ?>  
  <div class="form-group">  
    <label class="col-md-2 control-label">&ampnbsp</label>  
    <div class="col-md-10">  
      <button type="submit" class="btn btn-custom waves-effect waves-light  
      btnmd" name="submit">  
        Update  
      </button>  
    </div>  
  </div>  
  </form>  
  </div>  
  </div>  
  
  </div>  
  </div>  
  </div>  
  <!-- end row -->  
  </div> <!-- container -->  
  </div> <!-- content -->  
  
<?php include('includes/footer.php');?>
```

```

</div>

</div>

<!-- END wrapper -->
<script>
var resizefunc = [];
</script>

<!-- jQuery -->

<script src="assets/js/jquery.min.js"></script>

<script src="assets/js/bootstrap.min.js"></script>

<script src="assets/js/detect.js"></script>

<script src="assets/js/fastclick.js"></script>

<script src="assets/js/jquery.blockUI.js"></script>

<script src="assets/js/waves.js"></script>

<script src="assets/js/jquery.slimscroll.js"></script>

<script src="assets/js/jquery.scrollTo.min.js"></script>

<script src="../plugins/switchery/switchery.min.js"></script>
<!-- App js -->

<script src="assets/js/jquery.core.js"></script>

<script src="assets/js/jquery.app.js"></script>
</body>

</html>

<?php } ?>

```

Edit Post

```

<?php session_start(); include('includes/config.php');error_reporting(0);
if(strlen($_SESSION['login'])
==0)

```

```

{
header('location:index.php');

```

```

} else{ if(isset($_POST['update']))

{
$posttitle=$_POST['posttitle'];
$catid=$_POST['category'];
$subcatid=$_POST['subcategory'];
$postdetails=$_POST['postdescription'];
$lastuptdby=$_SESSION['login'];
$arr = explode(" ",$posttitle);
$url=implode("-",$arr);

$status=1;
$postid=intval($_GET['pid']);
$query=mysqli_query($con,"update tblposts set
PostTitle='$posttitle',CategoryId='$catid',SubCategoryId='$subcatid',PostDetails='$postdetails',Post
Url='
$url'
,Is_Active='$status',lastUpdatedBy='$lastuptdby' where id='$postid'");if($query)

{
$msg="Post updated ";
}

else
{
$error="Something went wrong . Please try again.";
}

?>

<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="utf-8">

```

```

<meta name="viewport" content="width=device-width, initial-scale=1.0">

<meta name="description" content="A fully featured admin theme which can be used to build
CRM,CMS, etc.">
<meta name="author" content="Coderthemes">
<!-- App favicon -->

<link rel="shortcut icon" href="assets/images/favicon.ico">
<!-- App title -->

<title>Newsportal | Add Post</title>

<!-- Summernote css -->

<link href="../plugins/summernote/summernote.css" rel="stylesheet" />

<!-- Select2 -->

<link href="../plugins/select2/css/select2.min.css" rel="stylesheet" type="text/css" />

<!-- Jquery filer css -->

<link href="../plugins/jquery.filer/css/jquery.filer.css" rel="stylesheet" />
<link href="../plugins/jquery.filer/css/themes/jquery.filer-dragdropbox-theme.css" rel="stylesheet"
/>

<!-- App css -->

<link href="assets/css/bootstrap.min.css" rel="stylesheet" type="text/css" />
<link href="assets/css/core.css" rel="stylesheet" type="text/css" />
<link href="assets/css/components.css" rel="stylesheet" type="text/css" />
<link href="assets/css/icons.css" rel="stylesheet" type="text/css" />
<link href="assets/css/pages.css" rel="stylesheet" type="text/css" />
<link href="assets/css/menu.css" rel="stylesheet" type="text/css" />
<link href="assets/css/responsive.css" rel="stylesheet" type="text/css" />
<link rel="stylesheet" href="../plugins/switchery/switchery.min.css">
<script src="assets/js/modernizr.min.js"></script>

```

```
<script>
function getSubCat(val) {
    $.ajax({ type:
    "POST", url:
    "get_subcategory.php", data:'catid='+val, success: function(data){
        $("#subcategory").html(data);
    }
});
```

}

```
</script>
```

```
</head>
```

```
<body class="fixed-left">
```

```
<!-- Begin page -->
```

```
<div id="wrapper">
```

```
<!-- Top Bar Start -->
<?php include('includes/topheader.php');?>
```

```
<!-- ===== Left Sidebar Start ===== -->
```

```
<?php include('includes/leftsidebar.php');?>
```

```
<div class="content-page">
```

```
<!-- Start content -->
```

```
<div class="content">
```

```
<div class="container">
```

```
<div class="row">
```

```
<div class="col-xs-12">
```

```
<div class="page-title-box">
```

```
<h4 class="page-title">Edit Post </h4>
```

```

<ol class="breadcrumb p-0 m-0">
    <li>
        <a href="#">Admin</a>
    </li>
    <li>
        <a href="#"> Posts </a>
    </li>
    <li class="active">Add Post
    </li>
</ol>

<div class="clearfix"></div>

<!-- end row -->

<div class="row">
    <div class="col-sm-6">
        <!--Success Message-->
        <?php if($msg){ ?>
            <div class="alert alert-success" role="alert">
                <strong>Well done!</strong> <?php echo htmlentities($msg);?>
            </div>
        <?php } ?>
        <!--Error Message-->
        <?php if($error){ ?>
            <div class="alert alert-danger" role="alert">
                <strong>Oh snap!</strong> <?php echo htmlentities($error);?>
            </div>
        <?php } ?>
    </div>

```

```

</div>

<?php

$postid=intval($_GET['pid']);

$query=mysqli_query($con,"select tblposts.id as postid,tblposts.PostImage,tblposts.PostTitle as
title,tblposts.PostDetails,tblcategory.CategoryName as category,tblcategory.id as
catid,tblsubcategory.SubCategoryId as subcatid,tblsubcategory.Subcategory as subcategory from
tblpostsleft join tblcategory on tblcategory.id=tblposts.CategoryId left join tblsubcategory on
tblsubcategory.SubCategoryId=tblposts.SubCategoryId where tblposts.id='".$postid' and
tblposts.Is_Active=1
");

while($row=mysqli_fetch_array($query))

{

?>

<div class="row">

<div class="col-md-10 col-md-offset-1">

<div class="p-6">

<div class="">

<form name="addpost" method="post">

<div class="form-group m-b-20">

<label for="exampleInputEmail1">Post Title</label>
<input type="text" class="form-control" id="posttitle" value="<?php echo
htmlentities($row['title']);?>" name="posttitle" placeholder="Enter title" required>

</div>
<div class="form-group m-b-20">

<label for="exampleInputEmail1">Category</label>

<select class="form-control" name="category" id="category" onChange="getSubCat(this.value);"
required>

<option value="<?php echo htmlentities($row['catid']);?>"><?php echo
htmlentities($row['category']);?></option>

<?php

// Faching active categories

```

```

$ret=mysqli_query($con,"select id,CategoryName from tblcategory where Is_Active=1");
while($result=mysqli_fetch_array($ret))

{
?>

<option value=<?php echo htmlentities($result['id']);?>><?php echo
htmlentities($result['CategoryName']);?></option>

<?php } ?>

</select>

</div>
<div class="form-group m-b-20">

<label for="exampleInputEmail1">Sub Category</label>

<select class="form-control" name="subcategory" id="subcategory" required>

<option value=<?php echo htmlentities($row['subcatid']);?>><?php echo
htmlentities($row['subcategory']);?></option>
</select>

</div>
<div class="row">

<div class="col-sm-12">

<div class="card-box">

<h4 class="m-b-30 m-t-0 header-title"><b>Post Details</b></h4>

<textarea class="summernote" name="postdescription" required><?php echo
htmlentities($row['PostDetails']);?></textarea>

</div>

</div>

</div>

<div class="row">

<div class="col-sm-12">

```

```

<div class="card-box">

<h4 class="m-b-30 m-t-0 header-title"><b>Post Image</b></h4>
 <br />

<a href="change-image.php?pid=<?php echo htmlentities($row['postid']);?>">Update Image</a>

</div>

</div>

</div>

<?php } ?>

<button type="submit" name="update" class="btn btn-success waves-effect waves-light">Update
</button>

</div> <!-- end p-20 -->

</div> <!-- end col -->

</div>

<!-- end row -->

</div> <!-- container -->

</div> <!-- content -->
<?php include('includes/footer.php');?>

</div>
<===== -->

<!-- End Right content here -->
<===== -->

```

```

</div>

<!-- END wrapper -->
<script>

var resizefunc = [];

</script>

<!-- jQuery -->

<script src="assets/js/jquery.min.js"></script>
<script src="assets/js/bootstrap.min.js"></script>
<script src="assets/js/detect.js"></script>
<script src="assets/js/fastclick.js"></script>
<script src="assets/js/jquery.blockUI.js"></script>

<script src="assets/js/waves.js"></script>

<script src="assets/js/jquery.slimscroll.js"></script>
<script src="assets/js/jquery.scrollTo.min.js"></script>

<script src="../plugins/switchery/switchery.min.js"></script>
<!--Summernote js-->
<script src="../plugins/summernote/summernote.min.js"></script>

<!-- Select 2 -->

<script src="../plugins/select2/js/select2.min.js"></script>

<!-- Jquery filer js -->

<script src="../plugins/jquery.filer/js/jquery.filer.min.js"></script>

<!-- page specific js -->

<script src="assets/pages/jquery.blog-add.init.js"></script>

<!-- App js -->

<script src="assets/js/jquery.core.js"></script>
```

```

<script src="assets/js/jquery.app.js"></script>

<script>
jQuery(document).ready(function(){
  $('.summernote').summernote({
    height: 240,           // seteditor height
    minHeight: null,      // set minimum height of editormaxHeight: null,    // set maximum
    height of editor       focus: false
    // set focus to editable area after initializing summernote

  });
  // Select2
  $(".select2").select2();

  $(".select2-limiting").select2({maximumSelectionLength: 2
});

});

</script>

<script src="../plugins/switchery/switchery.min.js"></script>

<!--Summernote js-->

<script src="../plugins/summernote/summernote.min.js"></script>

</body>

</html>

<?php } ?>
Edit subadmin

<?php session_start();
include('includes/config.php'); error_reporting(0); if(strlen($_SESSION['login'])==0)

{
header('location:index.php');

} else{ if(isset($_POST['submit']))
```

```

{

$aid=intval($_GET['said']);

$email=$_POST['emailid'];

$query=mysqli_query($con,"Update tbladmin set AdminEmailId='$email' where userType=0&& id='$aid'"); if($query)

{ echo "<script>alert('Sub-admin detailsupdated.');//</script>";
} else{ echo "<script>alert('Something went wrong . Please tryagain.');//</script>"; }

}

?>
<!DOCTYPE html>

<html lang="en">

<head>

<title>Newsportal |Edit Subadmin</title>

<!-- App css -->

<link href="assets/css/bootstrap.min.css" rel="stylesheet" type="text/css" />

<link href="assets/css/core.css" rel="stylesheet" type="text/css" />

<link href="assets/css/components.css" rel="stylesheet" type="text/css" />

<link href="assets/css/icons.css" rel="stylesheet" type="text/css" />
<link href="assets/css/pages.css" rel="stylesheet" type="text/css" />

<link href="assets/css/menu.css" rel="stylesheet" type="text/css" />

<link href="assets/css/responsive.css" rel="stylesheet" type="text/css" />

<link rel="stylesheet" href="../plugins/switchery/switchery.min.css">

<script src="assets/js/modernizr.min.js"></script>

</head>

<body class="fixed-left">
```

```

<!-- Begin page -->

<div id="wrapper">

<!-- Top Bar Start -->
<?php include('includes/topheader.php');?>
<!-- Top Bar End -->

<!-- ===== Left Sidebar Start ===== -->
<?php include('includes/leftsidebar.php');?>
<!-- Left Sidebar End -->

<div class="content-page">
<!-- Start content -->
<div class="content">
<div class="container">
<div class="row">
<div class="col-xs-12">
<div class="page-title-box">
<h4 class="page-title">Edit Subadmin</h4>
<ol class="breadcrumb p-0 m-0">
<li>
<a href="#">Admin</a>
</li>
<li>
<a href="#">Subadmin </a>
</li>
<li class="active">Edit Subadmin
</li>

```

```
</ol>

<div class="clearfix"></div>

</div>

<!-- end row -->

<div class="row">

<div class="col-sm-12">

<div class="card-box">
<h4 class="m-t-0 header-title"><b>Edit Subadmin </b></h4>

<hr />

<div class="row">

<div class="col-sm-6">

<!--Success Message-->

<?php if($msg){ ?>

<div class="alert alert-success" role="alert">

<strong>Well done!</strong> <?php echo htmlentities($msg);?>

</div>

<?php } ?>

<!--Error Message-->

<?php if($error){ ?>

<div class="alert alert-danger" role="alert">

<strong>Oh snap!</strong> <?php echo htmlentities($error);?></div>

<?php } ?>

</div>
```

```

</div>
<?php

$aid=intval($_GET['said']);

$query=mysqli_query($con,"Select * from tbladmin where userType=0 && id='$aid'");

$cnt=1; while($row=mysqli_fetch_array($query)) {

?>

<div class="row">

<div class="col-md-6">

<form class="form-horizontal" name="suadmin" method="post">

<div class="form-group">

<label class="col-md-2 control-label">Username</label>

<div class="col-md-10">

<input type="text" class="form-control" value=<?php echo
htmlentities($row['AdminUserName']);?>" name="adminusername" readonly>

</div>

</div>

<div class="form-group">

<label class="col-md-2 control-label">Emailid</label>
<div class="col-md-10">

<input type="text" class="form-control" value=<?php echo
htmlentities($row['AdminEmailId']);?>" name="emailid" required>

</div>

</div>

<div class="form-group">

<label class="col-md-2 control-label">Creation Date</label>

<div class="col-md-10">

<input type="text" class="form-control" value=<?php echo htmlentities($row['CreationDate']);?>" name="cdate" readonly>

```

```

</div>

</div>

<div class="form-group">
    <label class="col-md-2 control-label">Updation date</label>
    <div class="col-md-10">
        <input type="text" class="form-control" value="<?php echo htmlentities($row['UpdationDate']);?>" name="udate" readonly>
    </div>
</div>

<?php } ?>
<div class="form-group">
    <label class="col-md-2 control-label">&ampnbsp</label>
    <div class="col-md-10">
        <button type="submit" class="btn btn-custom waves-effect waves-light btnmd" name="submit">
            Update
        </button>
    </div>
</div>

</form>
</div>

</div>
</div>

</div>
</div>

<!-- end row -->

```

```

</div> <!-- container -->

</div> <!-- content -->

<?php include('includes/footer.php');?>
</div>
</div>

<!-- END wrapper -->
<script>

var resizefunc = [];

</script>
<!-- jQuery -->

<script src="assets/js/jquery.min.js"></script>
<script src="assets/js/bootstrap.min.js"></script>
<script src="assets/js/detect.js"></script>
<script src="assets/js/fastclick.js"></script>
<script src="assets/js/jquery.blockUI.js"></script> <script src="assets/js/waves.js"></script>
<script src="assets/js/jquery.slimscroll.js"></script>
<script src="assets/js/jquery.scrollTo.min.js"></script>
<script src="../plugins/switchery/switchery.min.js"></script>

<!-- App js -->

<script src="assets/js/jquery.core.js"></script>
<script src="assets/js/jquery.app.js"></script>

</body>
</html>
<?php } ?>

```

```

Edit subcategory
<?php session_start();
include('includes/config.php');

error_reporting(0); if(strlen($_SESSION['login'])==0)

{

header('location:index.php');

} else{ if(isset($_POST['sucatdescription'])) {

$subcatid=intval($_GET['scid']);

$categoryid=$_POST['category'];

$subcatname=$_POST['subcategory'];

$subcatdescription=$_POST['sucatdescription'];

$query=mysqli_query($con,"update tblsubcategory set
CategoryId='$categoryid',Subcategory='$subcatname',SubCatDescription='$subcatdescription'
where SubCategoryId='$subcatid'"); if($query)

{

$msg="Sub-Category created ";

}

else
{
$error="Something went wrong . Please try again.";
}

?>

<!DOCTYPE html>

<html lang="en">

<head>

<title>Newsportal | Edit Sub Category</title>

```

```
<!-- App css -->

<link href="assets/css/bootstrap.min.css" rel="stylesheet" type="text/css" />

<link href="assets/css/core.css" rel="stylesheet" type="text/css" />

<link href="assets/css/components.css" rel="stylesheet" type="text/css" />

<link href="assets/css/icons.css" rel="stylesheet" type="text/css" />

<link href="assets/css/pages.css" rel="stylesheet" type="text/css" />

<link href="assets/css/menu.css" rel="stylesheet" type="text/css" />

<link href="assets/css/responsive.css" rel="stylesheet" type="text/css" />

<link rel="stylesheet" href="../plugins/switchery/switchery.min.css">

<script src="assets/js/modernizr.min.js"></script>
</head>
<body class="fixed-left">
```

```
<!-- Begin page -->

<div id="wrapper">

<!-- Top Bar Start -->

<?php include('includes/topheader.php');?>

<!-- Top Bar End -->
```

```
<!-- ===== Left Sidebar Start ===== -->

<?php include('includes/leftsidebar.php');?>

<!-- Left Sidebar End -->
```

```
<div class="content-page">

<!-- Start content -->

<div class="content">
```

```
<div class="container">
<div class="row">

<div class="col-xs-12">

<div class="page-title-box">
<h4 class="page-title">Add Sub-Category</h4>

<ol class="breadcrumb p-0 m-0">
<li>
<a href="#">Admin</a>
</li>
<li>
<a href="#">Category </a>
</li>
<li class="active"> Add Sub-Category
</li>
</ol>

<div class="clearfix"></div>
</div>

<!-- end row -->

<div class="row">
<div class="col-sm-12">

<div class="card-box">
<h4 class="m-t-0 header-title"><b>Add Sub-Category </b></h4>

<hr />
<div class="row">
<div class="col-sm-6">

<!--Success Message-->
<?php if($msg){ ?>
```

```

<div class="alert alert-success" role="alert">
<strong>Well done!</strong> <?php echo htmlentities($msg);?>
</div>

<?php } ?>

<!--Error Message-->
<?php if($error){ ?>
<div class="alert alert-danger" role="alert">
<strong>Oh snap!</strong> <?php echo htmlentities($error);?></div>
<?php } ?>
</div>

</div>

<?php
//fetching Category details
$subcatid=intval($_GET['scid']);

$query=mysqli_query($con,"Select tblcategory.CategoryName as catname,tblcategory.id as
catid,tblsubcategory.Subcategory as subcatname,tblsubcategory.SubCatDescription as
SubCatDescription,tblsubcategory.PostingDate as subcatpostingdate,tblsubcategory.UpdationDate
as subcatupdationdate,tblsubcategory.SubCategoryId as subcatid from tblsubcategory join
tblcategory ontblsubcategory.CategoryId=tblcategory.id where tblsubcategory.Is_Active=1 and
SubCategoryId='".$subcatid"');

$cnt=1; while($row=mysqli_fetch_array($query))

{
?>
<div class="row">
<div class="col-md-6">
<form class="form-horizontal" name="category"
method="post">
<div class="form-group">
<label class="col-md-2 control-label">Category</label>

```

```

<div class="col-md-10">

<select class="form-control" name="category" required>
<option value="<?php echo htmlentities($row['catid']);?>"><?php echo
htmlentities($row['catname']);?></option>

<?php

// Fetching active categories

$ret=mysqli_query($con,"select id,CategoryName from tblcategory where Is_Active=1");
while($result=mysqli_fetch_array($ret))

{

?>

<option value="<?php echo htmlentities($result['id']);?>"><?php echo
htmlentities($result['CategoryName']);?></option>

<?php } ?>

</select>

</div>

</div>
<div class="form-group">

<label class="col-md-2 control-label">Sub-Category</label>

<div class="col-md-10">

<input type="text" class="form-control" value="<?php echo htmlentities($row['subcatname']);?>" name="subcategory" required>
</div>

</div>
<div class="form-group">

<label class="col-md-2 control-label">Sub-Category
Description</label>

<div class="col-md-10">
<textarea class="form-control" rows="5" name="sucatdescription" required><?php echo
htmlentities($row['SubCatDescription']);?></textarea>

</div>

```

```
</div>
<?php } ?>

<div class="form-group">
<label class="col-md-2 control-label">&nbsp;</label>
<div class="col-md-10">

<button type="submit" class="btn btn-custom waves-effect waves-lightbtnmd"
name="submitsubcat">
Submit

</button>
</div>
</div>

</form>

</div>
</div>
</div>

</div>
</div>
<!-- end row -->

</div><!-- container -->
</div><!-- content -->
<?php include('includes/footer.php');?>
</div>

</div>

<!-- END wrapper -->

<script>
var resizefunc = [];

```

```

<!-- jQuery -->

<script src="assets/js/jquery.min.js"></script>
<script src="assets/js/bootstrap.min.js"></script>

<script src="assets/js/detect.js"></script>

<script src="assets/js/fastclick.js"></script>

<script src="assets/js/jquery.blockUI.js"></script>

<script src="assets/js/waves.js"></script>

<script src="assets/js/jquery.slimscroll.js"></script>

<script src="assets/js/jquery.scrollTo.min.js"></script>

<script src="../plugins/switchery/switchery.min.js"></script>

<!-- App js -->

<script src="assets/js/jquery.core.js"></script>
<script src="assets/js/jquery.app.js"></script>

</body>

</html>

<?php } ?>

```

Forget password

```

<?php session_start(); error_reporting(0);
include('includes/config.php');
if(isset($_POST['submit'])) {

}

$username=$_POST['username'];

$email=$_POST['email'];

$password=md5($_POST['newpassword']);

```

```

$query=mysqli_query($con,"select id from tbladmin where AdminEmailId='$email' and AdminUserName='$username' ");

$ret=mysqli_num_rows($query);if($ret>0){
$query1=mysqli_query($con,"update tbladmin set AdminPassword='$password' where AdminEmailId='$email' && AdminUserName='$username' ");

if($query1)

{
echo "<script>alert('Password successfully changed');</script>"; echo "<script
type='text/javascript'> document.location = 'index.php'; </script>";

}

else{

echo "<script>alert('Invalid Details. Please try again.');//</script>";

}

?>
<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="utf-8">

<meta name="viewport" content="width=device-width, initial-scale=1.0">

<meta name="description" content="News Portal.">

<meta name="author" content="PHPGurukul">

<!-- App title -->
<title>News Portal | Forgot Password</title>

```

```
<!-- App css -->

<link href="assets/css/bootstrap.min.css" rel="stylesheet" type="text/css" />

<link href="assets/css/core.css" rel="stylesheet" type="text/css" />

<link href="assets/css/components.css" rel="stylesheet" type="text/css" />

<link href="assets/css/icons.css" rel="stylesheet" type="text/css" />

<link href="assets/css/pages.css" rel="stylesheet" type="text/css" />

<link href="assets/css/menu.css" rel="stylesheet" type="text/css" />

<link href="assets/css/responsive.css" rel="stylesheet" type="text/css" />
<script src="assets/js/modernizr.min.js"></script>

<script type="text/javascript">function checkpass()

{

if(document.changepassword.newpassword.value!=document.changepassword.confirmpassword.value)

{

alert('New Password and Confirm Password field does not match');

document.changepassword.confirmpassword.focus();

return false;

}

return true;

}

</script>

</head>

<body class="bg-transparent">

<!-- HOME -->

<section>

<div class="container-alt">
```

```
<div class="row">
<div class="col-sm-12">

<div class="wrapper-page">

<div class="m-t-40 account-pages">
<div class="text-center account-logo-box">
<h2 class="text-uppercase">
<a href="index.php" class="text-success">
<span></span>
</a>
</h2>
<!--<h4 class="text-uppercase font-bold m-b-0">Sign In</h4>-->
</div>

<div class="account-content">
<form class="form-horizontal" method="post">

<div class="form-group ">
<div class="col-xs-12">
<input class="form-control" type="text" required="" name="username" placeholder="Username" autocomplete="off">
</div>
</div>

<div class="form-group ">
<div class="col-xs-12">
<input class="form-control" type="text" required="" name="email" placeholder="Email" autocomplete="off">

```

```
</div>

</div>

<div class="form-group">
<div class="col-xs-12">
<input type="password" class="form-control" id="userpassword" name="confirmpassword"
placeholder="Confirm Password">
</div>
</div>

<div class="form-group">
<div class="col-xs-12">
<input type="password" class="form-control" id="userpassword" name="newpassword"
placeholder="New Password">
</div>
</div>

<div class="form-group account-btn text-center m-t-10">
<div class="col-xs-12">
<button class="btn w-md btn-bordered btn-danger waves-effect waves-light" type="submit"
name="submit">Reset</button>
</div>
</div>
</form>

<div class="clearfix"></div>
<a href="#"></i> Back Home
```

```
<!-- end wrapper -->
</div>

</div>
</div>

</section>

<!-- END HOME -->

<script>
var resizefunc = [];

</script>
<!-- jQuery -->

<script src="assets/js/jquery.min.js"></script>
<script src="assets/js/bootstrap.min.js"></script>
<script src="assets/js/detect.js"></script>
<script src="assets/js/fastclick.js"></script>
<script src="assets/js/jquery.blockUI.js"></script>
<script src="assets/js/waves.js"></script>
<script src="assets/js/jquery.slimscroll.js"></script>
<script src="assets/js/jquery.scrollTo.min.js"></script>

<!-- App js -->

<script src="assets/js/jquery.core.js"></script>
<script src="assets/js/jquery.app.js"></script>

</body>

</html>
Get_Subcategory

<?php include('includes/config.php');if(!empty($_POST["catid"]))  
101
```

```

{
$id=intval($_POST['catid']);
$query=mysqli_query($con,"SELECT * FROM tblsubcategory WHERE CategoryId=$id and
Is_Active=1"); ?>

<option value="">Select Subcategory</option>
<?php while($row=mysqli_fetch_array($query))

{
?>

<option value="<?php echo htmlentities($row['SubCategoryId']); ?>"><?php echo
htmlentities($row['Subcategory']); ?></option>

<?php
}
}
?>

```

Index

```

<?php session_start();
//Database Configuration File include('includes/config.php');
//error_reporting(0); if(isset($_POST['login']))

{

// Getting username/ email and password

$uname=$_POST['username'];

$password=md5($_POST['password']);

//      Fetch data from database      on      the      basis      of      username/email
//      and      password      $sql
$sql=mysqli_query($con,"SELECT AdminUserName,AdminEmailId,AdminPassword,userType
FROMtbladmin WHERE (AdminUserName='$uname' && AdminPassword='$password')");

$num=mysqli_fetch_array($sql);if($num>0)

{

```

```
$_SESSION['login']=$_POST['username']; $_SESSION['utype']=$num['userType'];echo "<script type='text/javascript'> document.location = 'dashboard.php';</script>";  
}else{ echo "<script>alert('InvalidDetails');</script>";  
  
}  
?  
<!DOCTYPE html>  
  
<html lang="en">  
  
<head>  
  
<meta charset="utf-8">  
  
<meta name="viewport" content="width=device-width, initial-scale=1.0">  
  
<meta name="description" content="News Portal.">  
  
<meta name="author" content="PHPGurukul">  
  
<!-- App title -->  
  
<title>News Portal | Admin Panel</title>  
  
  
<!-- App css -->  
  
<link href="assets/css/bootstrap.min.css" rel="stylesheet" type="text/css" />  
  
<link href="assets/css/core.css" rel="stylesheet" type="text/css" />  
  
<link href="assets/css/components.css" rel="stylesheet" type="text/css" />  
  
<link href="assets/css/icons.css" rel="stylesheet" type="text/css" />  
  
<link href="assets/css/pages.css" rel="stylesheet" type="text/css" />  
<link href="assets/css/menu.css" rel="stylesheet" type="text/css" />  
  
<link href="assets/css/responsive.css" rel="stylesheet" type="text/css" />
```

```
<script src="assets/js/modernizr.min.js"></script>

</head>
<body class="bg-transparent">

<!-- HOME --&gt;

&lt;section&gt;

&lt;div class="container-alt"&gt;

&lt;div class="row"&gt;
&lt;div class="col-sm-12"&gt;

&lt;div class="wrapper-page"&gt;
&lt;div class="m-t-40 account-pages"&gt;
&lt;div class="text-center account-logo-box"&gt;
&lt;h2 class="text-uppercase"&gt;
&lt;a href="index.html" class="text-success"&gt;
&lt;span&gt;&lt;img src="assets/images/logo.png" alt="" height="56"&gt;&lt;/span&gt;
&lt;/a&gt;
&lt;/h2&gt;

&lt!--&lt;h4 class="text-uppercase font-bold m-b-0"&gt;Sign In&lt;/h4>-->
</div>

<div class="account-content">
<form class="form-horizontal" method="post">

<div class="form-group ">
<div class="col-xs-12">
<input class="form-control" type="text" required="" name="username" placeholder="Username or email" autocomplete="off">
</div>
```

```
</div>

<a href="forgot-password.php"><i class="mdi mdi-lock"></i> Forgot your password?</a>

<hr>

<div class="form-group">

<div class="col-xs-12">

<input class="form-control" type="password" name="password" required="" placeholder="Password" autocomplete="off">

</div>

</div>

<div class="form-group account-btn text-center m-t-10">
<div class="col-xs-12">

<button class="btn w-md btn-bordered btn-danger waves-effect waves-light" type="submit" name="login">Log In</button>

</div>

</div>

</form>

<div class="clearfix"></div>

<a href="../index.php"><i class="mdi mdi-home"></i> Back Home</a>

</div>

</div>

<!-- end card-box-->

</div>

<!-- end wrapper -->
```

```

</div>
</div>
</div>
</section>
<!-- END HOME --&gt;

&lt;script&gt;
var resizefunc = [];

&lt;/script&gt;
&lt;!-- jQuery --&gt;

&lt;script src="assets/js/jquery.min.js"&gt;&lt;/script&gt;
&lt;script src="assets/js/bootstrap.min.js"&gt;&lt;/script&gt;
&lt;script src="assets/js/detect.js"&gt;&lt;/script&gt;
&lt;script src="assets/js/fastclick.js"&gt;&lt;/script&gt;
&lt;script src="assets/js/jquery.blockUI.js"&gt;&lt;/script&gt;

&lt;script src="assets/js/waves.js"&gt;&lt;/script&gt;
&lt;script src="assets/js/jquery.slimscroll.js"&gt;&lt;/script&gt;
&lt;script src="assets/js/jquery.scrollTo.min.js"&gt;&lt;/script&gt;      &lt;!-- App js --&gt;
&lt;script src="assets/js/jquery.core.js"&gt;&lt;/script&gt;
&lt;script src="assets/js/jquery.app.js"&gt;&lt;/script&gt;

&lt;/body&gt;
&lt;/html&gt;
</pre>

```

Logout

```

<?php session_start();
include("includes/config.php"
); $_SESSION['login']=="";
session_unset(); session_destroy();

```

```

?>

<script language="javascript"> document.location="index.php";
</script>

Manage category

<?php session_start();
include('includes/config.php');

error_reporting(0); if(strlen($_SESSION['login'])==0)

{

header('location:index.php');

} else{ if($_GET['action']=='del' &&

$_GET['rid'])





{$id=intval($_GET['rid']);

$query=mysqli_query($con,"update tblcategory set Is_Active='0' where id='$id'"); $msg="Category deleted ";



}

// Code for restoreif($_GET['resid'])





{$id=intval($_GET['resid']);

$query=mysqli_query($con,"update tblcategory set Is_Active='1' where id='$id'");

$msg="Category restored successfully";


}

// Code for Forever deletionparmdel if($_GET['action']=='parmdel' && $_GET['rid'])





{$id=intval($_GET['rid']);

$query=mysqli_query($con,"delete from tblcategory where id='$id'");

$delmsg="Category deleted forever";

```

```

}

?>

<!DOCTYPE html>

<html lang="en">

<head>

<title> | Manage Categories</title>
<link href="assets/css/bootstrap.min.css" rel="stylesheet" type="text/css" />

<link href="assets/css/core.css" rel="stylesheet" type="text/css" />

<link href="assets/css/components.css" rel="stylesheet" type="text/css" />

<link href="assets/css/icons.css" rel="stylesheet" type="text/css" />

<link href="assets/css/pages.css" rel="stylesheet" type="text/css" />

<link href="assets/css/menu.css" rel="stylesheet" type="text/css" />

<link href="assets/css/responsive.css" rel="stylesheet" type="text/css" />

<link rel="stylesheet" href="../plugins/switchery/switchery.min.css">

<script src="assets/js/modernizr.min.js"></script>
</head>

<body class="fixed-left">

<!-- Begin page -->

<div id="wrapper">

<!-- Top Bar Start -->

<?php include('includes/topheader.php');?>

```

```
<!-- ===== Left Sidebar Start ===== -->  
<?php include('includes/leftsidebar.php');?>  
<!-- Left Sidebar End -->  
  
<!-- ===== -->  
<!-- Start right Content here -->  
<!-- ===== -->  
<div class="content-page">  
<!-- Start content -->  
<div class="content">  
<div class="container">  
<div class="row">  
<div class="col-xs-12">  
<div class="page-title-box">  
<h4 class="page-title">Manage Categories</h4>  
<ol class="breadcrumb p-0 m-0">  
<li>  
<a href="#">Admin</a>  
</li>  
<li>  
<a href="#">Category </a>  
</li>  
<li class="active"> Manage Categories  
</li>  
</ol>  
<div class="clearfix"></div>
```

```

</div>

<!-- end row -->

<div class="row">

<div class="col-sm-6">
<?php if($msg){ ?>

<div class="alert alert-success" role="alert">
<strong>Well done!</strong> <?php echo htmlentities($msg);?>
</div>

<?php } ?>

<?php if($delmsg){ ?>
<div class="alert alert-danger" role="alert">
<strong>Oh snap!</strong> <?php echo htmlentities($delmsg);?></div>
<?php } ?>

</div>
<div class="row">

<div class="col-md-12">

<div class="demo-box mt-20">
<div class="m-b-30">

<a href="add-category.php">
<button id="addToTable" class="btn btn-success waves-effect waves-light">Add <i class="mdi mdi-pluscircle-outline" ></i></button>
</a>

</div>
<div
class="tableresponsive">

<table class="table m-0 table-colored-bordered table-bordered-primary">
<thead>

```

```

<tr>
<th>#</th>
<th>Category</th>
<th>Description</th>
<th>Posting Date</th>
<th>Last updation Date</th>
<th>Action</th>
</tr>
</thead>
<tbody>
<?php
$query=mysqli_query($con,"Select id,CategoryName,Description,PostingDate,UpdationDate from
tblcategory where Is_Active=1");
$cnt=1; while($row=mysqli_fetch_array($query))

{
?>
<tr>

<th scope="row"><?php echo htmlentities($cnt);?></th>
<td><?php echo htmlentities($row['CategoryName']);?></td>
<td><?php echo htmlentities($row['Description']);?></td>
<td><?php echo htmlentities($row['PostingDate']);?></td>
<td><?php echo htmlentities($row['UpdationDate']);?></td>

<td><a href="edit-category.php?cid=<?php echo htmlentities($row['id']);?>"><i class="fa fa-pencil" style="color: #29b6f6;"></i></a>
&nbsp;<a href="manage-categories.php?rid=<?php echo
htmlentities($row['id']);?>&&action=del">
<i class="fa fa-trash-o" style="color: #f05050"></i></a> </td>
</tr>
<?php

```

```

$cnt++;
} ?>
</tbody>

</table>
</div>
</div>
</div>
</div>
<!-- end row
--> <div class="row">
<div class="col-md-12">
<div class="demo-box m-t-20">
<div class="m-b-30">
<h4><i class="fa fa-trash-o" ></i> Deleted Categories</h4>
</div>
<div class="table-responsive">
<table class="table m-0 table-colored-bordered table-bordered-danger">
<thead>
<tr>
<th>#</th>
<th>Category</th>

```

```

<th>Description</th>

<th>Posting Date</th>
<th>Last updation Date</th>
<th>Action</th>
</tr>

</thead>
<tbody>

<?php

$query=mysqli_query($con,"Select id,CategoryName,Description,PostingDate,UpdationDate from
tblcategory where Is_Active=0");

$cnt=1; while($row=mysqli_fetch_array($query))

{

?>

<tr>

<th scope="row"><?php echo htmlentities($cnt);?></th>

<td><?php echo htmlentities($row['CategoryName']);?></td>

<td><?php echo htmlentities($row['Description']);?></td>

<td><?php echo htmlentities($row['PostingDate']);?></td>

<td><?php echo htmlentities($row['UpdationDate']);?></td>
<td><a href="manage-categories.php?resid=<?php echo htmlentities($row['id']);?>"><i class="ion-arrowreturn-right" title="Restore this category"></i></a>

&nbsp;<a href="manage-categories.php?rid=<?php echo
htmlentities($row['id']);?>&&action=parmdel" title="Delete forever"><i class="fa fa-trash-o"
style="color: #f05050"></i></a>

</td>

</tr>

<?php

$cnt++;

} ?>

```

```
</tbody>
</table>

</div>
</div>

</div>
</div> </div> <!-- container -->
</div> <!-- content -->

<?php include('includes/footer.php');?>

</div>

</div>

<!-- END wrapper -->

<script>

var resizefunc = [];

</script>

<!-- jQuery -->

<script src="assets/js/jquery.min.js"></script>      <script
src="assets/js/bootstrap.min.js"></script>

<script src="assets/js/detect.js"></script>

<script src="assets/js/fastclick.js"></script>

<script src="assets/js/jquery.blockUI.js"></script>

<script src="assets/js/waves.js"></script>

<script src="assets/js/jquery.slimscroll.js"></script>

<script src="assets/js/jquery.scrollTo.min.js"></script>

<script src="../plugins/switchery/switchery.min.js"></script>
<!-- App js -->
```

```

<script src="assets/js/jquery.core.js"></script>
<script src="assets/js/jquery.app.js"></script>

</body>
</html>
<?php } ?>
```

Manage comment

```

<?php session_start();
include('includes/config.php');
error_reporting(0); if(strlen($_SESSION['login'])==0)

{
header('location:index.php');

} else{ if(
$_GET['disid']

)

{
$id=intval($_GET['disid']);

$query=mysqli_query($con,"update tblcomments set status='0' where id='$id'");

$msg="Comment unapprove ";

}

// Code for restoreif($_GET['appid'])

{
$id=intval($_GET['appid']);
$query=mysqli_query($con,"update tblcomments set status='1' where id='$id'");

$msg="Comment approved";
```

```

}

// Code for deletion if($_GET['action']=='del' &&
$_GET['rid']){
    $id=intval($_GET['rid']);

    $query=mysqli_query($con,"delete from tblcomments where id='$id'");

    $delmsg="Comment deleted forever";

}

?>

<!DOCTYPE html>

<html lang="en">

<head>

<title> | Manage Cooments</title>

<link href="assets/css/bootstrap.min.css" rel="stylesheet" type="text/css" />

<link href="assets/css/core.css" rel="stylesheet" type="text/css" />

<link href="assets/css/components.css" rel="stylesheet" type="text/css" />

<link href="assets/css/icons.css" rel="stylesheet" type="text/css" />

<link href="assets/css/pages.css" rel="stylesheet" type="text/css" />

<link href="assets/css/menu.css" rel="stylesheet" type="text/css" />
<link href="assets/css/responsive.css" rel="stylesheet" type="text/css" />

<link rel="stylesheet" href="../plugins/switchery/switchery.min.css">

<script src="assets/js/modernizr.min.js"></script>

</head>
<body class="fixed-left">

<!-- Begin page -->

```

```
<div id="wrapper">

<!-- Top Bar Start -->

<?php include('includes/topheader.php');?>

<!-- ===== Left Sidebar Start ===== -->

<?php include('includes/leftsidebar.php');?>

<!-- Left Sidebar End -->

<!-- ===== -->

<!-- Start right Content here -->

<!-- ===== -->
<div class="content-page">

<!-- Start content -->

<div class="content">

<div class="container">
<div class="row">

<div class="col-xs-12">

<div class="page-title-box">

<h4 class="page-title">Manage Approved Comments</h4>

<ol class="breadcrumb p-0 m-0">

<li>

<a href="#">Admin</a>

</li>

<li>

<a href="#">Comments </a>
```

```

</li>

<li class="active"> Approved Comments
</li>

</ol>

<div class="clearfix"></div>

</div>

</div>
</div>

<!-- end row -->
<div class="row">

<div class="col-sm-6">
<?php if($msg){ ?>

<div class="alert alert-success" role="alert">

<strong>Well done!</strong> <?php echo htmlentities($msg);?>
</div>

<?php } ?>
<?php if($delmsg){ ?>

<div class="alert alert-danger" role="alert">

<strong>Oh snap!</strong> <?php echo htmlentities($delmsg);?></div>

<?php } ?>
</div>
<div class="row">
<div class="col-md-12">
<div class="demo-box mt-20">
<div
class="tableresponsive">

<table class="table m-0 table-colored-bordered table-bordered-primary">

<thead>

<tr>

<th>#</th>

<th> Name</th>

```

```

<th>Email Id</th>
<th width="300">Comment</th>
<th>Status</th>
<th>Post / News</th>
<th>Posting Date</th>
<th>Action</th>
</tr>
</thead>
<tbody>
<?php
$query=mysqli_query($con,"Select  tblcomments.id,
tblcomments.name,tblcomments.email,tblcomments.postingDate,tblcomments.comment,tblposts.id
as postid,tblposts.PostTitle from tblcomments join tblposts on tblposts.id=tblcomments.postId
where tblcomments.status=1");
$cnt=1; while($row=mysqli_fetch_array($query))

{
?>

<tr>
<th scope="row"><?php echo htmlentities($cnt);?></th>
<td><?php echo htmlentities($row['name']);?></td>
<td><?php echo htmlentities($row['email']);?></td>
<td><?php echo htmlentities($row['comment']);?></td>
<td><?php $st=$row['status'];if($st=='0'):
echo "Waiting for approval";else:
echo "Approved";endif;
?></td>
<td><a href="edit-post.php?pid=<?php echo htmlentities($row['postid']);?>"><?php echo
htmlentities($row['PostTitle']);?></a> </td>

```

```

<td><?php echo htmlentities($row['postingDate']);?></td>

<td>
<?php if($st==0):?>

<a href="manage-comments.php?disid=<?php echo htmlentities($row['id']);?>" title="Disapprove
this comment"><i class="ion-arrow-return-right" style="color: #29b6f6;"></i></a> <?php else :?>

<a href="manage-comments.php?appid=<?php echo htmlentities($row['id']);?>" title="Approve this
comment"><i class="ion-arrow-return-right" style="color: #29b6f6;"></i></a> <?php endif;?>

&nbsp;<a href="manage-comments.php?rid=<?php echo
htmlentities($row['id']);?>&&action=del">
<i class="fa fa-trash-o" style="color: #f05050"></i></a> </td>

</tr>

<?php
$cnt++;
} ?>

</tbody>

</table>

</div>

</div>
</div>
</div>

<!-- end row -->
<div class="row">

<div class="col-md-12">
<div class="demo-box m-t-20">
<div class="m-b-30">
</div>
</div> </div>

```

```

</div>
</div> <!-- container -->
</div> <!-- content -->

<?php include('includes/footer.php');?>

</div>

</div>

<!-- END wrapper -->

<script>

var resizefunc = [];

</script>

<!-- jQuery -->

<script src="assets/js/jquery.min.js"></script>

<script src="assets/js/bootstrap.min.js"></script>

<script src="assets/js/detect.js"></script>

<script src="assets/js/fastclick.js"></script>

<script src="assets/js/jquery.blockUI.js"></script>

<script src="assets/js/waves.js"></script>

<script src="assets/js/jquery.slimscroll.js"></script>

<script src="assets/js/jquery.scrollTo.min.js"></script>

<script src="../plugins/switchery/switchery.min.js"></script>      <!-- App js -->

<script src="assets/js/jquery.core.js"></script>

<script src="assets/js/jquery.app.js"></script>

</body>

</html>

<?php } ?>

```

Manage post

```
<?php session_start(); include('includes/config.php'); error_reporting(0); if(strlen($_SESSION['logi
n'])==0)

{
header('location:index.php');

}

else
{
if($_GET['action']=='del')

{

$postid=intval($_GET['pid']);

$query=mysqli_query($con,"update tblposts set Is_Active=0 where id='$postid'");if($query)

{
$msg="Post deleted ";

}

else
{

$error="Something went wrong . Please try again.";

}

?>
<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">

<meta name="description" content="A fully featured admin theme which can be used to build
CRM,CMS, etc.">
<meta name="author" content="Coderthemes">
```

```

<!-- App favicon -->
<link rel="shortcut icon" href="assets/images/favicon.ico">

<!-- App title -->
<title>Newsportal | Manage Posts</title>

<!--Morris Chart CSS -->
<link rel="stylesheet" href="../plugins/morris/morris.css">

<!-- jvectormap -->
<link href="../plugins/jvectormap/jquery-jvectormap-2.0.2.css" rel="stylesheet" />

<!-- App css -->
<link href="assets/css/bootstrap.min.css" rel="stylesheet" type="text/css" />
<link href="assets/css/core.css" rel="stylesheet" type="text/css" />
<link href="assets/css/components.css" rel="stylesheet" type="text/css" />
<link href="assets/css/icons.css" rel="stylesheet" type="text/css" />
<link href="assets/css/pages.css" rel="stylesheet" type="text/css" />
<link href="assets/css/menu.css" rel="stylesheet" type="text/css" />
<link href="assets/css/responsive.css" rel="stylesheet" type="text/css" />
<link rel="stylesheet" href="../plugins/switchery/switchery.min.css">

<!-- HTML5 Shiv and Respond.js IE8 support of HTML5 elements and media queries -->
<!-- WARNING: Respond.js doesn't work if you view the page via file:// -->

<!--[if lt IE 9]>

<script src="https://oss.maxcdn.com/libs/html5shiv/3.7.0/html5shiv.js"></script>
<script src="https://oss.maxcdn.com/libs/respond.js/1.3.0/respond.min.js"></script>
<![endif]-->
<script src="assets/js/modernizr.min.js"></script>

```

```
</head>
<body class="fixed-left">
<!-- Begin page -->

<div id="wrapper">
<!-- Top Bar Start -->

<?php include('includes/topheader.php');?>

<!-- ===== Left Sidebar Start ===== -->

<?php include('includes/leftsidebar.php');?>
<!-- ===== -->

<!-- Start right Content here -->

<!-- ===== -->

<div class="content-page">

<!-- Start content -->

<div class="content">

<div class="container">
<div class="row">

<div class="col-xs-12">

<div class="page-title-box">

<h4 class="page-title">Manage Posts </h4>

<ol class="breadcrumb p-0 m-0">

<li>
<a href="#">Admin</a>

</li>

<li>
<a href="#">Posts</a>

</li>
<li class="active">Manage Post
</li>

</ol>
```

```

<div class="clearfix"></div>

</div>

<!-- end row -->
<div class="row">

<div class="col-sm-12">

<div class="card-box">
<div class="table-responsive">

<table class="table table-colored table-centered table-inverse m-0">

<thead>

<tr>
<th>Title</th>

<th>Category</th>

<th>Subcategory</th>
<th>Action</th>

</tr>

</thead>
<tbody>
<?php

$query=mysqli_query($con,"select tblposts.id as postid,tblposts.PostTitle as
title,tblcategory.CategoryName as category,tblsubcategory.Subcategory as subcategory from
tblposts leftjoin tblcategory on tblcategory.id=tblposts.CategoryId left join tblsubcategory on
tblsubcategory.SubCategoryId=tblposts.SubCategoryId where tblposts.Is_Active=1 ");

$rowcount=mysqli_num_rows($query);if($rowcount==0)

{

?>

<tr>

<td colspan="4" align="center"><h3 style="color:red">No record found</h3></td>

<tr>
<?php } else { while($row=mysqli_fetch_array($query))

```

```

{
?>
<tr>
<td><b><?php echo htmlentities($row['title']);?></b></td>
<td><?php echo htmlentities($row['category']);?></td>
<td><?php echo htmlentities($row['subcategory']);?></td>
<td><a href="edit-post.php?pid=<?php echo htmlentities($row['postid']);?>"><i class="fa fa-pencil" style="color: #29b6f6;"></i></a>

&nbsp;<a href="manage-posts.php?pid=<?php echo htmlentities($row['postid']);?>&&action=del"
onclick="return confirm('Do you reaaly want to delete ?')"><i class="fa fa-trash-o" style="color: #f05050"></i></a> </td>

</tr>

<?php } }?>

</tbody>

</table>

</div>

</div>

</div>

</div>

</div><!-- container -->

</div><!-- content -->

<?php include('includes/footer.php');?>

</div>

<!-- ===== -->

<!-- End Right content here -->

<!-- ===== -->

</div>
```

```

<!-- END wrapper -->

<script>

var resizefunc = [];

</script>

<!-- jQuery -->

<script src="assets/js/jquery.min.js"></script>

<script src="assets/js/bootstrap.min.js"></script>

<script src="assets/js/detect.js"></script>

<script src="assets/js/fastclick.js"></script>

<script src="assets/js/jquery.blockUI.js"></script>
<script src="assets/js/waves.js"></script>

<script src="assets/js/jquery.slimscroll.js"></script>
<script src="assets/js/jquery.scrollTo.min.js"></script>

<script src="../plugins/switchery/switchery.min.js"></script>
<!-- CounterUp -->

<script src="../plugins/waypoints/jquery.waypoints.min.js"></script>

<script src="../plugins/counterup/jquery.counterup.min.js"></script>




<!--Morris Chart-->

<script src="../plugins/morris/morris.min.js"></script>

<script src="../plugins/raphael/raphael-min.js"></script>




<!-- Load page level scripts-->

<script src="../plugins/jvectormap/jquery-jvectormap-2.0.2.min.js"></script>

<script src="../plugins/jvectormap/jquery-jvectormap-world-mill-en.js"></script>

<script src="../plugins/jvectormap/gdp-data.js"></script>

```

```

<script src="../plugins/jvectormap/jquery-jvectormap-us-aea-en.js"></script>
<!-- Dashboard Init js -->
<script src="assets/pages/jquery.blog-dashboard.js"></script>
<!-- App js -->
<script src="assets/js/jquery.core.js"></script>
<script src="assets/js/jquery.app.js"></script>
</body>
</html>
<?php } ?>
```

Manage page

```

<?php session_start();
include('includes/config.php');

error_reporting(0); if(strlen($_SESSION['login'])==0)
{
header('location:index.php');

}

else
{
// Code for Forever deletionparmdel if($_GET['action']=='del' && $_GET['rid'])

{
$id=intval($_GET['rid']);

$query=mysqli_query($con,"delete from tbladmin where id='$id' && userType=0");echo
"<script>alert('Sub-admin details deleted.');// echo "<script type='text/javascript'>
document.location = 'manage-subadmins.php'; </script>"; }

?>

<!DOCTYPE html>
<html lang="en">
```

```

<head>

<title> | Manage Subadmins</title>

<link href="assets/css/bootstrap.min.css" rel="stylesheet" type="text/css" />

<link href="assets/css/core.css" rel="stylesheet" type="text/css" />

<link href="assets/css/components.css" rel="stylesheet" type="text/css" />

<link href="assets/css/icons.css" rel="stylesheet" type="text/css" />

<link href="assets/css/pages.css" rel="stylesheet" type="text/css" />

<link href="assets/css/menu.css" rel="stylesheet" type="text/css" />

<link href="assets/css/responsive.css" rel="stylesheet" type="text/css" />

<link rel="stylesheet" href="../plugins/switchery/switchery.min.css">

<script src="assets/js/modernizr.min.js"></script>

</head>

<body class="fixed-left">

<!-- Begin page -->

<div id="wrapper">

<!-- Top Bar Start -->

<?php include('includes/topheader.php');?>

<!-- ===== Left Sidebar Start ===== -->

<?php include('includes/leftsidebar.php');?>

<!-- Left Sidebar End -->

<!-- ===== -->

<!-- Start right Content here -->

<!-- ===== -->

```

```

<div class="content-page">
    <!-- Start content -->

    <div class="content">
        <div class="container">
            <div class="row">
                <div class="col-xs-12">
                    <div class="page-title-box">
                        <h4 class="page-title">Manage Sub-admins</h4>
                        <ol class="breadcrumb p-0 m-0">
                            <li>
                                <a href="#">Sub-admins </a>
                            </li>
                            <li class="active"> Manage Sub-admins
                            </li>
                        </ol>
                    <div class="clearfix"></div>
                </div>
                <!-- end row -->
                <div class="row">
                    <div class="col-md-12">
                        <div class="demo-box mt-20">
                            <div class="m-b-30">
                                <a href="aadd-subadmins.php">
                                    <button id="addToTable" class="btn btn-success waves-effect waves-light">Add <i class="mdi mdi-pluscircle-outline" ></i></button>
                                </a>
                            </div>
                            <div
                                class="tableresponsive">

```

```

<table class="table m-0 table-colored-bordered table-bordered-primary">
<thead>
<tr>
<th>#</th>
<th> Username</th>
<th>Email</th>
<th>Posting Date</th>
<th>Last updation Date</th>
<th>Action</th>
</tr>
</thead>
<tbody>
<?php
$query=mysqli_query($con,"Select * from tbladmin where userType=0");
$cnt=1; while($row=mysqli_fetch_array($query))
{
?>
<tr>
<th scope="row"><?php echo htmlentities($cnt);?></th>
<td><?php echo htmlentities($row['AdminUserName']);?></td>
<td><?php echo htmlentities($row['AdminEmailId']);?></td>
<td><?php echo htmlentities($row['CreationDate']);?></td>
<td><?php echo htmlentities($row['UpdationDate']);?></td>
<td><a href="edit-subadmin.php?said=<?php echo htmlentities($row['id']);?>"><i class="fa fa-pencil" style="color: #29b6f6;"></i></a>
&nbsp;<a href="manage-subadmins.php?rid=<?php echo
htmlentities($row['id']);?>&&action=del">
<i class="fa fa-trash-o" style="color: #f05050"></i></a> </td>
</tr>

```

```
<?php  
$cnt++;  
} ?>  
  
</tbody>  
</table>  
  
</div>  
</div>  
  
</div>  
</div>  
  
<!-- end row -->  
</div><!-- container -->  
</div><!-- content -->  
  
<?php include('includes/footer.php');?>  
  
</div>  
</div>  
  
<!-- END wrapper -->  
<script>  
  
var resizefunc = [];  
  
</script>  
<!-- jQuery -->  
  
<script src="assets/js/jquery.min.js"></script>  
  
<script src="assets/js/bootstrap.min.js"></script>  
<script src="assets/js/detect.js"></script>  
  
<script src="assets/js/fastclick.js"></script>  
  
<script src="assets/js/jquery.blockUI.js"></script>  
  
<script src="assets/js/waves.js"></script>  
  
<script src="assets/js/jquery.slimscroll.js"></script>  
    <script src="assets/js/jquery.scrollTo.min.js"></script>  
<script src="../plugins/switchery/switchery.min.js"></script>  
<!-- App js -->  
  
<script src="assets/js/jquery.core.js"></script>
```

```

<script src="assets/js/jquery.app.js"></script>

</body>
</html>
<?php } ?>

Manage subcategory

<?php session_start();
include('includes/config.php');

error_reporting(0); if(strlen($_SESSION['login'])==0)

{
header('location:index.php');

}

else{ if($_GET['action']=='del' &&

$_GET['scid'])

{

$id=intval($_GET['scid']);

$query=mysqli_query($con,"update tblsubcategory set Is_Active='0' where SubCategoryId='$id'");

$msg="Category deleted ";

}

// Code for restoreif($_GET['resid'])

{

$id=intval($_GET['resid']);

$query=mysqli_query($con,"update tblsubcategory set Is_Active='1' where SubCategoryId='$id'");

$msg="Category restored successfully";

}

}

```

```

// Code for Forever deletionparmdel if($_GET['action']=='perdel' && $_GET['scid'])

{
    $id=intval($_GET['scid']);

    $query=mysqli_query($con,"delete from tblsubcategory where SubCategoryId='$id'");

    $delmsg="Category deleted forever";
}

?>
<!DOCTYPE html>

<html lang="en">

<head>

<title> News | Manage SubCategories</title>

<link href="assets/css/bootstrap.min.css" rel="stylesheet" type="text/css" />

<link href="assets/css/core.css" rel="stylesheet" type="text/css" />

<link href="assets/css/components.css" rel="stylesheet" type="text/css" />

<link href="assets/css/icons.css" rel="stylesheet" type="text/css" />

<link href="assets/css/pages.css" rel="stylesheet" type="text/css" />

<link href="assets/css/menu.css" rel="stylesheet" type="text/css" />

<link href="assets/css/responsive.css" rel="stylesheet" type="text/css" />

<link rel="stylesheet" href="../plugins/switchery/switchery.min.css">

<script src="assets/js/modernizr.min.js"></script>

</head>

<body class="fixed-left">
<!-- Begin page -->
<div id="wrapper">
<!-- Top Bar Start -->
<?php include('includes/topheader.php');?>

<!-- ===== Left Sidebar Start ===== -->

```

```

<?php include('includes/leftsidebar.php');?>

<!-- Left Sidebar End -->

<!-- ===== -->

<!-- Start right Content here -->

<!-- ===== -->

<div class="content-page">

<!-- Start content -->

<div class="content">

<div class="container">

<div class="row">

<div class="col-xs-12">

<div class="page-title-box">

<h4 class="page-title">Manage SubCategories</h4>
<ol class="breadcrumb p-0 m-0">

<li>
<a href="#">Admin</a>
</li>

<li>
<a href="#">SubCategory </a>
</li>

<li class="active"> Manage SubCategories
</li>

</ol>

<div class="clearfix"></div>

</div>

<!-- end row -->
<div class="row">

```

```

<div class="col-sm-6">
<?php if($msg){ ?>

<div class="alert alert-success" role="alert">
<strong>Well done!</strong> <?php echo htmlentities($msg);?>

</div>
<?php } ?>

<?php if($delmsg){ ?>

<div class="alert alert-danger" role="alert">
<strong>Oh snap!</strong> <?php echo htmlentities($delmsg);?></div>

<?php } ?>
</div>
<div class="row">

<div class="col-md-12">

<div class="demo-box mt-
20">

<div class="m-b-30">

<a href="add-subcategory.php">
<button id="addToTable" class="btn btn-success waves-effect waves-light">Add <i class="mdi
mdi-pluscircle-outline" ></i></button>

</a>

</div>

<div
class="tableresponsive">

<table class="table m-0 table-colored-bordered table-bordered-primary">

<thead>

<tr>

<th>#</th>

<th> Category</th>

```

```

<th>Sub Category</th>
<th>Description</th>
<th>Posting Date</th>
<th>Last updation Date</th>
<th>Action</th>
</tr>
</thead>
<tbody>
<?php
$query=mysqli_query($con,"Select tblcategory.CategoryName as
catname,tblsubcategory.Subcategory assubcatname,tblsubcategory.SubCatDescription as
SubCatDescription,tblsubcategory.PostingDate as subcatpostingdate,tblsubcategory.UpdationDate
as subcatupdationdate,tblsubcategory.SubCategoryId as
subcatid from tblsubcategory join tblcategory on tblsubcategory.CategoryId=tblcategory.id where
tblsubcategory.Is_Active=1");
$cnt=1;
$rowcount=mysqli_num_rows($query);if($rowcount==0)
{
?>
<tr>
<td colspan="7" align="center"><h3 style="color:red">No record found</h3></td>
<tr>
<?php
} else {
while($row=mysqli_fetch_array($query))
{
?>
<tr>

```

```

<th scope="row"><?php echo htmlentities($cnt);?></th>
<td><?php echo htmlentities($row['catname']);?></td>
<td><?php echo htmlentities($row['subcatname']);?></td>
<td><?php echo htmlentities($row['SubCatDescription']);?></td>
<td><?php echo htmlentities($row['subcatpostingdate']);?></td>
<td><?php echo htmlentities($row['subcatupdationdate']);?></td>
<td><a href="edit-subcategory.php?scid=<?php echo htmlentities($row['subcatid']);?>"><i class="fafapencil" style="color: #29b6f6;"></i></a>
&ampnbsp<a href="manage-subcategories.php?scid=<?php echo htmlentities($row['subcatid']);?>&&action=del"><i class="fa fa-trash-o" style="color: #f05050;"></i></a> </td>
</tr>
<?php
$cnt++;
} } ?>
</tbody>

</table>
</div>
</div>
</div>
</div>
<!-- end row -->
<div class="row">
<div class="col-md-12">
<div class="demo-box m-t-20">
<div class="m-b-30">
<h4><i class="fa fa-trash-o" ></i> Deleted SubCategories</h4>
</div>
<div class="table-responsive">
<table class="table m-0 table-colored-bordered table-bordered-danger">

```

```

<thead>
<tr>
<th>#</th>
<th>Category</th>
<th>Sub Category</th>
<th>Description</th>
<th>Posting Date</th>
<th>Last updation Date</th>
<th>Action</th>
</tr>
</thead>

<tbody>
<?php
$query=mysqli_query($con,"Select tblcategory.CategoryName as
catname,tblsubcategory.Subcategory assubcatname,tblsubcategory.SubCatDescription as
SubCatDescription,tblsubcategory.PostingDate as subcatpostingdate,tblsubcategory.UpdationDate
as subcatupdationdate,tblsubcategory.SubCategoryId as subcatid from tblsubcategory join
tblcategory on tblsubcategory.CategoryId=tblcategory.id where tblsubcategory.Is_Active=0");
$cnt=1;
$rowcount=mysqli_num_rows($query);if($rowcount==0)
{
?>
<tr>
<td colspan="7" align="center"><h3 style="color:red">No record found</h3></td>
<tr>
<?php
} else {
while($row=mysqli_fetch_array($query))

```

```

{
?>
<tr>

<th scope="row"><?php echo htmlentities($cnt);?></th>

<td><?php echo htmlentities($row['catname']);?></td>
<td><?php echo htmlentities($row['subcatname']);?></td>

<td><?php echo htmlentities($row['SubCatDescription']);?></td>

<td><?php echo htmlentities($row['subcatpostingdate']);?></td>
<td><?php echo htmlentities($row['subcatupdationdate']);?></td>
<td><a href="manage-subcategories.php?resid=<?php echo htmlentities($row['subcatid']);?>"><i class="ionarrow-return-right" title="Restore this SubCategory"></i></a>

 <a href="manage-subcategories.php?scid=<?php echo
htmlentities($row['subcatid']);?>&&action=perdel"> <i class="fa fa-trash-o" style="color:
#f05050"></i></a> </td>

</tr>

<?php
$cnt++;
} }?>

</tbody>
</table>

</div>
</div>
</div>
</div>
</div> <!-- container -->

</div> <!-- content -->

<?php include('includes/footer.php');?>
</div>

</div>

<!-- END wrapper -->
```

```

<script>

var resizefunc = [];
</script>
<!-- jQuery -->

<script src="assets/js/jquery.min.js"></script>

<script src="assets/js/bootstrap.min.js"></script>

<script src="assets/js/detect.js"></script>

<script src="assets/js/fastclick.js"></script>

<script src="assets/js/jquery.blockUI.js"></script>

<script src="assets/js/waves.js"></script>

<script src="assets/js/jquery.slimscroll.js"></script>
<script src="assets/js/jquery.scrollTo.min.js"></script>

<script src="../plugins/switchery/switchery.min.js"></script>
<!-- App js -->
<script src="assets/js/jquery.core.js"></script>
<script src="assets/js/jquery.app.js"></script>
</body>

</html>

<?php } ?>
```

Trash-page

```

<?php session_start(); include('includes/config.php');error_reporting(0);
if(strlen($_SESSION['login'])
==0)

{

header('location:index.php');

}

else
{

if($_GET['action']=='restore')
{

$postid=intval($_GET['pid']);
```

```

$query=mysqli_query($con,"update tblposts set Is_Active=1 where id='".$postid"");if($query)
{
$msg="Post restored successfully ";
}

else
{

$error="Something went wrong . Please try again./";

}

// Code for Forever deletionparmdelif($_GET['presid'])

{
$id=intval($_GET['presid']);

$query=mysqli_query($con,"delete from  tblposts  where id='".$id"");
$delmsg="Post deleted forever";

}
?>
<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="utf-8">

<meta name="viewport" content="width=device-width, initial-scale=1.0">
<meta name="description" content="A fully featured admin theme which can be used to build
CRM,CMS, etc.">
<meta name="author" content="Coderthemes">
<!-- App favicon -->

<link rel="shortcut icon" href="assets/images/favicon.ico">

<!-- App title -->

<title>Newsportal | Manage Posts</title>
<!--Morris Chart CSS -->

<link rel="stylesheet" href="../plugins/morris/morris.css">

```

```

<!-- jvectormap -->

<link href=("../plugins/jvectormap/jquery-jvectormap-2.0.2.css" rel="stylesheet" />
<!-- App css -->

<link href="assets/css/bootstrap.min.css" rel="stylesheet" type="text/css" />
<link href="assets/css/core.css" rel="stylesheet" type="text/css" />

<link href="assets/css/components.css" rel="stylesheet" type="text/css" />

<link href="assets/css/icons.css" rel="stylesheet" type="text/css" />

<link href="assets/css/pages.css" rel="stylesheet" type="text/css" />

<link href="assets/css/menu.css" rel="stylesheet" type="text/css" />

<link href="assets/css/responsive.css" rel="stylesheet" type="text/css" />

<link rel="stylesheet" href=("../plugins/switchery/switchery.min.css">
<!-- HTML5 Shiv and Respond.js IE8 support of HTML5 elements and media queries -->
    <!--WARNING: Respond.js doesn't work if you view the page via file:// -->      <--[if lt
IE 9]>

<script src="https://oss.maxcdn.com/libs/html5shiv/3.7.0/html5shiv.js"></script>

<script src="https://oss.maxcdn.com/libs/respond.js/1.3.0/respond.min.js"></script>

<![endif]-->

<script src="assets/js/modernizr.min.js"></script>

</head>
<body class="fixed-left">
<!-- Begin page -->

<div id="wrapper">
<!-- Top Bar Start -->

<?php include('includes/topheader.php');?>
<!-- ===== Left Sidebar Start ===== -->

<?php include('includes/leftsidebar.php');?>
<!-- ===== -->
<!-- Start right Content here -->

<!-- ===== -->

```

```
<div class="content-page">  
    <!-- Start content -->  
  
    <div class="content">  
        <div class="container">  
            <div class="row">  
                <div class="col-xs-12">  
                    <div class="page-title-box">  
                        <h4 class="page-title">Trashed Posts </h4>  
                        <ol class="breadcrumb p-0 m-0">  
                            <li>  
                                <a href="#">Admin</a>  
                            </li>  
                            <li>  
                                <a href="#">Posts</a>  
                            </li>  
                            <li class="active">Trashed Posts  
                            </li>  
                        </ol>  
                        <div class="clearfix"></div>  
                    </div>  
                <!-- end row -->  
                <div class="row">  
                    <div class="col-sm-6">  
                        <?php if($delmsg){ ?>  
                        <div class="alert alert-danger" role="alert">  
                            <strong>Oh snap!</strong> <?php echo htmlentities($delmsg);?></div>  
                        <?php } ?>  
                    </div>  
                <div class="row">
```

```

<div class="col-sm-12">

<div class="card-box">
<div class="table-responsive">

<table class="table table-colored table-centered table-inverse m-0">

<thead>

<tr>
<th>Title</th>

<th>Category</th>

<th>Subcategory</th>

<th>Action</th>

</tr>

</thead>

<tbody>
<?php

$query=mysqli_query($con,"select tblposts.id as postid,tblposts.PostTitle as
title,tblcategory.CategoryName as category,tblsubcategory.Subcategory as subcategory from
tblposts leftjoin tblcategory on tblcategory.id=tblposts.CategoryId left join tblsubcategory on
tblsubcategory.SubCategoryId=tblposts.SubCategoryId where tblposts.Is_Active=0");

$rowcount=mysqli_num_rows($query);if($rowcount==0)

{

?>

<tr>

<td colspan="4" align="center"><h3 style="color:red">No record found</h3></td>

<tr>

<?php } else { while($row=mysqli_fetch_array($query))

{

?>

<tr>

```

```

<td><b><?php echo htmlentities($row['title']);?></b></td>

<td><?php echo htmlentities($row['category']);?></td>

<td><?php echo htmlentities($row['subcategory']);?></td>

<td>

<a href="trash-posts.php?pid=<?php echo htmlentities($row['postid']);?>&&action=restore"
onclick="return confirm('Do you really want to restore ?')"><i class="ion-arrow-return-right"
title="Restore this Post"></i></a>

&nbsp;
<a href="trash-posts.php?presid=<?php echo htmlentities($row['postid']);?>&&action=perdel"
onclick="return confirm('Do you really want to delete ?')"><i class="fa fa-trash-o" style="color:
#f05050" title="Permanently delete this post"></i></a>

</td>

</tr>

<?php } }?>

</tbody>
</table>

</div>

</div>

</div>

</div>

</div> <!-- container -->

</div> <!-- content -->

<?php include('includes/footer.php');?>

</div>

```

```
<!-- ===== -->

<!-- End Right content here -->

<!-- ===== -->

</div>

<!-- END wrapper -->

<script>

var resizefunc = [];

</script>

<!-- jQuery -->

<script src="assets/js/jquery.min.js"></script>

<script src="assets/js/bootstrap.min.js"></script>

<script src="assets/js/detect.js"></script>

<script src="assets/js/fastclick.js"></script>

<script src="assets/js/jquery.blockUI.js"></script>

<script src="assets/js/waves.js"></script>

<script src="assets/js/jquery.slimscroll.js"></script>

<script src="assets/js/jquery.scrollTo.min.js"></script>

<script src="../plugins/switchery/switchery.min.js"></script>
<!-- CounterUp -->

<script src="../plugins/waypoints/jquery.waypoints.min.js"></script>

<script src="../plugins/counterup/jquery.counterup.min.js"></script>
```

```

<!--Morris Chart-->

<script src="../plugins/morris/morris.min.js"></script>      <script src="../plugins/raphael/raphael-min.js"></script>

<!-- Load page level scripts-->

<script src="../plugins/jvectormap/jquery-jvectormap-2.0.2.min.js"></script>
<script src="../plugins/jvectormap/jquery-jvectormap-world-mill-en.js"></script>
<script src="../plugins/jvectormap/gdp-data.js"></script>
<script src="../plugins/jvectormap/jquery-jvectormap-us-aea-en.js"></script>

<!-- Dashboard Init js -->

<script src="assets/pages/jquery.blog-dashboard.js"></script>

<!-- App js -->

<script src="assets/js/jquery.core.js"></script>
<script src="assets/js/jquery.app.js"></script>

</body>
</html>

<?php } ?>

Approved /unapproved

<?php session_start();
include('includes/config.php');

error_reporting(0); if(strlen($_SESSION['login'])==0)
{
header('location:index.php');

} else{ if(
$_GET['disid']

```

```

)
{
$id=intval($_GET['disid']);

$query=mysqli_query($con,"update tblcomments set status='0' where id='".$id"');

$msg="Comment unapprove ";

}

// Code for restoreif($_GET['appid'])

{
$id=intval($_GET['appid']);

$query=mysqli_query($con,"update tblcomments set status='1' where id='".$id"");

$msg="Comment approved";

}

// Code for deletion if($_GET['action']=='del' && $_GET['rid'])

{
$id=intval($_GET['rid']);

$query=mysqli_query($con,"delete from tblcomments where id='".$id"");

$delmsg="Comment deleted forever";

}

?>

<!DOCTYPE html>

<html lang="en">

<head>

<title> | Manage Categories</title>

```

```

<link href="assets/css/bootstrap.min.css" rel="stylesheet" type="text/css" />

<link href="assets/css/core.css" rel="stylesheet" type="text/css" />
<link href="assets/css/components.css" rel="stylesheet" type="text/css" />

<link href="assets/css/icons.css" rel="stylesheet" type="text/css" />

<link href="assets/css/pages.css" rel="stylesheet" type="text/css" />

<link href="assets/css/menu.css" rel="stylesheet" type="text/css" />

<link href="assets/css/responsive.css" rel="stylesheet" type="text/css" />

<link rel="stylesheet" href="../plugins/switchery/switchery.min.css">

<script src="assets/js/modernizr.min.js"></script>

</head>

<body class="fixed-left">

<!-- Begin page -->

<div id="wrapper">

<!-- Top Bar Start -->

<?php include('includes/topheader.php');?>

<!-- ===== Left Sidebar Start ===== -->

<?php include('includes/leftsidebar.php');?>

<!-- Left Sidebar End -->
<!-- ===== -->

<!-- Start right Content here -->

<!-- ===== -->

<div class="content-page">

<!-- Start content -->

```

```
<div class="content">  
<div class="container">  
  
<div class="row">  
<div class="col-xs-12">  
<div class="page-title-box">  
<h4 class="page-title">Manage Unapproved Comments</h4>  
<ol class="breadcrumb p-0 m-0">  
<li>  
<a href="#">Admin</a>  
</li>  
<li>  
<a href="#">Comments </a>  
</li>  
<li class="active"> Unapprove Comments  
</li>  
</ol>  
<div class="clearfix"></div>  
</div>  
<!-- end row -->  
<div class="row">  
<div class="col-sm-6">  
  
<?php if($msg){ ?>  
<div class="alert alert-success" role="alert">  
<strong>Well done!</strong> <?php echo htmlentities($msg);?>  
</div>
```

```

<?php } ?>

<?php if($delmsg){ ?>
<div class="alert alert-danger" role="alert">
<strong>Oh snap!</strong> <?php echo htmlentities($delmsg);?></div>
<?php } ?>

</div>
<div
class="tableresponsive">

<table class="table m-0 table-colored-bordered table-bordered-primary">
<thead>

<tr>
<th>#</th>
<th> Name</th>
<th>Email Id</th>
<th width="300">Comment</th>
<th>Status</th>
<th>Post / News</th>
<th>Posting Date</th>
<th>Action</th>

</tr>
</thead>

<tbody>

<?php

$query=mysqli_query($con,"Select tblcomments.id,
tblcomments.name,tblcomments.email,tblcomments.postingDate,tblcomments.comment,tblposts.id
as postId,tblposts.PostTitle from tblcomments join tblposts on tblposts.id=tblcomments.postId where
tblcomments.status=0");
$cnt=1; while($row=mysqli_fetch_array($query))

```

```

{

?>

<tr>

<th scope="row"><?php echo htmlentities($cnt);?></th>

<td><?php echo htmlentities($row['name']);?></td>

<td><?php echo htmlentities($row['email']);?></td>

<td><?php echo htmlentities($row['comment']);?></td>

<td><?php $st=$row['status'];if($st=='0'):

echo "Waiting for approval";else:
echo "Approved";endif;

?></td>

<td><a href="edit-post.php?pid=<?php echo htmlentities($row['postid']);?>"><?php echo
htmlentities($row['PostTitle']);?></a> </td>

<td><?php echo htmlentities($row['postingDate']);?></td>

<td>

<?php if($st=='0'):?>
<a href="unapprove-comment.php?disid=<?php echo htmlentities($row['id']);?>" title="Disapprove
this comment"><i class="ion-arrow-return-right" style="color: #29b6f6;"></i></a> <?php else :?>

<a href="unapprove-comment.php?appid=<?php echo htmlentities($row['id']);?>" title="Approve
this comment"><i class="ion-arrow-return-right" style="color: #29b6f6;"></i></a> <?php endif;?>

&nbsp;<a href="unapprove-comment.php?rid=<?php echo
htmlentities($row['id']);?>&&action=del"> <i class="fa fa-trash-o" style="color:
#f05050"></i></a>
</td> </tr>

<?php
$cnt++;
} ?>

```

```
</tbody>
</table>

</div>
</div>

</div>
</div>

<!-- end row -->
<div class="row">

<div class="col-md-12">

<div class="demo-box m-t-20">
<div class="m-b-30">

</div>

</div>
</div>
</div>
</div> <!-- container -->
</div> <!-- content -->

<?php include('includes/footer.php');?>

</div>
</div>

<!-- END wrapper -->
<script>

var resizefunc = [];

</script>

<!-- jQuery -->

<script src="assets/js/jquery.min.js"></script>
<script src="assets/js/bootstrap.min.js"></script>
<script src="assets/js/detect.js"></script>
<script src="assets/js/fastclick.js"></script>
```

```

<script src="assets/js/jquery.blockUI.js"></script>
<script src="assets/js/waves.js"></script>
<script src="assets/js/jquery.slimscroll.js"></script>
<script src="assets/js/jquery.scrollTo.min.js"></script>
<script src="../plugins/switchery/switchery.min.js"></script>

<!-- App js -->
<script src="assets/js/jquery.core.js"></script>
<script src="assets/js/jquery.app.js"></script>
</body>

</html>
<?php } ?>
```

Configuration

```

<?php define('DB_SERVER','localhost');define('DB_USER','root');
define('DB_PASS' ,"); define('DB_NAME','newsportal');

$con = mysqli_connect(DB_SERVER,DB_USER,DB_PASS,DB_NAME);
// Check connection if (mysqli_connect_errno()
))

{ echo "Failed to connect to MySQL: " .mysqli_connect_error();

}

?>
```

Footer

```

<footer class="py-5 bg-dark">
<div class="container">

<p class="m-0 text-center text-white">Copyright &copy; NewPortal <?php echo date('Y');?></p>
155
```

```
</div>

<!-- /.container -->

</footer>

Header

<nav class="navbar fixed-top navbar-expand-lg navbar-dark bg-dark fixed-top">

<div class="container">

<a class="navbar-brand" href="index.php"></a>

<button class="navbar-toggler navbar-toggler-right" type="button" data-toggle="collapse" data-target="#navbarResponsive" aria-controls="navbarResponsive" aria-expanded="false" aria-label="Toggle navigation">

<span class="navbar-toggler-icon"></span>

</button>

<div class="collapse navbar-collapse" id="navbarResponsive">

<ul class="navbar-nav ml-auto">

<li class="nav-item">

<a class="nav-link" href="index.php">Home</a>

</li>

<li class="nav-item">

<a class="nav-link" href="about-us.php">About</a>

</li>

<li class="nav-item">

<a class="nav-link" href="index.php">News</a>

</li>

<li class="nav-item">

<a class="nav-link" href="contact-us.php">Contact us</a>

</li>

<li class="nav-item">
```

```
<a class="nav-link" href="admin/">Admin</a>
</li>
</ul>

</div>

</div>

</nav>
```

Sidebar.php

```
<div class="col-md-4">

<!-- Search Widget -->

<div class="card mb-4">

<h5 class="card-header">Search</h5>

<div class="card-body">

<form name="search" action="search.php" method="post">

<div class="input-group">

<input type="text" name="searchtitle" class="form-control" placeholder="Search for..." required>

<span class="input-group-btn">
<button class="btn btn-secondary" type="submit">Go!</button>
</span>

</form>

</div>

</div>

</div>
```

```
<!-- Categories Widget -->

<div class="card my-4">

<h5 class="card-header">Categories</h5>

<div class="card-body">
```

```

<div class="row">
<div class="col-lg-6">

<ul class="list-unstyled mb-0">

<?php $query=mysqli_query($con,"select id,CategoryName from tblcategory");
while($row=mysqli_fetch_array($query))

{

?>
<li>

<a href="category.php?catid=<?php echo htmlentities($row['id'])?>"><?php echo
htmlentities($row['CategoryName']);?></a>

</li>

<?php } ?>
</ul>

</div>

</div>

</div>

<!-- Side Widget -->

<div class="card my-4">
<h5 class="card-header">Recent News</h5>

<div class="card-body">

<ul class="mb-0">
<?php

$query=mysqli_query($con,"select tblposts.id as pid,tblposts.PostTitle as posttitle from tblposts left
join tblcategory on tblcategory.id=tblposts.CategoryId left join tblsubcategory on
tblsubcategory.SubCategoryId=tblposts.SubCategoryId limit 8"); while
($row=mysqli_fetch_array($query)) {

?>

```

```

<li>
<a href="news-details.php?nid=<?php echo htmlentities($row['pid'])?>"><?php echo
htmlentities($row['posttitle']);?></a>
</li>

<?php } ?>
</ul>

</div>

</div>

<!-- Side Widget -->

<div class="card my-4">
<h5 class="card-header">Popular News</h5>
<div class="card-body">
<ul >

<?php
$query1=mysqli_query($con,"select tblposts.id as pid,tblposts.PostTitle as posttitle from tblposts
leftjoin tblcategory on tblcategory.id=tblposts.CategoryId left join tblsubcategory on
tblsubcategory.SubCategoryId=tblposts.SubCategoryId order by viewCounter desc limit 5"); while
($result=mysqli_fetch_array($query1)) {

?>

<li>
<a href="news-details.php?nid=<?php echo htmlentities($result['pid'])?>"><?php echo
htmlentities($result['posttitle']);?></a>
</li>

<?php } ?>

</ul>

</div>
</div>
</div>

```

Search.php

```
<?php session_start(); error_reporting(0); include('includes/config.php');

?>
<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="utf-8">

<meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">

<meta name="description" content="">

<meta name="author" content="">

<title>News Portal | Search Page</title>

<!-- Bootstrap core CSS -->

<link href="vendor/bootstrap/css/bootstrap.min.css" rel="stylesheet">

<!-- Custom styles for this template -->

<link href="css/modern-business.css" rel="stylesheet">
</head>
<body>

<!-- Navigation -->

<?php include('includes/header.php');?>
<!-- Page Content -->

<div class="container">

<div class="row" style="margin-top: 4%">

<!-- Blog Entries Column -->
```

```

<div class="col-md-8">

<!-- Blog Post -->

<?php

if($_POST['searchtitle']!=''){

$st=$_SESSION['searchtitle']=$_POST['searchtitle'];

}

$st;

if (isset($_GET['pageno'])) {

$pageno = $_GET['pageno'];

} else {

$pageno = 1;

}

$no_of_records_per_page = 8;

$offset = ($pageno-1) * $no_of_records_per_page; $total_pages_sql = "SELECT COUNT(*)
FROM tblposts";

$result = mysqli_query($con,$total_pages_sql);

$total_rows = mysqli_fetch_array($result)[0];

$total_pages = ceil($total_rows / $no_of_records_per_page);

$query=mysqli_query($con,"select tblposts.id as pid,tblposts.PostTitle as
posttitle,tblcategory.CategoryName as category,tblsubcategory.Subcategory as
subcategory,tblposts.PostDetails as postdetails,tblposts.PostingDate as postingdate,tblposts.PostUrl
as url,tblposts.PostImage from tblposts left join tblcategory on tblcategory.id=tblposts.CategoryId
left jointblsubcategory on  tblsubcategory.SubCategoryId=tblposts.SubCategoryId where
tblposts.PostTitle like'%$st%' and tblposts.Is_Active=1 LIMIT $offset, $no_of_records_per_page");
$rowcount=mysqli_num_rows($query);if($rowcount==0)

{ echo "No recordfound";

} else { while ($row=mysqli_fetch_array($query)) {

?>

```

```

<div class="card mb-4">

">

<div class="card-body">

<h2 class="card-title"><?php echo htmlentities($row['posttitle']);?></h2>

<a href="news-details.php?nid=<?php echo htmlentities($row['pid']);?>" class="btn btnprimary">Read More &rarr;</a>

</div>

<div class="card-footer text-muted">

Posted on <?php echo htmlentities($row['postingdate']);?>

</div>

</div>
<?php } ?>
<ul class="pagination justify-content-center mb-4">

<li class="page-item"><a href="?pageno=1" class="page-link">First</a></li>

<li class="<?php if($pageno <= 1){ echo 'disabled'; } ?> page-item">

<a href="<?php if($pageno <= 1){ echo '#'; } else { echo "?pageno=".($pageno - 1); } ?>" class="page-link">Prev</a>

</li>

<li class="<?php if($pageno >= $total_pages){ echo 'disabled'; } ?> page-item">
<a href="<?php if($pageno >= $total_pages){ echo '#'; } else { echo "?pageno=".($pageno + 1); } ?>" class="page-link">Next</a>

</li>

<li class="page-item"><a href="?pageno=<?php echo $total_pages; ?>" class="pagelink">Last</a></li>

</ul>
<?php } ?>

```

```

<!-- Pagination -->
</div>

<!-- Sidebar Widgets Column -->

<?php include('includes/sidebar.php');?>

</div>

<!-- /.row -->

</div>

<!-- /.container -->
<!-- Footer -->

<?php include('includes/footer.php');?>

<!-- Bootstrap core JavaScript -->

<script src="vendor/jquery/jquery.min.js"></script>
<script src="vendor/bootstrap/js/bootstrap.bundle.min.js"></script>

</head>

</body>

</html>

```

Gulpfile.php

```

var gulp = require('gulp'); var browserSync =require('browser-sync').create(); var pkg =
require('./package.json');

// Copy third party libraries from /node_modules into /vendor
gulp.task('vendor', function() {

// Bootstrap
gulp.src([
  './node_modules/bootstrap/dist/**/*',
  '!./node_modules/bootstrap/dist/css/bootstrap-grid*',
  '!./node_modules/bootstrap/dist/css/bootstrap-reboot*'
])

```

```
.pipe(gulp.dest('./vendor/bootstrap'))
// jQuery gulp.src([
  './node_modules/jquery/dist/*', '!./node_modules/jquery/dist/core.js'
])
.pipe(gulp.dest('./vendor/jquery'))

})

// Default task gulp.task('default', ['vendor']); // Configure the browserSync task
gulp.task('browserSync', function() { browserSync.init({
  server: { baseDir: "./"
}
});

// Dev task gulp.task('dev', ['browserSync'], function() {
  gulp.watch('./css/*.css', browserSync.reload); gulp.watch('./*.html', browserSync.reload);
});
```

9. TESTING & VALIDATION

The process of evaluating software during the development process or at the end of the development process to determine whether it satisfies specified business requirements. Validation Testing ensures that the product actually meets the client's needs. It can also be defined as to demonstrate that the product fulfils its intended use when deployed on appropriate environment.

- Unit Testing
- Integration Testing
- System Testing
- User Acceptance Testing

White Box Testing:

In this technique, the close examination of the logical parts through the software are tested by cases that exercise specific sets of conditions or loops. all logical parts of the software checked once. errors that can be corrected using this technique are typographical errors, logical expressions which should be executed once may be getting executed more than once and error resulting by using wrong controls and loops. When the box testing tests all the independent part within a module a logical decision on their true and the false side are exercised, all loops and bounds within their operational bounds were exercised and internal data structure to ensure their validity were exercised once.

Black Box Testing:

This method enables the software engineer to devise sets of input techniques that fully exercise all functional requirements for a program. black box testing tests the input, the output and the external data. it checks whether the input data is correct and whether we are getting the desired output.

Alpha Testing:

Acceptance testing is also sometimes called alpha testing. Be spoke systems are developed for a single customer. The alpha testing proceeds until the system developer and the customer agree that the provided system is an acceptable implementation of the system requirements.

Beta Testing:

On the other hand, when a system is to be marked as a software product, another process called beta testing is often conducted. During beta testing, a system is delivered among a number of potential users who agree to use it. The customers then report problems to the developers. This provides the product for real use and detects errors which may not have been anticipated by the system developers.

Unit Testing:

Each module is considered independently. It focuses on each unit of software as implemented in the source code. It is white box testing.

Integration Testing:

Integration testing aims at constructing the program structure while at the same constructing tests to uncover errors associated with interfacing the modules. Modules are integrated by using the top down approach.

Validation Testing:

Validation testing was performed to ensure that all the functional and performance requirements are met.

System Testing:

It is executing programs to check logical changes made in it with intention of finding errors. A system is tested for online response, volume of transaction, recovery from failure etc. System testing is done to ensure that the system satisfies all the user requirements.

Test Case	1	
Description	Check whether the Email is correct or not	
Testing step	Enter the Email Check that the Email match in database	
Test case Scenario	Test Data	Pass /fail
Valid data as input	mohit@123gmail.com anurag12@gmail.com sbadmin@test.com	Pass Pass pass
Invalid data as input	anorag@gmail.com	fail

Test Case	2	
Description	Check whether the New user email is not empty	
Testing step	Enter the Email Check that the Email is not empty	
Test Case Scenario	Test data	Pass /Fail
Valid data as input	Mohit123@gmail.com	pass
Invalid data as input		Fail

Test case	3	
Description	Check whether the Name is not empty	
Testing step	Enter the Name Check that the Name field not empty	
Test case Scenario	Test Data	Pass/Fail
Valid data as input	mohit	pass
Invalid data as input		fail


Test Case	4	
Description	Check whether the Name is correct or not	
Description	Enter the Name Check that the Name contains alphabet	
Test case Scenario	Test Data	Pass/Fail
Valid data as input	mohit	pass
Invalid data as input	Mohit 123	fail

Test case	5	
Description	Check whether the creation Date	
Testing step	Enter the Creation Date Check the Creation date any date or month and years accepted	
Test case Scenario	Test Data	Pass/Fail
Valid data as input	2024-01-10 2024-01-12 2024-05-20	pass
Invalid data as input	01-20-2029	fail

Test case	6	
Description	Check whether the password is not empty	
Testing Step	Enter the password Check that the Password field not empty	
Test case Scenario	Test Data	Pass/Fail
Valid data as input	admin	pass
invalid data as input		fail


Test case	7	
Description	Check whether the password	
Testing Step	Enter the password Check the password alpha	
Test case Scenario	Test Data	Pass/Fail
Valid data as input	admin@123	pass
invalid data as input	admin@	fail

10.INPUT & OUTPUT



The screenshot shows the homepage of a news portal. At the top, there's a navigation bar with links for Home, About, News, Contact us, and Admin. Below the navigation is a large image of two cricket players in action. To the right of the image is a search bar with a placeholder "Search for..." and a "Go!" button. Below the search bar is a "Categories" section containing links for Sports, Entertainment, Politics, Business, and COVID-19. Further down is a "Recent News" section with a list of three items:

- Jasprit Bumrah ruled out of England T20I series due to injury
- Tata Steel, Thyssenkrupp Finalise Landmark Steel Deal
- UNs Jean Pierre Lacroix thanks India for contribution to peacekeeping



The screenshot shows the "About us" page of the news portal. The top navigation bar includes links for Home, About, News, Contact us, and Admin. The main content area features a heading "About News Portal" and a breadcrumb trail "Home / About". The page text starts with a welcome message and then describes the portal's mission, user-friendly interface, and community focus.

Welcome to News Portal, your one-stop destination for staying informed and up-to-date with the latest news and developments from around the world.



At News Portal, we understand the importance of reliable and timely information in today's fast-paced world. Our team of dedicated journalists and editors work tirelessly to bring you the most relevant and engaging stories from a variety of sources, ensuring that you are always well-informed on the issues that matter most to you.

Whether you're interested in politics, sports, entertainment, technology, or business, you'll find it all here on News Portal. Our user-friendly interface makes it easy to navigate through the latest headlines, explore in-depth articles, and discover new perspectives on the events shaping our world.

But News Portal is more than just a news website – it's a community of curious minds and engaged citizens who come together to discuss, debate, and share ideas. We believe in the power

The screenshot shows a web browser window titled "News Portal | Contact us". The URL in the address bar is "localhost/php/News%20portal%20Project%20in%20PHP%20and%20MySQL/newsportal/contact-us.php". The page has a dark header with "NEWS PORTAL" and a navigation menu with links to Home, About, News, Contact us, and Admin. The main content area is titled "Contact Details" and includes a breadcrumb trail "Home / Contact". Below this, there are three lines of contact information: "Address : New Delhi India", "Phone Number : +91 -7488900904", and "Email -id : Manish@gmail.com". At the bottom of the page, a dark footer bar contains the text "Copyright © NewPortal 2024".


The screenshot shows a web browser window titled "News Portal | Admin Panel". The URL in the address bar is "localhost/php/News%20portal%20Project%20in%20PHP%20and%20MySQL/newsportal/admin/". The page has a dark header with "NEWS PORTAL" and "Admin login". The main content area is a login form with fields for "Username or email" and "Password", and links for "Forgot your password?" and "Back Home". A red "Log In" button is at the bottom right of the form.



The screenshot shows the 'News Portal | Dashboard' page. The left sidebar has a 'NAVIGATION' section with 'Dashboard' selected. The main area displays four cards: 'CATEGORIES LISTED' (5), 'LISTED SUBCATEGORIES' (8), 'LIVE NEWS' (4), and 'TRASH NEWS' (1). The top navigation bar shows the URL as 'localhost/php/News%20portal%20Project%20in%20PHP%20and%20MySQL/newsportal/admin/dashboard.php'. The right sidebar contains a vertical list of icons for different portal sections.

The screenshot shows the 'Newsportal | Add Subadmin' page. The left sidebar has a 'NAVIGATION' section with 'Sub-admins' expanded, showing 'Add Sub-admin' and 'Manage Sub-admin'. The main area is titled 'Add Subadmin' and contains three input fields: 'Username (used for login)' with placeholder 'Enter Sub-Admin Username', 'Email Id' with placeholder 'Enter email', and 'Password' with placeholder 'Enter password'. A 'Submit' button is at the bottom. The top navigation bar shows the URL as 'localhost/php/News%20portal%20Project%20in%20PHP%20and%20MySQL/newsportal/admin/add-subadmins.php'. The right sidebar contains a vertical list of icons for different portal sections.

The screenshot shows a web browser window with the URL `localhost/php/News%20portal%20Project%20in%20PHP%20and%20MySQL/newsportal/admin/add-subadmins.php`. The page title is "Newsportal | Add Subadmin". The left sidebar has a "Sub-admins" section with "Add Sub-admin" selected. The main content area is titled "Add Subadmin" and contains three input fields: "Username (used for login)" with value "anand", "Email Id" with value "anand@gmail.com", and "Password" with value "*****". A blue "Submit" button is at the bottom. The top right shows the navigation path: Admin / Subadmin / Add Subadmin.




The screenshot shows a web browser window with the URL <localhost/php/News%20portal%20Project%20in%20PHP%20and%20MySQL/newsportal/admin/manage-subadmins.php>. The page title is "Manage Sub-admins". On the left, there is a navigation sidebar with "NEWSPORTAL" at the top and a "Sub-admins" dropdown menu containing "Add Sub-admin", "Manage Sub-admin", "Category", "Sub Category", "Posts (News)", "Pages", and "Comments". The main content area has a heading "Manage Sub-admins" and a green "Add" button. Below it is a table with the following data:

#	Username	Email	Posting Date	Last updation Date	Action
1	subadmin	sudamin@gmail.in	2024-01-10 00:00:00	2024-01-31 11:13:01	
2	suadmin2	sbadmin@test.com	2024-01-10 00:00:00	2024-01-31 11:13:01	
3	mohit	mohit@gmail.com	2024-05-19 11:50:19		

This screenshot is identical to the one above, showing the "Manage Sub-admins" page of the news portal. The table data is the same, listing three sub-admin users: subadmin, suadmin2, and mohit.

The screenshot displays a web application interface for managing sub-administrators. The main page, titled 'Edit Subadmin', lists several fields: Username (mohit), EmailId (mohit@gmail.com), Creation Date (2024-05-19 11:50:19), and Updation date (empty). A blue 'Update' button is located at the bottom of the form. Below this, a confirmation message box is visible, stating 'localhost says Sub-admin details updated.' with an 'OK' button.



A screenshot of a web browser showing the "Newsportal | Add Category" page. The URL is localhost/php/News%20portal%20Project%20in%20PHP%20and%20MySQL/newsportal/admin/add-category.php. The page has a dark sidebar on the left with navigation items like Dashboard, Sub-admins, Category (selected), Sub Category, Posts (News), Pages, and Comments. The main content area has a header "Add Category" and sub-sections for "Add Category" and "Category Description". It includes input fields for "Category" and "Category Description", and a "Submit" button. The top right shows the user is logged in as "Admin / Category / Add Category". The footer says "2024 © News Portal.".

localhost/php/News%20portal%20Project%20in%20PHP%20and%20MySQL/newsportal/admin/add-category.php

ASUS E-Service Gmail YouTube Maps Learning Goals | Co... console (DOC) Online Book... Flutter & Dart - The... quillbot - Search t

NEWSPORTAL

NAVIGATION

- Dashboard
- Sub-admins
- Category
 - Add Category
 - Manage Category
- Sub Category
- Posts (News)
- Pages
- Comments

Add Category

Category: Jobs

Category Description: Jobs Alert

Submit

2024 © News Portal.

localhost/php/News%20portal%20Project%20in%20PHP%20and%20MySQL/newsportal/admin/add-category.php

ASUS E-Service Gmail YouTube Maps Learning Goals | Co... console (DOC) Online Book... Flutter & Dart - The... quillbot - Search t

NEWSPORTAL

NAVIGATION

- Dashboard
- Sub-admins
- Category
 - Add Category
 - Manage Category
- Sub Category
- Posts (News)
- Pages
- Comments

Add Category

Well done! Category created.

Category:

Category Description:

Submit

2024 © News Portal.

The screenshot shows the 'Manage Categories' page of the News Portal admin interface. The left sidebar has a dark theme with white text. It includes a logo, the title 'NEWSPORTAL', and a 'NAVIGATION' section with links: Dashboard, Sub-admins, Category (selected), Add Category, Manage Category, Sub Category, Posts (News), Pages, and Comments. The main content area has a light background. At the top, it says 'Manage Categories' with a backlink to 'Admin / Category / Manage Categories'. A green button labeled 'Add @' is visible. Below is a table with columns: #, Category, Description, Posting Date, Last updation Date, and Action. The table contains six rows of category data. At the bottom, there's a section titled 'Deleted Categories' with a table header and a note: '2024 © News Portal.'

#	Category	Description	Posting Date	Last updation Date	Action
1	Sports	Related to sports news	2024-01-12 00:00:00	2024-01-31 11:13:16	
2	Entertainment	Entertainment related News	2024-01-12 00:00:00	2024-01-31 11:13:25	
3	Politics	Politics	2024-01-12 00:00:00	2024-01-31 11:13:25	
4	Business	Business	2024-01-12 00:00:00	2024-01-31 11:13:25	
5	COVID-19	COVID-19	2024-01-12 00:00:00	2024-01-31 11:13:25	
6	Jobs	Jobs Alert	2024-05-19 12:02:34		

The screenshot shows the 'Edit Category' page of the News Portal admin interface. The left sidebar is identical to the previous screenshot. The main content area has a light background. At the top, it says 'Edit Category' with a backlink to 'Admin / Category / Edit Category'. Below is a form with fields: 'Category' (set to 'Jobs') and 'Category Description' (set to 'Jobs Alert'). A blue 'Update' button is at the bottom. At the bottom of the page, there's a note: '2024 © News Portal.'

The screenshot shows the 'Edit Category' page of the News Portal Admin interface. The URL is localhost:8080/News%20portal%20Project%20in%20PHP%20and%20MySQL/newsportal/admin/edit-category.php?cid=9. The navigation sidebar includes 'Dashboard', 'Sub-admins', 'Category', 'Sub Category', 'Posts (News)', 'Pages', and 'Comments'. The main content area has a title 'Edit Category' and a success message 'Well done! Category Updated successfully'. It contains fields for 'Category' (Jobs) and 'Category Description' (Jobs Alert), with an 'Update' button. The footer says '2024 © News Portal.'



The screenshot shows the 'Manage Categories' page of the News Portal Admin interface. The URL is localhost:8080/News%20portal%20Project%20in%20PHP%20and%20MySQL/newsportal/admin/manage-categories.php?id=8&action=del. The navigation sidebar includes 'Dashboard', 'Sub-admins', 'Category', 'Add Category', 'Manage Category', 'Sub Category', 'Posts (News)', 'Pages', and 'Comments'. The main content area shows a success message 'Well done! Category deleted.' and a table of categories. The table has columns: #, Category, Description, Posting Date, Last updation Date, and Action. The data is as follows:

#	Category	Description	Posting Date	Last updation Date	Action
1	Sports	Related to sports news	2024-01-12 00:00:00	2024-01-31 11:13:16	
2	Entertainment	Entertainment related News	2024-01-12 00:00:00	2024-01-31 11:13:25	
3	Politics	Politics	2024-01-12 00:00:00	2024-01-31 11:13:25	
4	Business	Business	2024-01-12 00:00:00	2024-01-31 11:13:25	
5	Jobs	Jobs Alert	2024-05-19 12:02:34		

Below the table is a section titled 'Deleted Categories' with one entry:

#	Category	Description	Posting Date	Last updation Date	Action
1	COVID-19	COVID-19	2024-01-12 00:00:00	2024-05-19 12:05:42	

The footer says '2024 © News Portal.'



Newsportal | Add Sub Category

localhost/php/News%20portal%20Project%20in%20PHP%20and%20MySQL/newsportal/admin/add-subcategory.php

ASUS E-Service Gmail YouTube Maps Learning Goals | Co... console A (DOC) Online Book... Flutter & Dart - The... quillbot - Search t

NEWSPORTAL

NAVIGATION

- Dashboard
- Sub-admins
- Category
- Sub Category**
 - Add Sub Category
 - Manage Sub Category
- Posts (News)
- Pages
- Comments

Add Sub-Category

Well done! Sub-Category created.

Category	Select Category
Sub-Category	
Sub-Category Description	
Submit	

2024 © News Portal.

News | Manage SubCategories

localhost/php/News%20portal%20Project%20in%20PHP%20and%20MySQL/newsportal/admin/manage-subcategories.php

ASUS E-Service Gmail YouTube Maps Learning Goals | Co... console A (DOC) Online Book... Flutter & Dart - The... quillbot - Search t

NEWSPORTAL

NAVIGATION

- Dashboard
- Sub-admins
- Category
- Sub Category**
 - Add Sub Category
 - Manage Sub Category
- Posts (News)
- Pages
- Comments

Add

#	Category	Sub Category	Description	Posting Date	Last update Date	Action
1	Entertainment	Bollywood	Bollywood masala	2024-01-15 00:00:00	2024-01-31 11:18:30	
2	Sports	Cricket	Cricket	2024-01-15 00:00:00	2024-01-31 11:18:39	
3	Sports	Football	Football	2024-01-15 00:00:00	2024-01-31 11:18:39	
4	Entertainment	Television	TeleVision	2024-01-15 00:00:00	2024-01-31 11:18:39	
5	Politics	National	National	2024-01-15 00:00:00	2024-01-31 11:18:39	
6	Politics	International	International	2024-01-15 00:00:00	2024-01-31 11:18:39	
7	Business	India	India	2024-01-15 00:00:00	2024-01-31 11:18:39	
8	COVID-19	Vaccination	Vaccination	2024-01-15 00:00:00	2024-01-31 11:18:39	
9	Jobs	International Jobs	International job hiring	2024-05-19 12:08:46		

Deleted SubCategories

#	Category	Sub Category	Description	Posting Date	Last update Date	Action
No record found						

Newsportal | Edit Sub Category

localhost/php/News%20portal%20Project%20in%20PHP%20and%20MySQL/newsportal/admin/edit-subcategory.php?scid=11

ASUS E-Service Gmail YouTube Maps Learning Goals | Co... console A (DOC) Online Book... Flutter & Dart - The... quillbot - Search t

NEWSPORTAL

NAVIGATION

- Dashboard
- Sub-admins
- Category
- Sub Category
- Posts (News)
- Pages
- Comments

Add Sub-Category

Admin / Category / Add Sub-Category

Add Sub-Category

Category	Jobs
Sub-Category	International Jobs
Sub-Category Description	International job hiring

Submit

2024 © News Portal.

News | Manage SubCategories

localhost/php/News%20portal%20Project%20in%20PHP%20and%20MySQL/newsportal/admin/manage-subcategories.php?scid=11&&action=...

ASUS E-Service Gmail YouTube Maps Learning Goals | Co... console A (DOC) Online Book... Flutter & Dart - The... quillbot - Search t

NEWSPORTAL

NAVIGATION

- Dashboard
- Sub-admins
- Category
- Sub Category
 - Add Sub Category
 - Manage Sub Category
- Posts (News)
- Pages
- Comments

Add

#	Category	Sub Category	Description	Posting Date	Last updation Date	Action
1	Entertainment	Bollywood	Bollywood masala	2024-01-15 00:00:00	2024-01-31 11:18:30	
2	Sports	Cricket	Cricket	2024-01-15 00:00:00	2024-01-31 11:18:39	
3	Sports	Football	Football	2024-01-15 00:00:00	2024-01-31 11:18:39	
4	Entertainment	Television	TeleVision	2024-01-15 00:00:00	2024-01-31 11:18:39	
5	Politics	National	National	2024-01-15 00:00:00	2024-01-31 11:18:39	
6	Politics	International	International	2024-01-15 00:00:00	2024-01-31 11:18:39	
7	Business	India	India	2024-01-15 00:00:00	2024-01-31 11:18:39	
8	COVID-19	Vaccination	Vaccination	2024-01-15 00:00:00	2024-01-31 11:18:39	

Deleted SubCategories

#	Category	Sub Category	Description	Posting Date	Last updation Date	Action
1	Jobs	International Jobs	International job hiring	2024-05-19 12:08:46	2024-05-19 12:11:12	

2024 © News Portal.

The image displays two screenshots of a web application interface titled "Newsportal | Add Post".

Screenshot 1 (Top):

- Post Title:** Enter title
- Category:** Select Category
- Sub Category:** (dropdown menu)
- Post Details:** Rich text editor toolbar (Varela Round) with various styling options.

Screenshot 2 (Bottom):

- Post Title:** java
- Category:** Jobs
- Sub Category:** International Jobs
- Post Details:** Rich text editor toolbar (Varela Round) with various styling options. The editor content area contains the text "4+1 experience need".

The screenshot shows the 'Add Post' page of the Newsportal application. The URL in the address bar is `localhost/php/News%20portal%20Project%20in%20PHP%20and%20MySQL/newsportal/admin/add-post.php`. The page title is 'Newsportal | Add Post'. On the left, there is a dark sidebar with a navigation menu. Under 'Posts (News)', the 'Add Posts' option is selected. A green success message box at the top says 'Well done! Post successfully added'. Below it, there are fields for 'Post Title' (with placeholder 'Enter title'), 'Category' (with placeholder 'Select Category'), and 'Sub Category'. A rich text editor toolbar is visible below these fields.

The screenshot shows the 'Manage Posts' page of the Newsportal application. The URL in the address bar is `localhost/php/News%20portal%20Project%20in%20PHP%20and%20MySQL/newsportal/admin/manage-posts.php`. The page title is 'Newsportal | Manage Posts'. The navigation sidebar on the left shows the 'Manage Posts' option under 'Posts (News)' is selected. The main content area displays a table of posts with columns for 'Title', 'Category', 'Subcategory', and 'Action'. The table contains five rows of post data:

Title	Category	Subcategory	Action
Tata Steel, Thyssenkrupp Finalise Landmark Steel Deal	Business	India	
UN's Jean Pierre Lacroix thanks India for contribution to peacekeeping	Politics	International	
Shah holds meeting with NE states leaders in Manipur	Politics	National	
T20 World Cup 2021: Semi-final 1, England vs New Zealand - Who Said What	Sports	Cricket	
Java	Jobs	International Jobs	

The screenshot shows the 'Edit Post' page of the Newsportal application. The URL is localhost/php/News%20portal%20Project%20in%20PHP%20and%20MySQL/newsportal/admin/edit-post.php?pid=14. The page title is 'Edit Post'. A green success message box says 'Well done! Post updated.' Below it, there are input fields for 'Post Title' (containing 'java'), 'Category' (set to 'Jobs'), and 'Sub Category' (set to 'International Jobs'). A rich text editor window titled 'Post Details' contains the text '4+1 exprience need'. The left sidebar shows a navigation menu with items like Dashboard, Sub-admins, Category, Sub Category, Posts (News), Pages, and Comments.

The screenshot shows the 'Manage Posts' page of the Newsportal application. The URL is localhost/php/News%20portal%20Project%20in%20PHP%20and%20MySQL/newsportal/admin/manage-posts.php. A modal dialog box from 'localhost says' asks 'Do you really want to delete?' with 'OK' and 'Cancel' buttons. The main table lists five posts:

Title	Category	Subcategory	Action
Tata Steel, Thyssenkrupp Finalise Landmark Steel Deal	Business	India	
UNs Jean Pierre Lacroix thanks India for contribution to peacekeeping	Politics	International	
Shah holds meeting with NE states leaders In Manipur	Politics	National	
T20 World Cup 2021: Semi-final 1, England vs New Zealand – Who Said What	Sports	Cricket	
java	Jobs	International Jobs	

The left sidebar shows a navigation menu with items like Dashboard, Sub-admins, Category, Sub Category, Posts (News) (selected), Add Posts, Manage Posts (selected), Trash Posts, Pages, and Comments.

The screenshot shows the 'Trashed Posts' section of the Newsportal Admin interface. The left sidebar has a 'Posts (News)' category expanded, with 'Trash Posts' selected. The main content area displays a table of trashed posts:

Title	Category	Subcategory	Action
Jasprit Bumrah ruled out of England T20I series due to Injury	Sports	Cricket	
Java	Jobs	International Jobs	

A confirmation dialog box titled 'localhost says' is displayed in the center of the screen, asking 'Do you really want to restore ?'. It contains two buttons: 'OK' and 'Cancel'. The background shows the same 'Trashed Posts' table as the previous screenshot.

The screenshot shows the 'About Page' editing interface. On the left, a dark sidebar menu titled 'NEWSPORTAL' includes 'Dashboard', 'Sub-admins', 'Category', 'Sub Category', 'Posts (News)', 'Pages' (selected), 'About us' (under Pages), 'Contact us', and 'Comments'. The main content area has a title 'About Page' and a 'Page Title' input field containing 'About News Portal'. Below it is a rich text editor with a toolbar (bold, italic, underline, etc.) and a text area containing the following content:

Welcome to News Portal, your one-stop destination for staying informed and up-to-date with the latest news and developments from around the world. At News Portal, we understand the importance of reliable and timely information in today's fast-paced world. Our team of dedicated journalists and editors work tirelessly to bring you the most relevant and engaging stories from a variety of sources, ensuring that you are always well-informed on the issues that matter most to you. Whether you're interested in politics, sports, entertainment, technology, or

Update and Post

The screenshot shows the same 'About Page' editing interface after the update. A green success message 'Well done! About us page successfully updated' is displayed above the page title input field. The rest of the interface and content are identical to the first screenshot.

The screenshot shows the 'Contact us Page' editor in a web browser. The left sidebar has a 'Pages' section expanded, showing 'About us', 'Contact us', and 'Comments'. The main area has a 'Page Title' field containing 'Contact Details'. Below it is a 'Page Details' rich text editor with a toolbar. The content area contains the following text:
Address : New Delhi India
Phone Number : +91 - 7488900904
Email -Id : Manish@gmail.com

The screenshot shows the same 'Contact us Page' editor. A green success message box at the top says 'Well done! About us page successfully updated'. The rest of the interface is identical to the first screenshot.

The screenshot shows a web browser window titled 'Manage Categories' with the URL 'localhost/php/News%20portal%20Project%20in%20PHP%20and%20MySQL/newsportal/admin/unapprove-comment.php'. The page is titled 'Manage Unapproved Comments' and shows a table of unapproved comments. The table has columns: #, Name, Email Id, Comment, Status, Post / News, Posting Date, and Action. There is one row with data: #1, ABC, abc@test.com, 'This is sample text for testing.', Approved, Jasprit Bumrah ruled out of England T20I series due to injury, 2024-01-23 00:00:00, and two small icons for edit and delete. The left sidebar is titled 'NEWSPORTAL' and includes a 'Comments' section with 'Waiting for Approval' and 'Approved Comments' options.

#	Name	Email Id	Comment	Status	Post / News	Posting Date	Action
1	ABC	abc@test.com	This is sample text for testing.	Approved	Jasprit Bumrah ruled out of England T20I series due to injury	2024-01-23 00:00:00	

The screenshot shows the same web browser window as the previous one, but now with a green success message box at the top stating 'Well done! Comment approved.' The rest of the page content is identical to the first screenshot, showing the 'Manage Unapproved Comments' table and the sidebar.

The screenshot shows a web application interface titled 'NEWSPORTAL'. On the left, a dark sidebar menu lists various navigation items: Dashboard, Sub-admins, Category, Sub Category, Posts (News), Pages, and Comments (selected). Below these are sections for 'Waiting for Approval' and 'Approved Comments'. The main content area is titled 'Manage Approved Comments' and displays a table of approved comments. The table has columns for #, Name, Email Id, Comment, Status, Post / News, Posting Date, and Action. Three rows of data are shown:

#	Name	Email Id	Comment	Status	Post / News	Posting Date	Action
1	Anuj	anuj@gmail.com	Cras sit amet nibh libero, in gravida nulla. Nulla vel metus scelerisque ante sollicitudin. Cras purus odio, vestibulum in vulputate at, tempus viverra turpis.	Approved	Shah holds meeting with NE states leaders in Manipur	2024-01-18 00:00:00	Edit Delete
2	Test user	test@gmail.com	This is sample text for testing.	Approved	Shah holds meeting with NE states leaders in Manipur	2024-01-19 00:00:00	Edit Delete
3	ABC	abc@test.com	This is sample text for testing.	Approved	Jasprit Bumrah ruled out of England T20I series due to injury	2024-01-23 00:00:00	Edit Delete

The screenshot shows the same web application interface as the first one. The main content area now includes a green success message box at the top stating 'Well done! Comment unapproved.' The rest of the page is identical to the first screenshot, showing the list of approved comments in the table.

The screenshot shows the 'Manage Approved Comments' section of the Newsportal admin dashboard. The left sidebar has a 'Comments' section with 'Waiting for Approval' and 'Approved Comments' options. The main area shows a table with one row of data:

#	Name	Email Id	Comment	Status	Post / News	Posting Date	Action
1	Anuj	anuj@gmail.com	Cras sit amet nibh libero, in gravida nulla. Nulla vel metus scelerisque ante sollicitudin. Cras purus odio, vestibulum in vulputate at, tempus viverra turpis.	Approved	Shah holds meeting with NE states leaders in Manipur	2024-01-18 00:00:00	

A pink message box at the top says 'Oh snap! Comment deleted forever.'

The screenshot shows the 'Change Password' page. The left sidebar has a 'Comments' section with 'Waiting for Approval' and 'Approved Comments' options. The main area has a form titled 'Change Password' with three input fields: 'Current Password', 'New Password', and 'Confirm Password'. A blue 'Submit' button is at the bottom.

Newsportal | Add Category

localhost/php/News%20portal%20Project%20in%20PHP%20and%20MySQL/newsportal/admin/change-password.php

ASUS E-Service Gmail YouTube Maps Learning Goals | Co... console (DOC) Online Book... Flutter & Dart - The... quillbot - Search

NEWSPORTAL

NAVIGATION

- Dashboard
- Sub-admins
- Category
- Sub Category
- Posts (News)
- Pages
- Comments

Change Password

Admin / Change Password

Change Password

Current Password: admin

New Password: 123

Confirm Password: 123

Submit

Go to Home

Latest News

ASST STANLEY CUP PLAYOFFS 2024 GAME 6
NEW YORK RANGERS FLORIDA PANTHERS GAME RECAP NATIONAL HOCKEY LEAGUE 2023-24 SEASON

Panthers defeat Rangers in Game 6, reach Stanley Cup Final - NHL.com

DANIEL TOMKUK scores for Florida, which advances to championship round for 2nd straight season

Activate Windows
Go to Settings to activate Windows.

Politics News



Shah holds meeting with NE states leaders in Manipur

[Read More →](#)

Posted on 2024-01-18 00:00:00

Search

Go!

Categories

Sports
Entertainment
Politics
Business
Entertainment

LATEST NEWS

- Jasprit Bumrah ruled out of England T20I series due to injury
- Tata Steel, Thyssenkrupp Finalise Landmark Steel Deal
- UN's Jean Pierre Lacroix thanks India for contribution to peacekeeping
- Shah holds meeting with NE states

Activate Windows
Go to Settings to activate Windows.

Politics News

[Go to Home](#)

Latest News



24 shot, 1 dead in Akron overnight shooting - News 5 Cleveland WEWS

Activate Windows
Go to Settings to activate Windows.

11.CONCLUSION

In conclusion, the development of the news portal project represents a significant milestone in our ongoing mission to deliver timely, accurate, and comprehensive news to our audience. This project has seamlessly integrated advanced technology with a user-centric design to enhance news accessibility while ensuring a personalized and engaging experience for all users. One of the foremost achievements of the project is the creation of a user-friendly interface. This intuitive design facilitates easy navigation, allowing users to quickly find and access the news that matters most to them. Whether they are looking for updates on global politics, local events, business trends, or entertainment news, users can efficiently locate their desired content without any hassle. The portal's capacity to provide real-time updates is another critical accomplishment. Leveraging robust backend systems, the portal ensures that users are always informed about the latest events as they unfold. This real-time capability is crucial in today's fast-paced world, where staying updated with the most recent developments can have significant implications. Furthermore, the news portal aggregates content from multiple sources, offering a wide range of perspectives. This diverse content approach ensures comprehensive coverage across various categories, including politics, business, technology, entertainment, and sports. By presenting a multitude of viewpoints, the portal fosters a well-rounded understanding of news events among its users. Personalization features stand out as a key innovation of the portal. Utilizing advanced algorithms, the portal tailors the news feed based on individual user preferences and reading habits. This personalized approach not only enhances user engagement but also increases satisfaction by delivering content that resonates most with each user. Incorporating multimedia elements such as videos, podcasts, and interactive graphics has significantly enriched the user experience. These dynamic elements make news consumption more engaging and informative, catering to users who prefer different media formats. Whether through visual storytelling or auditory content, the portal ensures that news is accessible and appealing to a broad audience. Mobile optimization has been another critical focus, given the growing number of users who access news on-the-go. The portal's responsive design ensures that it is fully functional and visually appealing on mobile devices, providing a seamless experience regardless of the user's device. Security and privacy are paramount in the digital age, and the portal has implemented robust security measures to safeguard user data. These measures ensure a safe browsing environment, allowing users to consume news with confidence that their personal information is protected. Looking ahead, continuous improvement remains a priority. We plan to incorporate user feedback to refine and enhance the portal's features continuously. Expanding content partnerships will further diversify the news offerings, providing users with an even broader spectrum of information. Moreover, integrating emerging technologies such as artificial intelligence and machine learning will enhance the portal's capabilities, offering more sophisticated personalization and improved user experience. The successful

implementation of the news portal project is a testament to the hard work and collaboration of the entire team. This achievement underscores our commitment to excellence in journalism and user satisfaction. We are excited about the positive impact this platform will have on how news is consumed and are dedicated to maintaining the highest standards as we evolve. The news portal is not just a step forward in our technological capabilities but also a leap towards redefining the news consumption experience for our audience.

12.LIMITATIONS OF THE PROJECT

- **Accuracy Issues:** Sometimes, incorrect or biased news might get through, which can affect trust in the portal.
- **Algorithm Bias:** Personalized news can create "bubbles" where users only see news that matches their views, limiting exposure to different perspectives.
- **Technical Problems:** The portal might face issues like slow loading, crashes, or bugs, affecting user experience.
- **Security Threats:** Despite security measures, the portal can still be targeted by hackers, risking user data.
- **Information Overload:** The vast amount of news can overwhelm users, making it hard to find what's important.
- **Language Limitations:** If the portal only supports one language, it can't serve non-speakers well.
- **Ad Clutter:** Too many ads can make the site look messy and distract users, while subscription fees can deter some users.
- **Privacy Concerns:** Collecting user data for personalization raises privacy issues and requires transparent policies.
- **Limited Niche Content:** The portal might not cover very specific or less popular topics, missing some users' interests.
- **Constant Updates Needed:** The fast-changing news and technology landscape means the portal must frequently update its features, which is demanding.
- **Resource Intensive:** Keeping the portal running smoothly and up-to-date requires significant resources, including money and staff.
- **User Engagement:** Ensuring that users remain engaged with the content amidst competing platforms is a challenge.
- **Content Quality:** Maintaining high-quality journalism consistently across all articles is difficult.
- **Mobile Optimization:** Ensuring a seamless experience on all mobile devices can be technically challenging.

13.FUTURE APPLICATION OF THE PROJECT

- **Artificial Intelligence (AI) Integration:** Using AI to better personalize content, recommend articles, and predict user interests can significantly enhance user engagement and satisfaction.
- **Enhanced Multimedia Content:** Expanding the use of interactive videos, podcasts, virtual reality (VR), and augmented reality (AR) to provide a more immersive news experience.
- **Real-Time Translation:** Implementing real-time language translation features to make the portal accessible to a global audience, breaking down language barriers.
- **Blockchain for Verification:** Utilizing blockchain technology to verify the authenticity of news sources and content, reducing the spread of misinformation and enhancing credibility.
- **Smart Assistants:** Integrating with smart assistants like Alexa, Google Assistant, and Siri to provide voiceactivated news updates and summaries.
- **Augmented Reality (AR) News:** Developing AR features that allow users to experience news stories in a more interactive and engaging manner, bringing stories to life in their environment.
- **Data Analytics:** Leveraging advanced data analytics to gain deeper insights into user behavior, preferences, and trends, allowing for more targeted content delivery.
- **Community Engagement Tools:** Creating platforms for user-generated content, discussions, and forums to foster community engagement and allow users to contribute to the news ecosystem.
- **Sustainability Focus:** Implementing eco-friendly practices and technologies in content delivery and server management to reduce the portal's carbon footprint.
- **Local News Expansion:** Enhancing the focus on hyper-local news to cater to communityspecific information needs, making the portal a vital resource for local updates and events.
- **Subscription Models:** Innovating new subscription models that provide premium content, ad-free experiences, and exclusive features, while ensuring affordability and accessibility for a broad audience.