Test Run Report




Test Run Overview

Started 18 Dec 2024, 19:29:31 Ended 18 Dec 2024, 19:29:36

Duration (mm:ss) 00:04.287

Test Results Summary

Passed 1 Failed 0 Skipped 0



Test Case Summary



successfulsuccessful

Demo2.testcase

Summary

Started 18 Dec 2024, 19:29:31 Ended 18 Dec 2024, 19:29:36

Duration (mm:ss) 00:04.255
Outcome successful

Output

Web Connect: WebServiceConnection

0 19:29:31(00:00.019)

- ① Opening RestService connection Connection name: RestApi
- ① Connecting to restservice. Address: https://jsonplaceholder.typicode.com
- ① Connection name: RestApi, ResultName: WebServiceConnection, resultScope: Test
- ① Connection details. Connection name: RestApi, urlString: restservice:url=https://jsonplaceholder.typicode.com;authenticationType=NO_AUTHENTICATION, url: https://jsonplaceholder.typicode.com
- Web Request (REST): ⇒RestResponse

0 19:29:32(00:00.062)

- ① Calling a Web Service. Connection Name: WebServiceConnection, target: rest:untyped?method=GET&bodyStyle=JSON
- ① Connecting to website. Address: https://jsonplaceholder.typicode.com/todos/1
- (i) Reading response. Content Type: application/json; charset=utf-8, Encoding: null
- Parsing JSON response.
- (i) REST Response stored successfully. Name: RestResponse
- (i) Web Response Status stored successfully. Name: RestResponseStatus
- (i) Loading data from Parameter Value Source ...
- 1: Loading Parameter Value Source row 1:
- ① ==Column=> Completed = PrimitiveValueImpl [value: false, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- ① ==Column=> Id = PrimitiveValueImpI [value: 1, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- ① ==Column=> Title = PrimitiveValueImpl [value: delectus aut autem, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- ① ==Column=> UserId = PrimitiveValueImpl [value: 1, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 1 Loaded 1 rows from Parameter Value Source.
- Set Values: {}

0 19:29:33(00:01.159)

- ① Loading data from Parameter Value Source ...
- ① Loading Parameter Value Source row 1:
- 1 ==Column=> Completed = PrimitiveValueImpl [value: false, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 1 ==Column=> Id = PrimitiveValueImpl [value: 1, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 1 ==Column=> Title = PrimitiveValueImpl [value: delectus aut autem, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- ① ==Column=> UserId = PrimitiveValueImpI [value: 1, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- Loaded 1 rows from Parameter Value Source.
- Assert: false1

Pausing for Breakpoint

0 19:29:33(00:01.187)

- **=** A - 2 - - (1 / 1) (1 A -
- Assertion successful. (result) false1 = false1 (target)
 Handling managed resource. Name: WebServiceConnection
 - *Closing RestServiceConnection because it is no longer being used. Name: WebServiceConnection
- ① RestServiceConnection handled successfully. Name: WebServiceConnection