Scancrypt Vulnerability Report

Scan Report for: http://localhost:8081

Date: 2026-01-16 13:21:08

Executive Summary

Critical: 6

High: 6

Medium: 3

Low: 40

Info: 9

Detailed Findings

1. [Info] Technology Stack Disclosure

URL: http://localhost:8081/cors

Description:
The application discloses specific technology versions via headers or default files, which aids attackers in finding known exploits.

Remediation:
Configure the server to suppress 'Server' and 'X-Powered-By' headers. Remove default welcome pages.

---

2. [High] CORS Misconfiguration (Insecure Origin)

URL: http://localhost:8081/cors

Payload: *Origin: http://evil-scanner.com*

Description:
The application accepts arbitrary origins (Access-Control-Allow-Origin: * or null), allowing attackers to steal data.

Remediation:
Whiltelist trusted origins. Do not reflect the 'Origin' header blindly.

---

3. [Low] Missing Security Header

URL: http://localhost:8081/cors

Description:

The application is missing common HTTP security headers that provide protection against attacks like Clickjacking and XSS.

Remediation:

Configure the web server to send strict security headers (CSP, HSTS, X-Frame-Options).

---

4. [Low] Missing Security Header

URL: http://localhost:8081/cors

Description:

The application is missing common HTTP security headers that provide protection against attacks like Clickjacking and XSS.

Remediation:

Configure the web server to send strict security headers (CSP, HSTS, X-Frame-Options).

---

5. [Low] Missing Security Header

URL: http://localhost:8081/cors

Description:

The application is missing common HTTP security headers that provide protection against attacks like Clickjacking and XSS.

Remediation:

Configure the web server to send strict security headers (CSP, HSTS, X-Frame-Options).

---

6. [Low] Missing Security Header

URL: http://localhost:8081/cors

Description:

The application is missing common HTTP security headers that provide protection against attacks like Clickjacking and XSS.

Remediation:

Configure the web server to send strict security headers (CSP, HSTS, X-Frame-Options).

---

7. [Info] Technology Stack Disclosure

URL: http://localhost:8081/ssti?name=Guest

Description:

The application discloses specific technology versions via headers or default files, which aids attackers in finding known exploits.

Remediation:

Configure the server to suppress 'Server' and 'X-Powered-By' headers. Remove default welcome pages.

---

8. [Low] Unknown Issue

URL: http://localhost:8081/ssti?name=Guest

Param: name

Payload: *; echo 'sc_rce_test'*

Description:

Remediation:

---

9. [Critical] Server-Side Template Injection (SSTI)

URL: http://localhost:8081/ssti?name=Guest

Param: name

Payload: *${{7*7}}*

Description:

The application blindly processes user input inside a template engine. This often leads to RCE.

Remediation:

Do not pass user input directly to templates. Use a 'Sandboxed' environment.

---

10. [High] Client-Side Template Injection (CSTI)

URL: http://localhost:8081/ssti?name=Guest

Param: name

Payload: *{{1+1}}*

Description:

The application reflects user input that is interpreted by client-side frameworks (Angular, Vue).

Remediation:

Escape user input before embedding it in templates. Use 'ng-non-bindable' or 'v-pre'.

---

11. [Medium] Reflected Cross-Site Scripting (XSS)

URL: http://localhost:8081/ssti?name=Guest

Param: name

Payload: *<sc_test>*

Description:

The application reflects untrusted data in a web page without proper validation or escaping, allowing execution of malicious scripts.

Remediation:

Context-aware output encoding (escaping) of all user input before rendering it in the browser.

---

12. [Low] Missing Security Header

URL: http://localhost:8081/ssti?name=Guest

Description:

The application is missing common HTTP security headers that provide protection against attacks like Clickjacking and XSS.

Remediation:

Configure the web server to send strict security headers (CSP, HSTS, X-Frame-Options).

---

13. [Low] Missing Security Header

URL: http://localhost:8081/ssti?name=Guest

Description:

The application is missing common HTTP security headers that provide protection against attacks like Clickjacking and XSS.

Remediation:

Configure the web server to send strict security headers (CSP, HSTS, X-Frame-Options).

---

14. [Low] Missing Security Header

URL: http://localhost:8081/ssti?name=Guest

Description:

The application is missing common HTTP security headers that provide protection against attacks like Clickjacking and XSS.

Remediation:

Configure the web server to send strict security headers (CSP, HSTS, X-Frame-Options).

---

15. [Low] Missing Security Header

URL: http://localhost:8081/ssti?name=Guest

Description:

The application is missing common HTTP security headers that provide protection against attacks like Clickjacking and XSS.

Remediation:

Configure the web server to send strict security headers (CSP, HSTS, X-Frame-Options).

---

16. [Info] Technology Stack Disclosure

URL: http://localhost:8081/auth/secret?id=1

Description:

The application discloses specific technology versions via headers or default files, which aids attackers in finding known exploits.

Remediation:

Configure the server to suppress 'Server' and 'X-Powered-By' headers. Remove default welcome pages.

---

17. [Critical] Server-Side Template Injection (SSTI)

URL: http://localhost:8081/auth/secret?id=1

Param: id

Payload: *${{7*7}}*

Description:

The application blindly processes user input inside a template engine. This often leads to RCE.

Remediation:

Do not pass user input directly to templates. Use a 'Sandboxed' environment.

---

18. [High] Client-Side Template Injection (CSTI)

URL: http://localhost:8081/auth/secret?id=1

Param: id

Payload: *{{1+1}}*

Description:

The application reflects user input that is interpreted by client-side frameworks (Angular, Vue).

Remediation:

Escape user input before embedding it in templates. Use 'ng-non-bindable' or 'v-pre'.

---

19. [Low] Missing Security Header

URL: http://localhost:8081/auth/secret?id=1

Description:

The application is missing common HTTP security headers that provide protection against attacks like Clickjacking and XSS.

Remediation:

Configure the web server to send strict security headers (CSP, HSTS, X-Frame-Options).

---

20. [Low] Missing Security Header

URL: http://localhost:8081/auth/secret?id=1

Description:

The application is missing common HTTP security headers that provide protection against attacks like Clickjacking and XSS.

Remediation:
Configure the web server to send strict security headers (CSP, HSTS, X-Frame-Options).

---

21. [Low] Missing Security Header

URL: http://localhost:8081/auth/secret?id=1

Description:
The application is missing common HTTP security headers that provide protection against attacks like Clickjacking and XSS.

Remediation:
Configure the web server to send strict security headers (CSP, HSTS, X-Frame-Options).

---

22. [Low] Missing Security Header

URL: http://localhost:8081/auth/secret?id=1

Description:
The application is missing common HTTP security headers that provide protection against attacks like Clickjacking and XSS.

Remediation:
Configure the web server to send strict security headers (CSP, HSTS, X-Frame-Options).

---

23. [Info] Technology Stack Disclosure

URL: http://localhost:8081

Description:
The application discloses specific technology versions via headers or default files, which aids attackers in finding known exploits.

Remediation:
Configure the server to suppress 'Server' and 'X-Powered-By' headers. Remove default welcome pages.

---

24. [Low] Sensitive Data Exposure

URL: http://localhost:8081

Description:
The application exposes sensitive information (emails, keys, passwords) in its responses.

Remediation:
Ensure sensitive data is not returned in API responses or HTML comments. Use generic error messages.

---

25. [Low] Missing Security Header

URL: http://localhost:8081

Description:

The application is missing common HTTP security headers that provide protection against attacks like Clickjacking and XSS.

Remediation:

Configure the web server to send strict security headers (CSP, HSTS, X-Frame-Options).

---

26. [Low] Missing Security Header

URL: http://localhost:8081

Description:

The application is missing common HTTP security headers that provide protection against attacks like Clickjacking and XSS.

Remediation:

Configure the web server to send strict security headers (CSP, HSTS, X-Frame-Options).

---

27. [Low] Missing Security Header

URL: http://localhost:8081

Description:

The application is missing common HTTP security headers that provide protection against attacks like Clickjacking and XSS.

Remediation:

Configure the web server to send strict security headers (CSP, HSTS, X-Frame-Options).

---

28. [Low] Missing Security Header

URL: http://localhost:8081

Description:

The application is missing common HTTP security headers that provide protection against attacks like Clickjacking and XSS.

Remediation:

Configure the web server to send strict security headers (CSP, HSTS, X-Frame-Options).

---

29. [Info] Technology Stack Disclosure

URL: http://localhost:8081/csti?search=vue

Description:

The application discloses specific technology versions via headers or default files, which aids attackers in finding known exploits.

Remediation:
Configure the server to suppress 'Server' and 'X-Powered-By' headers. Remove default welcome pages.

---

30. [Low] Unknown Issue

URL: http://localhost:8081/csti?search=vue
Param: search
Payload: *; echo 'sc_rce_test'*

Description:

Remediation:

---

31. [High] Client-Side Template Injection (CSTI)

URL: http://localhost:8081/csti?search=vue
Param: search
Payload: *{{7*7}}*

Description:
The application reflects user input that is interpreted by client-side frameworks (Angular, Vue).

Remediation:
Escape user input before embedding it in templates. Use 'ng-non-bindable' or 'v-pre'.

---

32. [Medium] Reflected Cross-Site Scripting (XSS)

URL: http://localhost:8081/csti?search=vue
Param: search
Payload: *<sc_test>*

Description:
The application reflects untrusted data in a web page without proper validation or escaping, allowing execution of malicious scripts.

Remediation:
Context-aware output encoding (escaping) of all user input before rendering it in the browser.

---

33. [Low] Missing Security Header

URL: http://localhost:8081/csti?search=vue

Description:
The application is missing common HTTP security headers that provide protection against attacks like Clickjacking and XSS.

Remediation:
Configure the web server to send strict security headers (CSP, HSTS, X-Frame-Options).

---

34. [Low] Missing Security Header

URL: http://localhost:8081/csti?search=vue

Description:
The application is missing common HTTP security headers that provide protection against attacks like Clickjacking and XSS.

Remediation:
Configure the web server to send strict security headers (CSP, HSTS, X-Frame-Options).

---

35. [Low] Missing Security Header

URL: http://localhost:8081/csti?search=vue

Description:
The application is missing common HTTP security headers that provide protection against attacks like Clickjacking and XSS.

Remediation:
Configure the web server to send strict security headers (CSP, HSTS, X-Frame-Options).

---

36. [Low] Missing Security Header

URL: http://localhost:8081/csti?search=vue

Description:
The application is missing common HTTP security headers that provide protection against attacks like Clickjacking and XSS.

Remediation:
Configure the web server to send strict security headers (CSP, HSTS, X-Frame-Options).

---

37. [Info] Technology Stack Disclosure

URL: http://localhost:8081/lfi?file=test.txt

Description:
The application discloses specific technology versions via headers or default files, which aids attackers in finding known exploits.

Remediation:
Configure the server to suppress 'Server' and 'X-Powered-By' headers. Remove default welcome pages.

Scancrypt Vulnerability Report

38. [Critical] Local File Inclusion (LFI)

URL: http://localhost:8081/lfi?file=test.txt

Param: file

Payload: *../../../../etc/passwd*

Description:

The application allows reading arbitrary files from the server via path traversal sequences.

Remediation:

Validate user input against a whitelist of permitted filenames. Disable 'allow_url_include' in PHP.

---

39. [Critical] Local File Inclusion (LFI)

URL: http://localhost:8081/lfi?file=test.txt

Param: file

Payload: *../../../../windows/win.ini*

Description:

The application allows reading arbitrary files from the server via path traversal sequences.

Remediation:

Validate user input against a whitelist of permitted filenames. Disable 'allow_url_include' in PHP.

---

40. [Critical] Local File Inclusion (LFI)

URL: http://localhost:8081/lfi?file=test.txt

Param: file

Payload: *....//....//....//etc/passwd*

Description:

The application allows reading arbitrary files from the server via path traversal sequences.

Remediation:

Validate user input against a whitelist of permitted filenames. Disable 'allow_url_include' in PHP.

---

41. [Low] Missing Security Header

URL: http://localhost:8081/lfi?file=test.txt

Description:

The application is missing common HTTP security headers that provide protection against attacks like Clickjacking and XSS.

Remediation:

Configure the web server to send strict security headers (CSP, HSTS, X-Frame-Options).

Scancrypt Vulnerability Report

42. [Low] Missing Security Header

URL: http://localhost:8081/lfi?file=test.txt

Description:

The application is missing common HTTP security headers that provide protection against attacks like Clickjacking and XSS.

Remediation:

Configure the web server to send strict security headers (CSP, HSTS, X-Frame-Options).

---

43. [Low] Missing Security Header

URL: http://localhost:8081/lfi?file=test.txt

Description:

The application is missing common HTTP security headers that provide protection against attacks like Clickjacking and XSS.

Remediation:

Configure the web server to send strict security headers (CSP, HSTS, X-Frame-Options).

---

44. [Low] Missing Security Header

URL: http://localhost:8081/lfi?file=test.txt

Description:

The application is missing common HTTP security headers that provide protection against attacks like Clickjacking and XSS.

Remediation:

Configure the web server to send strict security headers (CSP, HSTS, X-Frame-Options).

---

45. [Info] Technology Stack Disclosure

URL: http://localhost:8081/blind_rce?cmd=echo 'test'

Description:

The application discloses specific technology versions via headers or default files, which aids attackers in finding known exploits.

Remediation:

Configure the server to suppress 'Server' and 'X-Powered-By' headers. Remove default welcome pages.

---

46. [Critical] Blind Remote Code Execution

URL: http://localhost:8081/blind_rce?cmd=echo 'test'

Param: cmd

Payload: *; sleep 5*

Description:
The application executes system commands but does not return the output. Detected via time delays.

Remediation:
Avoid using system calls. Validate input strictly against a whitelist.

---

47. [Low] Missing Security Header

URL: http://localhost:8081/blind_rce?cmd=echo 'test'

Description:
The application is missing common HTTP security headers that provide protection against attacks like Clickjacking and XSS.

Remediation:
Configure the web server to send strict security headers (CSP, HSTS, X-Frame-Options).

---

48. [Low] Missing Security Header

URL: http://localhost:8081/blind_rce?cmd=echo 'test'

Description:
The application is missing common HTTP security headers that provide protection against attacks like Clickjacking and XSS.

Remediation:
Configure the web server to send strict security headers (CSP, HSTS, X-Frame-Options).

---

49. [Low] Missing Security Header

URL: http://localhost:8081/blind_rce?cmd=echo 'test'

Description:
The application is missing common HTTP security headers that provide protection against attacks like Clickjacking and XSS.

Remediation:
Configure the web server to send strict security headers (CSP, HSTS, X-Frame-Options).

---

50. [Low] Missing Security Header

URL: http://localhost:8081/blind_rce?cmd=echo 'test'

Description:
The application is missing common HTTP security headers that provide protection against attacks like Clickjacking and XSS.

Remediation:
Configure the web server to send strict security headers (CSP, HSTS, X-Frame-Options).

Scancrypt Vulnerability Report

51. [Info] Technology Stack Disclosure

URL: http://localhost:8081/rce?cmd=echo 'hello'

Description:

The application discloses specific technology versions via headers or default files, which aids attackers in finding known exploits.

Remediation:

Configure the server to suppress 'Server' and 'X-Powered-By' headers. Remove default welcome pages.

---

52. [Low] Unknown Issue

URL: http://localhost:8081/rce?cmd=echo 'hello'

Param: cmd

Payload: *; echo 'sc_rce_test'*

Description:

Remediation:

---

53. [Low] Missing Security Header

URL: http://localhost:8081/rce?cmd=echo 'hello'

Description:

The application is missing common HTTP security headers that provide protection against attacks like Clickjacking and XSS.

Remediation:

Configure the web server to send strict security headers (CSP, HSTS, X-Frame-Options).

---

54. [Low] Missing Security Header

URL: http://localhost:8081/rce?cmd=echo 'hello'

Description:

The application is missing common HTTP security headers that provide protection against attacks like Clickjacking and XSS.

Remediation:

Configure the web server to send strict security headers (CSP, HSTS, X-Frame-Options).

---

55. [Low] Missing Security Header

URL: http://localhost:8081/rce?cmd=echo 'hello'

Description:
The application is missing common HTTP security headers that provide protection against attacks like Clickjacking and XSS.

Remediation:
Configure the web server to send strict security headers (CSP, HSTS, X-Frame-Options).

---

56. [Low] Missing Security Header

URL: http://localhost:8081/rce?cmd=echo 'hello'

Description:
The application is missing common HTTP security headers that provide protection against attacks like Clickjacking and XSS.

Remediation:
Configure the web server to send strict security headers (CSP, HSTS, X-Frame-Options).

---

57. [Info] Technology Stack Disclosure

URL: http://localhost:8081/sqli?id=1

Description:
The application discloses specific technology versions via headers or default files, which aids attackers in finding known exploits.

Remediation:
Configure the server to suppress 'Server' and 'X-Powered-By' headers. Remove default welcome pages.

---

58. [High] SQL Injection

URL: http://localhost:8081/sqli?id=1

Param: id

Payload: '

Description:
The application allows untrusted user input to interfere with a database query. This could allow an attacker to view, modify, or delete data.

Remediation:
Use parameterized queries (Prepared Statements) for all database access. Validate and sanitize all user input.

---

59. [High] Client-Side Template Injection (CSTI)

URL: http://localhost:8081/sqli?id=1

Param: id

Payload: *{{7*7}}*

Description:
The application reflects user input that is interpreted by client-side frameworks (Angular, Vue).

Remediation:
Escape user input before embedding it in templates. Use 'ng-non-bindable' or 'v-pre'.

---

60. [Medium] Reflected Cross-Site Scripting (XSS)

URL: http://localhost:8081/sqli?id=1

Param: id

Payload: *<sc_test>*

Description:
The application reflects untrusted data in a web page without proper validation or escaping, allowing execution of malicious scripts.

Remediation:
Context-aware output encoding (escaping) of all user input before rendering it in the browser.

---

61. [Low] Missing Security Header

URL: http://localhost:8081/sqli?id=1

Description:
The application is missing common HTTP security headers that provide protection against attacks like Clickjacking and XSS.

Remediation:
Configure the web server to send strict security headers (CSP, HSTS, X-Frame-Options).

---

62. [Low] Missing Security Header

URL: http://localhost:8081/sqli?id=1

Description:
The application is missing common HTTP security headers that provide protection against attacks like Clickjacking and XSS.

Remediation:
Configure the web server to send strict security headers (CSP, HSTS, X-Frame-Options).

---

63. [Low] Missing Security Header

URL: http://localhost:8081/sqli?id=1

Description:
The application is missing common HTTP security headers that provide protection against attacks like Clickjacking and XSS.

Remediation:
Configure the web server to send strict security headers (CSP, HSTS, X-Frame-Options).

---

64. [Low] Missing Security Header

URL: http://localhost:8081/sqli?id=1

Description:
The application is missing common HTTP security headers that provide protection against attacks like Clickjacking and XSS.

Remediation:
Configure the web server to send strict security headers (CSP, HSTS, X-Frame-Options).
