




```
Scanner scn = new Scanner(System.in);
int n = scn.nextInt();
int oStrEndWithZero = 1;
int oStrEndWithOne = 1;

for(int i = 2; i <= n ; i++){
   int nStrEndWithZero = oStrEndWithOne;
   int nStrEndWithOne = oStrEndWithZero + oStrEndWithOne;

   oStrEndWithZero = nStrEndWithZero;
   oStrEndWithOne = nStrEndWithOne;
}
int res = oStrEndWithZero + oStrEndWithOne;
System.out.println(res);</pre>
```







1,89

Court at bt (+ Sub Stephen u > subsul

aabbc a bbbcc abbb oad

ab J	Cabc	↓		\		4			+> -1		 	L	what why why why
	n" 1	0	1 0	Ь		C	1.	Ø.	b	•	C		[a=2a+1_
(a+)	0	a 	CA	(٨	1	a' a'	1+1+1=3	a aal al	9/	a a a l	3	(ab) = 2(ab) + a (abc) = 2(abc) + (ab)
/			аЬ	04041	مه		ab		ab abb	•	06, 066		
(a+6+)	0	0				1		1	ab' ao'b' a'b'	i+1+3 = 5	adla	ζ	
(a1b2(+)	Q	0		0	abc	0+0+1	abc	1	abc	1	abc abcc ¹ abc ¹ abb ¹ c ¹		S 2
							•			•	a b'cl a al b'c a l b'cl	1	

