

DIAGNOSTIC REPORT



CLIENT CODE : C000071121

CLIENT'S NAME AND ADDRESS :

SOHIT KAPOOR
B/2002, LODHA VELSPUN, APOLLO MILL COMP, N M JOSHI MARG,
CHICHPOKLI

400012

SRL LIMITED
PRIME SQUARE BUILDING,PLOT NO 1,GAIWADI INDUSTRIAL
ESTATE,S.V. ROAD,GOREGAON (W)
Mumbai, 400062
MAHARASHTRA, INDIA
Tel : 1-800-222-000,
CIN - U74899PB1995PLC045956
Email : connect@srl.in

PATIENT NAME : SOHIT KAPOOR

PATIENT ID : **SOHIM16048043**

ACCESSION NO : **0043TI001012** AGE : 40 Years SEX : Male DATE OF BIRTH :

DRAWN : 12/09/2020 10:59 RECEIVED : 12/09/2020 11:01 REPORTED : 12/09/2020 20:45

REFERRING DOCTOR : SELF

CLIENT PATIENT ID :

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

ENDOCRINOLOGY

HOMOCYSTEINE REFLEX VIT B12 REFLEX FOLIC ACID

HOMOCYSTEINE, SERUM/PLASMA

HOMOCYSTEINE 12.20

With folate suppliment: < 12.0 µmol/L
Without folate suppliment: < 15.0

METHOD : NOVEL ENZYME CYCLING

****End Of Report****

Dr. Kshama P, MD
(Reg No. MMC2000/02/0552)
Biochemist

CONDITIONS OF LABORATORY TESTING & REPORTING

1. It is presumed that the test sample belongs to the patient named or identified in the test requisition form.
2. All Tests are performed and reported as per the turnaround time stated in the SRL Directory of services (DOS).
3. SRL confirms that all tests have been performed or assayed with highest quality standards, clinical safety & technical integrity.
4. A requested test might not be performed if:
 - a. Specimen received is insufficient or inappropriate
 - b. specimen quality is unsatisfactory
 - c. Incorrect specimen type
 - d. Request for testing is withdrawn by the ordering doctor or patient
 - e. There is a discrepancy between the label on the specimen container and the name on the test requisition form
5. The results of a laboratory test are dependent on the quality of the sample as well as the assay technology.
6. Result delays could be because of uncontrolled circumstances. e.g. assay run failure.
7. Tests parameters marked by asterisks are excluded from the "scope" of NABL accredited tests. (If laboratory is accredited).
8. Laboratory results should be correlated with clinical information to determine Final diagnosis.
9. Test results are not valid for Medico- legal purposes.
10. In case of queries or unexpected test results please call at SRL customer care (Toll free: 1800-222-000). Post proper investigation repeat analysis may be carried out.

SRL Limited
Fortis Hospital, Sector 62, Phase VIII,
Mohali 160062