


PIZZA  
DAY




A SLICE OF HAPPINESS



Q-RETRIVE THE TOTAL  
NUMBER OF ORDER PLACED.

```
SELECT  
    COUNT(order_id) AS total_orders  
FROM  
    orders;
```

Result Grid		Filter Rows:
	total_orders	
▶	21350	




# Q- CALCULATE THE TOTAL REVENUE GENERATED FROM PIZZA SALES.




```
SELECT
  ROUND(SUM(order_details.quantity * pizzas.price),
        2) AS total_sales
FROM
  order_details
  JOIN
  pizzas ON pizzas.pizza_id = order_details.pizza_id
```

Result Grid	
	total_sales
▶	817860.05



# Q- IDENTIFY THE HIGHEST-PRICED PIZZA.



```
SELECT
    pizza_types.name, pizzas.price
FROM
    pizza_types
    JOIN
        pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
ORDER BY pizzas.price DESC
LIMIT 1;
```

## ANSWER

Result Grid |  Filter Rows:

	name	price
▶	The Greek Pizza	35.95


Q- Identify the most common pizza size orderd.

```
• SELECT
    pizzas.size,
    COUNT(order_details.order_details_id) AS order_count
FROM
    pizzas
    JOIN
    order_details ON pizzas.pizza_id = order_details.pizza_id
GROUP BY pizzas.size
ORDER BY order_count DESC;
```

Result Grid

	size	order_count
▶	L	18526
	M	15385
	S	14137
	XL	544
	XXL	28

Result 1 x




Q- LIST THE TOP 5 MOST ORDERED TYPE  
ALONG WITH THEIR QUANTITY.

```
• SELECT
    pizza_types.name, SUM(order_details.quantity) AS quantity
FROM
    pizza_types
    JOIN
    pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
    JOIN
    order_details ON order_details.pizza_id = pizzas.pizza_id
GROUP BY pizza_types.name
ORDER BY quantity DESC
LIMIT 5;
```

Result Grid | Filter Rows:

	name	quantity
▶	The Classic Deluxe Pizza	2453
	The Barbecue Chicken Pizza	2432
	The Hawaiian Pizza	2422
	The Pepperoni Pizza	2418
	The Thai Chicken Pizza	2371

# Q - JOIN THE NECESSARY TABLES TO FIND THE TOTAL QUANTITY OF EACH PIZZA CATEGORY ORDERED.




```
• SELECT
  pizza_types.category,
  SUM(order_details.quantity) AS quantity
FROM
  pizza_types
  JOIN
  pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
  JOIN
  order_details ON order_details.pizza_id = pizzas.pizza_id
GROUP BY pizza_types.category
ORDER BY quantity DESC;
```

Result Grid | Filter Rows:


	category	quantity
▶	Classic	14888
	Supreme	11987
	Veggie	11649
	Chicken	11050

Result 1 x





# Q- DETERMINE THE DISTRIBUTION OF ORDERS BY HOUR OF THE DAY.



```
2
3 • SELECT
4     HOUR(order_time) AS hour, COUNT(order_id) AS order_count
5 FROM
6     orders
7 GROUP BY HOUR(order_time);
```

Result Grid | Filter Rows:  | Export: | Wrap Cell Content:

	hour	order_count
▶	11	1231
	12	2520
	13	2455
	14	1472
	15	1468
	16	1920
	17	2336
	18	2399
	19	2009
	20	1642
	21	1198
	22	663
	23	28
	10	8
	9	1



- JOIN RELEVANT TABLES TO FIND THE CATEGORY-WISE DISTRIBUTION OF PIZZAS.

```
SELECT
    category, COUNT(name)
FROM
    pizza_types
GROUP BY category;
```

ADD SAUCE  
AND TOPPINGS.


Result Grid | Filter Rows:



	category	COUNT(name)
▶	Chicken	6
	Classic	8
	Supreme	9
	Veggie	9




- GROUP THE ORDERS BY DATE AND CALCULATE THE AVERAGE NUMBER OF PIZZAS ORDERED PER DAY.

SHARE A  
PHOTO OF  
YOUR PIZZA  
CREATION!




Result Grid   Filter Rows:

	avg_pizza_order_per_day
▶	138.47



```
SELECT  
  ROUND(AVG(quantity), 2) AS avg_pizza_order_per_day  
FROM  
  (SELECT  
    orders.order_date, SUM(order_details.quantity) AS quantity  
  FROM  
    orders  
  JOIN order_details ON orders.order_id = order_details.order_id  
  GROUP BY orders.order_date) AS order_quantity;
```

- DETERMINE THE TOP 3 MOST ORDERED PIZZA TYPES BASED ON REVENUE.



```
4 • SELECT
5     pizza_types.name,
6     SUM(order_details.quantity * pizzas.price) AS revenue
7 FROM
8     pizza_types
9     JOIN
10    pizzas ON pizzas.pizza_type_id = pizza_types.pizza_type_id
11    JOIN
12    order_details ON order_details.pizza_id = pizzas.pizza_id
13 GROUP BY pizza_types.name
14 ORDER BY revenue DESC
15 LIMIT 3;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: | Fetch

	name	revenue
▶	The Thai Chicken Pizza	43434.25
	The Barbecue Chicken Pizza	42768
	The California Chicken Pizza	41409.5

Q- CALCULATE THE PERCENTAGE CONTRIBUTION OF EACH PIZZA TYPE TO TOTAL REVENUE.

```
• SELECT pizza_types.category,  
  ROUND(SUM(order_details.quantity*pizzas.price) / (SELECT  
    ROUND(SUM(order_details.quantity * pizzas.price),  
      2) AS total_sales  
  FROM  
    order_details  
    JOIN  
      pizzas ON pizzas.pizza_id = order_details.pizza_id ) *100,2) AS revenue  
FROM pizza_types JOIN pizzas  
ON pizza_types.pizza_type_id = pizzas.pizza_type_id  
JOIN order_details  
ON order_details.pizza_id = pizzas.pizza_id  
GROUP BY pizza_types.category ORDER BY revenue DESC;
```

Result Grid			Filter Rows:
	category	revenue	
▶	Classic	26.91	
	Supreme	25.46	
	Chicken	23.96	
	Veggie	23.68	


# PIZZA

Q- Analyze the cumulative revenue generated over time.

```
• SELECT order_date,  
  SUM(revenue) OVER (ORDER BY order_date) AS cum_revenue  
FROM  
(SELECT orders.order_date,  
  SUM(order_details.quantity * pizzas.price) AS revenue  
FROM order_details JOIN pizzas  
ON order_details.pizza_id = pizzas.pizza_id  
JOIN orders  
ON orders.order_id = order_details.order_id  
GROUP BY orders.order_date) AS sales;
```

	order_date	cum_revenue
►	2015-01-01	2713.85000000000004
	2015-01-02	5445.75
	2015-01-03	8108.15
	2015-01-04	9863.6
	2015-01-05	11929.55
	2015-01-06	14358.5
	2015-01-07	16560.7

**A SLICE OF HAPPINESS**





Determine the top 3 most ordered pizza types based on revenue for each pizza category.

```
4 • select name, revenue from
5   (select category, name, revenue,
6    rank() over(partition by category order by revenue desc) as rn
7   from
8   (select pizza_types.category, pizza_types.name,
9    sum((order_details.quantity) * pizzas.price) as revenue
10   from pizza_types join pizzas
11    on pizza_types.pizza_type_id = pizzas.pizza_type_id
12   join order_details
13    on order_details.pizza_id = pizzas.pizza_id
14   group by pizza_types.category, pizza_types.name) as a) as b
15  where rn <= 3;
```

Result Grid



Filter Rows:

Export:






Wrap Cell Content:



	name	revenue
▶	The Thai Chicken Pizza	43434.25
	The Barbecue Chicken Pizza	42768
	The California Chicken Pizza	41409.5
	The Classic Deluxe Pizza	38180.5
	The Hawaiian Pizza	32273.25
	The Pepperoni Pizza	30161.75

Result 2 x



**THANK YOU  
AND ENJOY  
A SLICE OF  
PIZZA!**



BY :- MOHIT PANDEY