Print Output

In [1]:
```
print("Hello World.!")
```

```
Hello World.!
```

In [3]:
```
print("Hello")
print("How are you?")
print("Bye Bye..!!")
```

```
Hello
How are you?
Bye Bye..!!
```

In [5]:
```
print("Hello", end="\t")
print("How are you?", end="\t")
print("Bye Bye..!!")
```

```
Hello	How are you?	Bye Bye..!!
```

In [7]:
```
print("Hello", "Student", "GoodMorning")
```

```
Hello Student GoodMorning
```

In [9]:
```
print("Hello", "Student", "GoodMorning", sep="--")
```

```
Hello--Student--GoodMorning
```

Reading input

In [12]:
```
age = input("Enter your age:")
print(type(age))
```

```
<class 'str'>
```

In [14]:
```
age = int(input("Enter your age:"))
print(type(age))
```

```
<class 'int'>
```

In [16]:
```
length = float(input("Enter length :"))
print(type(length))
```

```
<class 'float'>
```

Comment

In [18]:
```
print("Hi")
# Hello
print("Bye")
```

```
Hi
Bye
```

In [20]:
```
print("Hi")
''' hello''' #multiline comment
print("Bye")
```

```
Hi
Bye
```

In [22]:
```
# print("Hi")
# ''' hello'''
# print("Bye")   #Select whole code, press ctrl + / to comment the selected line
```

Variable

In [25]:
```
x = 10
```

In [27]:
```
a,b,c = 1, 1, 1
```

In [29]:
```
a = b = c = 1
```

In [31]:
```
id(a)
```

Out[31]: 140727019841976

In [33]:
```
id(b)
```

Out[33]: 140727019841976

In [35]:
```
id(c)
```

Out[35]: 140727019841976

In [37]:
```
d = 1
```

In [39]:
```
id(d)
```

Out[39]: 140727019841976

In [41]:
```
a = 15
```

In [43]:
```
print(type(a))
```

```
<class 'int'>
```

In [45]:
```
c = 12345678912345689
```

In [47]:
```
import sys
print(sys.getsizeof(c),"bytes")
```

```
32 bytes
```

In [49]:
```
a = 12.5
```

In [51]:
```
print(type(a))
```

```
<class 'float'>
```

In [53]:
```
a = "hello"
```

In [55]:
```
print(type(a))
```

```
<class 'str'>
```

In [57]:
```
a = [1,2,3,4]
```

In [59]:
```
print(type(a))
```

```
<class 'list'>
```

In [61]:
```
x = 101
```

In [63]:
```
id(x)
```

Out[63]:
```
140727019845176
```

In [65]:
```
y = 205
```

In [67]:
```
id(y)
```

Out[67]:
```
140727019848504
```

In [69]:
```
z = 101
```

In [71]:
```
id(z)
```

Out[71]:
```
140727019845176
```

In [73]:
```
x = True
```

In [75]:
```
int(x)
```

Out[75]:
```
1
```

In [77]:
```
length = 15
```

In [79]:
```
id(length)
```

Out[79]:
```
140727019842424
```

In [81]:
```
id(15)
```

Out[81]:
```
140727019842424
```

In [83]:
```
l = 125e2
```

In [85]:
```
print(type(l))
```

```
<class 'float'>
```

In [87]:
```
c = 2+5j
```

In [89]:
```
print(type(c))
```

```
<class 'complex'>
```

In [91]:
```
c.real
```

Out[91]: 2.0

In [93]:
```
c.imag
```

Out[93]: 5.0

In [95]:
```
z = 12500
```

In [97]:
```
type(z)
```

Out[97]: int

In [99]:
```
print(l)
```

```
12500.0
```

In [101…
```
id(l)
```

Out[101… 2244185134256

In [103…
```
id(z)
```

Out[103… 2244185132464

Operators in Python

In [106…
```
a = 10
b = 4
```

In [108…
```
a + b
```

Out[108… 14

In [110…
```
a - b
```

Out[110… 6

In [112…
```
a * b
```

Out[112… 40

In [114…
```
a / b
```

Out[114… 2.5

In [116…
```
a % b
```

Out[116… 2

In [118…
```
a // b
```

Out[118… 2

In [120…
```
a ** b
```

Out[120… 10000

In [122…
```
a > b
```

Out[122… True

In [124…
```
a < b
```

Out[124… False

In [126…
```
a == b
```

Out[126… False

In [128…
```
a != b
```

Out[128… True

In [130…
```
a & b
```

Out[130… 0

In [132…
```
a | b
```

Out[132… 14

In [134…
```
~a
```

Out[134… -11

In [136…
```
a >> 1
```

Out[136… 5

In [138…
```
a << 1
```

Out[138… 20

In [140…
```
a = 20
b = 25
```

In [142…
```
a < b and b != 45
```

Out[142… True

In [144…
```
a > b or b != 40
```

Out[144… True