talend Jobs
Generated by Talend Open Studio for Big Data

Project Name	Project8-DB_to_CSV_Talend	GENERATION DATE	Oct 27, 2023, 10:17:53 PM
AUTHOR	user@talend.com	Talend Open Studio VERSION	8.0.1.20211109_1610

Summary

Project Description
Description
Preview Picture
Settings
Context List
Component List
Components Description

Project Description

Properties	Values
Name	Project8-DB_to_CSV_Talend
Language	java
Description	

Description

Properties	Values
Name	Project8
Author	user@talend.com
Version	0.1
Purpose	Data extraction and transformation from SQLite database
Status	DEV
Description	This job is designed to retrieve data from the 'test.db' SQLite database tables 'dim_time,' 'dim_geography,' 'dim_produc ts,' and 'fact_sales,' and export them into separate CSV files. It includes data reading, transformation, and writing pr ocesses to facilitate data analysis and further processing.
Creation	Oct 27, 2023, 5:15:55 PM
Modification	Oct 27, 2023, 10:03:43 PM

Preview Picture

Settings

Extra settings

Name	Value
COMP_DEFAULT_FILE_DIR	
Multi thread execution	false
Implicit tContextLoad	false

Status & Logs

Name	Value
Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false
Use volumetrics (tFlowMeterCatcher)	false
On Console	false
On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

Context List

ContextDefault

Name	Prompt	Need Prompt?	Type	Value	Source

Component List

Component Name	Component Type
tDBConnection_2	tSQLiteConnection
tDBInput_1	tSQLiteInput
tDBInput_2	tSQLiteInput
tDBInput_3	tSQLiteInput
tDBInput_5	tSQLiteInput

tFileOutputDelimited_1	tFileOutputDelimited
tFileOutputDelimited_2	tFileOutputDelimited
tFileOutputDelimited_3	tFileOutputDelimited
tFileOutputDelimited_4	tFileOutputDelimited
tLogRow_1	tLogRow
tLogRow_2	tLogRow
tLogRow_3	tLogRow
tLogRow_4	tLogRow

Components Description

Component   tSQLiteConnection

UNIQUE NAME	tDBConnection_2	INPUT(S)	none
LABEL	__UNIQUE_NAME__	OUTPUT(S)	tDBInput_1, tDBInput_2, tDBInput_3, tDBInput_5

Component Parameters:

Properties	Values
Database	tSQLiteConnection
Unique Name	tDBConnection_2
Component Name	tSQLiteConnection
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/SQLite|ELT/Connections
Start	true
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tSQLiteConnection
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Users\mohit\OneDrive\Desktop\TOS_BD-20211109_1610-V8.0.1\configuration\lib\java
Subjob color	
Title color	
Property Type	repository: DB (SQLITE):test_db
Database	"C:/Users/mohit/Downloads/test.db"
Use or register a shared DB Connection	false
Shared DB Connection Name	
Auto Commit	false
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Original Function Parameters:
Component   tSQLiteInput

UNIQUE NAME	tDBInput_1	INPUT(S)	tDBConnection_2
LABEL	__UNIQUE_NAME__	OUTPUT(S)	tLogRow_1

Component Parameters:

Properties	Values
Database	tSQLiteInput
Unique Name	tDBInput_1
Component Name	tSQLiteInput
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/SQLite
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tSQLiteInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Users\mohit\OneDrive\Desktop\TOS_BD-20211109_1610-V8.0.1\configuration\lib\java
Subjob color	
Title color	
Property Type	repository: DB (SQLITE):test_db
Use an existing connection	false
Component List	
Database	"C:/Users/mohit/Downloads/test.db"
Database Driver	SQLITE
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	repository: DB (SQLITE):test_db - DIM_GEOGRAPHY
Table Name	"DIM_GEOGRAPHY"
Query Type	Built-In
Guess Schema	""
Query	"SELECT DIM_GEOGRAPHY.geography_id, DIM_GEOGRAPHY.geography FROM DIM_GEOGRAPHY"
Encoding	"ISO-8859-15"
Trim all the String/Char columns	false

Trim column	[{SCHEMA_COLUMN=geography_id, TRIM=false}, {SCHEMA_COLUMN=geography, TRIM=false}]
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for DIM_GEOGRAPHY :

Column	Key	Type	Length	Precision	Nullable	Comment
geography_id	false	String	2000000000	10	false	
geography	false	String	2000000000	10	false	

Original Function Parameters:
Component   tSQLiteInput

	UNIQUE NAME	tDBInput_2	INPUT(S)	tDBConnection_2
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tLogRow_2

Component Parameters:

Properties	Values
Database	tSQLiteInput
Unique Name	tDBInput_2
Component Name	tSQLiteInput
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/SQLite
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tSQLiteInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Users\mohit\OneDrive\Desktop\TOS_BD-20211109_1610-V8.0.1\configuration\lib\java
Subjob color	
Title color	
Property Type	repository: DB (SQLITE):test_db
Use an existing connection	false
Component List	
Database	"C:/Users/mohit/Downloads/test.db"
Database Driver	SQLITE
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	repository: DB (SQLITE):test_db - DIM_PRODUCTS
Table Name	"DIM_PRODUCTS"
Query Type	Built-In
Guess Schema	""
Query	"SELECT DIM_PRODUCTS.product_id, DIM_PRODUCTS.product FROM DIM_PRODUCTS"
Encoding	"ISO-8859-15"
Trim all the String/Char columns	false
Trim column	[{SCHEMA_COLUMN=product_id, TRIM=false}, {SCHEMA_COLUMN=product, TRIM=false}]
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for DIM_PRODUCTS :

Column	Key	Type	Length	Precision	Nullable	Comment
product_id	false	String	2000000000	10	false	
product	false	String	2000000000	10	false	

Original Function Parameters:
Component   tSQLiteInput

	UNIQUE NAME	tDBInput_3	INPUT(S)	tDBConnection_2
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tLogRow_3

Component Parameters:

Properties	Values
Database	tSQLiteInput
Unique Name	tDBInput_3
Component Name	tSQLiteInput
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/SQLite
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tSQLiteInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Users\mohit\OneDrive\Desktop\TOS_BD-20211109_1610-V8.0.1\configuration\lib\java

Subjob color	
Title color	
Property Type	repository: DB (SQLITE):test_db
Use an existing connection	false
Component List	
Database	"C:/Users/mohit/Downloads/test.db"
Database Driver	SQLITE
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	repository: DB (SQLITE):test_db - DIM_TIME
Table Name	"DIM_TIME"
Query Type	Built-In
Guess Schema	""
Query	"SELECT DIM_TIME.time_id, DIM_TIME.time_quarter FROM DIM_TIME"
Encoding	"ISO-8859-15"
Trim all the String/Char columns	false
Trim column	[{SCHEMA_COLUMN=time_id, TRIM=false}, {SCHEMA_COLUMN=time_quarter, TRIM=false}]
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for DIM_TIME :

Column	Key	Type	Length	Precision	Nullable	Comment
time_id	false	String	2000000000	10	false	
time_quarter	false	String	2000000000	10	false	

Original Function Parameters:
Component   tSQLiteInput

	UNIQUE NAME	tDBInput_5	INPUT(S)	tDBConnection_2
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tLogRow_4

Component Parameters:

Properties	Values
Database	tSQLiteInput
Unique Name	tDBInput_5
Component Name	tSQLiteInput
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/SQLite
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tSQLiteInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Users\mohit\OneDrive\Desktop\TOS_BD-20211109_1610-V8.0.1\configuration\lib\java
Subjob color	
Title color	
Property Type	repository: DB (SQLITE):test_db
Use an existing connection	false
Component List	
Database	"C:/Users/mohit/Downloads/test.db"
Database Driver	SQLITE
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	repository: DB (SQLITE):test_db - FACT_SALES
Table Name	"FACT_SALES"
Query Type	Built-In
Guess Schema	""
Query	"SELECT FACT_SALES.product_id, FACT_SALES.geography_id, FACT_SALES.time_id, FACT_SALES.SalesAmt FROM FACT_SALES"
Encoding	"ISO-8859-15"
Trim all the String/Char columns	false
Trim column	[{SCHEMA_COLUMN=product_id, TRIM=false}, {SCHEMA_COLUMN=geography_id, TRIM=false}, {SCHEMA_COLUMN=time_id, TRIM=false}, {SCHEMA_COLUMN=SalesAmt, TRIM=false}]
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for FACT_SALES :

Column	Key	Type	Length	Precision	Nullable	Comment
product_id	false	int	2000000000	10	false	
geography_id	false	int	2000000000	10	false	
time_id	false	int	2000000000	10	false	
SalesAmt	false	String	2000000000	10	false	

Original Function Parameters:
Component   tFileOutputDelimited

	UNIQUE NAME	tFileOutputDelimited_1	INPUT(S)	tLogRow_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Unique Name	tFileOutputDelimited_1
Component Name	tFileOutputDelimited
Version	0.101 (ALPHA)
Family	File/Output
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFileOutputDelimited
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Users\mohit\OneDrive\Desktop\TOS_BD-20211109_1610-V8.0.1\configuration\lib\java
Subjob color	
Title color	
Property Type	Built-In
Use Output Stream	false
Output Stream	outputStream
File Name	"C:/Users/mohit/OneDrive/Desktop/TOS_BD-20211109_1610-V8.0.1/workspace/DIM_GEOGRAPHY.csv"
Row Separator	"\n"
Use OS line separator as row separator when CSV Row Separator is set to CR,LF or CRLF.	true
CSV Row Separator	"\n"
Field Separator	","
Append	false
Include Header	true
Compress as zip file	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Advanced separator (for numbers)	false
Thousands separator	","
Decimal separator	"."
CSV options	false
Escape char	"""
Text enclosure	"""
Create directory if does not exist	true
Split output in several files	false
Rows in each output file	1000
Custom the flush buffer size	false
Row number	1
Output in row mode	false
Encoding	"ISO-8859-15"
Don't generate empty file	false
Throw an error if the file already exist	true
Min column number of optimize code	90
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for DIM_GEOGRAPHY :

Column	Key	Type	Length	Precision	Nullable	Comment
geography_id	false	String	2000000000	10	false	
geography	false	String	2000000000	10	false	

Original Function Parameters:
Component   tFileOutputDelimited

	UNIQUE NAME	tFileOutputDelimited_2	INPUT(S)	tLogRow_2
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Unique Name	tFileOutputDelimited_2
Component Name	tFileOutputDelimited
Version	0.101 (ALPHA)
Family	File/Output
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFileOutputDelimited
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Users\mohit\OneDrive\Desktop\TOS_BD-20211109_1610-V8.0.1\configuration\lib\java
Subjob color	
Title color	
Property Type	Built-In
Use Output Stream	false
Output Stream	outputStream
File Name	"C:/Users/mohit/OneDrive/Desktop/TOS_BD-20211109_1610-V8.0.1/workspace/DIM_PRODUCTS.csv"
Row Separator	"\n"
Use OS line separator as row separator when CSV Row Separator is set to CR,LF or CRLF.	true
CSV Row Separator	"\n"

Field Separator	","
Append	false
Include Header	true
Compress as zip file	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Advanced separator (for numbers)	false
Thousands separator	","
Decimal separator	"."
CSV options	false
Escape char	"""
Text enclosure	"""
Create directory if does not exist	true
Split output in several files	false
Rows in each output file	1000
Custom the flush buffer size	false
Row number	1
Output in row mode	false
Encoding	"ISO-8859-15"
Don't generate empty file	false
Throw an error if the file already exist	true
Min column number of optimize code	90
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for DIM_PRODUCTS :

Column	Key	Type	Length	Precision	Nullable	Comment
product_id	false	String	2000000000	10	false	
product	false	String	2000000000	10	false	

Original Function Parameters:
Component   tFileOutputDelimited

	UNIQUE NAME	tFileOutputDelimited_3	INPUT(S)	tLogRow_3
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Unique Name	tFileOutputDelimited_3
Component Name	tFileOutputDelimited
Version	0.101 (ALPHA)
Family	File/Output
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFileOutputDelimited
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Users\mohit\OneDrive\Desktop\TOS_BD-20211109_1610-V8.0.1\configuration\lib\java
Subjob color	
Title color	
Property Type	Built-In
Use Output Stream	false
Output Stream	outputStream
File Name	"C:/Users/mohit/OneDrive/Desktop/TOS_BD-20211109_1610-V8.0.1/workspace/DIM_TIME.csv"
Row Separator	"\n"
Use OS line separator as row separator when CSV Row Separator is set to CR,LF or CRLF.	true
CSV Row Separator	"\n"
Field Separator	","
Append	false
Include Header	true
Compress as zip file	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Advanced separator (for numbers)	false
Thousands separator	","
Decimal separator	"."
CSV options	false
Escape char	"""
Text enclosure	"""
Create directory if does not exist	true
Split output in several files	false
Rows in each output file	1000
Custom the flush buffer size	false
Row number	1
Output in row mode	false
Encoding	"ISO-8859-15"
Don't generate empty file	false
Throw an error if the file already exist	true
Min column number of optimize code	90
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false

Validation Rule Type	

Schema for DIM_TIME :

Column	Key	Type	Length	Precision	Nullable	Comment
time_id	false	String	2000000000	10	false	
time_quarter	false	String	2000000000	10	false	

Original Function Parameters:
Component   tFileOutputDelimited

	UNIQUE NAME	tFileOutputDelimited_4	INPUT(S)	tLogRow_4
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Unique Name	tFileOutputDelimited_4
Component Name	tFileOutputDelimited
Version	0.101 (ALPHA)
Family	File/Output
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFileOutputDelimited
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Users\mohit\OneDrive\Desktop\TOS_BD-20211109_1610-V8.0.1\configuration\lib\java
Subjob color	
Title color	
Property Type	Built-In
Use Output Stream	false
Output Stream	outputStream
File Name	"C:/Users/mohit/OneDrive/Desktop/TOS_BD-20211109_1610-V8.0.1/workspace/FACT_SALES.csv"
Row Separator	"\n"
Use OS line separator as row separator when CSV Row Separator is set to CR,LF or CRLF.	true
CSV Row Separator	"\n"
Field Separator	","
Append	false
Include Header	true
Compress as zip file	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Advanced separator (for numbers)	false
Thousands separator	","
Decimal separator	"."
CSV options	false
Escape char	"""
Text enclosure	"""
Create directory if does not exist	true
Split output in several files	false
Rows in each output file	1000
Custom the flush buffer size	false
Row number	1
Output in row mode	false
Encoding	"ISO-8859-15"
Don't generate empty file	false
Throw an error if the file already exist	true
Min column number of optimize code	90
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for FACT_SALES :

Column	Key	Type	Length	Precision	Nullable	Comment
product_id	false	int	2000000000	10	false	
geography_id	false	int	2000000000	10	false	
time_id	false	int	2000000000	10	false	
SalesAmt	false	String	2000000000	10	false	

Original Function Parameters:
Component   tLogRow

	UNIQUE NAME	tLogRow_1	INPUT(S)	tDBInput_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tFileOutputDelimited_1

Component Parameters:

Properties	Values
Unique Name	tLogRow_1
Component Name	tLogRow
Version	0.101 (ALPHA)
Family	Logs_Errors
Startable	false
SUBTREE_START	false
END_OF_FLOW	false

Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tLogRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Users\mohit\OneDrive\Desktop\TOS_BD-20211109_1610-V8.0.1\configuration\lib\java
Subjob color	
Title color	
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Basic	false
Table (print values in cells of a table)	true
Vertical (each row is a key/value list)	false
Print unique name	true
Print label	false
Print unique name and label	false
Field Separator	"|"
Print header	false
Print component unique name in front of each output row	false
Print schema column name in front of each value	false
Use fixed length for values	false
Lengths	[{SCHEMA_COLUMN=geography_id, LENGTH=10}, {SCHEMA_COLUMN=geography, LENGTH=10}]
Print content with log4j	true
Min column number of optimize code	100
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for DIM_GEOGRAPHY :

Column	Key	Type	Length	Precision	Nullable	Comment
geography_id	false	String	2000000000	10	false	
geography	false	String	2000000000	10	false	

Original Function Parameters:
Component   tLogRow

	UNIQUE NAME	tLogRow_2	INPUT(S)	tDBInput_2
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tFileOutputDelimited_2

Component Parameters:

Properties	Values
Unique Name	tLogRow_2
Component Name	tLogRow
Version	0.101 (ALPHA)
Family	Logs_Errors
Startable	false
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tLogRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Users\mohit\OneDrive\Desktop\TOS_BD-20211109_1610-V8.0.1\configuration\lib\java
Subjob color	
Title color	
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Basic	false
Table (print values in cells of a table)	true
Vertical (each row is a key/value list)	false
Print unique name	true
Print label	false
Print unique name and label	false
Field Separator	"|"
Print header	false
Print component unique name in front of each output row	false
Print schema column name in front of each value	false
Use fixed length for values	false
Lengths	[{SCHEMA_COLUMN=product_id, LENGTH=10}, {SCHEMA_COLUMN=product, LENGTH=10}]
Print content with log4j	true
Min column number of optimize code	100
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for DIM_PRODUCTS :

Column	Key	Type	Length	Precision	Nullable	Comment
product_id	false	String	2000000000	10	false	
product	false	String	2000000000	10	false	

Original Function Parameters:
Component   tLogRow

🔍	UNIQUE NAME	tLogRow_3	INPUT(S)	tDBInput_3
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tFileOutputDelimited_3

Component Parameters:

Properties	Values
Unique Name	tLogRow_3
Component Name	tLogRow
Version	0.101 (ALPHA)
Family	Logs_Errors
Startable	false
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tLogRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Users\mohit\OneDrive\Desktop\TOS_BD-20211109_1610-V8.0.1\configuration\lib\java
Subjob color	
Title color	
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Basic	false
Table (print values in cells of a table)	true
Vertical (each row is a key/value list)	false
Print unique name	true
Print label	false
Print unique name and label	false
Field Separator	"|"
Print header	false
Print component unique name in front of each output row	false
Print schema column name in front of each value	false
Use fixed length for values	false
Lengths	[{SCHEMA_COLUMN=time_id, LENGTH=10}, {SCHEMA_COLUMN=time_quarter, LENGTH=10}]
Print content with log4j	true
Min column number of optimize code	100
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for DIM_TIME :

Column	Key	Type	Length	Precision	Nullable	Comment
time_id	false	String	2000000000	10	false	
time_quarter	false	String	2000000000	10	false	

Original Function Parameters:
Component   tLogRow

🔍	UNIQUE NAME	tLogRow_4	INPUT(S)	tDBInput_5
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tFileOutputDelimited_4

Component Parameters:

Properties	Values
Unique Name	tLogRow_4
Component Name	tLogRow
Version	0.101 (ALPHA)
Family	Logs_Errors
Startable	false
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tLogRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Users\mohit\OneDrive\Desktop\TOS_BD-20211109_1610-V8.0.1\configuration\lib\java
Subjob color	
Title color	
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Basic	false
Table (print values in cells of a table)	true
Vertical (each row is a key/value list)	false
Print unique name	true
Print label	false
Print unique name and label	false
Field Separator	"|"
Print header	false
Print component unique name in front of each output row	false
Print schema column name in front of each value	false
Use fixed length for values	false

Lengths	[{SCHEMA_COLUMN=product_id, LENGTH=10}, {SCHEMA_COLUMN=geography_id, LENGTH=10}, {SCHEMA_COLUMN=time_id, LENGTH=10}, {SCHEMA_COLUMN=SalesAmt, LENGTH=10}]
Print content with log4j	true
Min column number of optimize code	100
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for FACT_SALES :

Column	Key	Type	Length	Precision	Nullable	Comment
product_id	false	int	2000000000	10	false	
geography_id	false	int	2000000000	10	false	
time_id	false	int	2000000000	10	false	
SalesAmt	false	String	2000000000	10	false	

Original Function Parameters: