


1. Executive Summary

[generate via llm after everything is done]

2. Workflow Overview

Wkfl_SSP_FINC_LOB_DIM |



** The graph model is missing CMD tasks so they don't show up here

3. s_m_ODS_EDM_SSP_FINC_LOB_DIM_V1 Narrative

Step 1: Read Source Data

Transformation name: SQ_SSP_STG_OSF_L2_CUST_MSTR

The workflow reads customer records from SSP_STG.SSP_STG_OSF_L2_CUST_MSTR.

Retrieved attributes include:

- FNCL_LOB_ID

Step 2: Expression

Transformation: EXP_SSP_STG_OSF_L2_CUST_MSTR

Expressions:

Expression list (column: expression)

- **IsCurrent:** 1
- **SRCSYSID:** 1
- **FINC_LOB_ARBR_CD:** 'ARBOR'
- **FINC_LOB_NM:** 'UNKNOWN'
- **FINC_LOB_BUS_NM:** 'UNKNOWN'
- **FINC_LOB_BUS_NM_UAT:** 'UNKNOWN'
- **FINC_LOB_HRCHY_ID:** 'UNKNOWN'
- **ACTV_DT:** SESSSTARTTIME
- **INACTV_DT:** "TO_DATE('31-DEC-9999', 'DD-MON-YYYY')"
- **IS_ACTV_IND:** 'Y'
- **DIM_SRC_CD:** 'ODS'
- **DIM_LAST_MDFD_DT:** SESSSTARTTIME
- **FINC_LOB_HRCHY_LVL:** 'UNKNOWN'

Input columns

- FNCL_LOB_ID

Output columns

- FNCL_LOB_ID
- IsCurrent
- SRCSYSID
- FINC_LOB_ARBR_CD
- FINC_LOB_NM
- FINC_LOB_BUS_NM
- FINC_LOB_BUS_NM_UAT
- FINC_LOB_HRCHY_ID
- ACTV_DT
- INACTV_DT
- IS_ACTV_IND

- DIM_SRC_CD
- DIM_LAST_MDFD_DT
- FINC_LOB_HRCHY_LVL

Step 3: Reference Data Enrichment (Lookup)

Transformation: LKP_SSP_FINC_LOB_DIM

Join condition: FINC_LOB_CD = FNCL_LOB_ID

tableName: SSP_FINC_LOB_DIM_V1

Input columns:

- FNCL_LOB_ID

Output columns:

- SSP_FINC_LOB_DIM_Key

Step 4: Data Filtering (Router)

Transformation: RTR_INSERT_UPDATE

Groups (name: condition)

- **Input:** N/A
- **ISGRP:** ISNULL(SSP_FINC_LOB_CD_DIM_Key)
- **UPDGRP:** IIF(ISNULL(SSP_FINC_LOB_CD_DIM_Key),TRUE,FALSE)
- **DEFAULT1:** N/A

Input/Output columns:

- FNCL_LOB_ID
- IsCurrent
- SRCSYSID
- FINC_LOB_ARBR_CD
- FINC_LOB_NM
- FINC_LOB_BUS_NM
- FINC_LOB_BUS_NM_UAT
- FINC_LOB_HRCHY_ID
- ACTV_DT
- INACTV_DT
- IS_ACTV_IND
- DIM_SRC_CD
- DIM_LAST_MDFD_DT
- FINC_LOB_HRCHY_LVL
- SSP_FINC_LOB_DIM_Key

Step 4: Record Updates

Transformation: UPD_SSP_FINC_LOB_DIM

Target: SSP_FINC_LOB_DIM

Settings:

- Tracing level: normal
- Update Strategy Expression: DD_UPDATE
- Forward Rejected Rows: yes

Input columns:

- FNCL_LOB_ID
- IsCurrent
- SRCSYSID
- FINC_LOB_ARBR_CD
- FINC_LOB_NM
- FINC_LOB_BUS_NM
- FINC_LOB_BUS_NM_UAT
- FINC_LOB_HRCHY_ID
- ACTV_DT
- INACTV_DT
- IS_ACTV_IND
- DIM_SRC_CD
- DIM_LAST_MDFD_DT
- FINC_LOB_HRCHY_LVL
- SSP_FINC_LOB_DIM_Key

Output columns:

- IsCurrent
- SRCSYSID
- FINC_LOB_ARBR_CD
- FINC_LOB_NM
- FINC_LOB_BUS_NM
- FINC_LOB_BUS_NM_UAT
- FINC_LOB_HRCHY_ID
- ACTV_DT
- INACTV_DT
- IS_ACTV_IND
- DIM_SRC_CD
- DIM_LAST_MDFD_DT
- FINC_LOB_HRCHY_LVL
- SSP_FINC_LOB_DIM_Key

Step 5: Record Inserts

Transformation: `INS_SSP_FINC_LOB_DIM`

Target: `SSP_FINC_LOB_DIM`

Input columns:

- `FNCL_LOB_ID`
- `IsCurrent`
- `SRCSYSID`
- `FINC_LOB_ARBR_CD`
- `FINC_LOB_NM`
- `FINC_LOB_BUS_NM`
- `FINC_LOB_BUS_NM_UAT`
- `FINC_LOB_HRCHY_ID`
- `ACTV_DT`
- `INACTV_DT`
- `IS_ACTV_IND`
- `DIM_SRC_CD`
- `DIM_LAST_MDFD_DT`
- `FINC_LOB_HRCHY_LVL`
- `SSP_FINC_LOB_DIM_Key`

Output columns:

- `FNCL_LOB_ID`
- `IsCurrent`
- `SRCSYSID`
- `FINC_LOB_ARBR_CD`
- `FINC_LOB_NM`
- `FINC_LOB_BUS_NM`
- `FINC_LOB_BUS_NM_UAT`
- `FINC_LOB_HRCHY_ID`
- `ACTV_DT`
- `INACTV_DT`
- `IS_ACTV_IND`
- `DIM_SRC_CD`
- `DIM_LAST_MDFD_DT`
- `FINC_LOB_HRCHY_LVL`

4. s_m_EDM_DW_SSP_FINC_LOB_DIM Narrative

Step 1: Read Source Data

Transformation name: SQ_SSP_FINC_LOB_DIM_V1

The workflow reads records from EDM.SSP_FINC_LOB_DIM_V1.

Retrieved attributes include:

- ACTV_DT
- DIM_LAST_MDFD_DT
- DIM_SRC_CD
- EndDate
- FINC_LOB_ARBR_CD
- FINC_LOB_BUS_NM
- FINC_LOB_BUS_NM_UAT
- FINC_LOB_CD
- FINC_LOB_HRCHY_ID
- FINC_LOB_HRCHY_LVL1
- FINC_LOB_HRCHY_LVL2
- FINC_LOB_HRCHY_LVL3
- FINC_LOB_NM
- INACTV_DT
- IS_ACTV_IND
- IsCurrent
- SSP_FINC_LOB_DIM_Key
- SourceSystemID
- SourceSystemKey
- StartDate

Step 2: Reference Data Enrichment (Lookup)

Transformation: LKP_SSP_FINC_LOB_DIM

Join condition: FINC_LOB_CD = IN_FINC_LOB_CD

tableName: SSP_FINC_LOB_DIM

Input columns:

- IN_FINC_LOB_CD

Output columns:

- FINC_LOB_CD_SK

Step 3: Data Filtering (Router)

Transformation: RTR_INSERT_UPDATE

Transformation: RTR_INSERT_UPDATE

Groups (name: condition)

- **Input:** N/A
- **INSGRP:** ISNULL(FINC_LOB_CD_SK)
- **UPDGRP:** IIF(NOT ISNULL(FINC_LOB_CD_SK),TRUE,FALSE)
- **DEFAULT1:** N/A

Input/Output columns:

- ACTV_DT
- DIM_LAST_MDFD_DT
- DIM_SRC_CD
- EndDate
- FINC_LOB_ARBR_CD
- FINC_LOB_BUS_NM
- FINC_LOB_BUS_NM_UAT
- FINC_LOB_CD
- FINC_LOB_HRCHY_ID
- FINC_LOB_HRCHY_LVL1
- FINC_LOB_HRCHY_LVL2
- FINC_LOB_HRCHY_LVL3
- FINC_LOB_NM
- INACTV_DT
- IS_ACTV_IND
- IsCurrent
- SSP_FINC_LOB_DIM_Key
- SourceSystemID
- SourceSystemKey
- StartDate
- FINC_LOB_CD_SK

Step 4: Record Updates

Transformation: UPD_SSP_FINC_LOB_DIM

Target: SSP_FINC_LOB_DIM

Settings:

- Tracing level: normal
- Update Strategy Expression: DD_UPDATE
- Forward Rejected Rows: yes

Input columns:

- ACTV_DT
- DIM_LAST_MDFD_DT
- DIM_SRC_CD
- EndDate
- FINC_LOB_ARBR_CD
- FINC_LOB_BUS_NM
- FINC_LOB_BUS_NM_UAT
- FINC_LOB_CD
- FINC_LOB_HRCHY_ID
- FINC_LOB_HRCHY_LVL1
- FINC_LOB_HRCHY_LVL2
- FINC_LOB_HRCHY_LVL3
- FINC_LOB_NM
- INACTV_DT
- IS_ACTV_IND
- IsCurrent
- SSP_FINC_LOB_DIM_Key
- SourceSystemID
- SourceSystemKey
- StartDate

Output columns:

- ACTV_DT
- DIM_LAST_MDFD_DT
- DIM_SRC_CD
- FINC_LOB_ARBR_CD
- FINC_LOB_BUS_NM
- FINC_LOB_BUS_NM_UAT
- FINC_LOB_CD
- FINC_LOB_HRCHY_ID
- FINC_LOB_HRCHY_LVL1
- FINC_LOB_HRCHY_LVL2
- FINC_LOB_HRCHY_LVL3
- FINC_LOB_NM
- INACTV_DT
- IS_ACTV_IND

Step 5: Record Inserts

Transformation: `INS_SSP_FINC_LOB_DIM`

Target: `SSP_FINC_LOB_DIM`

Input columns:

- `ACTV_DT`
- `DIM_LAST_MDFD_DT`
- `DIM_SRC_CD`
- `EndDate`
- `FINC_LOB_ARBR_CD`
- `FINC_LOB_BUS_NM`
- `FINC_LOB_BUS_NM_UAT`
- `FINC_LOB_CD`
- `FINC_LOB_HRCHY_ID`
- `FINC_LOB_HRCHY_LVL1`
- `FINC_LOB_HRCHY_LVL2`
- `FINC_LOB_HRCHY_LVL3`
- `FINC_LOB_NM`
- `INACTV_DT`
- `IS_ACTV_IND`
- `IsCurrent`
- `SSP_FINC_LOB_DIM_Key`
- `SourceSystemID`
- `SourceSystemKey`
- `StartDate`

Output columns:

- `FINC_LOB_HRCHY_ID`
- `INACTV_DT`
- `ACTV_DT`
- `FINC_LOB_HRCHY_LVL1`
- `FINC_LOB_HRCHY_LVL2`
- `FINC_LOB_HRCHY_LVL3`
- `DIM_SRC_CD`
- `FINC_LOB_CD`
- `IS_ACTV_IND`
- `SSP_FINC_LOB_DIM_Key`
- `FINC_LOB_BUS_NM`
- `FINC_LOB_BUS_NM_UAT`
- `DIM_LAST_MDFD_DT`
- `FINC_LOB_HRCHY_ID`
- `FINC_LOB_NM`
- `FINC_LOB_ARBR_CD`

4. Business Rules Extracted

Default values (column: value):

- **SRCSYSID:** 1
- **FINC_LOB_ARBR_CD:** 'ARBOR'
- **FINC_LOB_NM:** 'UNKNOWN'
- **FINC_LOB_BUS_NM:** 'UNKNOWN'
- **FINC_LOB_BUS_NM_UAT:** 'UNKNOWN'
- **FINC_LOB_HRCHY_ID:** 'UNKNOWN'
- **ACTV_DT:** SESSSTARTTIME
- **INACTV_DT:** "TO_DATE('31-DEC-9999', 'DD-MON-YYYY')"
- **IS_ACTV_IND:** 'Y'
- **DIM_SRC_CD:** 'ODS'
- **DIM_LAST_MDFD_DT:** SESSSTARTTIME
- **FINC_LOB_HRCHY_LVL:** 'UNKNOWN'

5. Source-to-Target Mapping

[column lineage summary]

Generate directly from lineage relationships.

Example:

Source	Transformation Path	Target
CUSTOMER_ID	Direct Mapping	CUSTOMER_KEY
CUSTOMER_NAME	TRIM → UPPER	CUSTOMER_NAME
COUNTRY_CD	Lookup Country Name	COUNTRY_NAME

6. Lineage Summary

[summarizing mappings]



7. Assumptions and Context Layer Insights

[Get this from converter code/prompt]

This section should come specifically from your context layer.

Example:

- CUSTOMER_ID represents the enterprise customer identifier.
- ACTIVE status indicates a customer eligible for reporting.
- Country reference data is maintained by the Master Data Management team.
- DIM_CUSTOMER is consumed by Finance and Sales reporting solutions.