ELECTION VOTING SYSTEM

Academic Year: 2021-22 ODD-SEMESTER

Department with Specialization: B-Tech Computer Science and

Engineering with

Specialization in Artificial Intelligence and Machine

Learning.

Semester : 1

Course Code : 18CSS101J

Course Title : Programming for Problem

Solving

Submitted by

G SHRUNDAN REDDY (RA2111026010244)

SANISETTY SAI RAKESH (RA2111026010222)

JAYAVARAM MANIKYA RANGA MOHITH (RA2111026010241)

Under the Guidance of

Dr. R.LAKSHMINARAYANAN

(Associate Professor, NWC)



DEPARTMENT OF COMPUTING

COLLEGE OF ENGINEERING AND TECHNOLOGY

SRM INSTITUTE OF SCIENCE AND TECHNOLOGY

KATTANKULATHUR- 603 203

JANUARY 2022

AIM

This Project main aim is to provide safe and secure voting system environment, where admin can allow the user to vote, and admin declare a result.

ABSTRACT

In this project, we make a voting machine in which we have 4 different option to vote. There is no risk of scam. This election voting system mini project in c design is straightforward and making it easy for users to

The Election Voting System Project is developed using C programming language. This election voting system in c helps the people to cast their votes easily.

```
ALGORITHIM
STEP-1: Define Object-like MACROs with MACRO name "CANDIDATE 1".
STEP-2: Define Object-like MACROs with MACRO name "CANDIDATE 2".
STEP-3: Define Object-like MACROs with MACRO name "CANDIDATE 3".
STEP-4: Define Object-like MACROs with MACRO name "CANDIDATE 4".
STEP 5: SET votesCount1 to 0.
STEP 6: SET votesCount2 to 0.
STEP 7: SET votesCount3 to 0.
STEP 8: SET votesCount4 to 0.
STEP 9: SET spoiledvotes to 0.
STEP 10: FUNCTION castVote
STEP 11: DECLARE VARIABLE choice.
STEP 12: PRINT "### Please choose your Candidate ####"
STEP 13: PRINT "1. (Value of MACRO CANDIDATE1)"
STEP 14: PRINT "2. (Value of MACRO CANDIDATE2)"
STEP 15: PRINT "3. (VALUE OF MACRO CANDIDATÉ3)"
STEP 16: PRINT "4. (VALUE OF MACRO CANDIDATE4)"
STEP 17: PRINT "5. NONE OF THESE"
STEP 18: PRINT "Input your choice (1-5)"
STEP 19: GET value and assign it to variable choice.
STEP 20: STARTCASE-choice
STEP 21: IF value assigned to choice is 1
STEP 22: ADD 1 to votesCount1.
STEP 23: BREAK that is don't go to rest of cases.
STEP 24: IF value assigned to choice is 2.
STEP 25: ADD 1 to votesCount2.
STEP 26: BREAK that is don't go to rest of cases.
STEP 27: IF value assigned to choice is 3.
STEP 28: ADD 1 to votesCount3.
STEP 29: BREAK that is don't go to rest of cases.
STEP 30: IF value assigned to choice is 4.
STEP 31: ADD 1 to votesCount4.
STEP 32: BREAK that is don't go to rest of cases.
STEP 33: IF value assigned to choice is 5.
STEP 34: ADD 1 to spoiledvotes.
STEP 35: BREAK that is don't go to rest of cases.
STEP 36: OTHERWISE
STEP 37: PRINT "Error: Wrong Choice!! Please retry"
STEP 38: ENDCASE.
STEP 39: CALL FUNCTION getchar to hold the screen.
STEP 40: PRINT "thanks for vote"
STEP 41: FUNCTION votesCount
STEP 42: PRINT "##### Voting Statics ####"
STEP 43:PRINT"(Value of MACRO CANDIDATE1)-(Value of votesCount1)"
STEP 44:PRINT"(Value of MACRO CANDIDATE2)-(Value of votesCount2)"
STEP 45:PRINT"(Value of MACRO CANDIDATE3)-(Value of votesCount3)"
```

STEP 46:PRINT"(Value of MACRO CANDIDATE4)-(Value of votesCount4)"

```
STEP 47: PRINT "(Spoiled Votes) - (Value of spoiledvotes)"
STEP 48: FUNCTION getLeadingCandidate
STEP 49: PRINT "#### Leading Candidate ####"
STEP 50: IF value of votesCount1 is more than values of votesCount2.
votesCount3, votesCount4
STEP 51: PRINT "(Value of CANDIDATE1)"
STEP 52: IF value of votesCount2 is more than values of votesCount1.
votesCount3, votesCount4
STEP 53: PRINT "(Value of CANDIDATE2)"
STEP 54: IF value of votesCount3 is more than values of votesCount2,
votesCount1, votesCount4
STEP 55: PRINT "(Value of CANDIDATE3)"
STEP 56: IF value of votesCount4 is more than values of votesCount2,
votesCount3, votesCount1
STEP 57: PRINT "(Value of CANDIDATE4)"
STEP 58: ELSE
STEP 59: PRINT ("----- Warning!!! No-win situation----")
STEP 60: START
STEP 61: DECLARE VARIABLE i
STEP 62: DECLARE VARIABLE choice
STEP 63: DO LOOP Starts
STEP 64: PRINT "##### Welcome to Election/Voting 2023 #####"
STEP 65: PRINT "1. Cast the Vote"
STEP 66: PRINT "2. Find Vote Count"
STEP 67: PRINT "3. Find leading Candidate"
STEP 68: PRINT "O. EXIT"
STEP 69: PRINT "Please enter your choice:"
STEP 70: GET value and assign it to VARIABLE choice
STEP 71: STARTCASE- choice
STEP 72: IF value assigned to choice is 1
STEP 73: CALLING FUNCTION castVote
STEP 74: BREAK that is don't go to rest of cases.
STEP 75: IF value assigned to choice is 2
STEP 75: CALLING FUNCTION votesCount
STEP 76: BREAK that is don't go to rest of cases.
STEP 77: IF value assigned to choice is 3
STEP 77: CALLING FUNCTION getLeadingCandidate
STEP 78: BREAK that is don't go to rest of cases.
STEP 79: OTHERWISE
STEP 80: PRINT "Error: Invalid Choice"
STEP 81: ENDCASE.
STEP 82: [DO---] WHILE choice is not 0
STEP 83: CALL getchar to hold the screen
STEP 84: END
```

SOURCE CODE

```
#include stdio.h>
#define CANDIDATE COUNT
#define CANDIDATE1 "Rohan"
#define CANDIDATE2 "Rakesh"
#define CANDIDATE3 "Shrundan"
#define CANDIDATE4 "Mohith"
int votesCount1=0, votesCount2=0, votesCount3=0, votesCount4=0, nota=0;
void castVote(){
int choice:
printf("\n\n ### Please choose your Candidate ####\n\n");
printf("\n 1. %s", CANDIDATE1);
printf("\n 2. %s", CANDIDATE2);
printf("\n 3. %s", CANDIDATE3);
printf("\n 4. %s", CANDIDATE4);
printf("\n 5. %s", "None of These");
printf("\n\n Input your choice (1 - 4) : ");
scanf("%d",&choice);
switch(choice){
  case 1: votesCount1++: break:
  case 2: votesCount2++; break;
  case 3: votesCount3++; break;
  case 4: votesCount4++: break:
  case 5: nota++; break;
  default: printf("\n Error: Wrong Choice !! Please retry");
         //hold the screen
         getchar();
printf("\n thanks for vote !!");
void votesCount(){
printf("\n\n ##### Voting Statics ####");
printf("\n %s - %d ", CANDIDATE1, votesCount1);
printf("\n %s - %d ", CANDIDATE1, votesCount1);
printf("\n %s - %d ", CANDIDATE2, votesCount2);
printf("\n %s - %d ", CANDIDATE3, votesCount3);
printf("\n %s - %d ", CANDIDATE4, votesCount4);
printf("\n %s - %d ", "nota", spoiledtvotes);
```

```
void getLeadingCandidate(){
  printf("\n\n #### Leading Candidate ####\n\n");
  if(votesCount1>votesCount2 && votesCount1>votesCount3 &&
votesCount1 >votesCount4)
  printf("[%s]",CANDIDATE1);
  else if (votesCount2>votesCount3 && votesCount2>votesCount4 &&
votesCount2 >votesCount1)
  printf("[%s]",CANDIDATE2);
  else if(votesCount3>votesCount4 && votesCount3>votesCount2 &&
votesCount3 >votesCount1)
  printf("[%s]",CANDIDATE3);
  else if(votesCount4>votesCount1 && votesCount4>votesCount2 &&
votesCount4 >votesCount3)
  printf("[%s]",CANDIDATE4);
  else
  printf("---- Warning !!! No-win situation----");
}
int main()
int i:
int choice;
do{
printf("\n\n ##### Welcome to Election/Voting 2019 #####");
printf("\n\n 1. Cast the Vote");
printf("\n 2. Find Vote Count");
printf("\n 3. Find leading Candidate");
printf("\n 4. Exit");
printf("\n\n Please enter your choice : ");
scanf("%d", &choice);
switch(choice)
case 1: castVote();break;
case 2: votesCount();break;
case 3: getLeadingCandidate();break;
default: printf("\n Thanks for Voting");
}
```

```
}while(choice!=0);
//hold the screen
getchar();
return 0;
}
```

OUTPUT

1. Main screen:

```
##### Welcome to Election/Voting 2019 ####

1. Cast the Vote
2. Find Vote Count
3. Find leading Candidate
4. Exit

Please enter your choice : [
```

2. After Cast the Vote:

```
### Please choose your Candidate ####

1. Rohan
2. Shrundan
3. Rakesh
4. Mohith
5. None of These

Input your choice (1 - 4) :
```

3. Input your choice:

```
Input your choice (1 - 4) : 1 thanks for vote !!
```

4. Find vote count:

```
##### Voting Statics ####
Rohan - 1
Shrundan - 0
Rakesh - 0
Mohith - 0
nota - 0
```

5. Leading Candiate:

```
#### Leading Candiate ####
[Rohan]
```

6. Exit:

Thanks for Voting

RESULT Our project election voting system provides an easy way for caste their votes. With this Voting System we can give a user a safe and good Voting environment without any scam in count of vote.