

Table 10. POLYPHENOLS

(All values are expressed per 100g edible portion; All blank space in the table represent below detectable limit)

Food code	Food Name	No. of Regions	3,4-Dihydroxy benzoic acid	3-Hydroxy benzaldehyde	Protocatechuic acid	Vanillic acid	Gallic acid	Cinamic acid	O-Coumaric acid	P-Coumaric acid	Caffeic acid
			mg								
			GALLAC								
A CEREALS AND MILLETS											
A001	Amaranth seed, black (<i>Amaranthus cruentus</i>)	1	1.28		0.21	0.06				0.06	0.03
A002	Amaranth seed, pale brown (<i>Amaranthus cruentus</i>)	6	1.23±0.05		0.26±0.03	0.04±0.02				0.04±0.03	0.03±0.02
A003	Bajra (<i>Pennisetum typhoideum</i>)	6	0.03±0.01	0.11±0.02						0.07±0.02	0.25±0.01
A004	Barley (<i>Hordeum vulgare</i>)	6			0.43±0.14	0.06±0.01				1.70±0.11	0.05±0.01
A005	Jowar (<i>Sorghum vulgare</i>)	6	0.02±0.01	0.02±0.01	0.07±0.01	1.76±0.11	0.06±0.02			1.84±0.46	1.69±0.39
A006	Maize, dry (<i>Zea mays</i>)	6	0.07±0.02		2.93±0.42	2.96±0.44				2.84±0.36	2.91±0.32
A007	Maize, tender, local (<i>Zea mays</i>)	6	0.04±0.03		1.24±0.14	2.85±0.43				0.55±0.09	0.55±0.27
A008	Maize, tender, sweet (<i>Zea mays</i>)	4	0.03±0.01		1.09±0.19	1.43±0.16				0.50±0.05	0.51±0.27
A009	Quinoa(<i>Chenopodium quinoa</i>)	1	6.70	0.44	9.70	4.90		0.11	0.02		0.13
A010	Ragi (<i>Eleusine coracana</i>)	5			2.38±0.35	0.34±0.06	1.38±0.36				
A011	Rice flakes (<i>Oryza sativa</i>)	6	0.05±0.02		0.03±0.01	0.03±0.02				0.05±0.01	0.06±0.01
A012	Rice puffed (<i>Oryza sativa</i>)	6	0.04±0.01		0.02±0.01	0.05±0.02				0.04±0.01	0.05±0.02
A013	Rice, raw, brown (<i>Oryza sativa</i>)	6	0.04±0.01		0.02±0.01	0.05±0.02				0.04±0.01	0.05±0.02
A014	Rice, parboiled, milled (<i>Oryza sativa</i>)	6	0.07±0.02		0.06±0.01	0.05±0.02				0.06±0.02	0.06±0.02
A015	Rice, raw, milled (<i>Oryza sativa</i>)	6	0.05±0.02		0.04±0.01	0.05±0.01				0.05±0.02	0.06±0.02
A016	Samai (<i>Panicum miliare</i>)	6			0.16±0.04	0.05±0.03				0.37±0.04	0.67±0.03
A017	Varagu (<i>Setaria italica</i>)	5				0.02±0.01					
A018	Wheat flour, refined (<i>Triticum aestivum</i>)	6	0.23±0.09		0.09±0.01	0.13±0.01	0.63±0.10			0.06±0.02	0.07±0.02

Table 10. POLYPHENOLS

(All values are expressed per 100g edible portion; All blank space in the table represent below detectable limit)

Food code	Food Name	No. of Regions	Chlorogenic acid	Ferulic acid	Apigenin	Apigenin-6-C-glucoside	Apigenin-7-O-neohesperid oside	Luteolin	Kaempferol	Quercetin	Quercetin-3-β-D-glucoside	Quercetin-3-O-rutinoside
			mg									
			CHLRAC	FERAC	APIGEN			LUTEOL	KAEMF	QUERCE		
			A CEREALS AND MILLETS									
A001	Amaranth seed, black (<i>Amaranthus cruentus</i>)	1	0.21	2.13								
A002	Amaranth seed, pale brown (<i>Amaranthus cruentus</i>)	6	0.10±0.05	0.59±0.76								
A003	Bajra (<i>Pennisetum typhoideum</i>)	6	0.08±0.01	1.39±0.24				1.11±0.38	0.14±0.02			
A004	Barley (<i>Hordeum vulgare</i>)	6	2.75±0.25	0.60±0.07								
A005	Jowar (<i>Sorghum vulgare</i>)	6	4.04±0.99	1.59±0.23	0.07±0.01							
A006	Maize, dry (<i>Zea mays</i>)	6	1.01±0.45	1.43±0.09								
A007	Maize, tender, local (<i>Zea mays</i>)	6	0.92±0.04	0.38±0.12								
A008	Maize, tender, sweet (<i>Zea mays</i>)	4	0.87±0.02	1.39±0.14								
A009	Quinoa(<i>Chenopodium quinoa</i>)	1					0.13	0.19	3.60	1.90	3.40	4.40
A010	Ragi (<i>Eleusine coracana</i>)	5			2.58±0.49		10.45±1.17					
A011	Rice flakes (<i>Oryza sativa</i>)	6	0.70±0.06	0.07±0.01								
A012	Rice puffed (<i>Oryza sativa</i>)	6	0.06±0.01	0.02±0.01								
A013	Rice, raw, brown (<i>Oryza sativa</i>)	6	0.06±0.01	0.02±0.01								
A014	Rice, parboiled, milled (<i>Oryza sativa</i>)	6	0.28±0.07	0.62±0.18								
A015	Rice, raw, milled (<i>Oryza sativa</i>)	6	0.65±0.10	0.59±0.09								
A016	Samai (<i>Panicum miliare</i>)	6	2.79±0.75	0.39±0.03								
A017	Varagu (<i>Setaria italica</i>)	5							0.07±0.01			
A018	Wheat flour, refined (<i>Triticum aestivum</i>)	6	0.16±0.02	0.04±0.01		0.07±0.02						

Table 10. POLYPHENOLS

(All values are expressed per 100g edible portion; All blank space in the table represent below detectable limit)

Food code	Food Name	No. of Regions	Quercetin-3- β- galactoside	Isoramnetin	Myricetin	Resvertrol	Hesperetin	Naringenin	Hesperdin	Daidzein	Genistein	(-)- Epicatechin
			mg									
			HESPT			HESPD		DAIDZN	GNSTEIN	EPICATEC		
A CEREALS AND MILLETS												
A001	Amaranth seed, black (<i>Amaranthus cruentus</i>)	1										
A002	Amaranth seed, pale brown (<i>Amaranthus cruentus</i>)	6										
A003	Bajra (<i>Pennisetum typhoideum</i>)	6	0.30±0.04									
A004	Barley (<i>Hordeum vulgare</i>)	6										
A005	Jowar (<i>Sorghum vulgare</i>)	6										
A006	Maize, dry (<i>Zea mays</i>)	6										
A007	Maize, tender, local (<i>Zea mays</i>)	6										
A008	Maize, tender, sweet (<i>Zea mays</i>)	4										
A009	Quinoa(<i>Chenopodium quinoa</i>)	1	4.30									
A010	Ragi (<i>Eleusine coracana</i>)	5										
A011	Rice flakes (<i>Oryza sativa</i>)	6										
A012	Rice puffed (<i>Oryza sativa</i>)	6										
A013	Rice, raw, brown (<i>Oryza sativa</i>)	6										
A014	Rice, parboiled, milled (<i>Oryza sativa</i>)	6										
A015	Rice, raw, milled (<i>Oryza sativa</i>)	6										
A016	Samai (<i>Panicum miliare</i>)	6										
A017	Varagu (<i>Setaria italica</i>)	5										
A018	Wheat flour, refined (<i>Triticum aestivum</i>)	6										

Table 10. POLYPHENOLS
(All values are expressed per 100g edible portion; All blank space in the table represent below detectable limit)

Food code	Food Name	No. of Regions	(-)- Epigallo catechin	(-)- Epigallo catechin 3-gallate	(+)-Catechin	(-) Gallocatechin gallate	(-) Gallo catechin	Syringic acid	Sinapinic acid	Ellagic acid	Total polyphenols	
			← mg →									
			EPICATEGC									
A CEREALS AND MILLETS												
A001	Amaranth seed, black (<i>Amaranthus cruentus</i>)	1										12.50
A002	Amaranth seed, pale brown (<i>Amaranthus cruentus</i>)	6										11.75±2.48
A003	Bajra (<i>Pennisetum typhoideum</i>)	6										67.71±5.89
A004	Barley (<i>Hordeum vulgare</i>)	6	1.28±0.05									23.47±2.30
A005	Jowar (<i>Sorghum vulgare</i>)	6										23.25±2.00
A006	Maize, dry (<i>Zea mays</i>)	6										32.92±3.85
A007	Maize, tender, local (<i>Zea mays</i>)	6										19.00±2.52
A008	Maize, tender, sweet (<i>Zea mays</i>)	4										1.54±0.34
A009	Quinoa(<i>Chenopodium quinoa</i>)	1										74.00
A010	Ragi (<i>Eleusine coracana</i>)	5	15.52±0.90									135±2.2
A011	Rice flakes (<i>Oryza sativa</i>)	6										3.16±0.24
A012	Rice puffed (<i>Oryza sativa</i>)	6										2.76±0.63
A013	Rice, raw, brown (<i>Oryza sativa</i>)	6										2.81±0.69
A014	Rice, parboiled, milled (<i>Oryza sativa</i>)	6										6.93±1.07
A015	Rice, raw, milled (<i>Oryza sativa</i>)	6										3.14±0.44
A016	Samai (<i>Panicum miliare</i>)	6										14.24±0.89
A017	Varagu (<i>Setaria italica</i>)	5										0.53±0.26
A018	Wheat flour, refined (<i>Triticum aestivum</i>)	6										5.17±0.24

Food code	Food Name	No. of Regions	3,4-Dihydroxy benzoic acid	3-Hydroxy benzaldehyde	Protocatechuic acid	Vanillic acid	Gallic acid	Cinamic acid	O-Coumaric acid	P-Coumaric acid	Caffeic acid
			mg								
			GALLAC								
A019	Wheat flour, atta (<i>Triticum aestivum</i>)	6	0.68±0.19		0.62±0.11	0.26±0.08	2.79±0.37			0.38±0.09	0.78±0.07
A020	Wheat, whole (<i>Triticum aestivum</i>)	6	0.71±0.14		0.74±0.35	0.40±0.31	2.44±0.25			0.67±0.15	0.68±0.12
A021	Wheat, bulgur (<i>Triticum aestivum</i>)	6	0.68±0.10		0.71±0.12	0.40±0.09	2.75±0.62			0.63±0.07	0.66±0.13
A022	Wheat, semolina (<i>Triticum aestivum</i>)	6	0.25±0.05		0.12±0.01	0.18±0.05	0.23±0.07			0.05±0.02	0.14±0.02
A023	Wheat, vermicelli (<i>Triticum aestivum</i>)	6	0.21±0.03		0.04±0.03	0.15±0.05	0.11±0.02			0.04±0.01	0.02±0.01
A024	Wheat, vermicelli, roasted (<i>Triticum aestivum</i>)	6	0.20±0.04		0.02±0.01	0.07±0.03	0.06±0.01			0.02±0.01	0.03±0.01
B GRAIN LEGUMES											
B001	Bengal gram, dal (<i>Cicer arietinum</i>)	6	0.02±0.01		0.02±0.01						0.69±0.03
B002	Bengal gram, whole (<i>Cicer arietinum</i>)	6	0.11±0.02		0.02±0.01						5.63±0.34
B003	Black gram, dal (<i>Phaseolus mungo</i>)	6				0.06±0.02				0.59±0.10	
B004	Black gram, whole (<i>Phaseolus mungo</i>)	6				0.48±0.11				4.06±0.58	
B005	Cowpea, brown (<i>Vigna catjang</i>)	6								0.45±0.09	0.28±0.12
B006	Cowpea, white (<i>Vigna catjang</i>)	1								0.52	0.41
B007	Field bean, black (<i>Phaseolus vulgaris</i>)	1	3.18							3.87	0.59
B008	Field bean, brown (<i>Phaseolus vulgaris</i>)	1	2.67							2.68	0.64
B009	Field bean, white (<i>Phaseolus vulgaris</i>)	5	2.56±0.30							3.97±1.00	0.60±0.14
B010	Green gram, dal (<i>Phaseolus aureus</i>)	6				0.75±0.15				1.54±0.22	
B011	Green gram, whole (<i>Phaseolus aureus</i>)	6				2.31±0.45				4.06±0.64	
B012	Horse gram, whole (<i>Dolichus biflorus</i>)	6			4.61±0.46						0.39±0.17
B013	Lentil dal (<i>Lens culinaris</i>)	6	0.13±0.03		0.07±0.03		1.52±0.41	0.11±0.02		0.03±0.01	0.02±0.01

Table 10. Polyphenols

Food code	Food Name	No. of Regions	Chlorogenic acid	Ferulic acid	Apigenin	Apigenin-6-C-glucoside	Apigenin-7-O-neohesperid oside	Luteolin	Kaempferol	Quercetin	Quercetin-3-β-D-glucoside	Quercetin-3-O-rutinoside
			mg									
			CHLRAC	FERAC	APIGEN			LUTEOL	KAEMF	QUERCE		
A019	Wheat flour, atta (<i>Triticum aestivum</i>)	6	0.71±0.13	0.14±0.01		0.31±0.08						
A020	Wheat, whole (<i>Triticum aestivum</i>)	6	0.76±0.11	0.15±0.02		0.30±0.06						
A021	Wheat, bulgur (<i>Triticum aestivum</i>)	6	0.73±0.13	0.15±0.01		0.26±0.02						
A022	Wheat, semolina (<i>Triticum aestivum</i>)	6	0.28±0.07	0.05±0.02	0.03±0.01	0.04±0.01						
A023	Wheat, vermicelli (<i>Triticum aestivum</i>)	6	0.24±0.03	0.03±0.01		0.03±0.01						
A024	Wheat, vermicelli, roasted (<i>Triticum aestivum</i>)	6	0.03±0.02	0.03±0.02		0.03±0.01						

B GRAIN LEGUMES

B001	Bengal gram, dal (<i>Cicer arietinum</i>)	6		1.59±0.46			4.25±1.21					
B002	Bengal gram, whole (<i>Cicer arietinum</i>)	6		4.17±0.95			10.48±1.14					
B003	Black gram, dal (<i>Phaseolus mungo</i>)	6	0.36±0.03	0.14±0.01	2.43±0.38	0.29±0.03	0.09±0.02	1.40±0.32	0.05±0.02		1.69±0.26	
B004	Black gram, whole (<i>Phaseolus mungo</i>)	6	2.71±0.55	0.91±0.06	5.64±0.22	2.56±0.36	1.83±0.16	4.79±0.53	3.12±0.67		12.37±0.93	
B005	Cowpea, brown (<i>Vigna catjang</i>)	6	1.30±0.32								0.27±0.12	
B006	Cowpea, white (<i>Vigna catjang</i>)	1	1.64								0.52	
B007	Field bean, black (<i>Phaseolus vulgaris</i>)	1	6.47									
B008	Field bean, brown (<i>Phaseolus vulgaris</i>)	1	5.14									
B009	Field bean, white (<i>Phaseolus vulgaris</i>)	5	5.52±0.50									
B010	Green gram, dal (<i>Phaseolus aureus</i>)	6			0.04±0.01		0.40±0.23		0.08±0.01	0.04±0.02		
B011	Green gram, whole (<i>Phaseolus aureus</i>)	6			3.76±0.55		0.76±0.11		4.29±0.71	0.36±0.10		
B012	Horse gram, whole (<i>Dolichus biflorus</i>)	6						3.32±0.37				
B013	Lentil dal (<i>Lens culinaris</i>)	6	0.23±0.05	0.07±0.03	0.02±0.01	0.12±0.01	0.13±0.02	0.02±0.01	0.32±0.20	0.87±0.09		0.76±0.08

Food code	Food Name	No. of Regions	Quercetin-3- β - galactoside	Isoramnetin	Myricetin	Resvertrol	Hesperetin	Naringenin	Hesperdin	Daidzein	Genistein	(-)- Epicatechin
			mg									
							HESPT		HESPD	DAIDZN	GNSTEIN	EPICATEC
A019	Wheat flour, atta (<i>Triticum aestivum</i>)	6										
A020	Wheat, whole (<i>Triticum aestivum</i>)	6										
A021	Wheat, bulgur (<i>Triticum aestivum</i>)	6										
A022	Wheat, semolina (<i>Triticum aestivum</i>)	6										
A023	Wheat, vermicelli (<i>Triticum aestivum</i>)	6										
A024	Wheat, vermicelli, roasted (<i>Triticum aestivum</i>)	6										
B GRAIN LEGUMES												
B001	Bengal gram, dal (<i>Cicer arietinum</i>)	6		0.84 \pm 0.02	1.49 \pm 0.25					0.01 \pm 0.01	0.07 \pm 0.01	
B002	Bengal gram, whole (<i>Cicer arietinum</i>)	6		6.53 \pm 0.22	8.85 \pm 2.56							
B003	Black gram, dal (<i>Phaseolus mungo</i>)	6			1.53 \pm 0.01					0.03 \pm 0.01		
B004	Black gram, whole (<i>Phaseolus mungo</i>)	6			3.12 \pm 0.67					1.34 \pm 0.19		
B005	Cowpea, brown (<i>Vigna catjang</i>)	6								0.04 \pm 0.01	0.06 \pm 0.01	
B006	Cowpea, white (<i>Vigna catjang</i>)	1								0.05	0.08	
B007	Field bean, black (<i>Phaseolus vulgaris</i>)	1										
B008	Field bean, brown (<i>Phaseolus vulgaris</i>)	1										
B009	Field bean, white (<i>Phaseolus vulgaris</i>)	5										
B010	Green gram, dal (<i>Phaseolus aureus</i>)	6		0.14 \pm 0.02								
B011	Green gram, whole (<i>Phaseolus aureus</i>)	6		5.52 \pm 0.86								
B012	Horse gram, whole (<i>Dolichus biflorus</i>)	6										
B013	Lentil dal (<i>Lens culinaris</i>)	6		1.14 \pm 0.42					0.02 \pm 0.01	0.02 \pm 0.01	0.02 \pm 0.01	0.06 \pm 0.02

Table 10. Polyphenols

Food code	Food Name	No. of Regions	(-)- Epigallo catechin	(-)- Epigallo catechin 3-gallate	(+)-Catechin	(-) Gallocatechin gallate	(-) Gallo catechin	Syringic acid	Sinapinic acid	Ellagic acid	Total polyphenols
			← mg →								
			EPICATEGC								
A019	Wheat flour, atta (<i>Triticum aestivum</i>)	6						0.04±0.01	0.13±0.02		13.98±2.54
A020	Wheat, whole (<i>Triticum aestivum</i>)	6						0.07±0.01	0.12±0.02		14.33±1.76
A021	Wheat, bulgur (<i>Triticum aestivum</i>)	6						0.06±0.02	0.11±0.01		9.53±1.40
A022	Wheat, semolina (<i>Triticum aestivum</i>)	6						0.03±0.01	0.04±0.01		6.50±1.30
A023	Wheat, vermicelli (<i>Triticum aestivum</i>)	6						0.03±0.01	0.03±0.01		5.55±0.34
A024	Wheat, vermicelli, roasted (<i>Triticum aestivum</i>)	6						0.02±0.00	0.02±0.01		7.37±0.57
B GRAIN LEGUMES											
B001	Bengal gram, dal (<i>Cicer arietinum</i>)	6						5.68±1.07			14.13±0.67
B002	Bengal gram, whole (<i>Cicer arietinum</i>)	6						6.00±0.57			64.28±3.08
B003	Black gram, dal (<i>Phaseolus mungo</i>)	6							0.26±0.04		32.43±6.76
B004	Black gram, whole (<i>Phaseolus mungo</i>)	6							1.55±0.23		168±5.4
B005	Cowpea, brown (<i>Vigna catjang</i>)	6									59.65±5.21
B006	Cowpea, white (<i>Vigna catjang</i>)	1									63.57
B007	Field bean, black (<i>Phaseolus vulgaris</i>)	1									180
B008	Field bean, brown (<i>Phaseolus vulgaris</i>)	1									172
B009	Field bean, white (<i>Phaseolus vulgaris</i>)	5									170±6.2
B010	Green gram, dal (<i>Phaseolus aureus</i>)	6									6.44±0.53
B011	Green gram, whole (<i>Phaseolus aureus</i>)	6									90.74±5.49
B012	Horse gram, whole (<i>Dolichus biflorus</i>)	6									332±27.7
B013	Lentil dal (<i>Lens culinaris</i>)	6	0.06±0.02		0.11±0.02		0.03±0.01		7.17±0.74	4.10±1.57	14.94±2.10

Food code	Food Name	No. of Regions	3,4-Dihydroxy benzoic acid	3-Hydroxy benzaldehyde	Protocatechuic acid	Vanillic acid	Gallic acid	Cinamic acid	O-Coumaric acid	P-Coumaric acid	Caffeic acid
			mg								
			GALLAC								
B014	Lentil whole, brown (<i>Lens culinaris</i>)	6	0.35±0.02		0.28±0.05		2.72±0.72	0.28±0.09		0.25±0.09	0.08±0.02
B015	Lentil whole, yellowish (<i>Lens culinaris</i>)	2	0.43		0.25		2.65	0.23		0.07	
B016	Moth bean (<i>Vigna aconitifolia</i>)	6								0.09±0.01	0.55±0.13
B017	Peas, dry (<i>Pisum sativum</i>)	6	0.07±0.01				0.11±0.07			0.08±0.03	0.07±0.01
B018	Rajmah, black (<i>Phaseolus vulgaris</i>)	2								4.70	2.69
B019	Rajmah, brown (<i>Phaseolus vulgaris</i>)	6								3.96±1.08	2.74±0.26
B020	Rajmah, red (<i>Phaseolus vulgaris</i>)	3								3.80±1.44	2.42±0.33
B021	Red gram, dal (<i>Cajanus cajan</i>)	6	0.08±0.01		0.13±0.02	0.04±0.01				0.36±0.03	
B022	Red gram, whole (<i>Cajanus cajan</i>)	6	0.59±0.03		0.63±0.05	0.41±0.12				0.59±0.03	
B023	Ricebean (<i>Vigna umbellata</i>)	1	0.03		0.11	0.09		0.03		0.02	
B024	Soya bean, brown (<i>Glycine max</i>)	6	1.45±0.14		1.75±0.06	0.41±0.10	1.28±0.02			1.07±0.02	5.88±0.48
B025	Soya bean, white (<i>Glycine max</i>)	1	1.48		1.87	0.35	1.31			1.04	4.12
C GREEN LEAFY VEGETABLES											
C001	Agathi leaves (<i>Sesbania grandiflora</i>)	1	1.66				0.99		0.36	0.41	0.20
C002	Amaranth leaves, green (<i>Amaranthus gangeticus</i>)	6	0.79±0.32			1.08±0.32				0.48±0.22	0.54±0.22
C003	Amaranth leaves, red (<i>Amaranthus gangeticus</i>)	1	0.92			1.24				1.42	0.57
C004	Amaranth leaves, red and green (<i>Amaranthus gangeticus</i>)	4	0.64±0.09			1.39±0.42				0.67±0.33	0.58±0.09
C005	Amaranth spinosus, leaves, green (<i>Amaranthus spinosus</i>)	4								0.61±0.13	4.06±0.44
C006	Amaranth spinosus, leaves, red and green (<i>Amaranthus spinosus</i>)	2								0.72	4.41
C007	Basella leaves (<i>Basella alba</i>)	2	0.03		0.07						0.05

Table 10. Polyphenols

344

Food code	Food Name	No. of Regions	Chlorogenic acid	Ferulic acid	Apigenin	Apigenin-6-C-glucoside	Apigenin-7-O-neohesperid oside	Luteolin	Kaempferol	Quercetin	Quercetin-3-β- D-glucoside	Quercetin-3-O-rutinoside
			mg									
			CHLRAC	FERAC	APIGEN			LUTEOL	KAEMF	QUERCE		
B014	Lentil whole, brown (<i>Lens culinaris</i>)	6		0.08±0.01	0.72±0.07	0.20±0.04	0.24±0.08	0.12±0.01	0.84±0.13	1.42±0.19		1.28±0.09
B015	Lentil whole, yellowish (<i>Lens culinaris</i>)	2	2.56	0.12	0.05	0.17	0.22	0.09	0.61	1.46		1.21
B016	Moth bean (<i>Vigna aconitifolia</i>)	6	2.56±0.86									
B017	Peas, dry (<i>Pisum sativum</i>)	6	2.08±0.54					1.68±0.32				
B018	Rajmah, black (<i>Phaseolus vulgaris</i>)	2	5.66				28.35	5.90	2.30			
B019	Rajmah, brown (<i>Phaseolus vulgaris</i>)	6	6.12±1.25					4.86±0.82	2.58±0.17			
B020	Rajmah, red (<i>Phaseolus vulgaris</i>)	3	5.93±0.22					4.76±0.96	2.76±0.33			
B021	Red gram, dal (<i>Cajanus cajan</i>)	6		0.05±0.01	0.40±0.13			0.05±0.01				2.87±0.16
B022	Red gram, whole (<i>Cajanus cajan</i>)	6		0.12±0.02	1.50±0.23			1.16±0.25				8.32±0.85
B023	Ricebean (<i>Vigna umbellata</i>)	1		0.32	0.01			0.01				
B024	Soya bean, brown (<i>Glycine max</i>)	6	2.52±0.28	8.23±0.11	1.77±0.33				1.67±0.20	1.47±0.57	1.47±0.09	6.51±0.25
B025	Soya bean, white (<i>Glycine max</i>)	1	2.45	7.42	2.47				1.47	1.41	1.58	5.93
C GREEN LEAFY VEGETABLES												
C001	Agathi leaves (<i>Sesbania grandiflora</i>)	1	10.90	0.35	0.84			0.25	0.42	0.51		
C002	Amaranth leaves, green (<i>Amaranthus gangeticus</i>)	6	1.82±0.76	1.59±0.50							7.93±0.95	
C003	Amaranth leaves, red (<i>Amaranthus gangeticus</i>)	1	1.25	2.41							7.91	
C004	Amaranth leaves, red and green (<i>Amaranthus gangeticus</i>)	4	2.07±0.30	1.69±0.36							8.35±0.49	
C005	Amaranth spinosus, leaves, green (<i>Amaranthus spinosus</i>)	4	1.97±0.77						0.74±0.20	1.47±0.10		
C006	Amaranth spinosus, leaves, red and green (<i>Amaranthus spinosus</i>)	2	2.67						0.89	1.70		
C007	Basella leaves (<i>Basella alba</i>)	2	1.12	0.41	2.65							

Food code	Food Name	No. of Regions	Quercetin-3- β - galactoside	Isoramnetin	Myricetin	Resvertrol	Hesperetin	Naringenin	Hesperdin	Daidzein	Genistein	(-)- Epicatechin
			mg									
			HESPT	HESPD	DAIDZN	GNSTEIN	EPICATEC					
B014	Lentil whole, brown (<i>Lens culinaris</i>)	6	1.76±0.15						0.09±0.01	0.02±0.01	0.05±0.01	0.10±0.01
B015	Lentil whole, yellowish (<i>Lens culinaris</i>)	2			1.53				0.07	0.06	0.06	0.12
B016	Moth bean (<i>Vigna aconitifolia</i>)	6										
B017	Peas, dry (<i>Pisum sativum</i>)	6										
B018	Rajmah, black (<i>Phaseolus vulgaris</i>)	2										2.25
B019	Rajmah, brown (<i>Phaseolus vulgaris</i>)	6										2.11±0.49
B020	Rajmah, red (<i>Phaseolus vulgaris</i>)	3										2.10±0.55
B021	Red gram, dal (<i>Cajanus cajan</i>)	6								0.01±0.01	0.10±0.01	0.05±0.01
B022	Red gram, whole (<i>Cajanus cajan</i>)	6										0.54±0.13
B023	Ricebean (<i>Vigna umbellata</i>)	1										0.22
B024	Soya bean, brown (<i>Glycine max</i>)	6								31.71±1.94	56.30±2.41	
B025	Soya bean, white (<i>Glycine max</i>)	1								28.53	47.81	
C GREEN LEAFY VEGETABLES												
C001	Agathi leaves (<i>Sesbania grandiflora</i>)	1		1.21	1.01							
C002	Amaranth leaves, green (<i>Amaranthus gangeticus</i>)	6										
C003	Amaranth leaves, red (<i>Amaranthus gangeticus</i>)	1										
C004	Amaranth leaves, red and green (<i>Amaranthus gangeticus</i>)	4										
C005	Amaranth spinosus, leaves, green (<i>Amaranthus spinosus</i>)	4										
C006	Amaranth spinosus, leaves, red and green (<i>Amaranthus spinosus</i>)	2										
C007	Basella leaves (<i>Basella alba</i>)	2			4.01							

346

[illegible]

Food code	Food Name	No. of Regions	Quercetin-3-β-Galactoside	Isoramnetin	Myricetin	Resvertrol	Hesperetin	Naringenin	Hesperdin	Daidzein	Genistein	(-)-Epicatechin
			<div><div></div><div>mg</div><div></div></div>									
			HESPT			HESPD		DAIDZN		GNSTEIN		EPICATEC
C008	Bathua leaves (<i>Chenopodium album</i>)	2										
C009	Beet greens (<i>Beta vulgaris</i>)	6										
C010	Betel leaves, big (kolkata) (<i>Piper betle</i>)	6										
C011	Betel leaves, small (<i>Piper betle</i>)	4										
C012	Brussels sprouts (<i>Brassica oleracea</i> var. <i>gemmifera</i>)	1										
C013	Cabbage, Chinese (<i>Brassica rupa</i>)	1										
C014	Cabbage, collard greens (<i>Brassica oleracea</i> var. <i>viridis</i>)	1										
C015	Cabbage, green (<i>Brassica oleracea</i> var. <i>capitata</i> f. <i>alba</i>)	6										
C016	Cabbage, violet (<i>Brassica oleracea</i> var. <i>capitata</i> f. <i>rubra</i>)	2										
C017	Cauliflower leaves (<i>Brassica oleracea</i> var. <i>botrytis</i>)	6	0.50±0.01									
C018	Colocasia leaves, green (<i>Colocasia anti-quorum</i>)	6	0.02±0.01									
C019	Drumstick leaves (<i>Moringa oleifera</i>)	3										
C020	Fenugreek leaves (<i>Trigonella foenum graecum</i>)	5	0.04±0.01									
C021	Garden cress (<i>Lepidium sativum</i>)	2	12.21									
C022	Gogu leaves, green (<i>Hibiscus cannabinus</i>)	4										
C023	Gogu leaves, red (<i>Hibiscus cannabinus</i>)	1										
C024	Knol-Khol, leaves (<i>Brassica oleracea</i> var. <i>gongylodes</i>)	2	0.42									
C025	Lettuce (<i>Lactuca sativa</i>)	3	3.07±0.08	0.07±0.01								
C026	Mustard leaves (<i>Brassica juncea</i>)	3	0.03±0.01									
C027	Pak Choi leaves(<i>Brassica rapa</i> var. <i>Chinensis</i>)	1										

Food code	Food Name	No. of Regions	(-)- Epigallo catechin	(-)- Epigallo catechin 3-gallate	(+)-Catechin	(-) Gallocatechin gallate	(-) Gallo catechin	Syringic acid	Sinapinic acid	Ellagic acid	Total polyphenols	
			mg									
			EPICATEGC									
C008	Bathua leaves (<i>Chenopodium album</i>)	2	42.24									
C009	Beet greens (<i>Beta vulgaris</i>)	6	2.85±0.56									
C010	Betel leaves, big (kolkata) (<i>Piper betle</i>)	6	89.68±3.06									
C011	Betel leaves, small (<i>Piper betle</i>)	4	87.01±3.81									
C012	Brussels sprouts (<i>Brassica oleracea</i> var. <i>gemmifera</i>)	1	16.45									
C013	Cabbage, Chinese (<i>Brassica rupa</i>)	1	27.97									
C014	Cabbage, collard greens (<i>Brassica oleracea</i> var. <i>viridis</i>)	1	70.89									
C015	Cabbage, green (<i>Brassica oleracea</i> var. <i>capitata</i> f. <i>alba</i>)	6	54.92±4.47									
C016	Cabbage, violet (<i>Brassica oleracea</i> var. <i>capitata</i> f. <i>rubra</i>)	2	59.94									
C017	Cauliflower leaves (<i>Brassica oleracea</i> var. <i>botrytis</i>)	6							0.09±0.01	0.18±0.01		28.94±0.36
C018	Colocasia leaves, green (<i>Colocasia anti-quorum</i>)	6	124±1.8									
C019	Drumstick leaves (<i>Moringa oleifera</i>)	3	29.90±14.48									
C020	Fenugreek leaves (<i>Trigonella foenum graecum</i>)	5	105±6.3									
C021	Garden cress (<i>Lepidium sativum</i>)	2	16.19									
C022	Gogu leaves, green (<i>Hibiscus cannabinus</i>)	4	199±11.9									
C023	Gogu leaves, red (<i>Hibiscus cannabinus</i>)	1	208									
C024	Knol-Khol, leaves (<i>Brassica oleracea</i> var. <i>gongylodes</i>)	2	6.16									
C025	Lettuce (<i>Lactuca sativa</i>)	3	19.47±1.92									
C026	Mustard leaves (<i>Brassica juncea</i>)	3	38.02±1.14									
C027	Pak Choi leaves(<i>Brassica rapa</i> var. <i>Chinensis</i>)	1										

Food code	Food Name	No. of Regions	3,4 Dihydroxy benzoic acid	3-Hydroxy benzaldehyde	Protocatechuic acid	Vanillic acid	Gallic acid	Cinamic acid	O-Coumaric acid	P-Coumaric acid	Caffeic acid
			mg								
			GALLAC								
C028	Parsley (<i>Petroselinum crispum</i>)	3				1.18±0.09			0.41±0.02	0.02±0.01	0.27±0.04
C029	Ponnaganni (<i>Alternanthera sessilis</i>)	2	0.41		1.57						0.03
C030	Pumpkin leaves, tender (<i>Cucurbita maxima</i>)	6								0.25±0.03	0.40±0.03
C031	Radish leaves (<i>Raphanus sativus</i>)	6			1.40±0.07		0.04±0.01			0.26±0.03	0.41±0.01
C032	Rumex leaves (<i>Rumex patientia</i>)	2								0.10	0.77
C033	Spinach (<i>Spinacia oleracea</i>)	6			2.26±0.51					4.30±0.56	
C034	Tamarind leaves, tender (<i>Tamarindus indica</i>)	3									0.23±0.02
D OTHER VEGETABLES											
D001	Ash gourd (<i>Benincasa hispida</i>)	6	0.03±0.02				0.34±0.11	0.93±0.73			
D002	Bamboo shoot, tender (<i>Bambusa vulgaris</i>)	1						0.36			
D003	Bean scarlet, tender (<i>Phaseolus coccineus</i>)	5	0.21±0.02							0.85±0.00	1.25±0.00
D004	Bitter gourd, jagged, teeth ridges, elongate (<i>Momordica charantia</i>)	6					0.04±0.01	0.74±0.39			0.05±0.03
D005	Bitter gourd, jagged, teeth ridges, short (<i>Momordica charantia</i>)	4					0.05±0.04	1.21±1.15			0.07±0.04
D006	Bitter gourd, jagged, smooth ridges, elongate (<i>Momordica charantia</i>)	1					0.08	1.64			0.05
D007	Bottle gourd, elongate, pale green (<i>Lagenaria vulgaris</i>)	6					0.05±0.02	1.96±0.71			0.60±0.06
D008	Bottle gourd, round, pale green (<i>Lagenaria vulgaris</i>)	5					0.05±0.01	1.90±0.67			0.79±0.41
D009	Bottle gourd, elongate, dark green (<i>Lagenaria vulgaris</i>)	1					0.04	1.84			0.59
D010	Brinjal-1 (<i>Solanum melongena</i>)	1			1.73		0.21			1.39	0.83
D011	Brinjal-2 (<i>Solanum melongena</i>)	1			1.82		0.29			1.27	0.76

Table 10. Polyphenols

Food code	Food Name	No. of Regions	Chlorogenic acid	Ferulic acid	Apigenin	Apigenin-6-C-glucoside	Apigenin-7-O-neohesperid oside	Luteolin	Kaempferol	Quercetin	Quercetin-3-β-D-glucoside	Quercetin-3-O-rutinoside
			mg									
			CHLRAC	FERAC	APIGEN			LUTEOL	KAEMF	QUERCE		
C028	Parsley (<i>Petroselinum crispum</i>)	3	1.52±0.31	0.33±0.02	16.14±1.41				0.01±0.01			
C029	Ponnaganni (<i>Alternanthera sessilis</i>)	2	4.31		0.31			4.98	0.75	0.56		
C030	Pumpkin leaves, tender (<i>Cucurbita maxima</i>)	6	0.19±0.01	0.28±0.05						0.54±0.06		
C031	Radish leaves (<i>Raphanus sativus</i>)	6		0.58±0.04				3.26±0.59	8.23±0.66	69.50±2.60		4.57±0.45
C032	Rumex leaves (<i>Rumex patientia</i>)	2	3.83	0.41					10.73	86.33		
C033	Spinach (<i>Spinacia oleracea</i>)	6	3.09±0.40		2.55±0.86		2.70±1.03	0.35±0.06	0.08±0.02	0.49±0.03		
C034	Tamarind leaves, tender (<i>Tamarindus indica</i>)	3										

D OTHER VEGETABLES

D001	Ash gourd (<i>Benincasa hispida</i>)	6										
D002	Bamboo shoot, tender (<i>Bambusa vulgaris</i>)	1	0.25									
D003	Bean scarlet, tender (<i>Phaseolus coccineus</i>)	5	0.10±0.00		2.15±0.00			0.52±0.00	1.52±0.00	3.52±0.00		
D004	Bitter gourd, jagged, teeth ridges, elongate (<i>Momordica charantia</i>)	6										
D005	Bitter gourd, jagged, teeth ridges, short (<i>Momordica charantia</i>)	4										
D006	Bitter gourd, jagged, smooth ridges, elongate (<i>Momordica charantia</i>)	1										
D007	Bottle gourd, elongate, pale green (<i>Lagenaria vulgaris</i>)	6	2.47±0.49									
D008	Bottle gourd, round, pale green (<i>Lagenaria vulgaris</i>)	5	2.72±0.26									
D009	Bottle gourd, elongate, dark green (<i>Lagenaria vulgaris</i>)	1	2.48									
D010	Brinjal-1 (<i>Solanum melongena</i>)	1		0.77			1.47					
D011	Brinjal-2 (<i>Solanum melongena</i>)	1		0.65			1.43					

D	OTHER VEGETABLES	
D001	Ash gourd (<i>Benincasa hispida</i>)	6
D002	Bamboo shoot, tender (<i>Bambusa vulgaris</i>)	1
D003	Bean scarlet, tender (<i>Phaseolus coccineus</i>)	5
D004	Bitter gourd, jagged, teeth ridges, elongate (<i>Momordica charantia</i>)	6
D005	Bitter gourd, jagged, teeth ridges, short (<i>Momordica charantia</i>)	4
D006	Bitter gourd, jagged, smooth ridges, elongate (<i>Momordica charantia</i>)	1
D007	Bottle gourd, elongate, pale green (<i>Lagenaria vulgaris</i>)	6
D008	Bottle gourd, round, pale green (<i>Lagenaria vulgaris</i>)	5
D009	Bottle gourd, elongate, dark green (<i>Lagenaria vulgaris</i>)	1
D010	Brinjal-1 (<i>Solanum melongena</i>)	1
D011	Brinjal-2 (<i>Solanum melongena</i>)	1

Table 10. Polyphenols

Food code	Food Name	No. of Regions	(-)- Epigallo catechin	(-)- Epigallo catechin 3-gallate	(+)-Catechin	(-) Gallocatechin gallate	(-) Gallo catechin	Syringic acid	Sinapinic acid	Ellagic acid	Total polyphenols
			← mg →								
			EPICATEGC								
C028	Parsley (<i>Petroselinum crispum</i>)	3									46.58±1.38
C029	Ponnaganni (<i>Alternanthera sessilis</i>)	2									53.08
C030	Pumpkin leaves, tender (<i>Cucurbita maxima</i>)	6									20.33±1.63
C031	Radish leaves (<i>Raphanus sativus</i>)	6						2.89±0.35	0.19±0.04		27.57±7.13
C032	Rumex leaves (<i>Rumex patientia</i>)	2									16.13
C033	Spinach (<i>Spinacia oleracea</i>)	6									233±8.9
C034	Tamarind leaves, tender (<i>Tamarindus indica</i>)	3									27.65±4.01

D OTHER VEGETABLES											
D001	Ash gourd (<i>Benincasa hispida</i>)	6									10.47±1.25
D002	Bamboo shoot, tender (<i>Bambusa vulgaris</i>)	1									9.00
D003	Bean scarlet, tender (<i>Phaseolus coccineus</i>)	5									12.68±0.00
D004	Bitter gourd, jagged, teeth ridges, elongate (<i>Momordica charantia</i>)	6									49.76±1.87
D005	Bitter gourd, jagged, teeth ridges, short (<i>Momordica charantia</i>)	4									50.46±2.48
D006	Bitter gourd, jagged, smooth ridges, elongate (<i>Momordica charantia</i>)	1									52.98
D007	Bottle gourd, elongate, pale green (<i>Lagenaria vulgaris</i>)	6									34.76±3.15
D008	Bottle gourd, round, pale green (<i>Lagenaria vulgaris</i>)	5									31.83±5.61
D009	Bottle gourd, elongate, dark green (<i>Lagenaria vulgaris</i>)	1									38.20
D010	Brinjal-1 (<i>Solanum melongena</i>)	1									13.14
D011	Brinjal-2 (<i>Solanum melongena</i>)	1									12.16

Food code	Food Name	No. of Regions	3,4-Dihydroxy benzoic acid	3-Hydroxy benzaldehyde	Protocatechuic acid	Vanillic acid	Gallic acid	Cinamic acid	O-Coumaric acid	P-Coumaric acid	Caffeic acid
			mg								
			GALLAC								
D012	Brinjal-3 (<i>Solanum melongena</i>)	2			1.96		0.28			1.41	0.80
D013	Brinjal-4 (<i>Solanum melongena</i>)	4			1.50±0.27		0.29±0.03			1.40±0.04	0.84±0.07
D014	Brinjal-5 (<i>Solanum melongena</i>)	3			2.32±0.28		0.32±0.03			1.36±0.07	0.78±0.10
D015	Brinjal-6 (<i>Solanum melongena</i>)	2			1.82		0.19			1.33	0.81
D016	Brinjal-7 (<i>Solanum melongena</i>)	1			1.69		0.29			1.41	0.88
D017	Brinjal-8(<i>Solanum melongena</i>)	3			1.82±0.06		0.31±0.03			1.43±0.06	0.84±0.03
D018	Brinjal-9(<i>Solanum melongena</i>)	2			1.71		0.35			1.43	0.89
D019	Brinjal-10 (<i>Solanum melongena</i>)	2			1.31		0.28			1.37	0.89
D020	Brinjal-11 (<i>Solanum melongena</i>)	6			1.74±0.12		0.30±0.06			1.46±0.10	0.79±0.11
D021	Brinjal-12 (<i>Solanum melongena</i>)	2			2.47		0.30			1.38	0.88
D022	Brinjal-13(<i>Solanum melongena</i>)	1			1.82		0.26			1.39	0.86
D023	Brinjal-14(<i>Solanum melongena</i>)	3			1.73±0.16		0.33±0.04			1.45±0.08	0.84±0.03
D024	Brinjal-15 (<i>Solanum melongena</i>)	4			1.71±0.14		0.29±0.02			1.58±0.13	0.86±0.05
D025	Brinjal-16(<i>Solanum melongena</i>)	1			1.89		0.31			1.52	0.88
D026	Brinjal-17(<i>Solanum melongena</i>)	1			1.79		0.27			1.49	0.81
D027	Brinjal-18 (<i>Solanum melongena</i>)	3			1.75±0.18		0.30±0.05			1.44±0.07	0.77±0.13
D028	Brinjal-19(<i>Solanum melongena</i>)	3			1.65±0.13		0.32±0.03			1.53±0.14	0.76±0.12
D029	Brinjal-20(<i>Solanum melongena</i>)	5			1.75±0.13		0.28±0.02			1.44±0.11	0.87±0.08
D030	Brinjal-21(<i>Solanum melongena</i>)	2			2.86		0.30			1.39	0.83
D031	Brinjal - all varieties (<i>Solanum melongena</i>)	6			1.81±0.33		0.29±0.04			1.44±0.10	0.82±0.08
D032	Broad beans (<i>Vicia faba</i>)	3			1.68±0.62						0.09±0.01

Table 10. Polyphenols

356

Food code	Food Name	No. of Regions	Chlorogenic acid	Ferulic acid	Apigenin	Apigenin-6-C-glucoside	Apigenin-7-O-neohesperid oside	Luteolin	Kaempferol	Quercetin	Quercetin-3-β- D-glucoside	Quercetin-3-O-rutinoside
			mg									
			CHLRAC	FERAC	APIGEN			LUTEOL	KAEMF	QUERCE		
D012	Brinjal-3 (<i>Solanum melongena</i>)	2		0.81			1.50					
D013	Brinjal-4 (<i>Solanum melongena</i>)	4		0.85±0.08			1.56±0.07					
D014	Brinjal-5 (<i>Solanum melongena</i>)	3		0.83±0.09			1.32±0.04					
D015	Brinjal-6 (<i>Solanum melongena</i>)	2		0.90			1.35					
D016	Brinjal-7 (<i>Solanum melongena</i>)	1		0.77			1.26					
D017	Brinjal-8(<i>Solanum melongena</i>)	3		0.79±0.04			1.46±0.09					
D018	Brinjal-9(<i>Solanum melongena</i>)	2		0.69			1.43					
D019	Brinjal-10 (<i>Solanum melongena</i>)	2		0.73			1.47					
D020	Brinjal-11 (<i>Solanum melongena</i>)	6		0.85±0.04			1.56±0.12					
D021	Brinjal-12 (<i>Solanum melongena</i>)	2		0.71			1.39					
D022	Brinjal-13(<i>Solanum melongena</i>)	1		0.74			1.29					
D023	Brinjal-14(<i>Solanum melongena</i>)	3		0.69±0.05			1.40±0.14					
D024	Brinjal-15 (<i>Solanum melongena</i>)	4		0.67±0.09			1.24±0.07					
D025	Brinjal-16(<i>Solanum melongena</i>)	1		0.77			1.39					
D026	Brinjal-17(<i>Solanum melongena</i>)	1		0.74			1.16					
D027	Brinjal-18 (<i>Solanum melongena</i>)	3		0.48±0.17			1.23±0.10					
D028	Brinjal-19(<i>Solanum melongena</i>)	3		0.66±0.12			1.33±0.08					
D029	Brinjal-20(<i>Solanum melongena</i>)	5		0.75±0.09			1.47±0.11					
D030	Brinjal-21(<i>Solanum melongena</i>)	2		0.62			1.32					
D031	Brinjal - all varieties (<i>Solanum melongena</i>)	6		0.75±0.12			1.42±0.15					
D032	Broad beans (<i>Vicia faba</i>)	3	3.88±0.08	0.31±0.01	0.77±0.11				0.04±0.01			

Food code	Food Name	No. of Regions	Quercetin-3- β - galactoside	Isoramnetin	Myricetin	Resvertrol	Hesperetin	Naringenin	Hesperdin	Daidzein	Genistein	(-)- Epicatechin
			mg									
							HESPT		HESPD	DAIDZN	GNSTEIN	EPICATEC
D012	Brinjal-3 (<i>Solanum melongena</i>)	2										
D013	Brinjal-4 (<i>Solanum melongena</i>)	4										
D014	Brinjal-5 (<i>Solanum melongena</i>)	3										
D015	Brinjal-6 (<i>Solanum melongena</i>)	2										
D016	Brinjal-7 (<i>Solanum melongena</i>)	1										
D017	Brinjal-8(<i>Solanum melongena</i>)	3										
D018	Brinjal-9(<i>Solanum melongena</i>)	2										
D019	Brinjal-10 (<i>Solanum melongena</i>)	2										
D020	Brinjal-11 (<i>Solanum melongena</i>)	6										
D021	Brinjal-12 (<i>Solanum melongena</i>)	2										
D022	Brinjal-13(<i>Solanum melongena</i>)	1										
D023	Brinjal-14(<i>Solanum melongena</i>)	3										
D024	Brinjal-15 (<i>Solanum melongena</i>)	4										
D025	Brinjal-16(<i>Solanum melongena</i>)	1										
D026	Brinjal-17(<i>Solanum melongena</i>)	1										
D027	Brinjal-18 (<i>Solanum melongena</i>)	3										
D028	Brinjal-19(<i>Solanum melongena</i>)	3										
D029	Brinjal-20(<i>Solanum melongena</i>)	5										
D030	Brinjal-21(<i>Solanum melongena</i>)	2										
D031	Brinjal - all varieties (<i>Solanum melongena</i>)	6										
D032	Broad beans (<i>Vicia faba</i>)	3										38.05 \pm 2.13

Table 10. Polyphenols

358

Food code	Food Name	No. of Regions	(-)- Epigallo catechin	(-)- Epigallo catechin 3-gallate	(+)-Catechin	(-) Gallocatechin gallate	(-) Gallo catechin	Syringic acid	Sinapinic acid	Ellagic acid	Total polyphenols
			← mg →								
			EPICATEGC								
D012	Brinjal-3 (<i>Solanum melongena</i>)	2									13.80
D013	Brinjal-4 (<i>Solanum melongena</i>)	4									12.85±1.21
D014	Brinjal-5 (<i>Solanum melongena</i>)	3									13.49±0.86
D015	Brinjal-6 (<i>Solanum melongena</i>)	2									12.88
D016	Brinjal-7 (<i>Solanum melongena</i>)	1									13.17
D017	Brinjal-8(<i>Solanum melongena</i>)	3									12.63±1.08
D018	Brinjal-9(<i>Solanum melongena</i>)	2									11.47
D019	Brinjal-10 (<i>Solanum melongena</i>)	2									13.05
D020	Brinjal-11 (<i>Solanum melongena</i>)	6									12.79±2.20
D021	Brinjal-12 (<i>Solanum melongena</i>)	2									13.19
D022	Brinjal-13(<i>Solanum melongena</i>)	1									13.49
D023	Brinjal-14(<i>Solanum melongena</i>)	3									12.29±0.72
D024	Brinjal-15 (<i>Solanum melongena</i>)	4									11.52±0.65
D025	Brinjal-16(<i>Solanum melongena</i>)	1									12.16
D026	Brinjal-17(<i>Solanum melongena</i>)	1									13.17
D027	Brinjal-18 (<i>Solanum melongena</i>)	3									12.62±0.56
D028	Brinjal-19(<i>Solanum melongena</i>)	3									13.54±1.63
D029	Brinjal-20(<i>Solanum melongena</i>)	5									12.90±1.62
D030	Brinjal-21(<i>Solanum melongena</i>)	2									13.19
D031	Brinjal - all varieties (<i>Solanum melongena</i>)	6									12.79±1.34
D032	Broad beans (<i>Vicia faba</i>)	3			16.63±0.37		9.70±0.10				89.14±6.99

Table 10. Polyphenols

360

Food code	Food Name	No. of Regions	Chlorogenic acid	Ferulic acid	Apigenin	Apigenin-6-C-glucoside	Apigenin-7-O-neohesperid oside	Luteolin	Kaempferol	Quercetin	Quercetin-3-β-D-glucoside	Quercetin-3-O-rutinoside
			mg									
			CHLRAC	FERAC	APIGEN			LUTEOL	KAEMF	QUERCE		
D033	Capsicum, green (<i>Capsicum annuum</i>)	6	0.39±0.09	2.49±0.22	1.46±0.26				1.44±0.27			
D034	Capsicum, red (<i>Capsicum annuum</i>)	4	1.58±0.00	3.82±0.00					4.18±0.00			
D035	Capsicum, yellow (<i>Capsicum annuum</i>)	4	0.25±0.00	0.25±0.00					0.03±0.00			
D036	Cauliflower (<i>Brassica oleracea</i>)	6		1.49±0.20				0.26±0.03	0.55±0.03	0.40±0.13		
D037	Celery stalk (<i>Apium graveolens</i>)	3	0.26±0.05	0.25±0.02	0.37±0.01			0.32±0.07		0.66±0.04		
D038	Cho-cho-marrow (<i>Sechium edule</i>)	4	0.66±0.07									
D039	Cluster beans (<i>Cyamopsis tetragonobola</i>)	6										
D040	Colocasia, stem, black (<i>Colocasia antiquorum</i>)	1	3.12		1.04			1.38		1.02		
D041	Colocasia, stem, green (<i>Colocasia antiquorum</i>)	5	1.40±0.53		0.30±0.04			0.27±0.04		1.53±0.25		
D042	Corn, Baby(<i>Zea mays</i>)	6	0.76±0.01	0.16±0.02								
D043	Cucumber, green, elongate(<i>Cucumis sativus</i>)	6			0.88±0.39				0.10±0.04	0.07±0.03		
D044	Cucumber, green, short (<i>Cucumis sativus</i>)	6			0.82±0.41				0.09±0.03	0.07±0.02		
D045	Cucumber, orange, round (<i>Cucumis sativus</i>)	2			1.23				0.09	0.07		
D046	Drumstick (<i>Moringa oleifera</i>)	6	4.01±0.68					0.25±0.03	8.14±0.49	23.30±0.80		
D047	Field beans, tender, broad (<i>Vicia faba</i>)	2	0.62					0.65				
D048	Field beans, tender, lean (<i>Vicia faba</i>)	6	0.45±0.20					0.60±0.22				2.50±0.09
D049	French beans, country (<i>Phaseolus vulgaris</i>)	5	0.13±0.02		2.61±0.28			0.61±0.08	1.78±0.18	3.17±0.40		
D050	French beans, hybrid (<i>Phaseolus vulgaris</i>)	2	0.13		2.78			0.51	1.82	2.85		
D051	Jack fruit, raw (<i>Artocarpus heterophyllus</i>)	5	2.39±0.23	0.87±0.06								
D052	Jack fruit, seed, mature (<i>Artocarpus heterophyllus</i>)	5	0.58±0.06	0.88±0.03								

Food code	Food Name	No. of Regions	Quercetin-3-β-galactoside	Isoramnetin	Myricetin	Resvertrol	Hesperetin	Naringenin	Hesperdin	Daidzein	Genistein	(-)-Epicatechin
			mg									
			HESPT			HESPD		DAIDZN	GNSTEIN	EPICATEC		
D033	Capsicum, green (Capsicum annuum)	6	1.45±0.30									
D034	Capsicum, red (Capsicum annuum)	4	4.08±0.00									
D035	Capsicum, yellow (Capsicum annuum)	4	0.37±0.00									
D036	Cauliflower (Brassica oleracea)	6										
D037	Celery stalk (Apium graveolens)	3										
D038	Cho-cho-marrow (Sechium edule)	4										
D039	Cluster beans (Cyamopsis tetragonobola)	6	2.36±0.44									
D040	Colocasia, stem, black (Colocasia antiquorum)	1										
D041	Colocasia, stem, green (Colocasia antiquorum)	5										
D042	Corn, Baby(Zea mays)	6										
D043	Cucumber, green, elongate(Cucumis sativus)	6										
D044	Cucumber, green, short (Cucumis sativus)	6										
D045	Cucumber, orange, round (Cucumis sativus)	2										
D046	Drumstick (Moringa oleifera)	6	0.35±0.06	2.92±0.40								
D047	Field beans, tender, broad (Vicia faba)	2										
D048	Field beans, tender, lean (Vicia faba)	6	0.67±0.07									
D049	French beans, country (Phaseolus vulgaris)	5										
D050	French beans, hybrid (Phaseolus vulgaris)	2										
D051	Jack fruit, raw (Artocarpus heterophyllus)	5										
D052	Jack fruit, seed, mature (Artocarpus heterophyllus)	5										

Food code	Food Name	No. of Regions	(-)- Epigallo catechin	(-)- Epigallo catechin 3-gallate	(+)-Catechin	(-) Gallocatechin gallate	(-) Gallo catechin	Syringic acid	Sinapinic acid	Ellagic acid	Total polyphenols
			mg								
			EPICATEGC								
D033	Capsicum, green (<i>Capsicum annuum</i>)	6	10.82±2.60								
D034	Capsicum, red (<i>Capsicum annuum</i>)	4	20.30±0.00								
D035	Capsicum, yellow (<i>Capsicum annuum</i>)	4	7.80±0.00								
D036	Cauliflower (<i>Brassica oleracea</i>)	6	0.07±0.010.14±0.0232.41±0.92								
D037	Celery stalk (<i>Apium graveolens</i>)	3	2.90±0.21								
D038	Cho-cho-marrow (<i>Sechium edule</i>)	4	5.04±0.75								
D039	Cluster beans (<i>Cyamopsis tetragonobola</i>)	6	53.15±3.94								
D040	Colocasia, stem, black (<i>Colocasia antiquorum</i>)	1	15.68								
D041	Colocasia, stem, green (<i>Colocasia antiquorum</i>)	5	11.66±1.69								
D042	Corn, Baby(<i>Zea mays</i>)	6	1.91±0.08								
D043	Cucumber, green, elongate(<i>Cucumis sativus</i>)	6	14.10±0.70								
D044	Cucumber, green, short (<i>Cucumis sativus</i>)	6	13.92±0.86								
D045	Cucumber, orange, round (<i>Cucumis sativus</i>)	2	14.56								
D046	Drumstick (<i>Moringa oleifera</i>)	6	139±2.2								
D047	Field beans, tender, broad (<i>Vicia faba</i>)	2	133								
D048	Field beans, tender, lean (<i>Vicia faba</i>)	6	0.43±0.01136±7.7								
D049	French beans, country (<i>Phaseolus vulgaris</i>)	5	0.05±0.0214.59±0.98								
D050	French beans, hybrid (<i>Phaseolus vulgaris</i>)	2	0.0514.12								
D051	Jack fruit, raw (<i>Artocarpus heterophyllus</i>)	5	50.59±7.30								
D052	Jack fruit, seed, mature (<i>Artocarpus heterophyllus</i>)	5	15.53±1.08								

Food code	Food Name	No. of Regions	3,4-Dihydroxy benzoic acid	3-Hydroxy benzaldehyde	Protocatechuic acid	Vanillic acid	Gallic acid	Cinamic acid	O-Coumaric acid	P-Coumaric acid	Caffeic acid
			mg								
			GALLAC								
D053	Knol - Khol (<i>Brassica oleracea</i>)	6	0.05±0.02							0.57±0.15	
D054	Kovai, big (<i>Coccinia cordifolia</i>)	6	0.04±0.02	0.08±0.01							0.44±0.03
D055	Kovai, small (<i>Coccinia cordifolia</i>)	1	0.07	0.07							0.49
D056	Ladies finger (<i>Abelmoschus esculentus</i>)	6									1.62±0.19
D057	Mango, green, raw (<i>Mangifera indica</i>)	6				0.18±0.31	0.35±0.08				
D058	Onion, stalk (<i>Allium cepa</i>)	6		0.17±0.01						0.16±0.01	0.26±0.01
D059	Papaya, raw (<i>Carica papaya</i>)	6									
D060	Parwar (<i>Trichosanthes dioica</i>)	6			0.44±0.05	0.32±0.07					0.05±0.01
D061	Peas, fresh (<i>Pisum sativum</i>)	6	0.61±0.29							2.10±0.86	1.58±0.20
D062	Plantain, flower (<i>Musa x paradisiaca</i>)	6									0.63±0.05
D063	Plantain, green (<i>Musa x paradisiaca</i>)	6					0.40±0.23				
D064	Plantain, stem (<i>Musa x paradisiaca</i>)	6			0.49±0.08	0.04±0.01					0.04±0.02
D065	Pumpkin, green, cylindrical (<i>Cucurbita maxima</i>)	1								0.04	
D066	Pumpkin, orange, round (<i>Cucurbita maxima</i>)	6								0.06±0.02	0.08±0.01
D067	Red gram, tender, fresh (<i>Cajanus cajan</i>)	1	0.23		0.37	0.32		0.61		0.46	
D068	Ridge gourd (<i>Luffa acutangula</i>)	6								0.51±0.10	0.54±0.12
D069	Ridge gourd, smooth skin (<i>Luffa acutangula</i>)	3								0.54±0.03	0.49±0.06
D070	Snake gourd, long, pale green (<i>Trichosanthes anguina</i>)	6	0.36±0.14						0.47±0.15	0.06±0.01	0.47±0.16
D071	Snake gourd, long, dark green (<i>Trichosanthes anguina</i>)	2	0.31						0.45	0.07	0.40
D072	Snake gourd, short (<i>Trichosanthes anguina</i>)	1	0.31						0.31	0.09	0.52
D073	Tinda, tender (<i>Praecitrullus fistulosus</i>)	6	0.42±0.10							0.34±0.03	0.04±0.02

Table 10. Polyphenols

364

Food code	Food Name	No. of Regions	Chlorogenic acid	Ferulic acid	Apigenin	Apigenin-6-C-glucoside	Apigenin-7-O-neohesperid oside	Luteolin	Kaempferol	Quercetin	Quercetin-3-β-D-glucoside	Quercetin-3-O-rutinoside
			mg									
			CHLRAC	FERAC	APIGEN			LUTEOL	KAEMF	QUERCE		
D053	Knol - Khol (<i>Brassica oleracea</i>)	6	0.06±0.01		0.40±0.14							
D054	Kovai, big (<i>Coccinia cordifolia</i>)	6	0.35±0.05	0.05±0.02	0.14±0.01				0.07±0.02		0.13±0.02	
D055	Kovai, small (<i>Coccinia cordifolia</i>)	1	0.43	0.08	0.17				0.08		0.16	
D056	Ladies finger (<i>Abelmoschus esculentus</i>)	6	2.80±0.61								1.69±0.28	2.22±0.51
D057	Mango, green, raw (<i>Mangifera indica</i>)	6	0.31±0.13						0.64±0.07		2.16±0.55	
D058	Onion, stalk (<i>Allium cepa</i>)	6	0.63±0.01	1.15±0.18					1.53±0.26	1.42±0.23	1.55±0.10	
D059	Papaya, raw (<i>Carica papaya</i>)	6	0.55±0.03	0.23±0.05	0.05±0.01			0.15±0.02	0.25±0.04			
D060	Parwar (<i>Trichosanthes dioica</i>)	6	0.08±0.01					0.35±0.10	0.79±0.09	0.63±0.03	1.30±0.24	1.37±0.10
D061	Peas, fresh (<i>Pisum sativum</i>)	6		0.41±0.09	2.03±0.65		1.82±0.13	1.95±0.86	1.74±0.20			
D062	Plantain, flower (<i>Musa x paradisiaca</i>)	6	0.28±0.03	0.77±0.07								
D063	Plantain, green (<i>Musa x paradisiaca</i>)	6					0.60±0.08	1.65±0.16	0.11±0.01	0.07±0.01		
D064	Plantain, stem (<i>Musa x paradisiaca</i>)	6	0.29±0.08									
D065	Pumpkin, green, cylindrical (<i>Cucurbita maxima</i>)	1	0.24					1.43				
D066	Pumpkin, orange, round (<i>Cucurbita maxima</i>)	6	0.28±0.08					1.63±0.21				
D067	Red gram, tender, fresh (<i>Cajanus cajan</i>)	1		1.41	0.72			1.62				4.25
D068	Ridge gourd (<i>Luffa acutangula</i>)	6	0.36±0.11							0.92±0.17		
D069	Ridge gourd, smooth skin (<i>Luffa acutangula</i>)	3	0.61±0.02							0.92±0.04		
D070	Snake gourd, long, pale green (<i>Trichosanthes anguina</i>)	6	0.28±0.11									
D071	Snake gourd, long, dark green (<i>Trichosanthes anguina</i>)	2	0.32									
D072	Snake gourd, short (<i>Trichosanthes anguina</i>)	1	0.24									
D073	Tinda, tender (<i>Praecitrullus fistulosus</i>)	6	0.55±0.07		0.64±0.18							

Food code	Food Name	No. of Regions	Quercetin-3- β - Galactoside	Isoramnetin	Myricetin	Resveratrol	Hesperetin	Naringenin	Hesperdin	Daidzein	Genistein	(-)- Epicatechin
			mg									
			HESPT	HESPD	DAIDZN	GNSTEIN	EPICATEC					
D053	Knol - Khol (<i>Brassica oleracea</i>)	6	0.42±0.12									
D054	Kovai, big (<i>Coccinia cordifolia</i>)	6										
D055	Kovai, small (<i>Coccinia cordifolia</i>)	1										
D056	Ladies finger (<i>Abelmoschus esculentus</i>)	6			1.25±0.43							
D057	Mango, green, raw (<i>Mangifera indica</i>)	6	0.66±0.07									
D058	Onion, stalk (<i>Allium cepa</i>)	6	1.31±0.02									
D059	Papaya, raw (<i>Carica papaya</i>)	6			0.32±0.07							
D060	Parwar (<i>Trichosanthes dioica</i>)	6										
D061	Peas, fresh (<i>Pisum sativum</i>)	6										
D062	Plantain, flower (<i>Musa x paradisiaca</i>)	6										
D063	Plantain, green (<i>Musa x paradisiaca</i>)	6			0.02±0.02							0.08±0.01
D064	Plantain, stem (<i>Musa x paradisiaca</i>)	6										
D065	Pumpkin, green, cylindrical (<i>Cucurbita maxima</i>)	1										
D066	Pumpkin, orange, round (<i>Cucurbita maxima</i>)	6										
D067	Red gram, tender, fresh (<i>Cajanus cajan</i>)	1										0.33
D068	Ridge gourd (<i>Luffa acutangula</i>)	6										
D069	Ridge gourd, smooth skin (<i>Luffa acutangula</i>)	3										
D070	Snake gourd, long, pale green (<i>Trichosanthes anguina</i>)	6										
D071	Snake gourd, long, dark green (<i>Trichosanthes anguina</i>)	2										
D072	Snake gourd, short (<i>Trichosanthes anguina</i>)	1										
D073	Tinda, tender (<i>Praecitrullus fistulosus</i>)	6				0.14±0.02						

Table 10. Polyphenols

Food code	Food Name	No. of Regions	(-)- Epigallo catechin	(-)- Epigallo catechin 3-gallate	(+)-Catechin	(-) Gallocatechin gallate	(-) Gallo catechin	Syringic acid	Sinapinic acid	Ellagic acid	Total polyphenols
			←----- mg -----→								
			EPICATEGC								
D053	Knol - Khol (<i>Brassica oleracea</i>)	6	5.09±1.67								
D054	Kovai, big (<i>Coccinia cordifolia</i>)	6	1.76±0.64								
D055	Kovai, small (<i>Coccinia cordifolia</i>)	1	1.60								
D056	Ladies finger (<i>Abelmoschus esculentus</i>)	6	32.51±2.82								
D057	Mango, green, raw (<i>Mangifera indica</i>)	6	1.74±0.46 580±10.0								
D058	Onion, stalk (<i>Allium cepa</i>)	6	10.73±3.22								
D059	Papaya, raw (<i>Carica papaya</i>)	6	5.54±0.33								
D060	Parwar (<i>Trichosanthes dioica</i>)	6	12.14±2.10								
D061	Peas, fresh (<i>Pisum sativum</i>)	6	2.79±0.62	22.17±2.86							
D062	Plantain, flower (<i>Musa x paradisiaca</i>)	6	4.43±1.07								
D063	Plantain, green (<i>Musa x paradisiaca</i>)	6	1.89±0.20	1.50±0.16							25.27±3.40
D064	Plantain, stem (<i>Musa x paradisiaca</i>)	6	12.24±1.15								
D065	Pumpkin, green, cylindrical (<i>Cucurbita maxima</i>)	1	0.23							15.21	
D066	Pumpkin, orange, round (<i>Cucurbita maxima</i>)	6	0.45±0.13							15.25±2.07	
D067	Red gram, tender, fresh (<i>Cajanus cajan</i>)	1	0.13					0.06	6.55		
D068	Ridge gourd (<i>Luffa acutangula</i>)	6	8.31±0.73								
D069	Ridge gourd, smooth skin (<i>Luffa acutangula</i>)	3	11.30±0.93								
D070	Snake gourd, long, pale green (<i>Trichosanthes anguina</i>)	6	6.78±1.12								
D071	Snake gourd, long, dark green (<i>Trichosanthes anguina</i>)	2	6.10								
D072	Snake gourd, short (<i>Trichosanthes anguina</i>)	1	5.90								
D073	Tinda, tender (<i>Praecitrullus fistulosus</i>)	6	2.61±0.13								

Food code	Food Name	No. of Regions	3,4-Dihydroxy benzoic acid	3-Hydroxy benzaldehyde	Protocatechuic acid	Vanillic acid	Gallic acid	Cinamic acid	O-Coumaric acid	P-Coumaric acid	Caffeic acid
			mg								
			GALLAC								
D074	Tomato, green (<i>Lycopersicon esculentum</i>)	6			0.43±0.07						0.05±0.01
D075	Tomato, ripe, hybrid (<i>Lycopersicon esculentum</i>)	6								0.05±0.02	0.41±0.11
D076	Tomato, ripe, local (<i>Lycopersicon esculentum</i>)	6								0.10±0.02	0.66±0.08
D077	Zucchini, green (<i>Cucurbita pepo</i>)	2	0.05								
D078	Zucchini, yellow (<i>Cucurbita pepo</i>)	2	0.03								
E FRUITS											
E001	Apple, big (<i>Malus domestica</i>)	6	0.84±0.06								0.39±0.11
E002	Apple, green (<i>Malus domestica</i>)	6	0.81±0.10								0.27±0.05
E003	Apple, small (<i>Malus domestica</i>)	6	0.77±0.10								0.47±0.17
E004	Apple, small, Kashmir (<i>Malus domestica</i>)	1	0.63								0.65
E005	Apricot, dried (<i>Prunus armeniaca</i>)	6								0.83±0.08	0.12±0.02
E006	Apricot, processed (<i>Prunus armeniaca</i>)	3								0.59±0.02	0.05±0.01
E007	Avocado fruit (<i>Persea americana</i>)	1			0.06					0.12	
E008	Bael fruit (<i>Aegle marmelos</i>)	1			0.09					0.21	
E009	Banana, ripe, montham (<i>Musa x paradisiaca</i>)	1					0.31				
E010	Banana, ripe, poovam (<i>Musa x paradisiaca</i>)	2					0.12				
E011	Banana, ripe, red (<i>Musa x paradisiaca</i>)	1					0.12				
E012	Banana, ripe, robusta (<i>Musa x paradisiaca</i>)	6				0.13±0.02	0.12±0.03				
E013	Black berry (<i>Rubus fruticosus</i>)	5					4.68±0.19			0.46±0.06	
E014	Cherries, red (<i>Prunus cerasus</i>)	4				0.65±0.13				0.08±0.01	0.38±0.11

Table 10. Polyphenols

Food code	Food Name	No. of Regions	Chlorogenic acid	Ferulic acid	Apigenin	Apigenin-6-C-glucoside	Apigenin-7-O-neohesperid oside	Luteolin	Kaempferol	Quercetin	Quercetin-3-β-D-glucoside	Quercetin-3-O-rutinoside
			mg									
			CHLRAC	FERAC	APIGEN			LUTEOL	KAEMF	QUERCE		
D074	Tomato, green (<i>Lycopersicon esculentum</i>)	6	1.22±0.21	0.08±0.01					0.03±0.01	1.90±0.04		
D075	Tomato, ripe, hybrid (<i>Lycopersicon esculentum</i>)	6	1.30±0.05	0.68±0.03					1.17±0.49	4.42±0.66	8.10±0.64	0.15±0.01
D076	Tomato, ripe, local (<i>Lycopersicon esculentum</i>)	6	1.89±0.11	0.91±0.03					2.33±0.22	3.49±0.36	10.68±0.62	0.16±0.02
D077	Zucchini, green (<i>Cucurbita pepo</i>)	2										1.35
D078	Zucchini, yellow(<i>Cucurbita pepo</i>)	2										1.33
E FRUITS												
E001	Apple, big (<i>Malus domestica</i>)	6	1.63±0.13	0.79±0.09					2.96±0.49	0.87±0.07	2.87±0.41	1.54±0.06
E002	Apple, green (<i>Malus domestica</i>)	6	1.44±0.14	0.71±0.12					2.45±0.37	0.55±0.13	2.42±0.45	0.55±0.03
E003	Apple, small (<i>Malus domestica</i>)	6	1.53±0.27	0.77±0.40					2.67±0.26	0.92±0.21	2.66±0.34	1.10±0.60
E004	Apple, small, Kashmir (<i>Malus domestica</i>)	1	2.15	0.31					2.63	1.63	3.13	0.63
E005	Apricot, dried (<i>Prunus armeniaca</i>)	6		0.28±0.04					0.96±0.09	0.83±0.10		2.04±0.70
E006	Apricot, processed (<i>Prunus armeniaca</i>)	3		0.24±0.02					2.56±0.38	2.80±0.29		0.85±0.04
E007	Avocado fruit (<i>Persea americana</i>)	1		0.16				0.33		0.23		
E008	Bael fruit (<i>Aegle marmelos</i>)	1		0.19				0.41		0.29		
E009	Banana, ripe, montham (<i>Musa x paradisiaca</i>)	1										
E010	Banana, ripe, poovam (<i>Musa x paradisiaca</i>)	2										
E011	Banana, ripe, red (<i>Musa x paradisiaca</i>)	1										
E012	Banana, ripe, robusta (<i>Musa x paradisiaca</i>)	6										
E013	Black berry (<i>Rubus fruticosus</i>)	5									3.18±0.50	3.58±0.32
E014	Cherries, red (<i>Prunus cerasus</i>)	4	5.93±0.02	0.32±0.05					1.39±0.43	0.88±0.02		

Food code	Food Name	No. of Regions	Quercetin-3- β - galactoside	Isoramnetin	Myricetin	Resvertrol	Hesperetin	Naringenin	Hesperdin	Daidzein	Genistein	(-)- Epicatechin
			mg									
							HESPT		HESPD	DAIDZN	GNSTEIN	EPICATEC
D074	Tomato, green (<i>Lycopersicon esculentum</i>)	6										
D075	Tomato, ripe, hybrid (<i>Lycopersicon esculentum</i>)	6										
D076	Tomato, ripe, local (<i>Lycopersicon esculentum</i>)	6										
D077	Zucchini, green (<i>Cucurbita pepo</i>)	2										
D078	Zucchini, yellow (<i>Cucurbita pepo</i>)	2										
E FRUITS												
E001	Apple, big (<i>Malus domestica</i>)	6	1.50±0.19									7.99±0.64
E002	Apple, green (<i>Malus domestica</i>)	6	0.64±0.14									2.92±0.46
E003	Apple, small (<i>Malus domestica</i>)	6	1.16±0.34									6.96±1.06
E004	Apple, small, Kashmir (<i>Malus domestica</i>)	1	1.68									7.90
E005	Apricot, dried (<i>Prunus armeniaca</i>)	6										0.30±0.07
E006	Apricot, processed (<i>Prunus armeniaca</i>)	3										6.48±0.70
E007	Avocado fruit (<i>Persea americana</i>)	1		0.11					0.36			0.34
E008	Bael fruit (<i>Aegle marmelos</i>)	1		0.19					0.31			0.29
E009	Banana, ripe, montham (<i>Musa x paradisiaca</i>)	1										
E010	Banana, ripe, poovam (<i>Musa x paradisiaca</i>)	2										
E011	Banana, ripe, red (<i>Musa x paradisiaca</i>)	1										
E012	Banana, ripe, robusta (<i>Musa x paradisiaca</i>)	6										
E013	Black berry (<i>Rubus fruticosus</i>)	5	4.36±0.54									11.46±0.27
E014	Cherries, red (<i>Prunus cerasus</i>)	4		0.10±0.02	2.07±0.63							1.66±0.29

Table 10. Polyphenols

Food code	Food Name	No. of Regions	(-)- Epigallo catechin	(-)- Epigallo catechin 3-gallate	(+)-Catechin	(-) Gallocatechin gallate	(-) Gallo catechin	Syringic acid	Sinapinic acid	Ellagic acid	Total polyphenols
			mg								
			EPICATEGC								
D074	Tomato, green (<i>Lycopersicon esculentum</i>)	6									7.62±0.69
D075	Tomato, ripe, hybrid (<i>Lycopersicon esculentum</i>)	6									26.35±2.20
D076	Tomato, ripe, local (<i>Lycopersicon esculentum</i>)	6									36.69±2.09
D077	Zucchini, green (<i>Cucurbita pepo</i>)	2								34.77	42.94
D078	Zucchini, yellow(<i>Cucurbita pepo</i>)	2								2.62	295
E FRUITS											
E001	Apple, big (<i>Malus domestica</i>)	6			1.21±0.17						35.81±4.13
E002	Apple, green (<i>Malus domestica</i>)	6			0.81±0.06						45.76±4.22
E003	Apple, small (<i>Malus domestica</i>)	6			0.96±0.14						34.87±2.45
E004	Apple, small, Kashmir (<i>Malus domestica</i>)	1			1.00						38.25
E005	Apricot, dried (<i>Prunus armeniaca</i>)	6			3.72±0.64						57.33±3.72
E006	Apricot, processed (<i>Prunus armeniaca</i>)	3			2.53±0.51						51.31±1.88
E007	Avocado fruit (<i>Persea americana</i>)	1			11.35						105
E008	Bael fruit (<i>Aegle marmelos</i>)	1			10.26						21.36
E009	Banana, ripe, montham (<i>Musa x paradisiaca</i>)	1	0.72	0.61	0.41						10.70
E010	Banana, ripe, poovam (<i>Musa x paradisiaca</i>)	2	0.56	0.61	0.52						18.60
E011	Banana, ripe, red (<i>Musa x paradisiaca</i>)	1	0.63	0.56	0.64						11.10
E012	Banana, ripe, robusta (<i>Musa x paradisiaca</i>)	6	0.62±0.17	0.53±0.15	0.53±0.08						14.41±1.64
E013	Black berry (<i>Rubus fruticosus</i>)	5	0.56±0.05		1.44±0.35					3.11±0.43	165±6.8
E014	Cherries, red (<i>Prunus cerasus</i>)	4	0.07±0.01		2.61±0.20						126±2.1

Table 10. Polyphenols

372

Food code	Food Name	No. of Regions	Chlorogenic acid	Ferulic acid	Apigenin	Apigenin-6-C-glucoside	Apigenin-7-O-neohesperid oside	Luteolin	Kaempferol	Quercetin	Quercetin-3-β- D-glucoside	Quercetin-3-O-rutinoside
			mg									
			CHLRAC	FERAC	APIGEN			LUTEOL	KAEMF	QUERCE		
E015	Currants, black (<i>Ribes nigrum</i>)	1							0.02	3.12		4.65
E016	Custard apple (<i>Annona squamosa</i>)	1										
E017	Dates, dry, pale brown (<i>Phoenix dactylifera</i>)	6	0.64±0.21	1.18±0.87						0.02±0.01		
E018	Dates, dry, dark brown (<i>Phoenix dactylifera</i>)	2	0.29	0.13						0.03		
E019	Dates, processed (<i>Phoenix dactylifera</i>)	2		1.57								
E020	Fig (<i>Ficus carica</i>)	6	0.04±0.00	0.01±0.00						0.01±0.00		
E021	Goosberry (<i>Emblica officinalis</i>)	5	0.56±0.04	0.30±0.09		0.23±0.04			0.84±0.04	1.26±0.05	1.37±0.03	7.81±0.82
E022	Grapes, seeded, round, black (<i>Vitis vinifera</i>)	4	0.63±0.08	0.95±0.08					0.15±0.03	0.70±0.06		0.11±0.01
E023	Grapes, seeded, round, green (<i>Vitis vinifera</i>)	5	0.56±0.28	2.46±1.07					0.13±0.07	0.70±0.03		0.10±0.01
E024	Grapes, seeded, round, red (<i>Vitis vinifera</i>)	5	0.52±0.00	2.78±0.00					0.34±0.00	0.71±0.00		0.09±0.00
E025	Grapes, seedless, oval, black (<i>Vitis vinifera</i>)	5	0.62±0.00	2.85±0.00					0.16±0.00	0.72±0.00		0.12±0.00
E026	Grapes, seedless, round, green (<i>Vitis vinifera</i>)	5	0.65±0.03	1.63±0.06					0.09±0.10	0.68±0.01		0.08±0.01
E027	Grapes, seedless, round, black (<i>Vitis vinifera</i>)	5	0.75±0.00	2.14±0.00					0.15±0.00	0.68±0.00		0.10±0.00
E028	Guava, white flesh (<i>Psidium guajava</i>)	5			3.61±0.30					1.44±0.10		
E029	Guava, pink flesh (<i>Psidium guajava</i>)	5			4.67±0.31					1.99±0.50		
E030	Jack fruit, ripe (<i>Artocarpus heterophyllus</i>)	5	2.48±0.42	1.23±0.45								
E031	Jambu fruit, ripe (<i>Syzygium cumini</i>)	2	0.13									
E032	Karonda fruit (<i>Carissa carandas</i>)	1						1.21		1.16		
E033	Lemon, juice (<i>Citrus limon</i>)	6						1.59±0.11		0.07±0.01		
E034	Lime, sweet, pulp (<i>Citrus limetta</i>)	6	1.48±0.51	0.02±0.01						0.08±0.01		

Food code	Food Name	No. of Regions	Quercetin-3- β - galactoside	Isoramnetin	Myricetin	Resveratrol	Hesperetin	Naringenin	Hesperdin	Daidzein	Genistein	(-)- Epicatechin
			mg									
							HESPT		HESPD	DAIDZN	GNSTEIN	EPICATEC
E015	Currants, black (<i>Ribes nigrum</i>)	1		0.08	0.08							0.47
E016	Custard apple (<i>Annona squamosa</i>)	1										5.63
E017	Dates, dry, pale brown (<i>Phoenix dactylifera</i>)	6										
E018	Dates, dry, dark brown (<i>Phoenix dactylifera</i>)	2										
E019	Dates, processed (<i>Phoenix dactylifera</i>)	2										
E020	Fig (<i>Ficus carica</i>)	6										0.03±0.00
E021	Goosberry (<i>Embllica officinalis</i>)	5										
E022	Grapes, seeded, round, black (<i>Vitis vinifera</i>)	4			0.38±0.11	0.04±0.01	0.02±0.01					7.83±0.45
E023	Grapes, seeded, round, green (<i>Vitis vinifera</i>)	5			0.52±0.24	0.03±0.01	0.02±0.01					0.46±0.29
E024	Grapes, seeded, round, red (<i>Vitis vinifera</i>)	5			0.57±0.00	0.06±0.00	0.03±0.00					2.68±0.00
E025	Grapes, seedless, oval, black (<i>Vitis vinifera</i>)	5			0.67±0.00	0.07±0.00	0.02±0.00					5.02±0.00
E026	Grapes, seedless, round, green (<i>Vitis vinifera</i>)	5			0.31±0.29	0.09±0.01	0.04±0.01					0.27±0.02
E027	Grapes, seedless, round, black (<i>Vitis vinifera</i>)	5			0.62±0.00	0.05±0.00	0.03±0.00					8.31±0.00
E028	Guava, white flesh (<i>Psidium guajava</i>)	5			4.57±0.55							
E029	Guava, pink flesh (<i>Psidium guajava</i>)	5			7.10±0.62							
E030	Jack fruit, ripe (<i>Artocarpus heterophyllus</i>)	5										
E031	Jambu fruit, ripe (<i>Syzygium cumini</i>)	2										
E032	Karonda fruit (<i>Carissa carandas</i>)	1			0.46			0.99				0.12
E033	Lemon, juice (<i>Citrus limon</i>)	6			0.15±0.02		2.64±0.27	0.51±0.34	17.33±0.44			
E034	Lime, sweet, pulp (<i>Citrus limetta</i>)	6					22.17±21.06	1.64±0.17	13.45±0.56			

Food code	Food Name	No. of Regions	3,4-Dihydroxy benzoic acid	3-Hydroxy benzaldehyde	Protocatechuic acid	Vanillic acid	Gallic acid	Cinamic acid	O-Coumaric acid	P-Coumaric acid	Caffeic acid
			mg								
			GALLAC								
E035	Litchi (<i>Nephelium litchi</i>)	4			2.26±0.85		0.70±0.30				2.12±0.41
E036	Mango, ripe, banganapalli (<i>Mangifera indica</i>)	6					0.43±0.12			0.74±0.19	0.64±0.13
E037	Mango, ripe, gulabkhas (<i>Mangifera indica</i>)	2					0.56			0.67	0.93
E038	Mango, ripe, himsagar (<i>Mangifera indica</i>)	3					1.29±0.67			0.85±0.08	1.43±0.55
E039	Mango, ripe, kesar (<i>Mangifera indica</i>)	4					0.56±0.20			0.81±0.21	1.01±0.53
E040	Mango, ripe, neelam (<i>Mangifera indica</i>)	2					0.41			1.02	0.74
E041	Mango, ripe, paheri (<i>Mangifera indica</i>)	2					1.22			0.93	1.11
E042	Mango, ripe, totapari (<i>Mangifera indica</i>)	1					0.93			0.74	0.81
E043	Mangosteen (<i>Garcinia mangostana</i>)	1									
E044	Manila tamarind (<i>Pithecellobium dulce</i>)	1									
E045	Musk melon, orange flesh (<i>Cucumis melon</i>)	5								0.04±0.01	
E046	Musk melon, yellow flesh (<i>Cucumis melon</i>)	6								0.02±0.01	
E047	Orange, pulp (<i>Citrus aurantium</i>)	6									
E048	Palm fruit, tender (<i>Borassus flabellifer</i>)	1	0.03			0.09				0.12	
E049	Papaya, ripe (<i>Carcia papaya</i>)	6									
E050	Peach (<i>Prunus communis</i>)	1	0.03								
E051	Pear (<i>Pyrus</i> sp.)	6		0.05±0.01	0.39±0.05						
E052	Phalsa (<i>Grewia asiatica</i>)	2			0.53						0.60
E053	Pineapple (<i>Ananas comosus</i>)	6								0.62±0.06	0.90±0.04
E054	Plum (<i>Prunus domestica</i>)	3									
E055	Pomegranate, maroon seeds (<i>Punica granatum</i>)	6					0.09±0.02				

Table 10. Polyphenols

376

Food code	Food Name	No. of Regions	Chlorogenic acid	Ferulic acid	Apigenin	Apigenin-6-C-glucoside	Apigenin-7-O-neohesperid oside	Luteolin	Kaempferol	Quercetin	Quercetin-3-β-D-glucoside	Quercetin-3-O-rutinoside
			mg									
			CHLRAC	FERAC	APIGEN			LUTEOL	KAEMF	QUERCE		
E035	Litchi (<i>Nephelium litchi</i>)	4	1.47±0.17							0.55±0.33	2.72±0.43	1.38±0.12
E036	Mango, ripe, banganapalli (<i>Mangifera indica</i>)	6	1.79±0.52		1.42±0.41				0.99±0.75		2.17±0.56	
E037	Mango, ripe, gulabkhas (<i>Mangifera indica</i>)	2	1.41		1.33				2.12		1.64	
E038	Mango, ripe, himsagar (<i>Mangifera indica</i>)	3	1.95±0.64		1.43±0.36				1.16±0.43		2.76±0.25	
E039	Mango, ripe, kesar (<i>Mangifera indica</i>)	4	1.66±0.35		0.96±0.63				0.94±0.54		2.61±0.32	
E040	Mango, ripe, neelam (<i>Mangifera indica</i>)	2	1.35		1.84				3.14		1.84	
E041	Mango, ripe, paheri (<i>Mangifera indica</i>)	2	1.71		1.65				1.68		2.06	
E042	Mango, ripe, totapari (<i>Mangifera indica</i>)	1	1.39		1.78				1.52		1.84	
E043	Mangosteen (<i>Garcinia mangostana</i>)	1										
E044	Manila tamarind (<i>Pithecellobium dulce</i>)	1										
E045	Musk melon, orange flesh (<i>Cucumis melon</i>)	5	0.05±0.01	0.03±0.01				0.49±0.03				
E046	Musk melon, yellow flesh (<i>Cucumis melon</i>)	6	0.07±0.01	0.05±0.01				0.47±0.02				
E047	Orange, pulp (<i>Citrus aurantium</i>)	6	0.42±0.02	0.19±0.01				0.06±0.02	0.14±0.02	1.07±0.04		
E048	Palm fruit, tender (<i>Borassus flabellifer</i>)	1								1.12		
E049	Papaya, ripe (<i>Carcia papaya</i>)	6	2.02±0.53	1.65±0.14				0.06±0.02	0.11±0.02	0.03±0.02		
E050	Peach (<i>Prunus communis</i>)	1										
E051	Pear (<i>Pyrus</i> sp.)	6	1.27±0.02							1.56±0.25		0.99±0.09
E052	Phalsa (<i>Grewia asiatica</i>)	2	1.28							0.47		
E053	Pineapple (<i>Ananas comosus</i>)	6	0.74±0.05							0.09±0.02		
E054	Plum (<i>Prunus domestica</i>)	3										5.58±0.44
E055	Pomegranate, maroon seeds (<i>Punica granatum</i>)	6	1.60±0.23							2.52±0.42		

Food code	Food Name	No. of Regions	Quercetin-3- β - galactoside	Isoramnetin	Myricetin	Resvertrol	Hesperetin	Naringenin	Hesperdin	Daidzein	Genistein	(-)- Epicatechin
			mg									
							HESPT		HESPD	DAIDZN	GNSTEIN	EPICATEC
E035	Litchi (<i>Nephelium litchi</i>)	4	1.40±0.35				0.53±0.10					
E036	Mango, ripe, banganapalli (<i>Mangifera indica</i>)	6	0.92±0.50									
E037	Mango, ripe, gulabkhas (<i>Mangifera indica</i>)	2	0.38									
E038	Mango, ripe, himsagar (<i>Mangifera indica</i>)	3	0.85±0.15									
E039	Mango, ripe, kesar (<i>Mangifera indica</i>)	4	0.76±0.07									
E040	Mango, ripe, neelam (<i>Mangifera indica</i>)	2	0.81									
E041	Mango, ripe, paheri (<i>Mangifera indica</i>)	2	0.79									
E042	Mango, ripe, totapari (<i>Mangifera indica</i>)	1	1.02									
E043	Mangosteen (<i>Garcinia mangostana</i>)	1										
E044	Manila tamarind (<i>Pithecellobium dulce</i>)	1										
E045	Musk melon, orange flesh (<i>Cucumis melon</i>)	5										
E046	Musk melon, yellow flesh (<i>Cucumis melon</i>)	6										
E047	Orange, pulp (<i>Citrus aurantium</i>)	6					37.19±5.42	12.73±1.22	24.13±2.65			
E048	Palm fruit, tender (<i>Borassus flabellifer</i>)	1										0.12
E049	Papaya, ripe (<i>Carcia papaya</i>)	6										
E050	Peach (<i>Prunus communis</i>)	1										5.64
E051	Pear (<i>Pyrus</i> sp.)	6		0.08±0.01								1.09±0.36
E052	Phalsa (<i>Grewia asiatica</i>)	2										
E053	Pineapple (<i>Ananas comosus</i>)	6										
E054	Plum (<i>Prunus domestica</i>)	3										2.16±0.07
E055	Pomegranate, maroon seeds (<i>Punica granatum</i>)	6				1.44±0.14						0.09±0.02

Table 10. Polyphenols

378

Food code	Food Name	No. of Regions	(-)- Epigallo catechin	(-)- Epigallo catechin 3-gallate	(+)-Catechin	(-) Gallocatechin gallate	(-) Gallo catechin	Syringic acid	Sinapinic acid	Ellagic acid	Total polyphenols	
			← mg →									
			EPICATEGC									
E035	Litchi (<i>Nephelium litchi</i>)	4									124±7.2	
E036	Mango, ripe, banganapalli (<i>Mangifera indica</i>)	6	1.55±0.38								18.39±3.44	
E037	Mango, ripe, gulabkhas (<i>Mangifera indica</i>)	2	1.54								22.38	
E038	Mango, ripe, himsagar (<i>Mangifera indica</i>)	3	1.64±0.08								15.45±0.72	
E039	Mango, ripe, kesar (<i>Mangifera indica</i>)	4	1.82±0.35								14.74±0.44	
E040	Mango, ripe, neelam (<i>Mangifera indica</i>)	2	1.45								16.92	
E041	Mango, ripe, paheri (<i>Mangifera indica</i>)	2	1.54								18.52	
E042	Mango, ripe, totapari (<i>Mangifera indica</i>)	1	1.89								23.87	
E043	Mangosteen (<i>Garcinia mangostana</i>)	1										
E044	Manila tamarind (<i>Pithecellobium dulce</i>)	1									10.35	
E045	Musk melon, orange flesh (<i>Cucumis melon</i>)	5									4.95±1.22	
E046	Musk melon, yellow flesh (<i>Cucumis melon</i>)	6									5.33±0.67	
E047	Orange, pulp (<i>Citrus aurantium</i>)	6									54.73±9.78	
E048	Palm fruit, tender (<i>Borassus flabellifer</i>)	1	0.21	0.06	0.15						28.36	
E049	Papaya, ripe (<i>Carcia papaya</i>)	6									17.88±1.20	
E050	Peach (<i>Prunus communis</i>)	1	2.33								279	
E051	Pear (<i>Pyrus</i> sp.)	6	0.04±0.01								10.50±1.95	
E052	Phalsa (<i>Grewia asiatica</i>)	2									57.25	
E053	Pineapple (<i>Ananas comosus</i>)	6									1.43±0.16	22.69±1.07
E054	Plum (<i>Prunus domestica</i>)	3	4.58±0.44								28.36±0.00	
E055	Pomegranate, maroon seeds (<i>Punica granatum</i>)	6	0.10±0.03	0.22±0.08	0.44±0.05	0.31±0.12					67.10±3.36	

[illegible]

Table 10. Polyphenols

380

Food code	Food Name	No. of Regions	Chlorogenic acid	Ferulic acid	Apigenin	Apigenin-6-C-glucoside	Apigenin-7-O-neohesperid oside	Luteolin	Kaempferol	Quercetin	Quercetin-3-β-D-glucoside	Quercetin-3-O-rutinoside
			mg									
			CHLRAC	FERAC	APIGEN			LUTEOL	KAEMF	QUERCE		
E056	Pummelo (<i>Citrus maxima</i>)	3	15.68±0.00		0.82±0.00							
E057	Raisins, dried, black (<i>Vitis vinifera</i>)	6	7.10±1.09									6.20±0.76
E058	Raisins, dried, golden (<i>Vitis vinifera</i>)	6	20.98±2.24									5.69±0.97
E059	Rambutan (<i>Nephelium lappaceum</i>)	1	0.56									0.12
E060	Sapota (<i>Achras sapota</i>)	6										
E061	Soursop (<i>Annona muricata</i>)	1						0.16				0.66
E062	Star fruit (<i>Averrhoa carambola</i>)	1							0.32	0.16		
E063	Strawberry (<i>Fragaria ananassa</i>)	6										
E064	Tamarind, pulp (<i>Tamarindus indicus</i>)	6			3.13±0.45			2.59±0.77				
E065	Water melon, dark green (sugar baby) (<i>Citrullus vulgaris</i>)	6	0.58±0.14				0.53±0.14	0.58±0.08	0.27±0.02			
E066	Water melon, pale green (<i>Citrullus vulgaris</i>)	6	0.51±0.12				0.57±0.22	0.70±0.20	0.28±0.03			
E067	Wood Apple (<i>Limonia acidissima</i>)	3	14.71±4.19	0.32±0.04								
E068	Zizyphus (<i>Zizyphus jujube</i>)	1		0.14				0.11		1.84		0.48
F ROOTS AND TUBERS												
F001	Beet root (<i>Beta vulgaris</i>)	6	0.38±0.08					0.34±0.08		0.15±0.05		
F002	Carrot, orange (<i>Dacus carota</i>)	6	2.66±0.41	5.35±0.58				2.66±0.25	1.49±0.22	0.54±0.09		
F003	Carrot, red (<i>Dacus carota</i>)	4	4.57±0.45	5.89±0.03				3.64±0.69	1.67±0.05	0.63±0.00		
F004	Colocasia (<i>Colocasia antiquorum</i>)	6	2.01±0.61	1.55±0.15								
F005	Lotus root (<i>Nelumbium nelumbo</i>)	3	0.37±0.04									
F006	Potato, brown skin, big (<i>Solanum tuberosum</i>)	6	2.98±0.32		2.99±0.29				0.11±0.02	0.15±0.02	6.87±0.71	

Food code	Food Name	No. of Regions	Quercetin-3- β- galactoside	Isoramnetin	Myricetin	Resvertrol	Hesperetin	Naringenin	Hesperdin	Daidzein	Genistein	(-)- Epicatechin
			mg									
							HESPT		HESPD	DAIDZN	GNSTEIN	EPICATEC
E056	Pummelo (<i>Citrus maxima</i>)	3					8.26±0.00	2.54±0.00				
E057	Raisins, dried, black (<i>Vitis vinifera</i>)	6						1.29±0.10		0.05±0.01	0.06±0.01	2.34±0.07
E058	Raisins, dried, golden (<i>Vitis vinifera</i>)	6						1.43±0.21		0.03±0.01	0.05±0.01	1.46±0.17
E059	Rambutan (<i>Nephelium lappaceum</i>)	1						0.16		0.21	0.06	
E060	Sapota (<i>Achras sapota</i>)	6										
E061	Soursop (<i>Annona muricata</i>)	1										
E062	Star fruit (<i>Averrhoa carambola</i>)	1					0.63					
E063	Strawberry (<i>Fragaria ananassa</i>)	6				0.36±0.03						
E064	Tamarind, pulp (<i>Tamarindus indicus</i>)	6										7.88±0.97
E065	Water melon, dark green (sugar baby) (<i>Citrullus vulgaris</i>)	6										
E066	Water melon, pale green (<i>Citrullus vulgaris</i>)	6										
E067	Wood Apple (<i>Limonia acidissima</i>)	3										
E068	Zizyphus (<i>Zizyphus jujube</i>)	1										0.31

F ROOTS AND TUBERS

F001	Beet root (<i>Beta vulgaris</i>)	6										
F002	Carrot, orange (<i>Dacus carota</i>)	6										
F003	Carrot, red (<i>Dacus carota</i>)	4										
F004	Colocasia (<i>Colocasia antiquorum</i>)	6										
F005	Lotus root (<i>Nelumbium nelumbo</i>)	3										
F006	Potato, brown skin, big (<i>Solanum tuberosum</i>)	6				2.66±0.43						

Food code	Food Name	No. of Regions	(-)- Epigallo catechin	(-)- Epigallo catechin 3-gallate	(+)-Catechin	(-) Gallo catechin gallate	(-) Gallo catechin	Syringic acid	Sinapinic acid	Ellagic acid	Total polyphenols
			<div><div></div><div>mg</div><div></div></div>								
			EPICATEGC								
E056	Pummelo (<i>Citrus maxima</i>)	3	25.35±0.00								
E057	Raisins, dried, black (<i>Vitis vinifera</i>)	6	1.44±0.33286±2.8								
E058	Raisins, dried, golden (<i>Vitis vinifera</i>)	6	4.10±0.55170±5.1								
E059	Rambutan (<i>Nephelium lappaceum</i>)	1	1.2111.21								
E060	Sapota (<i>Achras sapota</i>)	6	1.40±0.1017.27±0.97								
E061	Soursop (<i>Annona muricata</i>)	1	1.01	0.16	0.21	16.54					
E062	Star fruit (<i>Averrhoa carambola</i>)	1	1.21	0.9921.69							
E063	Strawberry (<i>Fragaria ananassa</i>)	6	0.05±0.02	6.42±0.150.03±0.01135±17.1							
E064	Tamarind, pulp (<i>Tamarindus indicus</i>)	6	4.00±0.68183±3.2								
E065	Water melon, dark green (sugar baby) (<i>Citrullus vulgaris</i>)	6	5.89±0.40								
E066	Water melon, pale green (<i>Citrullus vulgaris</i>)	6	5.78±0.33								
E067	Wood Apple (<i>Limonia acidissima</i>)	3	411±5.4								
E068	Zizyphus(<i>Zizyphus jujube</i>)	1	2.89131								
F	ROOTS AND TUBERS										
F001	Beet root (<i>Beta vulgaris</i>)	6	57.56±1.74								
F002	Carrot, orange (<i>Dacus carota</i>)	6	49.44±2.56								
F003	Carrot, red (<i>Dacus carota</i>)	4	50.69±0.37								
F004	Colocasia (<i>Colocasia antiquorum</i>)	6	59.20±1.25								
F005	Lotus root (<i>Nelumbium nelumbo</i>)	3									
F006	Potato, brown skin, big (<i>Solanum tuberosum</i>)	6	24.61±1.89								

Food code	Food Name	No. of Regions	3,4-Dihydroxy benzoic acid	3-Hydroxy benzaldehyde	Protocatechuic acid	Vanillic acid	Gallic acid	Cinamic acid	O-Coumaric acid	P-Coumaric acid	Caffeic acid
			mg								
			GALLAC								
F007	Potato, brown skin, small (<i>Solanum tuberosum</i>)	1									4.12
F008	Potato, red skin (<i>Solanum tuberosum</i>)	1									4.18
F009	Radish, elongate, red skin (<i>Raphanus sativus</i>)	3					0.05±0.01			4.27±1.30	2.17±0.85
F010	Radish, elongate, white skin (<i>Raphanus sativus</i>)	6					0.03±0.01			4.39±0.60	2.46±0.33
F011	Radish, round, red skin (<i>Raphanus sativus</i>)	1					0.07			4.71	1.69
F012	Radish, round, white skin (<i>Raphanus sativus</i>)	2					0.06			4.26	2.01
F013	Sweet potato, brown skin (<i>Ipomoees batatas</i>)	4			0.37±0.04						0.08±0.02
F014	Sweet potato, pink skin (<i>Ipomoees batatas</i>)	3			0.52±0.10						0.09±0.01
F015	Tapioca (<i>Manihot esculenta</i>)	3								0.04±0.02	0.32±0.01
F016	Water Chestnut (<i>Eleocharis dulcis</i>)	1									
F017	Yam, elephant (<i>Amorphophallus campanulatus</i>)	6				0.06±0.01					
F018	Yam, ordinary (<i>Amorphophallus campanulatus</i>)	4				0.13±0.01					
F019	Yam, wild (<i>Dioscorea versicolor</i>)	2				0.13					
G CONDIMENTS AND SPICES-FRESH											
G001	Chillies, green-1 (<i>Capsicum annum</i>)	5					0.07±0.03			0.65±0.16	3.20±0.66
G002	Chillies, green-2 (<i>Capsicum annum</i>)	3					0.08±0.01			0.09±0.01	2.46±1.02
G003	Chillies, green-3 (<i>Capsicum annum</i>)	5					0.10±0.02			0.23±0.11	3.10±1.16
G004	Chillies, green-4 (<i>Capsicum annum</i>)	3					0.09±0.02			0.15±0.09	2.59±0.41
G005	Chillies, green-5 (<i>Capsicum annum</i>)	2					0.08±0.03			0.49±0.07	3.84±0.95

Table 10. Polyphenols

Food code	Food Name	No. of Regions	Chlorogenic acid	Ferulic acid	Apigenin	Apigenin-6-C-glucoside	Apigenin-7-O-neohesperid oside	Luteolin	Kaempferol	Quercetin	Quercetin-3-β-D-glucoside	Quercetin-3-O-rutinoside
			mg									
			CHLRAC	FERAC	APIGEN			LUTEOL	KAEMF	QUERCE		
F007	Potato, brown skin, small (<i>Solanum tuberosum</i>)	1	3.74		2.97				0.12	0.22	6.47	
F008	Potato, red skin (<i>Solanum tuberosum</i>)	1	2.63		2.18				0.15	0.12	6.01	
F009	Radish, elongate, red skin (<i>Raphanus sativus</i>)	3	1.79±0.05						0.56±0.03			
F010	Radish, elongate, white skin (<i>Raphanus sativus</i>)	6	1.74±0.43						0.59±0.07			
F011	Radish, round, red skin (<i>Raphanus sativus</i>)	1	1.68						0.61			
F012	Radish, round, white skin (<i>Raphanus sativus</i>)	2	1.46						0.52			
F013	Sweet potato, brown skin (<i>Ipomoes batatas</i>)	4	1.75±0.29	0.11±0.02	1.36±0.13			0.02±0.01	0.03±0.01	0.01±0.01		
F014	Sweet potato, pink skin (<i>Ipomoes batatas</i>)	3	2.51±0.53	0.14±0.02	1.79±0.57			0.05±0.01	0.04±0.02	0.04±0.01		
F015	Tapioca (<i>Manihot esculenta</i>)	3	0.32±0.17									
F016	Water Chestnut (<i>Eleocharis dulcis</i>)	1										
F017	Yam, elephant (<i>Amorphophallus campanulatus</i>)	6							0.26±0.06			
F018	Yam, ordinary (<i>Amorphophallus campanulatus</i>)	4							0.48±0.02			
F019	Yam, wild (<i>Dioscorea versicolor</i>)	2							0.53			
G CONDIMENTS AND SPICES-FRESH												
G001	Chillies, green-1 (<i>Capsicum annum</i>)	5			5.81±1.52		11.01±1.58					
G002	Chillies, green-2 (<i>Capsicum annum</i>)	3			2.69±0.19		15.91±1.48					
G003	Chillies, green-3 (<i>Capsicum annum</i>)	5			3.12±0.58		11.65±2.24					
G004	Chillies, green-4 (<i>Capsicum annum</i>)	3			4.50±3.42		5.11±1.62					
G005	Chillies, green-5 (<i>Capsicum annum</i>)	2			5.85±2.16		9.77±1.92					

Food code	Food Name	No. of Regions	Quercetin-3- β- galactoside	Isoramnetin	Myricetin	Resvertrol	Hesperetin	Naringenin	Hesperdin	Daidzein	Genistein	(-)- Epicatechin
			mg									
			HESPT					HESPD		DAIDZN	GNSTEIN	EPICATEC
F007	Potato, brown skin, small (<i>Solanum tuberosum</i>)	1	2.84									
F008	Potato, red skin (<i>Solanum tuberosum</i>)	1	2.84									
F009	Radish, elongate, red skin (<i>Raphanus sativus</i>)	3										
F010	Radish, elongate, white skin (<i>Raphanus sativus</i>)	6										
F011	Radish, round, red skin (<i>Raphanus sativus</i>)	1										
F012	Radish, round, white skin (<i>Raphanus sativus</i>)	2										
F013	Sweet potato, brown skin (<i>Ipomoes batatas</i>)	4	0.03±0.01									
F014	Sweet potato, pink skin (<i>Ipomoes batatas</i>)	3	0.06±0.02									
F015	Tapioca (<i>Manihot esculenta</i>)	3										
F016	Water Chestnut (<i>Eleocharis dulcis</i>)	1										
F017	Yam, elephant (<i>Amorphophallus campanulatus</i>)	6										
F018	Yam, ordinary (<i>Amorphophallus campanulatus</i>)	4										
F019	Yam, wild (<i>Dioscorea versicolor</i>)	2										
G CONDIMENTS AND SPICES-FRESH												
G001	Chillies, green-1 (<i>Capsicum annum</i>)	5										
G002	Chillies, green-2 (<i>Capsicum annum</i>)	3										
G003	Chillies, green-3 (<i>Capsicum annum</i>)	5										
G004	Chillies, green-4 (<i>Capsicum annum</i>)	3										
G005	Chillies, green-5 (<i>Capsicum annum</i>)	2										

Food code	Food Name	No. of Regions	(-)- Epigallo catechin	(-)- Epigallo catechin 3-gallate	(+)-Catechin	(-) Gallocatechin gallate	(-) Gallo catechin	Syringic acid	Sinapinic acid	Ellagic acid	Total polyphenols
			<div><div></div><div>mg</div><div></div></div>								
			EPICATEGC								
F007	Potato, brown skin, small (<i>Solanum tuberosum</i>)	1									27.36
F008	Potato, red skin (<i>Solanum tuberosum</i>)	1									20.35
F009	Radish, elongate, red skin (<i>Raphanus sativus</i>)	3						0.03±0.01	0.14±0.01		49.75±4.86
F010	Radish, elongate, white skin (<i>Raphanus sativus</i>)	6						0.03±0.01	0.12±0.02		46.74±3.58
F011	Radish, round, red skin (<i>Raphanus sativus</i>)	1						0.02	0.14		44.93
F012	Radish, round, white skin (<i>Raphanus sativus</i>)	2						0.04	0.16		46.39
F013	Sweet potato, brown skin (<i>Ipomoes batatas</i>)	4									6.89±1.65
F014	Sweet potato, pink skin (<i>Ipomoes batatas</i>)	3									11.74±0.97
F015	Tapioca (<i>Manihot esculenta</i>)	3									11.43±1.22
F016	Water Chestnut (<i>Eleocharis dulcis</i>)	1									
F017	Yam, elephant (<i>Amorphophallus campanulatus</i>)	6									56.27±5.08
F018	Yam, ordinary (<i>Amorphophallus campanulatus</i>)	4									46.30±1.98
F019	Yam, wild (<i>Dioscorea versicolor</i>)	2									50.58
G	CONDIMENTS AND SPICES-FRESH										
G001	Chillies, green-1 (<i>Capsicum annum</i>)	5									56.58±3.37
G002	Chillies, green-2 (<i>Capsicum annum</i>)	3									55.69±7.63
G003	Chillies, green-3 (<i>Capsicum annum</i>)	5									56.27±4.45
G004	Chillies, green-4 (<i>Capsicum annum</i>)	3									53.86±4.73
G005	Chillies, green-5 (<i>Capsicum annum</i>)	2									56.50±1.82

Food code	Food Name	No. of Regions	3,4-Dihydroxy benzoic acid	3-Hydroxy benzaldehyde	Protocatechuic acid	Vanillic acid	Gallic acid	Cinamic acid	O-Coumaric acid	P-Coumaric acid	Caffeic acid
			mg								
			GALLAC								
G006	Chillies, green-6 (<i>Capsicum annum</i>)	1					0.09			0.62	3.66
G007	Chillies, green-7 (<i>Capsicum annum</i>)	1					0.07			0.06	1.94
G008	Chillies, green - all varieties (<i>Capsicum annum</i>)	6					0.08±0.02			0.35±0.25	3.03±0.88
G009	Coriander leaves (<i>Coriandrum sativum</i>)	6	2.38±0.69		2.29±0.59						0.80±0.12
G010	Curry leaves (<i>Murraya koenigii</i>)	6									0.15±0.03
G011	Garlic, big clove (<i>Allium sativum</i>)	6				2.13±0.87				5.88±1.32	6.88±0.30
G012	Garlic, small clove (<i>Allium sativum</i>)	3				2.49±0.44				5.97±0.75	6.74±0.53
G013	Garlic, single clove, Kashmir (<i>Allium sativum</i>)	1				2.14				5.98	6.89
G014	Ginger, fresh (<i>Zinziber officinale</i>)	6									11.84±0.41
G015	Mango ginger (<i>Curcuma amada</i>)	3			0.31±0.01	0.05±0.01					
G016	Mint leaves (<i>Mentha spicata</i>)	4					0.99±0.15			0.03±0.02	5.66±0.40
G017	Onion, big (<i>Allium cepa</i>)	6			2.91±0.49						
G018	Onion, small (<i>Allium cepa</i>)	5			2.71±0.65						
G CONDIMENTS AND SPICES-DRY											
G019	Asafoetida (<i>Ferula assa-foetida</i>)	6				0.52±0.31				0.23±0.07	
G020	Cardamom, green (<i>Elettaria cardamomum</i>)	6			2.73±0.47	1.40±0.25				1.46±0.25	
G021	Cardamom, black (<i>Elettaria cardamomum</i>)	4			2.78±0.19	1.80±0.12				3.57±0.32	
G022	Chillies, red (<i>Capsicum annum</i>)	6					0.28±0.03			0.34±0.12	0.72±0.14
G023	Cloves (<i>Syzygium aromaticum</i>)	6			0.70±0.09		23.77±2.98			7.42±0.75	
G024	Coriander seeds (<i>Coriandrum sativum</i>)	6								0.04±0.02	0.10±0.03
G025	Cumin seeds (<i>Cuminum cyminum</i>)	6								0.03±0.02	0.42±0.20

Table 10. Polyphenols

388

Food code	Food Name	No. of Regions	Chlorogenic acid	Ferulic acid	Apigenin	Apigenin-6-C-glucoside	Apigenin-7-O-neohesperid oside	Luteolin	Kaempferol	Quercetin	Quercetin-3-β-D-glucoside	Quercetin-3-O-rutinoside
			mg									
			CHLRAC	FERAC	APIGEN			LUTEOL	KAEMF	QUERCE		
G006	Chillies, green-6 (<i>Capsicum annum</i>)	1			5.82		4.34					
G007	Chillies, green-7 (<i>Capsicum annum</i>)	1			2.34		16.34					
G008	Chillies, green - all varieties (<i>Capsicum annum</i>)	6			4.37±1.98		10.27±4.19					
G009	Coriander leaves (<i>Coriandrum sativum</i>)	6	0.53±0.26	0.95±0.39						7.74±0.81	2.55±0.36	
G010	Curry leaves (<i>Murraya koenigii</i>)	6	0.18±0.03						0.24±0.02			
G011	Garlic, big clove (<i>Allium sativum</i>)	6		0.03±0.02					0.52±0.19	2.05±0.58		
G012	Garlic, small clove (<i>Allium sativum</i>)	3		0.04±0.02					0.61±0.25	1.81±0.57		
G013	Garlic, single clove, Kashmir (<i>Allium sativum</i>)	1		0.05					0.71	1.04		
G014	Ginger, fresh (<i>Zinziber officinale</i>)	6					0.27±0.05	4.81±0.11	32.23±1.84			
G015	Mango ginger (<i>Curcuma amada</i>)	3	0.45±0.06	0.05±0.01								
G016	Mint leaves (<i>Mentha spicata</i>)	4	0.09±0.01	4.64±0.46	0.43±0.07			1.49±0.07				
G017	Onion, big (<i>Allium cepa</i>)	6	0.19±0.05	0.08±0.02	0.05±0.02			0.04±0.02	0.68±0.24	1.62±0.16	2.79±0.21	0.36±0.06
G018	Onion, small (<i>Allium cepa</i>)	5	0.18±0.02	0.04±0.01	0.04±0.01			0.01±0.01	0.62±0.23	5.78±0.46	1.61±0.11	0.18±0.08
G CONDIMENTS AND SPICES-DRY												
G019	Asafoetida (<i>Ferula assa-foetida</i>)	6		36.33±2.34								0.14±0.02
G020	Cardamom, green (<i>Elettaria cardamomum</i>)	6	3.96±0.62	1.78±0.57								
G021	Cardamom, black (<i>Elettaria cardamomum</i>)	4	4.86±0.15	2.35±0.27								
G022	Chillies, red (<i>Capsicum annum</i>)	6			14.08±1.73		30.49±1.92					
G023	Cloves (<i>Syzygium aromaticum</i>)	6							15.82±0.97	13.35±0.74		
G024	Coriander seeds (<i>Coriandrum sativum</i>)	6	2.91±0.20	0.13±0.02						0.47±0.16		6.39±1.11
G025	Cumin seeds (<i>Cuminum cyminum</i>)	6	5.88±0.55		0.41±0.07				35.68±3.05	0.15±0.02	3.78±0.34	13.74±2.21

Food code	Food Name	No. of Regions	Quercetin-3- β- galactoside	Isoramnetin	Myricetin	Resvertrol	Hesperetin	Naringenin	Hesperdin	Daidzein	Genistein	(-)- Epicatechin
			<div><div></div><div>mg</div><div></div></div>									
			HESPT			HESPD		DAIDZN	GNSTEIN	EPICATEC		
G006	Chillies, green-6 (<i>Capsicum annum</i>)	1										
G007	Chillies, green-7 (<i>Capsicum annum</i>)	1										
G008	Chillies, green - all varieties (<i>Capsicum annum</i>)	6										
G009	Coriander leaves (<i>Coriandrum sativum</i>)	6										
G010	Curry leaves (<i>Murraya koenigii</i>)	6	1.55±0.27									
G011	Garlic, big clove (<i>Allium sativum</i>)	6	1.83±0.51									
G012	Garlic, small clove (<i>Allium sativum</i>)	3	1.61±0.12									
G013	Garlic, single clove, Kashmir (<i>Allium sativum</i>)	1	1.87									
G014	Ginger, fresh (<i>Zinziber officinale</i>)	6										
G015	Mango ginger (<i>Curcuma amada</i>)	3										
G016	Mint leaves (<i>Mentha spicata</i>)	4										
G017	Onion, big (<i>Allium cepa</i>)	6	7.24±0.73									
G018	Onion, small (<i>Allium cepa</i>)	5	5.73±0.46									
G	CONDIMENTS AND SPICES-DRY											
G019	Asafoetida (<i>Ferula assa-foetida</i>)	6										
G020	Cardamom, green (<i>Elettaria cardamomum</i>)	6	1.52±0.19									
G021	Cardamom, black (<i>Elettaria cardamomum</i>)	4	1.92±0.07									
G022	Chillies, red (<i>Capsicum annum</i>)	6										
G023	Cloves (<i>Syzygium aromaticum</i>)	6										
G024	Coriander seeds (<i>Coriandrum sativum</i>)	6										
G025	Cumin seeds (<i>Cuminum cyminum</i>)	6										

Food code	Food Name	No. of Regions	(-)- Epigallo catechin	(-)- Epigallo catechin 3-gallate	(+)-Catechin	(-) Gallocatechin gallate	(-) Gallo catechin	Syringic acid	Sinapinic acid	Ellagic acid	Total polyphenols
			<div><div></div><div>mg</div><div></div></div>								
			EPICATEGC								
G006	Chillies, green-6 (<i>Capsicum annum</i>)	1	54.38								
G007	Chillies, green-7 (<i>Capsicum annum</i>)	1	53.20								
G008	Chillies, green - all varieties (<i>Capsicum annum</i>)	6	55.66±4.56								
G009	Coriander leaves (<i>Coriandrum sativum</i>)	6	60.28±3.95								
G010	Curry leaves (<i>Murraya koenigii</i>)	6	153±1.2								
G011	Garlic, big clove (<i>Allium sativum</i>)	6	95.26±4.55								
G012	Garlic, small clove (<i>Allium sativum</i>)	3	96.42±7.01								
G013	Garlic, single clove, Kashmir (<i>Allium sativum</i>)	1	99.22								
G014	Ginger, fresh (<i>Zinziber officinale</i>)	6	225±8.1								
G015	Mango ginger (<i>Curcuma amada</i>)	3	23.61±1.60								
G016	Mint leaves (<i>Mentha spicata</i>)	4	79.99±9.66								
G017	Onion, big (<i>Allium cepa</i>)	6	35.12±3.56								
G018	Onion, small (<i>Allium cepa</i>)	5	18.91±3.97								
G	CONDIMENTS AND SPICES-DRY										
G019	Asafoetida (<i>Ferula assa-foetida</i>)	6	0.56±0.0945.23±2.90								
G020	Cardamom, green (<i>Elettaria cardamomum</i>)	6	0.79±0.03117±1.7								
G021	Cardamom, black (<i>Elettaria cardamomum</i>)	4	1.72±0.26134±6.9								
G022	Chillies, red (<i>Capsicum annum</i>)	6	211±5.7								
G023	Cloves (<i>Syzygium aromaticum</i>)	6	2.03±0.532546±4.8								
G024	Coriander seeds (<i>Coriandrum sativum</i>)	6	79.69±2.44								
G025	Cumin seeds (<i>Cuminum cyminum</i>)	6	165±4.4								

Food code	Food Name	No. of Regions	3,4-Dihydroxy benzoic acid	3-Hydroxy benzaldehyde	Protocatechuic acid	Vanillic acid	Gallic acid	Cinamic acid	O-Coumaric acid	P-Coumaric acid	Caffeic acid
			mg								
			GALLAC								
G026	Fenugreek seeds (<i>Trigonella foenum graecum</i>)	6									0.05±0.02
G027	Mace (<i>Myristica fragrans</i>)	6	0.11±0.02		0.65±0.06	1.52±0.27				1.52±0.27	0.85±0.10
G028	Nutmeg (<i>Myristica fragrans</i>)	6			0.05±0.01	0.35±0.16				0.07±0.01	16.04±0.82
G029	Omum (<i>Trachyspermum ammi</i>)	6			2.02±0.74	0.05±0.01				0.07±0.02	1.91±0.69
G030	Pippali (<i>Piper longum</i>)	6			6.56±1.17						
G031	Pepper, black (<i>Piper nigrum</i>)	6				4.39±0.68				0.23±0.05	
G032	Poppy seeds (<i>Papaver somniferum</i>)	6	0.40±0.03		0.36±0.04					0.17±0.03	
G033	Turmeric powder (<i>Curcuma domestica</i>)	6								1.62±0.57	0.02±0.01
H NUTS AND OIL SEEDS											
H001	Almond (<i>Prunus amygdalus</i>)	6			0.43±0.14	0.36±0.02					
H002	Arecanut, dried, brown (<i>Areca catechu</i>)	6			0.86±0.05		0.04±0.01				
H003	Arecanut, dried, red color (<i>Areca catechu</i>)	3			0.43±0.18		0.09±0.04				
H004	Arecanut, fresh (<i>Areca catechu</i>)	2			1.04		0.05				
H005	Cashew nut (<i>Anacardium occidentale</i>)	6									
H006	Coconut, kernal, dry (<i>Cocos nucifera</i>)	6	1.80±0.24				0.77±0.15			0.43±0.06	0.04±0.01
H007	Coconut, kernel, fresh (<i>Cocos nucifera</i>)	6	0.31±0.04				0.18±0.04			0.26±0.06	0.02±0.01
H008	Garden cress, seeds (<i>Lepidium sativum</i>)	5								0.09±0.01	0.08±0.02
H009	Gingelly seeds, black (<i>Sesamum indicum</i>)	6			0.14±0.01	1.45±0.23					
H010	Gingelly seeds, brown (<i>Sesamum indicum</i>)	4			0.24±0.04	0.41±0.04					
H011	Gingelly seeds, white (<i>Sesamum indicum</i>)	5			0.13±0.02	1.54±0.25					

Table 10. Polyphenols

Food code	Food Name	No. of Regions	Chlorogenic acid	Ferulic acid	Apigenin	Apigenin-6-C-glucoside	Apigenin-7-O-neohesperid oside	Luteolin	Kaempferol	Quercetin	Quercetin-3-β-D-glucoside	Quercetin-3-O-rutinoside
			mg									
			CHLRAC	FERAC	APIGEN			LUTEOL	KAEMF	QUERCE		
G026	Fenugreek seeds (<i>Trigonella foenum graecum</i>)	6	1.44±0.19	1.73±0.51								2.67±0.28
G027	Mace (<i>Myristica fragrans</i>)	6										
G028	Nutmeg (<i>Myristica fragrans</i>)	6						4.96±0.39		2.83±0.40		4.19±0.63
G029	Omum (<i>Trachyspermum ammi</i>)	6	48.23±4.77							0.05±0.01		3.01±0.34
G030	Pippali (<i>Piper longum</i>)	6										32.83±1.78
G031	Pepper, black (<i>Piper nigrum</i>)	6	2.96±0.56									
G032	Poppy seeds (<i>Papaver somniferum</i>)	6								0.04±0.01		0.73±0.08
G033	Turmeric powder (<i>Curcuma domestica</i>)	6								2.85±0.79		
H NUTS AND OIL SEEDS												
H001	Almond (<i>Prunus amygdalus</i>)	6							3.61±0.26		0.08±0.01	0.64±0.04
H002	Arecanut, dried, brown (<i>Areca catechu</i>)	6										0.49±0.23
H003	Arecanut, dried, red color (<i>Areca catechu</i>)	3										0.97±0.65
H004	Arecanut, fresh (<i>Areca catechu</i>)	2										0.46
H005	Cashew nut (<i>Anacardium occidentale</i>)	6								0.03±0.01		
H006	Coconut, kernal, dry (<i>Cocos nucifera</i>)	6	2.94±0.60	0.03±0.01							1.14±0.06	
H007	Coconut, kernel, fresh (<i>Cocos nucifera</i>)	6	0.45±0.06	0.02±0.01							0.59±0.12	
H008	Garden cress, seeds (<i>Lepidium sativum</i>)	5	0.65±0.14	0.05±0.02					1.21±0.38			
H009	Gingelly seeds, black (<i>Sesamum indicum</i>)	6	0.06±0.01	0.14±0.01								
H010	Gingelly seeds, brown (<i>Sesamum indicum</i>)	4	0.23±0.03	0.08±0.01								
H011	Gingelly seeds, white (<i>Sesamum indicum</i>)	5	0.07±0.01	0.13±0.02								

Table 10. Polyphenols

Food code	Food Name	No. of Regions	(-)- Epigallo catechin	(-)- Epigallo catechin 3-gallate	(+)-Catechin	(-) Gallocatechin gallate	(-) Gallo catechin	Syringic acid	Sinapinic acid	Ellagic acid	Total polyphenols
			← mg →								
			EPI CATE GC								
G026	Fenugreek seeds (<i>Trigonella foenum graecum</i>)	6									94.73±3.32
G027	Mace (<i>Myristica fragrans</i>)	6						0.25±0.04	0.43±0.10		782±5.2
G028	Nutmeg (<i>Myristica fragrans</i>)	6						10.97±2.19			645±3.9
G029	Omum (<i>Trachyspermum ammi</i>)	6									129±5.5
G030	Pippali (<i>Piper longum</i>)	6									194±4.0
G031	Pepper, black (<i>Piper nigrum</i>)	6									254±3.9
G032	Poppy seeds (<i>Papaver somniferum</i>)	6									221±5.9
G033	Turmeric powder (<i>Curcuma domestica</i>)	6									988±6.8
H NUTS AND OIL SEEDS											
H001	Almond (<i>Prunus amygdalus</i>)	6		2.52±0.11	1.24±0.25	0.55±0.04					84.94±1.88
H002	Arecanut, dried, brown (<i>Areca catechu</i>)	6			8.96±0.69						2986±2.5
H003	Arecanut, dried, red color (<i>Areca catechu</i>)	3			2.10±0.36						2770±7.3
H004	Arecanut, fresh (<i>Areca catechu</i>)	2			8.70						2563
H005	Cashew nut (<i>Anacardium occidentale</i>)	6	0.94±0.10	0.42±0.08	1.55±0.35						32.86±1.76
H006	Coconut, kernal, dry (<i>Cocos nucifera</i>)	6									72.17±3.90
H007	Coconut, kernel, fresh (<i>Cocos nucifera</i>)	6									35.22±3.14
H008	Garden cress, seeds (<i>Lepidium sativum</i>)	5									115±9.1
H009	Gingelly seeds, black (<i>Sesamum indicum</i>)	6									153±1.5
H010	Gingelly seeds, brown (<i>Sesamum indicum</i>)	4									102±1.6
H011	Gingelly seeds, white (<i>Sesamum indicum</i>)	5									23.00±1.29

Table 10. Polyphenols

Food code	Food Name	No. of Regions	Chlorogenic acid	Ferulic acid	Apigenin	Apigenin-6-C-glucoside	Apigenin-7-O-neohesperid oside	Luteolin	Kaempferol	Quercetin	Quercetin-3-β-D-glucoside	Quercetin-3-O-rutinoside
			mg									
			CHLRAC	FERAC	APIGEN			LUTEOL	KAEMF	QUERCE		
H012	Ground nut (<i>Arachis hypogea</i>)	6	2.89±0.82		2.64±0.19				0.05±0.01			
H013	Mustard seeds (<i>Brassica juncea</i>)	6	1.77±0.42				1.04±0.15				4.51±0.89	
H014	Linseeds (<i>Linum usitatissimum</i>)	6	1.44±0.19	1.44±0.12								
H015	Niger seeds, black (<i>Guizotia abyssinica</i>)	4	6.49±0.33	0.55±0.03								
H016	Niger seeds, gray (<i>Guizotia abyssinica</i>)	5	5.40±0.45	0.30±0.06								
H017	Pine seed (<i>Pinus gerardiana</i>)	5	0.33±0.06									
H018	Pistachio nuts (<i>Pistacia vera</i>)	6						1.46±0.11		0.43±0.28		0.03±0.01
H019	Safflower seeds (<i>Carthamus tinctorius</i>)	5	0.03±0.01	0.14±0.01				0.17±0.04	0.17±0.03			
H020	Sunflower seeds (<i>Helianthus annuus</i>)	5	8.29±1.69	3.81±0.87								
H021	Walnut (<i>Juglans regia</i>)	6										
I SUGARS												
I001	Jaggery, cane (<i>Saccharum officinarum</i>)	6	0.49±0.26				7.76±0.93		0.18±0.02			
I002	Sugarcane, juice (<i>Saccharum officinarum</i>)	6		0.31±0.08								
J MUSHROOMS												
J001	Button mushroom, fresh (<i>Agaricus</i> sp.)	1										
J002	Chicken mushroom, fresh (<i>Lactiporus</i> sp.)	1										
J003	Shiitake mushroom, fresh (<i>Lentinula</i> sp.)	1										
J004	Oyster mushroom, dried (<i>Pleurotus</i> sp.)	1										

Food code	Food Name	No. of Regions	Quercetin-3-β-galactoside	Isoramnetin	Myricetin	Resvertrol	Hesperetin	Naringenin	Hesperdin	Daidzein	Genistein	(-)-Epicatechin
			mg									
			HESPT			HESPD		DAIDZN	GNSTEIN	EPICATEC		
H012	Ground nut (<i>Arachis hypogea</i>)	6	1.35±0.43									
H013	Mustard seeds (<i>Brassica juncea</i>)	6	8.08±0.33									
H014	Linseeds (<i>Linum usitatissimum</i>)	6	1.82±0.61									
H015	Niger seeds, black (<i>Guizotia abyssinica</i>)	4										
H016	Niger seeds, gray (<i>Guizotia abyssinica</i>)	5										
H017	Pine seed (<i>Pinus gerardiana</i>)	5										
H018	Pistachio nuts (<i>Pistacla vera</i>)	6				0.14±0.07				0.09±0.02	0.59±0.02	1.78±0.30
H019	Safflower seeds (<i>Carthamus tinctorius</i>)	5	0.27±0.02									
H020	Sunflower seeds (<i>Helianthus annuus</i>)	5										
H021	Walnut (<i>Juglans regia</i>)	6										
I	SUGARS											
I001	Jaggery, cane (<i>Saccharum officinarum</i>)	6										
I002	Sugarcane, juice (<i>Saccharum officinarum</i>)	6										
J	MUSHROOMS											
J001	Button mushroom, fresh (<i>Agaricus</i> sp.)	1										
J002	Chicken mushroom, fresh (<i>Lactiporus</i> sp.)	1										
J003	Shiitake mushroom, fresh (<i>Lentinula</i> sp.)	1										
J004	Oyster mushroom, dried (<i>Pleurotus</i> sp.)	1										

Food code	Food Name	No. of Regions	(-)- Epigallo catechin	(-)- Epigallo catechin 3-gallate	(+)-Catechin	(-) Gallocatechin gallate	(-) Gallo catechin	Syringic acid	Sinapinic acid	Ellagic acid	Total polyphenols	
			←----- mg -----→									
			EPICATEGC									
H012	Ground nut (<i>Arachis hypogea</i>)	6									127±10.6	
H013	Mustard seeds (<i>Brassica juncea</i>)	6									48.81±6.17	
H014	Linseeds (<i>Linum usitatissimum</i>)	6									31.60±13.38	
H015	Niger seeds, black (<i>Guizotia abyssinica</i>)	4									539±3.8	
H016	Niger seeds, gray (<i>Guizotia abyssinica</i>)	5									359±6.9	
H017	Pine seed (<i>Pinus gerardiana</i>)	5	0.28±0.04								59.85±4.92	
H018	Pistachio nuts (<i>Pistacla vera</i>)	6		2.99±0.30	0.69±0.30						132±6.4	
H019	Safflower seeds (<i>Carthamus tinctorius</i>)	5									22.09±1.13	
H020	Sunflower seeds (<i>Helianthus annuus</i>)	5									289±6.8	
H021	Walnut (<i>Juglans regia</i>)	6									1.23±0.30	216±1.2
I	SUGARS											
I001	Jaggery, cane (<i>Saccharum officinarum</i>)	6									0.06±0.01	127±5.1
I002	Sugarcane, juice (<i>Saccharum officinarum</i>)	6										5.25±1.27
J	MUSHROOMS											
J001	Button mushroom, fresh (<i>Agaricus</i> sp.)	1										
J002	Chicken mushroom, fresh (<i>Lactiporus</i> sp.)	1										
J003	Shiitake mushroom, fresh (<i>Lentinula</i> sp.)	1										
J004	Oyster mushroom, dried (<i>Pleurotus</i> sp.)	1										

Table 10. Polyphenols

Food code	Food Name	No. of Regions	Chlorogenic acid	Ferulic acid	Apigenin	Apigenin-6-C-glucoside	Apigenin-7-O-neohesperid oside	Luteolin	Kaempferol	Quercetin	Quercetin-3-β-D-glucoside	Quercetin-3-O-rutinoside
			← mg →									
			CHLRAC	FERAC	APIGEN			LUTEOL	KAEMF	QUERCE		
K	MISCELLANEOUS FOODS											
K001	Toddy	10	0.03±0.01									
K002	Coconut Water	6	0.43±0.15									
L	MILK AND MILK PRODUCTS											
L001	Milk, whole, Buffalo	6										
L002	Milk, whole, Cow	6										
L003	Panner	6										
L004	Khoa	6										

Food code	Food Name	No. of Regions	Quercetin-3- β- galactoside	Isoramnetin	Myricetin	Resvertrol	Hesperetin	Naringenin	Hesperdin	Daidzein	Genistein	(-)- Epicatechin
			← mg →									
			HESPT					HESPD		DAIDZN	GNSTEIN	EPICATEC
K	MISCELLANEOUS FOODS											
K001	Toddy	10										
K002	Coconut Water	6										
L	MILK AND MILK PRODUCTS											
L001	Milk, whole, Buffalo	6										
L002	Milk, whole, Cow	6										
L003	Panner	6										
L004	Khoa	6										

Table 10. Polyphenols

Food code	Food Name	No. of Regions	(-)- Epigallo catechin	(-)- Epigallo catechin 3-gallate	(+)-Catechin	(-) Gallo catechin gallate	(-) Gallo catechin	Syringic acid	Sinapinic acid	Ellagic acid	Total polyphenols
			← mg →								
			EPICATEGC								
K	MISCELLANEOUS FOODS										
K001	Toddy	10	0.03±0.01								113±1.4
K002	Coconut Water	6									19.76±3.14
L	MILK AND MILK PRODUCTS										
L001	Milk, whole, Buffalo	6									
L002	Milk, whole, Cow	6									
L003	Panner	6									
L004	Khoa	6									