perplexity

Technology Landscape Overview

Satellite-based marine oil spill detection combined with Automatic Identification System (AIS) vessel tracking and hydrodynamic drift backtracking is a well-established scientific domain [,]. Multiple operational government surveillance networks, commercial platforms, and open-source frameworks already implement the overarching end-to-end concept [, ,].

Existing Systems Directory

```
[Satellite SAR/Optical Detection] ⟶ [Hydrodynamic Backtracking] ⟶ [AIS Spatiotem
```

1. CleanSeaNet

- **Organization:** European Maritime Safety Agency (EMSA) [1]
- **Country:** European Union [,]
- **What it does:** Operational near-real-time satellite surveillance service for oil spill monitoring and vessel detection in EU waters, triggering alert notifications to coastal states within 20 to 30 minutes of acquisition [,].
- **Satellite data:** Sentinel-1A/1B/1C, RADARSAT-2, TerraSAR-X, COSMO-SkyMed, PAZ [,].
- **SAR:** Yes (Primary sensor payload). [2]
- **AIS:** Yes (Integrated with SafeSeaNet and T-AIS/S-AIS streams) [,].
- **Ocean/weather:** Yes (Copernicus Marine Environment Monitoring Service - CMEMS wind/wave/current fields) [,].
- **AI/ML:** Partially operational (Machine learning assisted slick screening alongside manual radar analyst validation).
- **Drift modelling:** Yes (Automated 24h to 72h forward drift forecasting and backward-in-time hindcasting via OSERIT / MEDSLIK-II) [, ,].
- **Vessel attribution:** Yes (Correlates backtracked oil origin with historical AIS/LRIT vessel tracks to identify suspect polluters) [, ,].
- **GIS/Web interface:** CleanSeaNet dedicated WebGIS portal. [3]
- **Operational or research:** Fully operational since 2007. [1]
- **Publicly accessible:** Restricted to authorized EU maritime authorities and coast guards. [1]
- **Similarity to SIH26143: Potential overlap** (Identical functional pipeline: SAR → spill delineation → metocean backtracking → AIS correlation → vessel attribution ranking →

GIS portal) [, ,].

- **Source:** EMSA CleanSeaNet Portal [,]

2. Cerulean

- **Organization:** SkyTruth (in technical collaboration with Global Fishing Watch & Skylight) [,]
- **Country:** United States[4]
- **What it does:** Automated, AI-driven global marine oil slick detection and attribution platform mapping vessel and offshore infrastructure pollution [,].
- **Satellite data:** Sentinel-1 C-band SAR [,].
- **SAR:** Yes [,].
- **AIS:** Yes (Ingests global terrestrial and satellite AIS from Global Fishing Watch and Spire) [,].
- **Ocean/weather:** Basic wind screening (Copernicus/ERA5 wind speed filters to discard low/high-wind SAR noise artifacts).
- **AI/ML:** Fully AI-native (Deep convolutional neural networks for semantic segmentation of slicks and lookalikes) [,].
- **Drift modelling:** Heuristic-temporal trajectory projection (Scores slick centerline against vessel trajectory timestamps).[5]
- **Vessel attribution:** Yes (Automated scoring based on Parity, Proximity, and Temporality metrics; supports dark vessel correlation) [,].
- **GIS/Web interface:** Public map-based interface and OGC-compliant API.[4]
- **Operational or research:** Operational (Global coverage) [,].
- **Publicly accessible:** Yes (Open-source codebase and open web dashboard) [,].
- **Similarity to SIH26143: Potential overlap** (Matches satellite detection, deep learning segmentation, vessel attribution ranking, and WebGIS presentation) [, ,].
- **Source:** SkyTruth Cerulean[6]

3. Online Oil Spill Advisory (OOSA) System

- **Organization:** Indian National Centre for Ocean Information Services (INCOIS), Ministry of Earth Sciences [,]
- **Country:** India[7]
- **What it does:** Provides 96-hour trajectory simulations and advisories for oil spills in the Indian Ocean region to the Indian Coast Guard, ports, and disaster agencies [,].
- **Satellite data:** Satellite winds and sea surface temperature data fed into forcing models.[8]
- **SAR:** No automated operational SAR segmentation engine (relies on reported coordinates).
- **AIS:** No native AIS vessel correlation or attribution engine.[8]

- **Ocean/weather:** High-resolution regional hydrodynamics (ROMS, INCOIS High-Resolution Regional Ocean Models, NCMRWF winds).[8]
- **AI/ML:** Minimal / Physics-based numerical modeling.[8]
- **Drift modelling:** Comprehensive (Coupled GNOME / General NOAA Operational Modeling Environment with weathering dynamics) [,].
- **Vessel attribution:** None.[8]
- **GIS/Web interface:** WebGIS map portal with animation generation.[7]
- **Operational or research:** Fully operational [,].
- **Publicly accessible:** Available via registration for authorized stakeholders [,].
- **Similarity to SIH26143: Partial overlap** (Covers drift modeling, Indian Ocean metocean forcing, and GIS reporting, but lacks automated SAR AI detection and AIS attribution) [,].
- **Source:** INCOIS OOSA[7]

4. NOAA GNOME Suite & ADIOS

- **Organization:** National Oceanic and Atmospheric Administration (NOAA) / Office of Response and Restoration (OR&R)
- **Country:** United States
- **What it does:** Standard modeling suite for predicting the trajectory and weathering of pollutants in aquatic environments.
- **Satellite data:** External ingest support (NOAA NESDIS Marine Pollution Surveillance Reports).
- **SAR:** Ingests externally derived SAR polygons.
- **AIS:** No built-in vessel tracking or auto-attribution.
- **Ocean/weather:** Comprehensive (FVCOM, HYCOM, NWS wind and current models).
- **AI/ML:** Physics-driven Lagrangian particle dispersion modeling.
- **Drift modelling:** Gold-standard forward trajectory and backward-in-time backtracking (GNOME / WebGNOME).
- **Vessel attribution:** Manual post-processing overlay.
- **GIS/Web interface:** WebGNOME web interface.
- **Operational or research:** Fully operational.
- **Publicly accessible:** Yes (Open-source / Public web platform).
- **Similarity to SIH26143: Partial overlap** (Solves hydrodynamic transport, weathering, and backwards dispersion calculation, but omits the upstream SAR pipeline and downstream AIS matching).
- **Source:** NOAA OR&R GNOME

5. OpenDrift (OpenOil Sub-module)

- **Organization:** Norwegian Meteorological Institute (MET Norway)
- **Country:** Norway
- **What it does:** Python-based open-source framework for ocean trajectory modeling, particle tracking, and comprehensive oil weathering.[9]
- **Satellite data:** Not directly built-in (Ingests shapefiles/GeoJSON derived from satellites).
- **SAR:** None.
- **AIS:** Can ingest AIS track positions programmatically via Python API.
- **Ocean/weather:** Reads CF-compliant NetCDF files from any regional/global ocean model (Copernicus, HYCOM, WRF, ERA5).
- **AI/ML:** Physics-based stochastic particle dispersion.
- **Drift modelling:** Leading open-source backtracking and forward drift model.[9]
- **Vessel attribution:** Scriptable via user-defined spatio-temporal distance functions.
- **GIS/Web interface:** Programmatic Python module, exportable to QGIS / Leaflet.
- **Operational or research:** Operational and active research standard.
- **Publicly accessible:** Yes (GitHub: OpenDrift/opendrift).
- **Similarity to SIH26143: Partial overlap** (Provides the core hydrodynamic hindcasting engine needed for reverse origin estimation).
- **Source:** OpenDrift Documentation[9]

Ecosystem Breakdown

Indian Institutional Ecosystem

- **INCOIS (Ministry of Earth Sciences):** Operates OOSA with 96-hour trajectory predictions based on GNOME, coupled with regional ROMS currents [,].
- **ISRO / NRSC:** Operates the National Database for Emergency Management (NDEM) and Disaster Management Support Programme (DMSP), utilizing RISAT-1/1A (EOS-04) SAR and Oceansat-3 (OCM-3) data to detect slicks during major maritime incidents.
- **Indian Coast Guard (ICG):** The designated Central Coordinating Authority for the National Oil Spill Disaster Contingency Plan (NOS-DCP), operating pollution response vessels and Dornier-228 aircraft equipped with SLAR (Side-Looking Airborne Radar) and infrared/UV sensors.
- **Indian Navy & NTRO:** Maintain maritime domain awareness systems monitoring coastal AIS feeds, satellite-derived vessel tracks, and maritime choke points.
- **IITs / IISc / CSIR-NIO:** Academic research primarily centers on SAR deep learning segmentation (U-Net, SegNet, Swin-Transformer variations on Sentinel-1) and localized ocean hydrodynamic simulations.

Commercial Competitors

- **Orbital EOS:** Operates *EOS Viewer*, an enterprise AI SaaS for oil spill detection using Sentinel-1 SAR and satellite-AIS vessel tracking.
- **KSAT (Kongsberg Satellite Services):** Operates global commercial near-real-time oil spill and vessel detection services using multisensor SAR constellations (RADARSAT, Sentinel-1, COSMO-SkyMed) and integrated satellite AIS.
- **Spire Global / Windward / Kpler:** Provide maritime analytics platforms cross-referencing satellite detections with dark vessel tracking, spoofing analytics, and historical AIS tracks.

System Comparison Matrix

System	Satellite	AI	AIS	Drift	Attribution	GIS	Similarity to SIH26143
EMSA CleanSeaNet [,]	Multi-SAR [2]	Hybrid	S-AIS [2]	Yes [2]	Ranked [2]	Yes [3]	**High (Potential overlap)** [,]
SkyTruth Cerulean [,]	Sentinel-1 [4]	Deep Learning [6]	S-AIS [4]	Heuristic [5]	Ranked [4]	Yes [4]	**High (Potential overlap)** [,]
INCOIS OOSA [,]	Ingests Forcing	No	No [8]	Hydrodynamic [8]	No [8]	Yes [7]	**Moderate (Pipeline Component)** [8]
NOAA WebGNOME	Ingests Polygons	No	No	Hydrodynamic	No	Yes	**Moderate (Pipeline Component)**
OpenDrift (OpenOil) [9]	Independent	No	Scriptable	Hydrodynamic [9]	Scriptable	API Only	**Moderate (Drift Engine)** [9]
Orbital EOS	Multi-SAR	Deep Learning	S-AIS	Forward	Ranked	Yes	**High (Commercial Solution)**

Competitive Analysis

```
[ HIGH SIMILARITY / NEAR OVERLAPS ]
├── EMSA CleanSeaNet (EU - Restrictive/Gov Only)
├── SkyTruth Cerulean (Global - Open Source / Public)
└── Orbital EOS (Commercial Enterprise SaaS)

[ DRIFT / HYDRODYNAMIC ENGINES ]
├── INCOIS OOSA (India National System)
├── OpenDrift / OpenOil (Open Source Python Engine)
└── NOAA GNOME Suite (US Gov Open Standard)
```

Top 5 Existing Limitations

1. **False positive confusion from SAR lookalikes:** Low wind speeds ($< 3\ \mathrm{m/s}$), natural biogenic slicks, grease ice, and internal waves create dark patches in SAR imagery that standard AI models misclassify as petroleum.
2. **Simplified AIS attribution metrics:** Existing tools often rely on naive geometric proximity or temporal projection rather than physical multi-particle backwards dispersion modeling coupled with dynamic vessel wake physics.[5]
3. **AIS evasion and spoofing vulnerabilities:** Vessels discharging bilge waste intentionally disable transmitters (dark vessels) or broadcast spoofed MMSI/coordinates [,].
4. **Coarse metocean resolution in coastal waters:** Global ocean models (e.g., HYCOM $1/12^{\circ}$) lack the spatial and tidal resolution required to accurately calculate nearshore/port shallow-water drift.
5. **Lack of multi-criteria explainability:** Most AI detection engines output raw bounding masks without offering forensic confidence metrics (e.g., thickness-weathering estimation, probability density fields, confidence intervals for court-admissible attribution).

Top 5 Possible Differentiators for SIH26143

1. **Explainable Attribution Scorecard:** Generate a legally defensible composite attribution index that fuses backwards Lagrangian probability distributions, vessel maneuvering anomalies (speed drops, deviation from sea lanes), and vessel registry metadata (vessel type, deadweight tonnage, ballast status).
2. **Physics-Informed Reverse Dispersion Backtracking:** Couple deep learning SAR masks directly with high-resolution regional ocean currents (INCOIS ROMS / NCMRWF winds) using OpenDrift backward stochastic particle modeling to trace the exact time-stepped origin polygon rather than a static distance vector [,].
3. **Dark Vessel Reconstruction & SAR Cross-Matching:** Integrate SAR ship detection (identifying radar point targets/wakes in the same acquisition) to infer dark ship positions when AIS pings are absent or spoofed [,].
4. **Automated Weathering & Discharge Volume Estimation:** Incorporate satellite optical/multispectral bands (Sentinel-2, Oceansat-3) where available to perform slick thickness classification (Bonn Convention standard) and estimate total discharged volume to refine pollutant origin age.
5. **Turnkey Indian EEZ Deployment:** Build an automated processing workflow tailored specifically to Indian waters, directly ingesting INCOIS open data APIs and National AIS gateway feeds inside a responsive open-source WebGIS stack.

Innovation Assessment

The complete pipeline proposed under **SIH26143 is partially solved globally and solved operationally inside restricted enterprise systems**, but it remains **genuinely open for innovation within the Indian maritime ecosystem and open-source software domain.**

- **Why it is solved elsewhere:** Organizations like EMSA (CleanSeaNet) and SkyTruth (Cerulean) have operationalized end-to-end pipelines linking SAR, AI, drift estimation, and AIS attribution [,].
- **Why innovation is needed for SIH26143:** Existing systems are either closed government utilities (CleanSeaNet), commercial enterprise platforms (KSAT, Orbital EOS), or simplify drift modeling to straight-line heuristics rather than high-resolution hydrodynamic backwards particle tracking [,]. A robust, explainable system tuned with regional Indian oceanographic models (INCOIS), advanced SAR lookalike rejection, and dark vessel wake identification offers significant operational value to the Indian Coast Guard and regional authorities [,].

⁂

1. https://marine.copernicus.eu/services/use-cases/oserit-oil-spill-model-support-emsa
2. https://marine.copernicus.eu/sites/default/files/wp-content/documents/UW_2011/SPLINTER_MARITIME_SAFETY/Anne_Marie_HAYES_EMSA-INTRO.pdf
3. https://meetingorganizer.copernicus.org/EGU2011/EGU2011-13349.pdf
4. https://meetingorganizer.copernicus.org/EGU24/EGU24-13480.html
5. https://skytruth.org/cerulean/methods
6. https://skytruth.org/cerulean
7. https://oosa.incois.gov.in/OOSA/
8. https://oosa.incois.gov.in/OOSA/aboutOOSA.jsp
9. https://opendrift.github.io/_modules/opendrift/models/openoil/openoil.html
10. https://marine.copernicus.eu/sites/default/files/wp-content/documents/UW_2014/1-Plenary-19_June_2014/7_EMSA_SERVICES.pdf
11. https://www.nature.com/articles/s41598-026-37081-1
12. https://incois.gov.in/documents/ITCOocean/L8 Coastal Monitoring methods Oil Spill forecasting.pdf
13. https://vacancies.incois.gov.in/portal/osf/osf.jsp
14. https://www.sciencedirect.com/science/article/abs/pii/S2352938526000340
15. https://www.mdpi.com/1424-8220/21/7/2351
16. https://matjournals.net/engineering/index.php/JoDMM/article/view/3316
17. https://www.ijfmr.com/papers/2025/2/42845.pdf
18. https://www.idee.es/resources/presentaciones/JIIDE14/20141106/CleanSeaNet.pdf
19. https://www.ijraset.com/best-journal/maritine-environmental-safety-advanced-oil-spill-detection-through-ais-and-remote-sensing-209
20. https://escholarship.org/content/qt5p424124/qt5p424124.pdf

21. https://techcrunch.com/2024/01/31/cerulean-empowers-ocean-pollution-watchdogs-with-orbital-observation/
22. https://skytruth.org/blog/near-real-time-coming-to-cerulean
23. https://www.skylight.global/news/skytruth-integration
24. https://skytruth.org/cerulean/why
25. https://skytruth.org/product-updates/dark-vessels-as-sources
26. https://skytruth.org/blog/dark-vessels-qa-bringing-transparency-to-hidden-ocean-pollution
27. https://skytruth.org/
28. https://skytruth.org/insights/on-slicks-and-satellites-an-open-source-guide-to-marine-oil-spill-detection
29. https://skytruth.org/tools
30. https://www.marinfloc.com/news/skytruth