MICROSCOPE ACCESSORIES

Catalogue 2026

Objective Lenses | Widefield Eyepieces | Reticle & Pointer Eyepieces

[www.yourwebsite.com] | [email@yourwebsite.com]

Overview

Replacement and upgrade optics for compound microscopes: objective lenses, widefield eyepieces (standard and blue-coated), and reticle / pointer eyepieces. Model numbers below are the catalogue codes; prices are left blank for you to fill in.

Model number key

Prefix	Product	Example
OBJ-A	Achromatic objective lens (A + magnification)	OBJ-A40 = 40x objective
EP-WF	Widefield eyepiece, standard lens	EP-WF10 = WF10x
EP-WB	Widefield eyepiece, blue-coated lens	EP-WB10 = WF10x blue-coated
EP-RC / EP-RS	Reticle eyepiece: cross-hair / scale	EP-RC10 = 10x cross-hair
EP-PT	Pointer eyepiece	EP-PT10 = 10x pointer

Quick guide

Category	Range	Options
Objective lenses	4x, 5x, 10x, 20x, 40x, 50x, 60x, 100x	Achromatic, colour-coded ring
Widefield eyepieces	5x, 10x, 12.5x, 15x, 16x, 20x	Standard / blue-coated
Reticle eyepieces	10x, 16x, 20x	Cross-hair, scale
Pointer eyepieces	10x, 16x, 20x	Fixed pointer

Optical data are typical values for illustration. Confirm NA, working distance and field number against your actual stock before publishing.

Objective Lenses

Standard RMS thread (W0.8 x 1/36"). Colour ring identifies magnification. 100x is oil immersion.



4x Objective
OBJ-A04



5x Objective
OBJ-A05



10x Objective
OBJ-A10



20x Objective
OBJ-A20



40x Objective
OBJ-A40



50x Objective
OBJ-A50



60x Objective
OBJ-A60



100x Objective
OBJ-A100


Specifications

Mag.	Model No.	Type	NA (typ.)	WD mm (typ.)	Immersion
4x	**OBJ-A04**	Achromatic	0.10	approx. 18	Dry
5x	**OBJ-A05**	Achromatic	0.12	approx. 14	Dry
10x	**OBJ-A10**	Achromatic	0.25	approx. 7	Dry
20x	**OBJ-A20**	Achromatic	0.40	approx. 2	Dry
40x	**OBJ-A40**	Achromatic	0.65	approx. 0.6	Dry, spring
50x	**OBJ-A50**	Achromatic	0.75	approx. 0.5	Dry, spring
60x	**OBJ-A60**	Achromatic	0.85	approx. 0.3	Dry, spring
100x	**OBJ-A100**	Achromatic	1.25	approx. 0.2	Oil, spring


Construction

Exploded views of a typical objective lens and widefield eyepiece. Illustration only.

Objective lens



Widefield eyepiece



Widefield Eyepieces

Standard widefield (WF) eyepieces with a high eyepoint, plus blue-coated versions for improved contrast and reduced glare. Mounting diameter 23.2 mm.

Standard lens



WF5x
EP-WF05



WF10x
EP-WF10



WF12.5x
EP-WF125



WF15x
EP-WF15



WF16x
EP-WF16



WF20x
EP-WF20

Widefield Eyepieces

Blue-coated lens



WF5x Blue
EP-WB05



WF10x Blue
EP-WB10



WF12.5x Blue
EP-WB125



WF15x Blue
EP-WB15



WF16x Blue
EP-WB16



WF20x Blue
EP-WB20


Widefield Eyepiece Specifications

Mag.	Model No.	Field No. (typ.)	Mount	Lens
WF5x	**EP-WF05**	20	23.2 mm	Standard
WF10x	**EP-WF10**	18	23.2 mm	Standard
WF12.5x	**EP-WF125**	14	23.2 mm	Standard
WF15x	**EP-WF15**	13	23.2 mm	Standard
WF16x	**EP-WF16**	13	23.2 mm	Standard
WF20x	**EP-WF20**	10	23.2 mm	Standard
WF5x	**EP-WB05**	20	23.2 mm	Blue-coated
WF10x	**EP-WB10**	18	23.2 mm	Blue-coated
WF12.5x	**EP-WB125**	14	23.2 mm	Blue-coated
WF15x	**EP-WB15**	13	23.2 mm	Blue-coated
WF16x	**EP-WB16**	13	23.2 mm	Blue-coated
WF20x	**EP-WB20**	10	23.2 mm	Blue-coated


RG PRECISION INSTRUMENTS

Reticle & Pointer Eyepieces

For measurement and teaching. Reticle eyepieces carry a cross-hair or graduated scale; pointer eyepieces carry a fixed pointer visible in the field of view.



Reticle - cross-hair
EP-RC10



Reticle - scale
EP-RS10



Pointer
EP-PT10

Specifications

Type	Mag.	Insert	Mount	Model No.
Reticle	10x	Cross-hair	23.2 mm	**EP-RC10**
Reticle	10x	Scale (0.1 mm div.)	23.2 mm	**EP-RS10**
Reticle	16x	Cross-hair	23.2 mm	**EP-RC16**
Reticle	16x	Scale (0.1 mm div.)	23.2 mm	**EP-RS16**
Reticle	20x	Cross-hair	23.2 mm	**EP-RC20**
Reticle	20x	Scale (0.1 mm div.)	23.2 mm	**EP-RS20**
Pointer	10x	Fixed pointer	23.2 mm	**EP-PT10**
Pointer	16x	Fixed pointer	23.2 mm	**EP-PT16**
Pointer	20x	Fixed pointer	23.2 mm	**EP-PT20**

Ordering & Contact

Quote the model number, quantity and your microscope make/model (tube length and thread type) when ordering.

Field	Details
Company	RG PRECISION INSTRUMENTS
Phone / WhatsApp	+91 9416512774 +49 1786212064 +91 8570968411
Email	rgprecisioninstruments@gmail.com