

EXPERIMENT NO. 8 - AngularJS

Name of Student	Mohit Patil
Class Roll No	D15A_36
D.O.P.	20/03/2025
D.O.S.	27/03/2025
Sign and Grade	

AIM : To study AngularJS

PROBLEM STATEMENT :

- a. Demonstrate with an AngularJS code one way data binding and two way data binding in AngularJS
- b. Implement a basic authentication system for a web application using AngularJS. Create a simple login page that takes a username and password, and upon submission, checks for a hardcoded set of credentials. If the credentials are valid, display a success message; otherwise, show an error message.
Demonstrate AngularJS controller, module and form directives.
- c. Users want to search for books by title, author, or genre. To accomplish this, develop an AngularJS custom filter named bookFilter and include it into the application.
- d. Create a reusable and modular custom AngularJS service to handle user authentication. Include this service into an application.
- e.

THEORY :

- 1. What are directives? Name some of the most commonly used directives in AngularJS application**

Directives are special attributes in AngularJS that extend HTML functionality by adding custom behavior to elements. They help in data binding, DOM manipulation, and component creation.

Commonly Used Directives:

- **ng-app** – Defines the root element of an AngularJS application.
- **ng-model** – Binds input fields to the model (two-way data binding).
- **ng-bind** – Displays model data in HTML (one-way binding).
- **ng-repeat** – Iterates over an array to display dynamic lists.
- **ng-click** – Binds a function to a click event.
- **ng-if / ng-show / ng-hide** – Controls element visibility based on conditions.
- **ng-class** – Dynamically applies CSS classes.
- **ng-submit** – Handles form submissions.

2. What is data binding in AngularJS?

Data binding in AngularJS is the process of synchronizing data between the model (JavaScript) and the view (HTML). It ensures automatic updates whenever data changes.

Types of Data Binding:

- **One-Way Data Binding (**ng-bind**)** – Updates the view when the model changes but not vice versa.
- **Two-Way Data Binding (**ng-model**)** – Keeps both the model and view in sync automatically.

Example:

```
<input type="text" ng-model="name">
<p>Hello, {{ name }}!</p>
```

3. How is form validation done in angularJS

AngularJS provides built-in form validation using **form** and **input directives**. It tracks user inputs and displays validation errors dynamically.

Key Directives for Validation:

- **ng-required** – Marks a field as required.
- **ng-minlength / ng-maxlength** – Sets minimum and maximum input length.
- **ng-pattern** – Validates input against a regex pattern.
- **ng-change** – Triggers a function on input change.
- **\$dirty / \$pristine** – Tracks if the field has been modified.
- **\$valid / \$invalid** – Checks if the field meets validation rules.

Example:

```
<form name="myForm">
  <input type="text" name="username"
  ng-model="user.name"
  ng-required="true">
  <span ng-show="myForm.username.$error.required">
    Username is required! </span>
```

`</form>`

4. What is the use of AngularJS Controllers in the application?

AngularJS **Controllers** manage application logic by handling data and interactions between the view (HTML) and the model (data). They are defined using `ng-controller` and provide functions and variables to the view.

Key Functions of Controllers:

- **Manage Data** – Store and manipulate scope variables (`$scope`).
- **Handle Events** – Process user interactions like clicks and form submissions.
- **Apply Business Logic** – Perform calculations, validations, and API calls.
- **Control View Behavior** – Dynamically update UI based on data changes.

5. What is the use of AngularJS Filters in the application?

Filters in AngularJS format and transform data before displaying it in the UI. They help in refining output without modifying the original data.


Filters are applied using the `|` (pipe) symbol in expressions, e.g., `{{ name | uppercase }}`. They enhance data presentation dynamically.

Common Uses:

- **Formatting text** – `uppercase`, `lowercase`
- **Number formatting** – `currency`, `number`
- **Filtering arrays** – `filter` (searching within lists)
- **Sorting data** – `orderBy`
- **Date formatting** – `date`

OUTPUT


a) Homepage



This screenshot displays the homepage of the AngularJS application. It provides navigation links to different sections such as the login page and the book search

page. The page demonstrates AngularJS directives like `ng-app` for module initialization and `ng-controller` for managing application logic.

b) Login Page




The screenshot shows a login form with a title 'Login' at the top. Below the title, there is a navigation bar with links 'Home | Login | Books'. The form consists of two input fields: 'Username:' with the value 'Admin' and 'Password:' with masked characters '.....'. A green 'Login' button is positioned below the password field.

This screenshot shows the login form where users enter their username and password. It demonstrates AngularJS form directives (`ng-model` for data binding, `ng-submit` for form submission) and a custom authentication service to verify credentials. Upon submitting the form, the system checks for hardcoded credentials. If correct, a success message appears; otherwise, an error message is displayed.

c) Book Search Page

Home | Login | Books

Book Search



The screenshot shows a book search interface. At the top, there is a search bar with the placeholder text 'Search by title, author, or genre'. Below the search bar, there are five book cards arranged in two rows. Each card displays the book title, author, and a genre tag.

Book Title	Author	Genre
The Great Gatsby	by F. Scott Fitzgerald	Classic
1984	by George Orwell	Science Fiction
Pride and Prejudice	by Jane Austen	Romance
The Hobbit	by J.R.R. Tolkien	Fantasy
To Kill a Mockingbird	by Harper Lee	Classic

Book Search

The Great Gatsby
by F. Scott Fitzgerald
Classic

The Hobbit
by J.R.R. Tolkien
Fantasy

This screenshot displays search functionality for books based on title, author, or genre. It demonstrates the implementation of a custom AngularJS filter (`bookFilter`) that dynamically filters book data as the user types in the search field. `ng-repeat` is used to loop through and display book data dynamically.

CONCLUSION:

In this experiment, we successfully explored **AngularJS** by implementing **one-way and two-way data binding**, a **basic authentication system**, and a **custom book search filter**. We used **AngularJS directives, controllers, services, and filters** to build an interactive web application. The **login system** validated user credentials, while the **book search feature** demonstrated custom filtering. Additionally, we implemented **form validation** using built-in AngularJS directives. This experiment provided hands-on experience in developing **dynamic, modular, and responsive applications** using AngularJS.