



AWS Well-Architected Tool

AWS Well-Architected Tool yadav_logistics - AWS Well-Architected Framework Report

AWS Account ID: 080949906206

AWS Well-Architected Tool Report

Copyright © 2026 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

Amazon's trademarks and trade dress may not be used in connection with any product or service that is not Amazon's, in any manner that is likely to cause confusion among customers, or in any manner that disparages or discredits Amazon. All other trademarks not owned by Amazon are the property of their respective owners, who may or may not be affiliated with, connected to, or sponsored by Amazon.

All information, guidance and materials (collectively, "Information") provided to you in connection with the Program are for informational purposes only. You are solely responsible for making your own independent assessment of the Information and your use of AWS's products or services. Neither this document nor any other Information provided to you creates any warranties (express or implied), representations, contractual commitments, conditions or assurances from AWS, its affiliates, suppliers or licensors. Neither this document nor any other information provided to you are part of, nor do they modify, any agreements between you and AWS. All information in this document will be shared with only the Customer and the AWS Team.

Table of contents

Workload properties	4
Lens overview	6
Improvement plan	7
High risk	7
Medium risk	9
Lens details	12
Operational Excellence	12
Security	26
Reliability	41
Performance Efficiency	57
Cost Optimization	65
Sustainability	78

Workload properties

Workload name

yadav_logistics

ARN

arn:aws:wellarchitected:us-east-1:080949906206:workload/4d0d82a88877839a588dd45c36d84b19

Description

this is logistics company

Review owner

mohitsharma14651@gmail.com

Industry type

-

Industry

-

Environment

Production

AWS Regions

US East (N. Virginia)

Non-AWS regions

-

Account IDs

-

Architectural design

-

Application

-

Lens overview

Questions answered

57/57

Version

AWS Well-Architected Framework, 25th Feb 2025

Pillar	Questions answered
Operational Excellence	11/11
Security	11/11
Reliability	13/13
Performance Efficiency	5/5
Cost Optimization	11/11
Sustainability	6/6

Lens notes

-

Improvement plan

Improvement item summary

High risk: 35

Medium risk: 16

Pillar	High risk	Medium risk
Operational Excellence	6	4
Security	7	3
Reliability	11	2
Performance Efficiency	5	0
Cost Optimization	6	2
Sustainability	0	5

High risk

Operational Excellence
• OPS 1.How do you determine what your priorities are? • OPS 3.How does your organizational culture support your business outcomes? • OPS 4.How do you implement observability in your workload? • OPS 7.How do you know that you are ready to support a workload? • OPS 10.How do you manage workload and operations events? • OPS 11.How do you evolve operations?

Security

- SEC 1.How do you securely operate your workload?
- SEC 2.How do you manage identities for people and machines?
- SEC 3.How do you manage permissions for people and machines?
- SEC 7.How do you classify your data?
- SEC 8.How do you protect your data at rest?
- SEC 10.How do you anticipate, respond to, and recover from incidents?
- SEC 11.How do you incorporate and validate the security properties of applications throughout the design, development, and deployment lifecycle?

Reliability

- REL 9.How do you back up data?
- REL 6.How do you monitor workload resources?
- REL 12.How do you test reliability?
- REL 8.How do you implement change?
- REL 11.How do you design your workload to withstand component failures?
- REL 2.How do you plan your network topology?
- REL 13.How do you plan for disaster recovery (DR)?
- REL 5.How do you design interactions in a distributed system to mitigate or withstand failures?
- REL 4.How do you design interactions in a distributed system to prevent failures?
- REL 3.How do you design your workload service architecture?
- REL 1.How do you manage service quotas and constraints?

Performance Efficiency

- PERF 1.How do you select the appropriate cloud resources and architecture patterns for your workload?
- PERF 2.How do you select and use compute resources in your workload?
- PERF 3.How do you store, manage, and access data in your workload?
- PERF 4.How do you select and configure networking resources in your workload?
- PERF 5.What process do you use to support more performance efficiency for your workload?

Cost Optimization

- COST 1.How do you implement cloud financial management?
- COST 2.How do you govern usage?
- COST 3.How do you monitor your cost and usage?
- COST 5.How do you evaluate cost when you select services?
- COST 6.How do you meet cost targets when you select resource type, size and number?
- COST 4.How do you decommission resources?

Sustainability

No improvements identified

Medium risk

Operational Excellence

- OPS 5.How do you reduce defects, ease remediation, and improve flow into production?
- OPS 6.How do you mitigate deployment risks?
- OPS 8.How do you utilize workload observability in your organization?
- OPS 9.How do you understand the health of your operations?

Security

- SEC 4.How do you detect and investigate security events?
- SEC 5.How do you protect your network resources?
- SEC 6.How do you protect your compute resources?

Reliability

- REL 10.How do you use fault isolation to protect your workload?
- REL 7.How do you design your workload to adapt to changes in demand?

Performance Efficiency

No improvements identified

Cost Optimization

- COST 7.How do you use pricing models to reduce cost?
- COST 8.How do you plan for data transfer charges?

Sustainability

- SUS 2.How do you align cloud resources to your demand?
- SUS 3.How do you take advantage of software and architecture patterns to support your sustainability goals?
- SUS 4.How do you take advantage of data management policies and patterns to support your sustainability goals?
- SUS 5.How do you select and use cloud hardware and services in your architecture to support your sustainability goals?
- SUS 6.How do your organizational processes support your sustainability goals?

Lens details

Operational Excellence

Questions answered

11/11

Question status

- ⊗ High risk: 6
- ⚠ Medium risk: 4
- ✓ No improvements identified: 1
- ⊖ Not Applicable: 0
- ⌚ Unanswered: 0

Pillar notes

-

1. How do you determine what your priorities are?

⊗ High risk

Selected choice(s)

- Evaluate external customer needs
- Evaluate threat landscape
- Evaluate tradeoffs while managing benefits and risks

Not selected choice(s)

- Evaluate internal customer needs
- Evaluate governance requirements
- Evaluate compliance requirements
- None of these

Best Practices marked as Not Applicable

-

Notes

-

Improvement plan

- [Evaluate internal customer needs](#)
- [Evaluate governance requirements](#)
- [Evaluate compliance requirements](#)

[Ask an expert](#)

2. How do you structure your organization to support your business outcomes?

✔ No improvements identified

Selected choice(s)

- Resources have identified owners
- Processes and procedures have identified owners
- Operations activities have identified owners responsible for their performance
- Mechanisms exist to manage responsibilities and ownership
- Mechanisms exist to request additions, changes, and exceptions
- Responsibilities between teams are predefined or negotiated

Not selected choice(s)

- None of these

Best Practices marked as Not Applicable

-

Notes

-

Improvement plan

No risk detected for this question. No action needed.

3. How does your organizational culture support your business outcomes?

⊗ High risk

Selected choice(s)

- Communications are timely, clear, and actionable
- Experimentation is encouraged
- Team members are encouraged to maintain and grow their skill sets

Not selected choice(s)

- Provide executive sponsorship
- Escalation is encouraged
- Team members are empowered to take action when outcomes are at risk
- Resource teams appropriately
- None of these

Best Practices marked as Not Applicable

-

Notes

-

Improvement plan

- [Provide executive sponsorship](#)
- [Escalation is encouraged](#)
- [Team members are empowered to take action when outcomes are at risk](#)
- [Resource teams appropriately](#)

[Ask an expert](#)

4. How do you implement observability in your workload?

⊗ High risk

Selected choice(s)

- None of these

Not selected choice(s)

- Identify key performance indicators
- Implement application telemetry
- Implement user experience telemetry
- Implement dependency telemetry
- Implement distributed tracing

Best Practices marked as Not Applicable

-

Notes

-

Improvement plan

- Identify key performance indicators
- Implement application telemetry
- Implement user experience telemetry
- Implement dependency telemetry
- Implement distributed tracing

[Ask an expert](#)

5. How do you reduce defects, ease remediation, and improve flow into production?

 Medium risk

Selected choice(s)

- Use version control
- Test and validate changes
- Implement practices to improve code quality

Not selected choice(s)

- Use configuration management systems
- Use build and deployment management systems
- Perform patch management
- Share design standards
- Use multiple environments
- Make frequent, small, reversible changes
- Fully automate integration and deployment
- None of these

Best Practices marked as Not Applicable

-

Notes

-

Improvement plan

- Use configuration management systems
- Use build and deployment management systems
- Perform patch management

5. How do you reduce defects, ease remediation, and improve flow into production?

- [Share design standards](#)
- [Use multiple environments](#)
- [Make frequent, small, reversible changes](#)
- [Fully automate integration and deployment](#)

[Ask an expert](#)

6. How do you mitigate deployment risks?

 Medium risk

Selected choice(s)

- Plan for unsuccessful changes
- Test deployments

Not selected choice(s)

- Employ safe deployment strategies
- Automate testing and rollback
- None of these

Best Practices marked as Not Applicable

-

Notes

-

Improvement plan

- [Employ safe deployment strategies](#)
- [Automate testing and rollback](#)

[Ask an expert](#)

7. How do you know that you are ready to support a workload?

⊗ High risk

Selected choice(s)

- Make informed decisions to deploy systems and changes

Not selected choice(s)

- Ensure personnel capability
- Ensure a consistent review of operational readiness
- Use runbooks to perform procedures
- Use playbooks to investigate issues
- Create support plans for production workloads
- None of these

Best Practices marked as Not Applicable

-

Notes

-

Improvement plan

- [Ensure personnel capability](#)
- [Ensure a consistent review of operational readiness](#)
- [Use runbooks to perform procedures](#)
- [Use playbooks to investigate issues](#)
- [Create support plans for production workloads](#)

[Ask an expert](#)

8. How do you utilize workload observability in your organization?

 Medium risk

Selected choice(s)

- Create actionable alerts
- Analyze workload logs

Not selected choice(s)

- Analyze workload metrics
- Analyze workload traces
- Create dashboards
- None of these

Best Practices marked as Not Applicable

-

Notes

-

Improvement plan

- [Analyze workload metrics](#)
- [Analyze workload traces](#)
- [Create dashboards](#)

[Ask an expert](#)

9. How do you understand the health of your operations?

 Medium risk

Selected choice(s)

- Measure operations goals and KPIs with metrics
- Review operations metrics and prioritize improvement

Not selected choice(s)

- Communicate status and trends to ensure visibility into operation
- None of these

Best Practices marked as Not Applicable

-

Notes

-

Improvement plan

- [Communicate status and trends to ensure visibility into operation](#)

[Ask an expert](#)

10. How do you manage workload and operations events?

⊗ High risk

Selected choice(s)

- Prioritize operational events based on business impact
- Define a customer communication plan for service-impacting events
- Automate responses to events

Not selected choice(s)

- Use a process for event, incident, and problem management
- Have a process per alert
- Define escalation paths
- Communicate status through dashboards
- None of these

Best Practices marked as Not Applicable

-

Notes

-

Improvement plan

- [Use a process for event, incident, and problem management](#)
- [Have a process per alert](#)
- [Define escalation paths](#)
- [Communicate status through dashboards](#)

[Ask an expert](#)

11. How do you evolve operations?

⊗ High risk

Selected choice(s)

- Perform post-incident analysis
- Perform knowledge management
- Validate insights
- Document and share lessons learned

Not selected choice(s)

- Have a process for continuous improvement
- Implement feedback loops
- Define drivers for improvement
- Perform operations metrics reviews
- Allocate time to make improvements
- None of these

Best Practices marked as Not Applicable

-

Notes

-

Improvement plan

- Have a process for continuous improvement
- Implement feedback loops
- Define drivers for improvement
- Perform operations metrics reviews
- Allocate time to make improvements

11. How do you evolve operations?

[Ask an expert](#)

Security

Questions answered

11/11

Question status

-  High risk: 7
-  Medium risk: 3
-  No improvements identified: 1
-  Not Applicable: 0
-  Unanswered: 0

Pillar notes

-

1. How do you securely operate your workload?

⊗ High risk

Selected choice(s)

- Separate workloads using accounts
- Identify and validate control objectives
- Reduce security management scope
- Evaluate and implement new security services and features regularly

Not selected choice(s)

- Secure account root user and properties
- Stay up to date with security threats and recommendations
- Identify and prioritize risks using a threat model
- Automate deployment of standard security controls
- None of these

Best Practices marked as Not Applicable

-

Notes

-

Improvement plan

- [Secure account root user and properties](#)
- [Stay up to date with security threats and recommendations](#)
- [Identify and prioritize risks using a threat model](#)
- [Automate deployment of standard security controls](#)

[Ask an expert](#)

2. How do you manage identities for people and machines?

⊗ High risk

Selected choice(s)

- Use temporary credentials
- Store and use secrets securely
- Rely on a centralized identity provider
- Audit and rotate credentials periodically

Not selected choice(s)

- Use strong sign-in mechanisms
- Employ user groups and attributes
- None of these

Best Practices marked as Not Applicable

-

Notes

-

Improvement plan

- [Use strong sign-in mechanisms](#)
- [Employ user groups and attributes](#)

[Ask an expert](#)

3. How do you manage permissions for people and machines?

⊗ High risk

Selected choice(s)

- Establish emergency access process
- Share resources securely within your organization
- Reduce permissions continuously

Not selected choice(s)

- Define access requirements
- Grant least privilege access
- Define permission guardrails for your organization
- Manage access based on lifecycle
- Share resources securely with a third party
- Analyze public and cross account access
- None of these

Best Practices marked as Not Applicable

-

Notes

-

Improvement plan

- Define access requirements
- Grant least privilege access
- Define permission guardrails for your organization
- Manage access based on lifecycle
- Share resources securely with a third party

3. How do you manage permissions for people and machines?

- [Analyze public and cross account access](#)

[Ask an expert](#)

4. How do you detect and investigate security events?

 Medium risk

Selected choice(s)

- Configure service and application logging
- Capture logs, findings, and metrics in standardized locations
- Correlate and enrich security events

Not selected choice(s)

- Initiate remediation for non-compliant resources
- None of these

Best Practices marked as Not Applicable

-

Notes

-

Improvement plan

- [Initiate remediation for non-compliant resources](#)

[Ask an expert](#)

5. How do you protect your network resources?

 Medium risk

Selected choice(s)

- Create network layers
- Control traffic within your network layers
- Implement inspection-based protection

Not selected choice(s)

- Automate network protection
- None of these

Best Practices marked as Not Applicable

-

Notes

-

Improvement plan

- [Automate network protection](#)

[Ask an expert](#)

6. How do you protect your compute resources?

 Medium risk

Selected choice(s)

- Perform vulnerability management
- Provision compute from hardened images
- Reduce manual management and interactive access

Not selected choice(s)

- Validate software integrity
- Automate compute protection
- None of these

Best Practices marked as Not Applicable

-

Notes

-

Improvement plan

- [Validate software integrity](#)
- [Automate compute protection](#)

[Ask an expert](#)

7. How do you classify your data?

⊗ High risk

Selected choice(s)

- Apply data protection controls based on data sensitivity
- Define scalable data lifecycle management
- Automate identification and classification

Not selected choice(s)

- Understand your data classification scheme
- None of these

Best Practices marked as Not Applicable

-

Notes

-

Improvement plan

- [Understand your data classification scheme](#)

[Ask an expert](#)

8. How do you protect your data at rest?

⊗ High risk

Selected choice(s)

- Implement secure key management
- Enforce encryption at rest
- Automate data at rest protection

Not selected choice(s)

- Enforce access control
- None of these

Best Practices marked as Not Applicable

-

Notes

-

Improvement plan

- [Enforce access control](#)

[Ask an expert](#)

9. How do you protect your data in transit?

✔ No improvements identified

Selected choice(s)

- Implement secure key and certificate management
- Enforce encryption in transit
- Authenticate network communications

Not selected choice(s)

- None of these

Best Practices marked as Not Applicable

-

Notes

-

Improvement plan

No risk detected for this question. No action needed.

10. How do you anticipate, respond to, and recover from incidents?

⊗ High risk

Selected choice(s)

- Identify key personnel and external resources
- Prepare forensic capabilities
- Pre-provision access

Not selected choice(s)

- Develop incident management plans
- Develop and test security incident response playbooks
- Run simulations
- Establish a framework for learning from incidents
- Pre-deploy tools
- None of these

Best Practices marked as Not Applicable

-

Notes

-

Improvement plan

- [Develop incident management plans](#)
- [Develop and test security incident response playbooks](#)
- [Run simulations](#)
- [Establish a framework for learning from incidents](#)
- [Pre-deploy tools](#)

10. How do you anticipate, respond to, and recover from incidents?

[Ask an expert](#)

11. How do you incorporate and validate the security properties of applications throughout the design, development, and deployment lifecycle?

⊗ High risk

Selected choice(s)

- Deploy software programmatically
- Train for application security
- Conduct code reviews

Not selected choice(s)

- Perform regular penetration testing
- Regularly assess security properties of the pipelines
- Automate testing throughout the development and release lifecycle
- Centralize services for packages and dependencies
- Build a program that embeds security ownership in workload teams
- None of these

Best Practices marked as Not Applicable

-

Notes

-

Improvement plan

- Perform regular penetration testing
- Regularly assess security properties of the pipelines
- Automate testing throughout the development and release lifecycle
- Centralize services for packages and dependencies

11. How do you incorporate and validate the security properties of applications throughout the design, development, and deployment lifecycle?

- [Build a program that embeds security ownership in workload teams](#)

[Ask an expert](#)

Reliability

Questions answered

13/13

Question status

-  High risk: 11
-  Medium risk: 2
-  No improvements identified: 0
-  Not Applicable: 0
-  Unanswered: 0

Pillar notes

-

1. How do you manage service quotas and constraints?

⊗ High risk

Selected choice(s)

- Manage service quotas across accounts and Regions
- Monitor and manage quotas
- Ensure that a sufficient gap exists between the current quotas and the maximum usage to accommodate failover

Not selected choice(s)

- Aware of service quotas and constraints
- Accommodate fixed service quotas and constraints through architecture
- Automate quota management
- None of these

Best Practices marked as Not Applicable

-

Notes

-

Improvement plan

- [Aware of service quotas and constraints](#)
- [Accommodate fixed service quotas and constraints through architecture](#)
- [Automate quota management](#)

[Ask an expert](#)

2. How do you plan your network topology?

⊗ High risk

Selected choice(s)

- Provision redundant connectivity between private networks in the cloud and on-premises environments
- Ensure IP subnet allocation accounts for expansion and availability
- Enforce non-overlapping private IP address ranges in all private address spaces where they are connected

Not selected choice(s)

- Use highly available network connectivity for your workload public endpoints
- Prefer hub-and-spoke topologies over many-to-many mesh
- None of these

Best Practices marked as Not Applicable

-

Notes

-

Improvement plan

- [Use highly available network connectivity for your workload public endpoints](#)
- [Prefer hub-and-spoke topologies over many-to-many mesh](#)

[Ask an expert](#)

3. How do you design your workload service architecture?

⊗ High risk

Selected choice(s)

- Choose how to segment your workload
- Provide service contracts per API

Not selected choice(s)

- Build services focused on specific business domains and functionality
- None of these

Best Practices marked as Not Applicable

-

Notes

-

Improvement plan

- Build services focused on specific business domains and functionality

[Ask an expert](#)

4. How do you design interactions in a distributed system to prevent failures?

⊗ High risk

Selected choice(s)

- Implement loosely coupled dependencies
- Do constant work

Not selected choice(s)

- Identify the kind of distributed systems you depend on
- Make mutating operations idempotent
- None of these

Best Practices marked as Not Applicable

-

Notes

-

Improvement plan

- [Identify the kind of distributed systems you depend on](#)
- [Make mutating operations idempotent](#)

[Ask an expert](#)

5. How do you design interactions in a distributed system to mitigate or withstand failures?

⊗ High risk

Selected choice(s)

- Throttle requests
- Fail fast and limit queues
- Make systems stateless where possible

Not selected choice(s)

- Implement graceful degradation to transform applicable hard dependencies into soft dependencies
- Control and limit retry calls
- Set client timeouts
- Implement emergency levers
- None of these

Best Practices marked as Not Applicable

-

Notes

-

Improvement plan

- Implement graceful degradation to transform applicable hard dependencies into soft dependencies
- Control and limit retry calls
- Set client timeouts
- Implement emergency levers

5. How do you design interactions in a distributed system to mitigate or withstand failures?

[Ask an expert](#)

6. How do you monitor workload resources?

⊗ High risk

Selected choice(s)

- Monitor all components for the workload (Generation)
- Automate responses (Real-time processing and alarming)
- Regularly review monitoring scope and metrics
- Monitor end-to-end tracing of requests through your system

Not selected choice(s)

- Define and calculate metrics (Aggregation)
- Send notifications (Real-time processing and alarming)
- Analyze logs
- None of these

Best Practices marked as Not Applicable

-

Notes

-

Improvement plan

- [Define and calculate metrics \(Aggregation\)](#)
- [Send notifications \(Real-time processing and alarming\)](#)
- [Analyze logs](#)

[Ask an expert](#)

7. How do you design your workload to adapt to changes in demand?

 Medium risk

Selected choice(s)

- Use automation when obtaining or scaling resources
- Obtain resources upon detection of impairment to a workload
- Obtain resources upon detection that more resources are needed for a workload

Not selected choice(s)

- Load test your workload
- None of these

Best Practices marked as Not Applicable

-

Notes

-

Improvement plan

- [Load test your workload](#)

[Ask an expert](#)

8. How do you implement change?

⊗ High risk

Selected choice(s)

- Integrate functional testing as part of your deployment
- Integrate resiliency testing as part of your deployment
- Deploy changes with automation

Not selected choice(s)

- Use runbooks for standard activities such as deployment
- Deploy using immutable infrastructure
- None of these

Best Practices marked as Not Applicable

-

Notes

-

Improvement plan

- [Use runbooks for standard activities such as deployment](#)
- [Deploy using immutable infrastructure](#)

[Ask an expert](#)

9. How do you back up data?

⊗ High risk

Selected choice(s)

- Secure and encrypt backups
- Perform periodic recovery of the data to verify backup integrity and processes

Not selected choice(s)

- Identify and back up all data that needs to be backed up, or reproduce the data from sources
- Perform data backup automatically
- None of these

Best Practices marked as Not Applicable

-

Notes

-

Improvement plan

- Identify and back up all data that needs to be backed up, or reproduce the data from sources
- Perform data backup automatically

[Ask an expert](#)

10. How do you use fault isolation to protect your workload?

 Medium risk

Selected choice(s)

- Deploy the workload to multiple locations
- Use bulkhead architectures to limit scope of impact

Not selected choice(s)

- Automate recovery for components constrained to a single location
- None of these

Best Practices marked as Not Applicable

-

Notes

-

Improvement plan

- [Automate recovery for components constrained to a single location](#)

[Ask an expert](#)

11. How do you design your workload to withstand component failures?

⊗ High risk

Selected choice(s)

- Fail over to healthy resources
- Rely on the data plane and not the control plane during recovery
- Use static stability to prevent bimodal behavior

Not selected choice(s)

- Monitor all components of the workload to detect failures
- Automate healing on all layers
- Send notifications when events impact availability
- Architect your product to meet availability targets and uptime service level agreements (SLAs)
- None of these

Best Practices marked as Not Applicable

-

Notes

-

Improvement plan

- Monitor all components of the workload to detect failures
- Automate healing on all layers
- Send notifications when events impact availability
- Architect your product to meet availability targets and uptime service level agreements (SLAs)

11. How do you design your workload to withstand component failures?

[Ask an expert](#)

12. How do you test reliability?

⊗ High risk

Selected choice(s)

- Use playbooks to investigate failures
- Perform post-incident analysis
- Test resiliency using chaos engineering

Not selected choice(s)

- Test scalability and performance requirements
- Conduct game days regularly
- None of these

Best Practices marked as Not Applicable

-

Notes

-

Improvement plan

- [Test scalability and performance requirements](#)
- [Conduct game days regularly](#)

[Ask an expert](#)

13. How do you plan for disaster recovery (DR)?

⊗ High risk

Selected choice(s)

- Define recovery objectives for downtime and data loss
- Test disaster recovery implementation to validate the implementation
- Manage configuration drift at the DR site or Region

Not selected choice(s)

- Use defined recovery strategies to meet the recovery objectives
- Automate recovery
- None of these

Best Practices marked as Not Applicable

-

Notes

-

Improvement plan

- [Use defined recovery strategies to meet the recovery objectives](#)
- [Automate recovery](#)

[Ask an expert](#)

Performance Efficiency

Questions answered

5/5

Question status

-  High risk: 5
-  Medium risk: 0
-  No improvements identified: 0
-  Not Applicable: 0
-  Unanswered: 0

Pillar notes

-

1. How do you select the appropriate cloud resources and architecture patterns for your workload?

⊗ High risk

Selected choice(s)

- Learn about and understand available cloud services and features
- Use policies and reference architectures
- Use benchmarking to drive architectural decisions

Not selected choice(s)

- Evaluate how trade-offs impact customers and architecture efficiency
- Use guidance from your cloud provider or an appropriate partner to learn about architecture patterns and best practices
- Factor cost into architectural decisions
- Use a data-driven approach for architectural choices
- None of these

Best Practices marked as Not Applicable

-

Notes

-

Improvement plan

- Evaluate how trade-offs impact customers and architecture efficiency
- Use guidance from your cloud provider or an appropriate partner to learn about architecture patterns and best practices
- Factor cost into architectural decisions
- Use a data-driven approach for architectural choices

1. How do you select the appropriate cloud resources and architecture patterns for your workload?

[Ask an expert](#)

2. How do you select and use compute resources in your workload?

⊗ High risk

Selected choice(s)

- Collect compute-related metrics
- Understand the available compute configuration and features

Not selected choice(s)

- Select the best compute options for your workload
- Scale your compute resources dynamically
- Configure and right-size compute resources
- Use optimized hardware-based compute accelerators
- None of these

Best Practices marked as Not Applicable

-

Notes

-

Improvement plan

- [Select the best compute options for your workload](#)
- [Scale your compute resources dynamically](#)
- [Configure and right-size compute resources](#)
- [Use optimized hardware-based compute accelerators](#)

[Ask an expert](#)

3. How do you store, manage, and access data in your workload?

⊗ High risk

Selected choice(s)

- Collect and record data store performance metrics
- Implement strategies to improve query performance in data store

Not selected choice(s)

- Use purpose-built data store that best support your data access and storage requirements
- Evaluate available configuration options for data store
- Implement data access patterns that utilize caching
- None of these

Best Practices marked as Not Applicable

-

Notes

-

Improvement plan

- [Use purpose-built data store that best support your data access and storage requirements](#)
- [Evaluate available configuration options for data store](#)
- [Implement data access patterns that utilize caching](#)

[Ask an expert](#)

4. How do you select and configure networking resources in your workload?

⊗ High risk

Selected choice(s)

- Evaluate available networking features
- Use load balancing to distribute traffic across multiple resources
- Choose your workload's location based on network requirements

Not selected choice(s)

- Understand how networking impacts performance
- Choose appropriate dedicated connectivity or VPN for your workload
- Choose network protocols to improve performance
- Optimize network configuration based on metrics
- None of these

Best Practices marked as Not Applicable

-

Notes

-

Improvement plan

- [Understand how networking impacts performance](#)
- [Choose appropriate dedicated connectivity or VPN for your workload](#)
- [Choose network protocols to improve performance](#)
- [Optimize network configuration based on metrics](#)

[Ask an expert](#)

5. What process do you use to support more performance efficiency for your workload?

⊗ High risk

Selected choice(s)

- Use monitoring solutions to understand the areas where performance is most critical
- Define a process to improve workload performance
- Use automation to proactively remediate performance-related issues

Not selected choice(s)

- Establish key performance indicators (KPIs) to measure workload health and performance
- Review metrics at regular intervals
- Load test your workload
- Keep your workload and services up-to-date
- None of these

Best Practices marked as Not Applicable

-

Notes

-

Improvement plan

- Establish key performance indicators (KPIs) to measure workload health and performance
- Review metrics at regular intervals
- Load test your workload

5. What process do you use to support more performance efficiency for your workload?

- [Keep your workload and services up-to-date](#)

[Ask an expert](#)

Cost Optimization

Questions answered

11/11

Question status

-  High risk: 6
-  Medium risk: 2
-  No improvements identified: 3
-  Not Applicable: 0
-  Unanswered: 0

Pillar notes

-

1. How do you implement cloud financial management?

⊗ High risk

Selected choice(s)

- Establish a partnership between finance and technology
- Monitor cost proactively
- Quantify business value from cost optimization

Not selected choice(s)

- Establish ownership of cost optimization
- Establish cloud budgets and forecasts
- Implement cost awareness in your organizational processes
- Keep up-to-date with new service releases
- Report and notify on cost optimization
- Create a cost-aware culture
- None of these

Best Practices marked as Not Applicable

-

Notes

-

Improvement plan

- Establish ownership of cost optimization
- Establish cloud budgets and forecasts
- Implement cost awareness in your organizational processes
- Keep up-to-date with new service releases
- Report and notify on cost optimization

1. How do you implement cloud financial management?

- [Create a cost-aware culture](#)

[Ask an expert](#)

2. How do you govern usage?

⊗ High risk

Selected choice(s)

- Implement an account structure
- Track project lifecycle

Not selected choice(s)

- Develop policies based on your organization requirements
- Implement goals and targets
- Implement cost controls
- Implement groups and role
- None of these

Best Practices marked as Not Applicable

-

Notes

-

Improvement plan

- [Develop policies based on your organization requirements](#)
- [Implement goals and targets](#)
- [Implement cost controls](#)
- [Implement groups and role](#)

[Ask an expert](#)

3. How do you monitor your cost and usage?

⊗ High risk

Selected choice(s)

- Establish organization metrics
- Add organization information to cost and usage

Not selected choice(s)

- Configure detailed information sources
- Identify cost attribution categories
- Configure billing and cost management tools
- Allocate costs based on workload metrics
- None of these

Best Practices marked as Not Applicable

-

Notes

-

Improvement plan

- [Configure detailed information sources](#)
- [Identify cost attribution categories](#)
- [Configure billing and cost management tools](#)
- [Allocate costs based on workload metrics](#)

[Ask an expert](#)

4. How do you decommission resources?

⊗ High risk

Selected choice(s)

- Implement a decommissioning process
- Decommission resources automatically

Not selected choice(s)

- Track resources over their life time
- Decommission resources
- Enforce data retention policies
- None of these

Best Practices marked as Not Applicable

-

Notes

-

Improvement plan

- [Track resources over their life time](#)
- [Decommission resources](#)
- [Enforce data retention policies](#)

[Ask an expert](#)

5. How do you evaluate cost when you select services?

⊗ High risk

Selected choice(s)

- Analyze all components of this workload
- Select components of this workload to optimize cost in line with organization priorities

Not selected choice(s)

- Identify organization requirements for cost
- Perform a thorough analysis of each component
- Perform cost analysis for different usage over time
- Select software with cost effective licensing
- None of these

Best Practices marked as Not Applicable

-

Notes

-

Improvement plan

- [Identify organization requirements for cost](#)
- [Perform a thorough analysis of each component](#)
- [Perform cost analysis for different usage over time](#)
- [Select software with cost effective licensing](#)

[Ask an expert](#)

6. How do you meet cost targets when you select resource type, size and number?

⊗ High risk

Selected choice(s)

- Select resource type, size, and number based on data
- Select resource type, size, and number automatically based on metrics

Not selected choice(s)

- Perform cost modeling
- Consider using shared resources
- None of these

Best Practices marked as Not Applicable

-

Notes

-

Improvement plan

- [Perform cost modeling](#)
- [Consider using shared resources](#)

[Ask an expert](#)

7. How do you use pricing models to reduce cost?

 Medium risk

Selected choice(s)

- Perform pricing model analysis
- Select third-party agreements with cost-efficient terms
- Perform pricing model analysis at the management account level

Not selected choice(s)

- Choose Regions based on cost
- Implement pricing models for all components of this workload
- None of these

Best Practices marked as Not Applicable

-

Notes

-

Improvement plan

- [Choose Regions based on cost](#)
- [Implement pricing models for all components of this workload](#)

[Ask an expert](#)

8. How do you plan for data transfer charges?

 Medium risk

Selected choice(s)

- Perform data transfer modeling
- Implement services to reduce data transfer costs

Not selected choice(s)

- Select components to optimize data transfer cost
- None of these

Best Practices marked as Not Applicable

-

Notes

-

Improvement plan

- [Select components to optimize data transfer cost](#)

[Ask an expert](#)

9. How do you manage demand, and supply resources?

✔ No improvements identified

Selected choice(s)

- Perform an analysis on the workload demand
- Implement a buffer or throttle to manage demand

Not selected choice(s)

- Supply resources dynamically
- None of these

Best Practices marked as Not Applicable

-

Notes

-

Improvement plan

No risk detected for this question. No action needed.

10. How do you evaluate new services?

✔ No improvements identified

Selected choice(s)

- Develop a workload review process
- Review and analyze this workload regularly

Not selected choice(s)

- None of these

Best Practices marked as Not Applicable

-

Notes

-

Improvement plan

No risk detected for this question. No action needed.

11. How do you evaluate the cost of effort?

✔ No improvements identified

Selected choice(s)

- Perform automation for operations

Not selected choice(s)

- None of these

Best Practices marked as Not Applicable

-

Notes

-

Improvement plan

No risk detected for this question. No action needed.

Sustainability

Questions answered

6/6

Question status

-  High risk: 0
-  Medium risk: 5
-  No improvements identified: 1
-  Not Applicable: 0
-  Unanswered: 0

Pillar notes

-

1. How do you select Regions for your workload?

✔ No improvements identified

Selected choice(s)

- Choose Region based on both business requirements and sustainability goals

Not selected choice(s)

- None of these

Best Practices marked as Not Applicable

-

Notes

-

Improvement plan

No risk detected for this question. No action needed.

2. How do you align cloud resources to your demand?

 Medium risk

Selected choice(s)

- Optimize geographic placement of workloads based on their networking requirements
- Optimize team member resources for activities performed

Not selected choice(s)

- Scale workload infrastructure dynamically
- Align SLAs with sustainability goals
- Stop the creation and maintenance of unused assets
- Implement buffering or throttling to flatten the demand curve
- None of these

Best Practices marked as Not Applicable

-

Notes

-

Improvement plan

- [Scale workload infrastructure dynamically](#)
- [Align SLAs with sustainability goals](#)
- [Stop the creation and maintenance of unused assets](#)
- [Implement buffering or throttling to flatten the demand curve](#)

[Ask an expert](#)

3. How do you take advantage of software and architecture patterns to support your sustainability goals?

 Medium risk

Selected choice(s)

- Remove or refactor workload components with low or no use
- Optimize impact on devices and equipment

Not selected choice(s)

- Optimize software and architecture for asynchronous and scheduled jobs
- Optimize areas of code that consume the most time or resources
- Use software patterns and architectures that best support data access and storage patterns
- None of these

Best Practices marked as Not Applicable

-

Notes

-

Improvement plan

- [Optimize software and architecture for asynchronous and scheduled jobs](#)
- [Optimize areas of code that consume the most time or resources](#)
- [Use software patterns and architectures that best support data access and storage patterns](#)

[Ask an expert](#)

4. How do you take advantage of data management policies and patterns to support your sustainability goals?

 Medium risk

Selected choice(s)

- Use policies to manage the lifecycle of your datasets
- Back up data only when difficult to recreate

Not selected choice(s)

- Implement a data classification policy
- Use technologies that support data access and storage patterns
- Remove unneeded or redundant data
- Use shared file systems or storage to access common data
- Use elasticity and automation to expand block storage or file system
- Minimize data movement across networks
- None of these

Best Practices marked as Not Applicable

-

Notes

-

Improvement plan

- [Implement a data classification policy](#)
- [Use technologies that support data access and storage patterns](#)
- [Remove unneeded or redundant data](#)
- [Use shared file systems or storage to access common data](#)
- [Use elasticity and automation to expand block storage or file system](#)

4. How do you take advantage of data management policies and patterns to support your sustainability goals?

- [Minimize data movement across networks](#)

[Ask an expert](#)

5. How do you select and use cloud hardware and services in your architecture to support your sustainability goals?

 Medium risk

Selected choice(s)

- Use the minimum amount of hardware to meet your needs
- Use managed services

Not selected choice(s)

- Use instance types with the least impact
- Optimize your use of hardware-based compute accelerators
- None of these

Best Practices marked as Not Applicable

-

Notes

-

Improvement plan

- [Use instance types with the least impact](#)
- [Optimize your use of hardware-based compute accelerators](#)

[Ask an expert](#)

6. How do your organizational processes support your sustainability goals?

 Medium risk

Selected choice(s)

- Adopt methods that can rapidly introduce sustainability improvements
- Increase utilization of build environments

Not selected choice(s)

- Communicate and cascade your sustainability goals
- Keep your workload up-to-date
- Use managed device farms for testing
- None of these

Best Practices marked as Not Applicable

-

Notes

-

Improvement plan

- [Communicate and cascade your sustainability goals](#)
- [Keep your workload up-to-date](#)
- [Use managed device farms for testing](#)

[Ask an expert](#)