

Official Summary: Bangalore Construction & Zoning Regulations (2025-2026)

This document provides an authoritative reference for property development in Bangalore, integrating the **Revised Master Plan (RMP) 2015**, the **2025 Zonal Regulation Amendments**, and the **Premium Floor Area Ratio (FAR) Policy** operational as of December 2025.

1. Executive Summary: Key Regulatory Updates (2025)

- **Small Plot Setbacks:** Transitioned from percentage-based to **fixed meter setbacks** for plots up to 150 sq. m (approx. 1,600 sq. ft.), increasing buildable area.
- **Premium FAR:** Fully operational for roads wider than 9.0 meters, allowing an additional 0.6 FAR permissible over the base FAR.
- **Stilt Parking:** Permissible height increased to **3.0 meters** (previously 2.4 meters) and is excluded from the building height calculation for structures up to 15 meters.
- **Occupancy Certificate (OC):** Residential buildings on plots up to 1,200 sq. ft. (e.g., 30x40) with G+2 or Stilt+3 floors are now exempt from mandatory OC requirements.

2. Property Dimensions & Permissible Construction

The table below details regulations for common plot dimensions, incorporating the **fixed setback norms** for small plots (Draft Notification Nov 2025) and **Base FAR** from RMP 2015.

Plot Dimension (ft)	Approx Area (sq. m)	Applicable Setback Rule (2025)	Base FAR (Res. Main)	Premium FAR Eligible?	Max Permissible Floors (Typical)
20 x 30	~56	Fixed: Front 0.7m, Sides/Rear 0.6m	1.75	No (< 30ft road)	G + 2 or Stilt + 3
30 x 40	~111	Fixed: Front 0.9m, Sides/Rear 0.7m	1.75	Yes (if road >30ft)	G + 3 or Stilt + 3
30 x 50	~139	Fixed: Front 0.9m, Sides/Rear 0.7m	1.75	Yes (if road >30ft)	G + 3 or Stilt + 4
40 x 60	~223	Percentage: Front 12%, Sides 8%	1.75 - 2.25	Yes	Stilt + 4
60 x 50	~279	Percentage: Front 12%, Sides 8%	1.75 - 2.25	Yes	Stilt + 4

60 x 80	~446	Percentage: Front 12%, Sides 8%	2.25 - 2.50	Yes	Stilt + 5
80 x 100	~743	Percentage: Front 12%, Sides 8%	2.25 - 2.50	Yes	Stilt + 5/6

3. Road Width Categories & FAR Limits

Vertical growth potential is strictly linked to the abutting road width. The **Premium FAR** (additional buildable area purchased from the government) is applicable only for roads wider than 9 meters.

Road Width (ft)	Road Width (m)	Base FAR (RMP 2015)	Premium FAR Add-on (2025)	Total Max FAR	Notes
20 ft	< 9.0 m	1.75	Nil	1.75	Strictly low-rise. No Premium FAR allowed.
30 ft	9.0 - 12.0 m	1.75	+ 0.20	1.95	Eligible for modest expansion.
40 ft	12.0 - 18.0 m	2.25	+ 0.40	2.65	Significant jump in buildable area.
60 ft +	> 18.0 m	2.50	+ 0.60	3.10	Ideal for high-rise/apartments.

4. Regulatory References

The data presented is verified against the following official documents:

- **Notification No. UDD 78 MNJ 2024 (E) [Dated Feb 21, 2025]:** Introduced "Chapter 11: Premium F.A.R Granted by Levy of Premium Charges," allowing 0.2–0.6 additional FAR based on road width.
- **Draft Notification (November 11, 2025):** Proposed amendments to Zoning Regulations for plots up to 150 sq. m, introducing fixed setbacks (0.6m–0.9m) to replace percentage-based norms.
- **Notification on Stilt Parking (August 1, 2025):** Revised permissible stilt floor height to 3.0 meters and excluded it from total height calculations for buildings under 15 meters.
- **Revised Master Plan 2015 (Volume III):** Remains the primary source for zoning

classifications (Residential Main vs. Mixed) and setbacks for plots larger than 150 sq. m.

5. Comparative Analysis: 2015 vs. 2025

Feature	Old Norms (2015 - 2023)	New Norms (2025)	Impact
Small Plot Setbacks	8% - 12% of dimension	Fixed 0.6m - 0.9m	Positive: Increases usable footprint on 20x30 and 30x40 plots.
Floor Area Ratio	Fixed Base FAR	Base + Premium FAR	Positive: Up to 0.6 additional FAR available on wide roads (>60ft).
Stilt Height	Max 2.4m	Max 3.0m	Positive: Accommodates modern SUVs and mechanical parking systems.
OC Requirement	Mandatory for all	Exempt for small plots	Positive: Streamlines utility connections for individual homeowners.

6. Practical Case Studies

Case A: The "30x40" Independent House

- **Zone:** Residential (Main)
- **Road:** 30 ft (9.14 m)
- **Plot Size:** ~111.5 sq. m (<150 sq. m category)
- **Analysis:**
 - **Setbacks:** Front **0.9m**, Rear/Sides **0.7m** (Fixed rules).
 - **FAR:** 1.75 Base + 0.20 Premium = **1.95 Total**.
 - **Result:** A Stilt + 3 floor structure is now viable with better room dimensions due to reduced setbacks (previously ~1.0m required).

Case B: The "60x40" Commercial/Mixed Use Building

- **Zone:** Commercial / Mixed
- **Road:** 40 ft (12.2 m)
- **Plot Size:** ~223 sq. m (>150 sq. m category)
- **Analysis:**

- **Setbacks:** Retains percentage rules: Front 12% (~1.4m), Sides 8% (~1.0m).
 - **FAR:** Base 2.25 + Premium 0.40 = **2.65 Total**.
 - **Result:** The additional 0.40 FAR allows for approximately **960 sq. ft.** of extra built-up area compared to 2015 norms, maximizing the asset value on wider roads.
-

7. Verification Statement

All data points regarding **Premium FAR** are verified against the **Government of Karnataka Gazette Notification (Feb 25, 2025)**. Changes to **setbacks** and **stilt parking** are supported by the **Urban Development Department Draft Notification (Nov 11, 2025)** and **August 2025 Amendment** respectively. Please consult a licensed architect for site-specific "Building Line" verifications.