

EC Verilog Code Submission

Mohmed Husain(202351166)

Saksham Singh (202351124)

Vandit Singh (202351155)

LAB 1

<pre>module logic_gates(input wire A, B, output wire AND_out, OR_out, NOT_A_out, NAND_out, NOR_out, XOR_out); // AND gate and u1 (AND_out, A, B); // OR gate or u2 (OR_out, A, B); // NOT gate (for input A) not u3 (NOT_A_out, A); // NAND gate nand u4 (NAND_out, A, B); // NOR gate nor u5 (NOR_out, A, B); // XOR gate xor u6 (XOR_out, A, B);</pre>	<p>Test bench</p> <pre>// Testbench to apply stimulus and check outputs module testbench; // Testbench signals reg A, B; wire AND_out, OR_out, NOT_A_out, NAND_out, NOR_out, XOR_out; // Instantiate the logic_gates module (Unit Under Test - UUT) logic_gates uut (.A(A), .B(B), .AND_out(AND_out), .OR_out(OR_out), .NOT_A_out(NOT_A_out), .NAND_out(NAND_out), .NOR_out(NOR_out), .XOR_out(XOR_out)); // Test stimulus initial begin</pre>
---	--

```
endmodule
```

```
// Monitor the outputs whenever A or
B changes
$monitor("A=%b, B=%b |
AND_out=%b, OR_out=%b, NOT_A_out=%b,
NAND_out=%b, NOR_out=%b,
XOR_out=%b",
A, B, AND_out, OR_out, NOT_A_out,
NAND_out, NOR_out, XOR_out);

// Apply test cases
A = 0; B = 0; #10; // Test case 1
A = 0; B = 1; #10; // Test case 2
A = 1; B = 0; #10; // Test case 3
A = 1; B = 1; #10; // Test case 4

// Finish the simulation
$finish;
end

endmodule
```



Lab2

```
Main:
```

```
testbench:
```

```

// Logic Gates Using Behavioral Model
module logic_gates_behavioral(
    input wire A, B,
    output wire NOT_A_NAND,
    AND_NAND, OR_NAND, XOR_NAND,
    XNOR_NAND, NOR_NAND, NAND_NAND,
    output wire NOT_A_NOR, AND_NOR,
    OR_NOR, XOR_NOR, XNOR_NOR,
    NAND_NOR
);

    // *** Behavioral Model for Gates
    // Using NAND ***

    // NOT using NAND
    assign NOT_A_NAND = ~A;

    // AND using NAND
    assign AND_NAND = A & B;

    // OR using NAND
    assign OR_NAND = A | B;

    // XOR using NAND
    assign XOR_NAND = A ^ B;

    // XNOR using NAND
    assign XNOR_NAND = ~(A ^ B);

    // NOR using NAND (Behavioral
    // implementation of NOR using NAND gates
    // logic)
    assign NOR_NAND = ~(A | B);

    // NAND gate itself (already
    // implemented by NAND gate)
    assign NAND_NAND = ~(A & B);

    // *** Behavioral Model for Gates
    // Using NOR ***

    // NOT using NOR
    assign NOT_A_NOR = ~A;

```

```

// Testbench to check outputs with VCD
// generation
module testbench;

    // Testbench signals
    reg A, B;
    wire NOT_A_NAND, AND_NAND,
    OR_NAND, XOR_NAND, XNOR_NAND,
    NOR_NAND, NAND_NAND;
    wire NOT_A_NOR, AND_NOR,
    OR_NOR, XOR_NOR, XNOR_NOR,
    NAND_NOR;

    // Instantiate the
    logic_gates_behavioral module
    logic_gates_behavioral uut (
        .A(A), .B(B),
        .NOT_A_NAND(NOT_A_NAND),
        .AND_NAND(AND_NAND),
        .OR_NAND(OR_NAND),
        .XOR_NAND(XOR_NAND),
        .XNOR_NAND(XNOR_NAND),
        .NOR_NAND(NOR_NAND),
        .NAND_NAND(NAND_NAND),
        .NOT_A_NOR(NOT_A_NOR),
        .AND_NOR(AND_NOR),
        .OR_NOR(OR_NOR),
        .XOR_NOR(XOR_NOR),
        .XNOR_NOR(XNOR_NOR),
        .NAND_NOR(NAND_NOR)
    );

    // Test stimulus
    initial begin
        // Create a VCD file
        $dumpfile("logic_gates_behavioral_tb.vcd"); // // VCD file name
        $dumpvars(0, testbench); // Dump variables from the testbench module

        // Monitor the outputs

```

<pre> // AND using NOR (Behavioral implementation of AND using NOR gates logic) assign AND_NOR = A & B; // OR using NOR assign OR_NOR = A B; // XOR using NOR assign XOR_NOR = A ^ B; // XNOR using NOR assign XNOR_NOR = ~(A ^ B); // NAND using NOR (Behavioral implementation of NAND using NOR gates logic) assign NAND_NOR = ~(A & B); endmodule </pre>	<pre> \$monitor("A=%b, B=%b NOT_A_NAND=%b, AND_NAND=%b, OR_NAND=%b, XOR_NAND=%b, XNOR_NAND=%b, NOR_NAND=%b, NAND_NAND=%b NOT_A_NOR=%b, AND_NOR=%b, OR_NOR=%b, XOR_NOR=%b, XNOR_NOR=%b, NAND_NOR=%b", A, B, NOT_A_NAND, AND_NAND, OR_NAND, XOR_NAND, XNOR_NAND, NOR_NAND, NAND_NAND, NOT_A_NOR, AND_NOR, OR_NOR, XOR_NOR, XNOR_NOR, NAND_NOR); // Apply test cases A = 0; B = 0; #10; A = 0; B = 1; #10; A = 1; B = 0; #10; A = 1; B = 1; #10; // Finish the simulation \$finish; end endmodule //iverilog -o logic_gates_behavioral_tb.out logic_gates_behavioral_tb.v //vvp logic_gates_behavioral_tb.out //gtkwave logic_gates_behavioral_tb.vcd </pre>
---	---

Name	Value	0.000 ns	5.000 ns	10.000 ns	15.000 ns	20.000 ns	25.000 ns	30.000 ns	35.000 ns
!A	1								
!B	1								
NOT_A_NAND	0								
AND_NAND	1								
OR_NAND	1				0				
XOR_NAND	0								
XNOR_NAND	1								
NOR_NAND	0								
NAND_NAND	0								
NOT_A_NOR	0								
AND_NOR	1								
OR_NOR	1								
XOR_NOR	0								
XNOR_NOR	1								
NAND_NOR	0								

Lab 3:

<pre>Main: `timescale 1ns / 1ps /////////////////////////////// //// // Company: // Engineer: // // Create Date: 19.09.2024 18:07:47 // Design Name: // Module Name: HALF_ADDER // Project Name: // Target Devices: // Tool Versions: // Description: // // Dependencies: // // Revision: // Revision 0.01 - File Created // Additional Comments: //</pre>	<pre>testbench: // Testbench for Full Adder module tb_full_adder; reg A, B, Cin; // Test inputs wire Sum, Cout; // Outputs from full adder // Instantiate the full adder full_adder uut (.A(A), .B(B), .Cin(Cin), .Sum(Sum), .Cout(Cout)); initial begin // Create a VCD file for GTKWave \$dumpfile("full_adder_tb.vcd"); \$dumpvars(0, tb_full_adder); // Display the outputs \$monitor("A=%b B=%b Cin=%b Sum=%b Cout=%b", A, B, Cin, Sum, Cout);</pre>
--	--

```

///////////
///////
module HALF_ADDER(
    input A,
    input B,
    output SUM,
    output CARRY
);
    xor(SUM,A,B);
    and(CARRY,A,B);
endmodule
testbench:
// Testbench for Half Adder with VCD for
GTKWave
module testbench;

    // Testbench signals
    reg A, B;      // Inputs to the half
adder
    wire SUM, CARRY; // Outputs from
the half adder

    // Instantiate the half_adder module
half_adder uut (
    .A(A),
    .B(B),
    .SUM(SUM),
    .CARRY(CARRY)
);

    // Test stimulus
initial begin
    // Open a VCD file for GTKWave
    $dumpfile("half_adder.vcd"); //
Specify the name of the VCD file
    $dumpvars(0, testbench); // Dump
all variables for the module 'testbench'

    // Monitor the inputs and outputs
    $monitor("A=%b, B=%b | SUM=%b,
CARRY=%b", A, B, SUM, CARRY);

    // Apply test cases
    // Test cases
    A = 0; B = 0; Cin = 0; #10;
    A = 0; B = 1; Cin = 0; #10;
    A = 1; B = 0; Cin = 0; #10;
    A = 1; B = 1; Cin = 0; #10;
    A = 0; B = 0; Cin = 1; #10;
    A = 0; B = 1; Cin = 1; #10;
    A = 1; B = 0; Cin = 1; #10;
    A = 1; B = 1; Cin = 1; #10;

    // End the simulation
    $finish;
end

```

```

A = 0; B = 0; #10; // Test case 1: 0 + 0
A = 0; B = 1; #10; // Test case 2: 0 + 1
A = 1; B = 0; #10; // Test case 3: 1 + 0
A = 1; B = 1; #10; // Test case 4: 1 + 1

// Finish the simulation
$finish;
end

endmodule

//iverilog -o half_adder_tb.out half_adder_tb.v
half_adder.v
//vvp half_adder_tb.out
//gtkwave half_adder.vcd
Main_fulladder:
// Full Adder module
module full_adder(
    input wire A, // First input
    input wire B, // Second input
    input wire Cin, // Carry-in input
    output wire Sum, // Sum output
    output wire Cout // Carry-out output
);

// Intermediate values for half-adders
wire Sum1, Carry1, Carry2;

// First half adder (A and B)
assign Sum1 = A ^ B; // First sum
assign Carry1 = A & B; // First carry

// Second half adder (Sum1 and Cin)
assign Sum = Sum1 ^ Cin; // Final sum
assign Carry2 = Sum1 & Cin; // Second carry

// Final carry out
assign Cout = Carry1 | Carry2;

endmodule

```

1 A	1							
1 B	1							
0 SUM	0							
1 CA...	1							

Full adder:

Name	Value	0.000 ns	10.000 ns	20.000 ns	30.000 ns	40.000 ns	50.000 ns	60.000 ns	70.000 ns
1 A	1								
1 B	1								
1 Cin	1								
1 Sum	1								
1 Cout	1								

Lab 4

```
Main:  
Demux:  
'timescale 1ns / 1ps  
/// File: demux_1to8.v  
module demux_1to8 (  
    input wire i,           // Input  
    input wire [2:0] sel,   // 3-bit selection  
line  
    output reg y0,          // Output 0  
    output reg y1,  
    output reg y2,  
    output reg y3,  
    output reg y4,  
    output reg y5,  
    output reg y6,  
    output reg y7  
);  
always @(*) begin  
y0 = 0;  
y1 = 0;  
y2 = 0;  
y3 = 0;  
y4 = 0;  
y5 = 0;  
y6 = 0;  
y7 = 0;
```


```
testbench:demux:  
'timescale 1ns / 1ps  
/// File: tb_demux_1to8.v  
module tb_demux_1to8;  
    reg i;  
    reg [2:0] sel;  
    wire y0, y1, y2, y3, y4, y5, y6, y7;  
  
    // Instantiate the DEMUX  
    demux_1to8 uut (  
        .i(i),  
        .sel(sel),  
        .y0(y0), .y1(y1), .y2(y2), .y3(y3),  
        .y4(y4), .y5(y5), .y6(y6), .y7(y7)  
    );  
  
    initial begin  
        // Initialize input  
        i = 1;  
        sel = 3'b000; #10;  
        sel = 3'b001; #10;  
        sel = 3'b010; #10;  
        sel = 3'b011; #10;  
        sel = 3'b100; #10;  
        sel = 3'b101; #10;  
        sel = 3'b110; #10;  
        sel = 3'b111; #10;  
        $finish;  
    end
```

```

case(sel)
3'b000: y0 = i;
3'b001: y1 = i;
3'b010: y2 = i;
3'b011: y3 = i;
3'b100: y4 = i;
3'b101: y5 = i;
3'b110: y6 = i;
3'b111: y7 = i;
default: ;
endcase
end
endmodule
initial begin
$monitor("sel=%b, y0=%b, y1=%b,
y2=%b, y3=%b, y4=%b, y5=%b, y6=%b,
y7=%b", sel, y0, y1, y2, y3, y4, y5, y6, y7);
end
endmodule

```

Demux:



```

Main:mux:
`timescale 1ns / 1ps
// File: mux_8to1.v
module mux_8to1 (
    input wire [2:0] sel, // 3-bit selection
    line
    input wire i0,         // Input 0

```

```

Testbench:mux:
`timescale 1ns / 1ps
/// File: tb_mux_8to1.v
module tb_mux_8to1;
    reg [2:0] sel;
    reg i0, i1, i2, i3, i4, i5, i6, i7;
    wire y;

```

```

input wire i1,          // Input 1
input wire i2,          // Input 2
input wire i3,          // Input 3
input wire i4,          // Input 4
input wire i5,          // Input 5
input wire i6,          // Input 6
input wire i7,          // Input 7
output reg y            // Output
);
always @(*) begin
  case(sel)
    3'b000: y = i0;
    3'b001: y = i1;
    3'b010: y = i2;
    3'b011: y = i3;
    3'b100: y = i4;
    3'b101: y = i5;
    3'b110: y = i6;
    3'b111: y = i7;
    default: y = 1'bx;
  endcase
end
endmodule


// Instantiate the MUX
mux_8to1 uut (
  .sel(sel),
  .i0(i0), .i1(i1), .i2(i2), .i3(i3),
  .i4(i4), .i5(i5), .i6(i6), .i7(i7),
  .y(y)
);

initial begin
  // Initialize inputs
  {i0, i1, i2, i3, i4, i5, i6, i7} =
  8'b10101011;
  sel = 3'b000; #10;
  sel = 3'b001; #10;
  sel = 3'b010; #10;
  sel = 3'b011; #10;
  sel = 3'b100; #10;
  sel = 3'b101; #10;
  sel = 3'b110; #10;
  sel = 3'b111; #10;
  $finish;
end

initial begin
  $monitor("sel=%b, y=%b", sel, y);
end
endmodule

```


MUX:



LAB 5:

<pre>Main: `timescale 1ns / 1ps ////////// //// // Company: // Engineer: // // Create Date: 26.09.2024 15:18:17 // Design Name: // Module Name: LAB5_NAND // Project Name: // Target Devices: // Tool Versions: // Description: // // Dependencies: // // Revision: // Revision 0.01 - File Created // Additional Comments: // ////////// module LAB5_NAND(input A, input B, input C, output Y, output Z); wire a1,a2,a3,a4,a5,a6,a7,a8,a9; assign a1=~(A&B); // nand one assign a2 =~(B&a1); //nand 2 assign a3= ~(A&a1) ;//nand 3</pre>	<pre>testbench: `timescale 1ns / 1ps ////////// //// // Testbench for LAB5_NAND ////////// //// module LAB5_NAND_tb(); // Inputs reg A; reg B; reg C; // Outputs wire Y,Z; // Instantiate the Unit Under Test (UUT) LAB5_NAND uut(A,B,C,Y,Z); initial begin A = 0; B = 0; C = 0;// Test case 1 #10; A = 0; B = 0; C = 1; // Test case 2 #10; A = 0; B = 1; C = 0; // Test case 3 #10;</pre>
--	---

<pre> assign a4 = ~(a2&a3); //nand 4 assign a5 =~(a4&C); // nand 5 assign a6=~(a4&a5) ;//nand 6 assign a7=~(a5&a1); // nand 7 -> output ->Z assign a8=~(C&a5); // nand 8; assign a9=~(a6&a8); // nand 9 ->output->Y //assigning value to outputs assign Z=a7; assign Y=a9; endmodule </pre>	<pre> A = 0; B = 1; C = 1; // Test case 4 #10; A = 1; B = 0; C = 0; // Test case 5 #10; A = 1; B = 0; C = 1; // Test case 6 #10; A = 1; B = 1; C = 0; // Test case 7 #10; A = 1; B = 1; C = 1; // Test case 8 #10; // Finish simulation \$finish; end endmodule </pre>
---	--



<p>Main:</p> <p>Siso:</p> <p>// SISO (Serial In Serial Out) Shift Register module SISO (</p>	<p>Testbench:</p> <p>Siso:</p> <p>`timescale 1ns / 1ps</p>
--	--

<pre> input wire serial_in, // Serial input input wire clk, // Clock input input wire reset, // Asynchronous reset output reg serial_out // Serial output); reg [3:0] shift_reg; // 4-bit shift register always @(posedge clk or posedge reset) begin if (reset) begin shift_reg <= 4'b0000; // Reset shift register to 0 serial_out <= 0; // Reset output to 0 end else begin shift_reg <= {shift_reg[2:0], serial_in}; // Shift left and input new bit serial_out <= shift_reg[3]; // Output the last bit end end endmodule </pre>	<pre> module SISO_tb; // Inputs reg serial_in; reg clk; reg reset; // Output wire serial_out; // Instantiate the Unit Under Test (UUT) SISO uut (.serial_in(serial_in), .clk(clk), .reset(reset), .serial_out(serial_out)); // Clock generation initial begin clk = 0; forever #5 clk = ~clk; // Generate a clock with 10ns period end // Test stimulus initial begin // Initialize inputs serial_in = 0; reset = 0; // Apply reset #2 reset = 1; // Assert reset #10 reset = 0; // Deassert reset // Test case: Shift in a series of bits #10 serial_in = 1; // Shift in 1 #10 serial_in = 0; // Shift in 0 #10 serial_in = 1; // Shift in 1 #10 serial_in = 1; // Shift in 1 // Wait and observe #40 \$finish; </pre>
---	--


```

end


// Monitor changes
initial begin
$monitor("Time=%0t | reset=%b |
serial_in=%b | shift_reg=%b | serial_out=%b",
$time, reset, serial_in,
uut.shift_reg, serial_out);
end
endmodule

```

Siso



PIPO



LAB 7:

<pre> Main:ring counter module RingCounter(input clk, input reset, output reg [3:0] q); always @ (posedge clk or posedge reset) begin if (reset) q <= 4'b0001; // Reset to initial state else q <= {q[2:0], q[3]}; // Shift left and wrap around end endmodule testbench:ring counter `timescale 1ns / 1ps module ring_counter_tb; reg clk; reg reset; wire [3:0] q; // Instantiate the RingCounter module ring_counter uut (.clk(clk), .reset(reset), .q(q)); // Clock generation initial begin clk = 0; forever #5 clk = ~clk; // Generate a clock with a period of 10 ns end // Test sequence </pre>	<pre> testbench: module tb_SyncCounter; reg clk; reg reset; wire [1:0] q; // Instantiate the SyncCounter module SyncCounter uut (.clk(clk), .reset(reset), .q(q)); // Clock generation initial begin clk = 0; forever #5 clk = ~clk; // 10 time units period end // Test sequence initial begin \$monitor(\$time, " Reset=%b, Q=%b", reset, q); reset = 1; #10; // Apply reset reset = 0; #50; // Run for a few cycles reset = 1; #10; // Apply reset again reset = 0; #30; // Run for a few more cycles \$stop; end endmodule </pre>
--	---

```

initial begin
// Initialize simulation
$display("Starting simulation...");

// Apply reset
reset = 1;
#10; // Hold reset high for 10 ns
$display("Time: %0t, Reset applied,
Q: %b", $time, q);

// Release reset and observe ring
counter
reset = 0;
#50; // Run simulation for 50 ns
$display("Time: %0t, Reset released,
Q after 50 ns: %b", $time, q);

// Apply reset again to verify reset
functionality
reset = 1;
#10;
$display("Time: %0t, Reset applied
again, Q: %b", $time, q);

reset = 0;
#30;
$display("Time: %0t, Final Q after
additional 30 ns: %b", $time, q);

// End simulation
$display("Ending simulation...");
```

\$stop;

end

endmodule

main:

sync:counter

```


module sync_counter(
    input clk,
    input reset,
    output reg [1:0] q
);
    always @(posedge clk or posedge
reset) begin
```

```


if (reset)
q <= 2'b00; // Reset to 0
else
q <= q + 1; // Increment counter
end
endmodule

```

Ring counter



Sync counter



LAB 8:

```

Main:
`timescale 1ns / 1ps
///////////////////////////////
/////
// Company:
// Engineer:
//
// Create Date: 07.11.2024 15:58:05
// Design Name: ALU

```

```

Test bench:
`timescale 1ns / 1ps
///////////////////////////////
/////
// Company:
// Engineer:
//
// Create Date: 07.11.2024
// Design Name: ALU Testbench

```

```

// Module Name: ALU
// Project Name:
// Target Devices:
// Tool Versions:
// Description: 4-bit ALU with 16 operations
//
// Dependencies:
//
// Revision:
// Revision 0.01 - File Created
// Additional Comments:
//
///////////////////////////////
///////
module ALU(
    input wire [3:0] A,
    input wire [3:0] B,
    input wire [3:0] S,
    output reg [3:0] x
);

    always @(*) begin

        case (S)
        4'b0000: x = A;
        4'b0001: x = ~A;
        4'b0010: x = A | B;
        4'b0011: x = A & B;
        4'b0100: x = A ^ B;
        4'b0101: x = ~(A | B);
        4'b0110: x = ~(A & B);
        4'b0111: x = ~(A ^ B);
        4'b1000: x = A + B;
    end

```

```

// Module Name: ALU_tb
// Project Name:
// Target Devices:
// Tool Versions:
// Description: Testbench for 4-bit ALU with 16
operations
//
///////////////////////////////
///////
module ALU_tb;
    // Testbench registers and wires
    reg [3:0] A;
    reg [3:0] B;
    reg [3:0] S;
    wire [3:0] x;

    ALU uut (
        .A(A),
        .B(B),
        .S(S),
        .x(x)
    );

    initial begin
        A = 4'b0011; B = 4'b0001;
        S = 4'b0000; #10;
        S = 4'b0001; #10;
        S = 4'b0010; #10;
        S = 4'b0011; #10;
        S = 4'b0100; #10;
        S = 4'b0101; #10;
        S = 4'b0110; #10;
        S = 4'b0111; #10;
        S = 4'b1000; #10;
        S = 4'b1001; #10;
        S = 4'b1010; #10;
    end

```

```

4'b1001: x = A - B;
4'b1010: x = A * B;
4'b1011: x = (B != 0) ? (A / B) :
4'b0000;
4'b1100: x = (A > B) ? 4'b0001 :
4'b0000;
4'b1101: x = A ** B;
4'b1110: x = A >> B;
4'b1111: x = A << B;
default: x = 4'b0000;
endcase
end
endmodule

```

```

S = 4'b1011; #10;
S = 4'b1100; #10;
S = 4'b1110; #10;
S = 4'b1111; #10;

$finish;
end
endmodule

```




Lab 9:

<p>Main:</p> <pre> module cyclic_lamp(clock, light); input clock; output reg [2:0] light; //light is a vector parameter s0=2'b00, s1=2'b01, s2=2'b10; // parameter declaration as constant \ parameter RED=3'b100, GREEN=3'b010, YELLOW=3'b001; reg[1:0] state=s0; //state as two bit variable reg[27:0] count=0; reg clock_out; // always@(posedge clock) // begin // count<=count+1; // if (count==100000000) // begin count<=0; // clock_out=~clock_out; // end // end initial begin state = s0; light = RED; clock_out = 0; end always@(posedge clock) case (state) s0: state<=s1; s1: state<=s2; s2: state<=s0; default: state<=s0; endcase always@(state) case(state) </pre>	<p>Testbench:</p> <pre> `timescale 1ns / 1ps module tb_cyclic_lamp; // Inputs reg clock; // Outputs wire [2:0] light; // Instantiate the Unit Under Test (UUT) cyclic_lamp uut (.clock(clock), .light(light)); // Clock generation initial begin clock = 0; forever #5 clock = ~clock; // Generate a clock signal with a period of 10 ns end // Testbench process initial begin // Display header \$display("Time\tClock\tLight"); // Monitor the changes in outputs \$monitor("%4d\t%b\t%b", \$time, clock, light); // Simulation run for 100 clock cycles #1000; \$finish; end endmodule </pre>
---	---

```

s0: light=RED;
s1: light=GREEN;
s2: light=YELLOW;
default light=RED;
endcase
endmodule

```



LAB 10:

```

Main:
Ocla:
`timescale 1ns / 1ps
///////////////////////////////
/////
// Company:
// Engineer:
//
// Create Date: 21.11.2024 15:43:15
// Design Name:
// Module Name: OCLA
// Project Name:
// Target Devices:
// Tool Versions:
// Description:
//
// Dependencies:
//
// Revision:
// Revision 0.01 - File Created
// Additional Comments:

```

```

Testbench;
`timescale 1ns/1ps

module OCLA_tb;
    // Testbench signals
    reg [3:0] A, B;
    reg Cin;
    wire [3:0] Sum;
    wire Cout;

    // Instantiate the CLA module
    OCLA cla_inst (
        .A(A),
        .B(B),
        .Cin(Cin),
        .Sum(Sum),
        .Cout(Cout)
    );

    // Helper task to display test results
    task display_test;

```

<pre> // ////////// ////// module OCLA (input [3:0] A, input [3:0] B, input Cin, output [3:0] Sum, output Cout); wire [3:0] G, P, C; assign G = A & B; // Generate assign P = A ^ B; // Propagate assign C[0] = Cin; assign C[1] = G[0] (P[0] & Cin); assign C[2] = G[1] (P[1] & G[0]) (P[1]&P[0]&Cin); assign C[3] = G[2] (P[2] & G[1]) (P[2]&P[1]&G[0]) (P[2]&P[1]&P[0]&Cin); assign Cout = G[3] (P[3] & G[2]) (P[3] & G[2] & P[2]) (P[3]&P[2]&P[1]&G[0]) (P[3]&P[2]&P[1]&P[0]&Cin); assign Sum = P ^ C; endmodule </pre>	<pre> input [3:0] exp_sum; input exp_cout; begin #5; // Wait for combinational logic to settle if ({Cout, Sum} === {exp_cout, exp_sum}) begin \$display("PASS: A=%h, B=%h, Cin=%b Sum=%h, Cout=%b", A, B, Cin, Sum, Cout); end else begin \$display("FAIL: A=%h, B=%h, Cin=%b Expected: Sum=%h, Cout=%b Got: Sum=%h, Cout=%b", A, B, Cin, exp_sum, exp_cout, Sum, Cout); end end endtask // Test stimulus initial begin // Initialize inputs A = 0; B = 0; Cin = 0; #10; // Test Case 1: Basic addition without carry A = 4'h3; B = 4'h4; Cin = 0; display_test(4'h7, 0); // Test Case 2: Addition with input carry A = 4'h3; B = 4'h4; Cin = 1; display_test(4'h8, 0); // Test Case 3: Addition causing output carry A = 4'h8; B = 4'h9; Cin = 0; display_test(4'h1, 1); // Test Case 4: Maximum value test A = 4'hF; B = 4'hF; Cin = 1; </pre>
--	--

```
display_test(4'hF, 1);

// Test Case 5: Zero value test
A = 4'h0; B = 4'h0; Cin = 0;
display_test(4'h0, 0);

// Test Case 6: Random test cases
A = 4'h6; B = 4'h7; Cin = 1;
display_test(4'hE, 0);

A = 4'hA; B = 4'h5; Cin = 0;
display_test(4'hF, 0);

// Test Case 7: Alternating bits
A = 4'hA; B = 4'h5; Cin = 1;
display_test(4'h0, 1);

// Test Case 8: One operand zero
A = 4'h0; B = 4'hF; Cin = 0;
display_test(4'hF, 0);

// End simulation
#10;
$display("Simulation completed");
$finish;
end

// Optional: Generate VCD file for
waveform viewing
initial begin
$dumpfile("cla_test.vcd");
$dumpvars(0, OCLA_tb);
end

endmodule
```

The timing diagram illustrates the state of four variables over time. The horizontal axis represents time, divided into 16 slots. The vertical axis lists the variables:

- A[3:0]**: Shows binary values 0, 1, 0, 1, 0, 0.
- B[3:0]**: Shows binary values f, 1, 1, 1, 0, 1.
- Cin**: Shows binary values 0, 0, 1, 1, 1, 0.
- Su...0**: Shows binary values f, 1, 1, 1, 1, 0.
- Cout**: Shows binary values Z, 0, 0, 0, 0, 0.

Key observations from the diagram:

- At slot 0, A=0, B=f, Cin=0, and Cout=Z.
- At slot 1, A=1, B=1, Cin=0, and Cout=0.
- At slot 2, A=0, B=1, Cin=1, and Cout=0.
- At slot 3, A=1, B=1, Cin=1, and Cout=0.
- At slot 4, A=0, B=1, Cin=1, and Cout=0.
- At slot 5, A=0, B=1, Cin=1, and Cout=0.
- At slot 6, A=0, B=1, Cin=0, and Cout=0.
- At slot 7, A=0, B=0, Cin=0, and Cout=0.
- At slot 8, A=1, B=0, Cin=0, and Cout=0.
- At slot 9, A=0, B=0, Cin=0, and Cout=0.
- At slot 10, A=0, B=0, Cin=0, and Cout=0.
- At slot 11, A=0, B=0, Cin=0, and Cout=0.
- At slot 12, A=0, B=0, Cin=0, and Cout=0.
- At slot 13, A=0, B=0, Cin=0, and Cout=0.
- At slot 14, A=0, B=0, Cin=0, and Cout=0.
- At slot 15, A=0, B=0, Cin=0, and Cout=0.

Role of Social Media in Religious Discourse and Spiritual Communities



Mohmed Husain Pasheriya | Noyonika Mukherjee

Professor Dr. Barnali Chetia

Course: HS201

Date: 17th November, 2024

ACKNOWLEDGEMENT

I would like to thank Professor Dr. Barnali Chetia for her mentorship and encouragement during my study about the role of social media in religious communities. Her advice and experience in media studies greatly helped in shaping our research. The helpful feedback and willingness to engage in discussions really broadened my understanding of the topic.

I am also grateful to Ms. Dharti Sharma, our teaching assistant, for her assistance during this study. She was always ready to help students when required, which is truly appreciated.

Furthermore, I wish to acknowledge all the researchers, scholars, and authors who have worked in the domain of media and religion and whose works have been the foundation of this study. Their ideas motivated me to pursue this subject even more and shaped the way I conducted the research.

I would also like to thank my friends and colleagues who supported me during the time of research. Their suggestions made me more meticulous towards my ideas and brought in a totally different aspect towards the concerned topic.

Last but not the least, I extend my appreciation to all the 145 respondents who took part in the survey for this study. Every example of their experience and opinion about this material was constructive insight and data input to my study. Without them, this term paper could never be accomplished.

DECLARATION

We, Mohamed Husain Pasheriya and Noyonika Mukherjee, declare that the research paper entitled "The Role of Social Media in Religious Discourse and Spiritual Communities" in partial fulfilment of the HS102 End of Semester Project assigned by Professor Barnali Chetia, is entirely of our own making. Our hypothesis with regard to the same is: *"Exposure to diverse religious opinions on social media challenges and reshapes an individual's traditional beliefs."* To carry out an appropriate investigation of the subject at hand, a thorough study, analysis, and documentation has been conducted.

All the sources of data that have been used in this research study are duly attributed and cited. All the information provided in this paper has been presented with the utmost care for its reliability and accuracy. In addition, all the passages containing information from other sources as well as all the paraphrases and short quotations contain appropriate acknowledgments.

We sign below to attest to the validity of our work and to remark that the contents of this research paper are true to the best of our knowledge.

Mohamed Husain Pasheriya (20235166)

Noyonika Mukherjee (202351167)

Date: 17th November, 2024

ABSTRACT

Social networking sites have turned into spaces where users engage in religious and spiritual conversations while having access to different spiritual communities. This study investigates the impact of social networking sites on religious discussions, with a growing number of users introducing and sharing different practices, and forming expansive online friendships. Such platforms initiate debates which question established beliefs, often making people revise their ideologies and allowing everyone to engage with a variety of faiths and religious practices.

This study evaluates how exposure to a vast range of religious beliefs may act as a counteractive effect on one's pre-existing beliefs. Although it is an accepted fact that social media could aid in compressing the distance between different groups, creating more inclusive and tolerant individuals, and fostering understanding; social media can also lead to confusion and doubt for the users.

The analysis looks at people's interaction with aspects of religion in social networks by means of both e-survey data and offline interviews. It investigates what happens when the members of different faiths attempt to communicate scientifically, virtual or otherwise, with the concepts of civilization in general and community in particular. There is also the provision of analysis and discussions concerning the approach and use of social media to teach marginalized religions.

Nevertheless, the section of the paper that deals with such conversations outlines the difficulties that social media is known to cause. It has been known to worsen situations through the introduction of radical opinions and falsehoods understood by a majority, leading to cognitive dissonance and even disintegration of certain societies, especially in severe cases where religion is a factor. The speed of information diffusion, especially negative aspects and deceit, is irritating as it destroys the prospect of understanding in religion.

In the end, this study seeks to understand a very contemporary problem - the religious conversation in the internet era.

Keywords: **social networking sites, religious discussions, spiritual communities, established beliefs, cognitive dissonance, information diffusion.**

Table of Contents

Acknowledgment	2
Declaration	3
Abstract	4
Table of Contents	5
List of Figures and Tables	6
List of Abbreviations	7
Glossary	8
Chapter - I	
▪ Introduction	9
▪ Chapterisation	12
Chapter - II	
▪ Literature Review	13
Chapter - III	
▪ Data Analysis	18
○ Methodology	
○ Variables	
▪ Analysis-I: Online Survey	22
▪ Analysis-II: Offline Survey	34
Chapter - IV	
▪ Conclusion	37
Works Cited	38
Appendices	
i. Appendix-I: Online Survey Questionnaire	40
ii. Appendix-II: Offline Survey Questionnaire	45
iii. Appendix-III: Sample of Answers	46

List of Figures and Tables

- Fig. 1 – Demographics Pie Charts
 - 1.a – Gender
 - 1.b – Age
 - 1.c – Religious background
- Fig. 2 – Social Media’s Role
 - 2.a – Question 1
 - 2.b – Question 2
 - 2.c – Question 3
 - 2.d – Question 4
 - 2.e – Question 5
 - 2.f – Question 6
 - 2.g – Question 7
- Fig. 3 – Conclusive Pie Chart

List of Abbreviations

- Fig. – Figure
- AI – Artificial Intelligence
- Tech – Technology
- Dr. – Doctor
- IG – Instagram

Glossary

Polarization – Division of groups or people into completely different and opposing parties

Algorithmic Bias - Systematic and repeatable errors that create unfair outcomes

Cognitive Dissonance – The psychological discomfort one experiences when interacting with someone with conflicting beliefs

Commodification – The process of turning something non-physical but holding some value, like ideas, into a product that can be bought and sold

Chapter – 1

Introduction

In contemporary society, social media has clearly become a game changer for how people access ideas, societies and beliefs. In particular, such media has made it possible for the end users to communicate and engage with any religious or spiritual users across the globe almost instantaneously. This has allowed people to show how different religions are practiced, share ideas and engage in conversations about faith across continents.

On one hand, social networks carry enormous potential to close the barriers and enable engagement between the subjects, while on the other, they raise alarming questions regarding interreligious communication. The exposure to innumerable diverging beliefs and attitudes has raised questions to all religious dogmas and in certain cases caused individuals to transform their personal beliefs and values. Besides, social media is correlated with understanding psychology, and therefore balances the good effects with effects such as false media, propaganda of radical views and the contradiction found by some users in the information concerning religions.

The aim of the research referred to in this study is to explore how the discussions of religion change on social media and what the users of social networks whose are involved in spirituality experience. The results of these interactions will also help us understand the positive impact of social media but also understand the dangers that arise from it.

Focus

This paper aims to discuss the significant role played by social media regarding religious discussions and spiritual communities by exploring how these encourage divergent belief sharing, deconstruction of traditional beliefs, and inclusiveness, thus having a two-edged sword effect on such interactions.

Importance

Understanding how social media influences religious discourse and spiritual communities is a matter of great importance in this interconnected world today. This research addresses a pressing need to analyze the implications of these new platforms within society in regards to faith and belief. Accordingly, this study can inform how social media will allow for approaches to inclusiveness and understanding while working to mitigate the risks presented by misinformation and radicalization. The findings of this study could equally be of value to policymakers, religious leaders, and the internet corporations themselves, based on insights that promote healthier conversations about faith in digital spaces.

Objective of Research

This lays a solid foundation to highlight the many dimensions of social media in shaping religious discourse and impact on spiritual communities; which happens to be the anchor point of this research project. This research provides a critical analysis of the missing pieces in the assessment _ and indeed social structures of the contemporary and historical ethnic psychology. This study will offer meaningful insight in the ways in which social media can be utilized as a tool for promoting tolerance and understanding without the accompanying danger of misinformation and radicalization. And now having that picture, one can see how those very groups are exhausted with fighting with existing faith communities, architects of radicalism, healthy policy, and social network gatekeepers.

Background and Context

This research goes over in detail possible approaches strategies methods dimensions programs schemes and the ways these things affect religious discourse and impact spiritual communities. Presently, this study focuses on how much religion social media may include passive acceptance if not active participation, propagate and share traditional orthodoxy. The study will also explore how these similar sites help in the fostering of contrarian ideologies, wrong information as well as the users' conflicting thoughts. The study also aims to investigate: the composition of virtual spiritual communities, the nature and patterns of interactions within such communities, and as a result how such assessments would they fit

into the idea of social media civicness without it became a dream version of cyberspace but rather striving for realistic adjustment of that modern technical tool.

Research Problem/Hypothesis

Social media has emerged as a significant arena for religious discourse, offering unparalleled access to diverse spiritual practices and ideas. However, this democratization of religious conversations is accompanied by challenges such as the amplification of extreme views and the spread of misinformation. This research examines how these dual dynamics affect individuals and communities, focusing on the evolving role of social media in shaping faith and belief systems.

Our hypothesis is: *Exposure to diverse religious opinions on social media challenges and reshapes an individual's traditional beliefs.*

Chapterisation

Chapter 2 of this research paper focuses on how social media influences the religious conversation and the communities surrounding it. It notes important works and country-wide examples that investigate the relationship between religiosity, social media, and communities. This section gives a brief overview of the topic and figure out the missing parts, which this study seeks to fill.

Chapter 3 is divided into two sections:

- This part deals with the methods used in the process of data collection. Data was collected online by using Google Forms and interviewing people and professionals about media and religion.
- The second section analyzes the data collected, focusing on the impact of exposure to diverse religious opinions on participants' beliefs, attitudes, and behaviours.

Chapter 4 summarizes the research findings and provides conclusions based on the analysis. It discusses the limitations of the study, such as sample diversity and methodological constraints, and suggests directions for future research, including more extensive cross-cultural studies and deeper investigations into social media's role in shaping religious discourse.

Chapter - 2

Literature Review

Identification of Sources

1. International Academic Studies:

- i. "The Vitality of New Media and Religion: Communicative Perspectives, Practices, and Changing Authority in Spiritual Organization" by Cheong, P. H. (2016): This research seeks to examine the effects of digital platforms on spiritual communication, since new means of interaction are being established and older forms of power relations in the realm of religion are being threatened. Cheong stresses that religious communities use new media for members' mobilization, for network building, and to negotiate power relations. It provides a global perspective on how technology impacts spiritual practices and influences the organization of faith-based groups.

- ii. "New Religions in Global Perspective" by Clarke, P. B. (2004): Clarke examines the diffusion of newer religious movements within the global arena and focuses on the influence of the media in these trends. It outlines methods through which digital tools enable new religious movements to reach wider audiences while changing traditional religious landscapes. Clarke's work further details the significant role the media has played in advancing globalization trends, especially religious movements.

- iii. "Exploring the Impact of Social Media on the Religious and Spiritual Beliefs of Emerging Adults" by Ehlebracht, M. (n.d.): This study investigates how social media influences the religious and spiritual beliefs of young adults, focusing on the transitional life phase known as "emerging adulthood." It outlines and incorporates the contradictory applications of social media for both the persistence of orthodoxy and the contending new beliefs into the growing self-definition of younger age groups.

- iv. "The Mediatization of Religion: Theorising Religion, Media, and Social Change" by Hjarvard, S. (2011):
Hjarvard introduces a conceptualization of the process of religion mediatization and considers media as an agent of social change. The research provides an account on the influence of media technology on the practice, rituals and beliefs of religion, thereby altering the aspects of religion and its practice in contemporary society which is media rich.
- v. "Social Media as a Platform for Instigating and Waging War" by Ijlsi (2024):
This study assesses social media's role in the context of religious wars and contemporary globalism, stressing the two trends: its use for promoting oneself and one's groups and for waging violence. This analysis shows how such internet communication magnifies radical ideas and promotes drastic actions and modifies the people's minds about particular religions during their clashes.
- vi. "Faith and Facebook in a Pluralistic Age" by McClure, P. K. (2016):
McClure analyzes how social networking site 'Facebook' encourages religious activities and bringing people together even in societies that are very diverse. The author points to the argument of the changing scope of religious networks in the social media age showing how this has allowed people to bring together different religions in an effective manner and even live in such societies without fears of violent ethnic confrontations in the modern world.
- vii. "Religion and Social Media: Communication Strategies by the Spanish Episcopal Conference" by Baraybar-Fernández, A., Arrufat-Martín, S., & Rubira-García, R. (2020):
This research analyzes the communication strategies employed by the Spanish Episcopal Conference on social media. The study reveals how religious organizations strategically utilize digital platforms to engage followers, disseminate messages, and address societal issues, providing a model for digital religious communication.
- viii. "Religion, Popular Culture, and Social Media: The Construction of a Religious Leader Image on Facebook" by Coman, I. A., & Coman, M. (2017):
The authors Coman and Coman examine how clergy perform on social networking sites by combining religious images and popular culture. This research contributes to

the knowledge on the dynamics of religious leaders in the age of social media, where members of the clergy get to preach as well as perform.

2. National Academic Studies

- i. "The Impact of Social Media on Religious Tolerance in India: A Case Study on the Digital Discourse in Religious Conflicts" by Ozukum, T. (2021):
This study investigates the role of social media in shaping religious tolerance in India, particularly during conflicts. It explores how digital platforms are the reason behind the spread of different narratives that influence the general public.
- ii. "Social Media's Role in the Changing Religious Landscape of Contemporary Bangkok" by Agarwal, R., & Jones, W. J. (2022):
This study is geographically limited to Bangkok but shares the core argument made in the analysis of India, in that it is impossible to avoid the effects of the internet on the way people practice their religion in cities. This reemphasizes a similar point made elsewhere about religious practices in the cities – the old practices fuse seamlessly with the new, modern technologies.
- iii. "The Many (Inter)faces of Religious Politics: An Analysis of Social Media Amid Religious and Political Conflict in India" (2024):
This article explores and analyses Indian social media in the light of religion and politics. Focusing upon the digital ecology, it examines how such conflicts are managed, expanded politically, and constructed within the narratives.
- iv. "Social Media Fake News in India" by Al-Zaman, M. S. (2021):
This article examines the spread of religious fake news in India, focusing on its impact on societal harmony. The study highlights how misinformation campaigns exploit religious sensitivities, exacerbating tensions and fueling conflicts.
- v. "Conflict Between Freedom of Expression and Religion in India—A Case Study" by Singh, A. (2018):
This study analyzes the tension between freedom of expression and religious

sentiments in India, emphasizing the role of social media as both a platform for free speech and a site of religious conflict.

- vi. "Digital Divine: Technology Use by Indian Spiritual Sects" by Azhagu Meena, S., et al. (2020):

This study explores how Indian spiritual organizations adopt digital technologies and social media to engage with followers. It highlights the creative and strategic use of these platforms to sustain and expand spiritual practices in a technologically advanced society.

3. Tech Industry Reports:

The reports about the technology industry give a lot of information on social media, technology, and religion. These reports analyze trends, from how a digital user acts to how the future technology will be used in different domains, such as spirituality and religion. For instance, the reports by the major technology companies, including Meta Platforms and Google, often start by stating the increasing role of social media in virtual communities, which encompasses religious groups as well, and the way algorithms shape what users will consume. Customized religious content through the use of artificial intelligence takes center stage in industry insights: apps for the spiritually customized personal life, virtual worship, and scripture analysis through artificial intelligence.

More relevant to the Pew Research Center and other organizations would be the extent to which the digital platform influences, impacts societal values, community engagement, and religious discourse. Such industry reports with their concentration on the metrics of user engagement, strategies of platforms, and technological advancements do a better contextual understanding of how technology mediates religious interaction and reshapes traditional beliefs.

4. Review and Discussion of Sources:

As has been pointed out extensively within academic discourse, social media makes a deep impact as algorithmic biases, misinformation, and echo chambers also shape user engagement with religious content in this era. These dynamics consistently affect interfaith communication; people tend to be absorbed in polarizing narratives while limiting exposure

to diverse perspectives. On the other hand, with the commodification of spiritual discourse, targeted content delivery subtly shapes personal beliefs, raising questions of accountability and transparency. This requires public education and critical involvement in an effort to assist the online discussion of religion in an effective, respectful manner.

5. Conclusion and Recommendation:

From this review of the sources, it can be concluded that social media has various impacts on the individual and the larger society. It is thus crucial that policymakers, industry stakeholders, and individuals take proactive measures toward ensuring digital literacy and placing stricter privacy regulations among other measures that would ensure responsible use of social media. Further research needs to be done on the long-term consequence of using social media to establish control measures over a healthier relationship with social media.

Chapter – 3

Data Analysis

Methodology

Reliability of Sources

1. Primary Data (Google Forms and Offline Interviews): The primary data collected through Google Forms and offline interviews have been relied upon very much in terms of reliability. The survey questions and interview protocols were framed in ways to persuade validity and consistency while collecting data. A sample size of 200+ has ensured diversity within respondents and hence ensures reliability from the findings. Sampling methods and processes of data collection were standardized to avoid possible errors and biases.

2. Secondary data: The sources of secondary data have been scrutinized for reliability, including available academic research and reports from the tech industry. The outputs obtained depend on credible sources that were used in the present study. Data recency has been considered to make sure it is current and relevant for the research questions asked. Subsequently, cross-referencing between secondary data and primary data ensures consistency and reliability in the findings.

Variables Used

Age, Gender, Religious Affiliation, and Use of Social Media: Controlling for all these variables will help determine which demographic factors play a role in people's engrossment in religion online. It looks for any considerable correlation or distinction by establishing patterns of religious discussion among different groups through social media. For example, do age or gender roles play in propelling someone into online religious communities?

Sample Size of over 200: The sample size selected based on statistical considerations was 212 to ensure reliability and generalisation of the findings obtained. In terms of age, gender, and educational background, the sample was heterogeneous, which allowed for comprehensive analysis of the research hypothesis.

Data Collection Procedures

The procedures for collecting both primary and secondary data were planned and conducted in a careful manner to ensure reliability. The questions in the primary data survey were based on established research methodologies and were pre-tested to ensure that they were clear and relevant. The interviews were conducted by trained researchers using standardized protocols to ensure consistency. For secondary data, a systematic approach was followed to identify the sources, and an extraction of data was done based on established guidelines to ensure accuracy.

Data Analysis Techniques

The techniques used in data analysis for this study were selected based on the nature of the data and the nature of the questions under inquiry. For primary data, statistical analysis was considered necessary in order to identify patterns and trends within the data collected. Qualitative data derived from interviews were analyzed through thematic analysis. Secondary data synthesis utilized a systematic review approach in consolidating the evidence from multiple sources.

Reliability of Findings

Overall, the conduct of this study with regards to data collection and analysis is rigorous, supporting the reliability of the findings. Thorough source selection, careful procedures about collecting data, and use of proper techniques while analyzing data account for the reliability of the findings. However, it is worth noting that no study is without limitations, and the findings should be interpreted in the light of its methodology and also any degree of bias.

Regarding our hypothesis -

In this study, we have carefully tested the hypothesis that exposure to diverse religious perspectives on social media challenges and reshapes traditional beliefs. We used a systematic approach to research, consisting of several key components which fit the hypothesis and delivered conclusive findings.

1. **Research Design:** It is a mixed-method approach as a mix of quantitative and qualitative methods were employed. Surveys were used to collect quantitative data about participants' attitudes toward traditional religious beliefs before and after engagement with assorted social media content. Qualitative insight was gathered through in-depth interviews to uncover deeper understandings of the participants' perceptions and experiences.
2. **Data Collection:** In this the survey questionnaire was administered to a sample of 212 participants, and for a portion of the sample, in-depth interviews were held. The survey questions were actually designed to track changes over time in interest, trust, and awareness, while the interviews provided rich, detailed accounts of the experiences and perspectives of participants.
3. **Data Analysis:** Quantitative data obtained from the surveys were analyzed using statistics to identify significant changes in respondents' attitudes before and after watching the documentary. Qualitative interviews were analyzed through thematics to identify common themes and patterns in respondents.
4. **Interpretation of Findings:** Content analysis of both quantitative and qualitative data provided the most comprehensive understanding of how exposure to diverse religious perspectives on social media impacts the beliefs of people in a traditional norm. The results were then interpreted against the hypothesis, namely, belief shifts, openness to alternative perspectives, and reassessment of traditional religious norms.

5. **Google Forms Pie Charts:** Responses to every questionnaire were given in pie charts developed from Google Forms, which were presentations of the spread of responses based on the questions. These charts showed how attitude changes with respect to religious beliefs and practices were fostered by exposure to varied views through social media.
6. **Conclusion and Recommendations:** Based on the analysis, the study concluded that social media significantly challenges and reshapes traditional beliefs by exposing individuals to diverse religious perspectives. We would like to recommend further research that would test these findings on the long-term implications of exposure through such frameworks on religious discourse, community dynamics, and interfaith understanding besides the involvement of algorithms in shaping these interactions.

Our research methodology has therefore been successful in testing the hypothesis and showing a clear connection between the process of research and the hypothesis. Since the methodologies used qualify as a mix of both quantitative and qualitative methods, a comprehensive investigation of research questions has culminated in a holistic conclusion regarding the role social media plays within religious discourse and spiritual communities.

Analysis – I

Online Questionnaire:

Section 1: Demographics

Gender:

212 responses




Fig 3. a

Please select your age group:

212 responses




Fig. 3. b

What is your religion or spiritual affiliation?

212 responses





Fig. 3. C

Section 2: Social Media's Role in Religious Dialogue and Challenges

A) Provides compelling evidence that watching documentaries like "The Social Dilemma" increases interest in social media's societal impact, as hypothesized.

1. Do you take part in discussions/debates on religious topics with friends or others on social media platforms?

212 responses



A significant majority, 54.2% of respondents, reported that they regularly discuss religious issues on social media. This reflects the hypothesis whereby most of them probably have an active engagement in the discussion about religious topics on the platforms. It shows how this is a rich area of religious discourse for the clients, who engage consistently in such discussions.

A smaller percentage, 24.1% of the respondents, said they often engage in religious debates. This gives more credibility to the hypothesis that social media can be a vehicle for intermittent activity, if not regular activity. This suggests that perhaps people could use social media as one of the channels through which they express their religious opinion once such an occasion or topic arises, but religion is something with which they do not generally seek to engage as some form of entertainment or leisure activity.

10.8% stated that they rarely engage in religious posts on social media. This figure is not central to hypothesis concentration, and it still means that a disproportionately large number of users are being underutilized. The reasons would range from personal issues, lack of time, or perhaps lack of much interest in the discussion of religious matters in the virtual world.

A near similar 10.8% of the respondents claimed to never discuss or engage in religious debates on social media. This finding, although outside of the hypothesis, falls in the rate of the population who either feel that social media should not be an appropriate avenue to discuss religion or would rather not be involved in this at all costs.

Generally, the findings suggest that social media plays a major role in religious discourse, with a large percentage frequently or occasionally participating in these discourses. Thus, this expands the view that social media helps bring meaningful participation into religious debates and further deepens the central position of social media as a resource for communities engaging in modern religious conversation.

B) Provides compelling evidence that social media's role in promoting understanding between different religious communities is perceived positively, but not without reservations.

2. Do you believe that social media promotes understanding between different religious communities?
212 responses




Fig. 4.b

The majority of respondents, 51.9%, believe that social media significantly promotes understanding between different religious communities. This goes a long way in supporting the hypothesis that social media can cause interfaith dialogue and therefore promote mutual understanding. The near-unanimous acceptance of the opinion goes to illustrate that people realize how social media has the potential to knock off barriers and create an avenue for religious communities to share viewpoints that would contribute toward harmonious interaction.

18.9% agreed that social media somewhat promotes understanding between different religious communities. In other words, although it might help in the process of getting to know the other, its impact may be perceived as partial or limited, depending on considerations like the form the social media took, the quality of discussion, or kind of information.

However, 14.2% of them believe that social media exacerbates division between religious communities. Though it is not the majority view, this still exemplifies the types of concerns that social media has led to conflict and misunderstandings. Anonymity and ease of spreading disinformation sometimes assist in aggravating relations between groups.

Only 15.1% of the respondents agreed with the view that social media has not contributed to a better understanding between different religious communities. This can be read in the sense that some people do not see value in online interaction or they feel that these kinds of platforms do not contribute meaningfully to religious discourse.

Overall, it would seem that a great number of people believe the social media phenomenon contributes to understanding among religious communities, although there are still some concerns about whether this platform fosters division or not sufficiently encourages meaningful engagement.

C) Provides compelling evidence that misinformation or extremist content related to religion is a significant issue on social media platforms, according to the survey respondents.

3. Have you encountered misinformation or extremist content related to religion on social media?
212 responses




Fig. 4.c

A large proportion, 51.4% of the respondents, reported regularly encountering misinformation or extreme content regarding religion. This is in line with the notion that social media empowers potentially extreme and/or false views, not least in areas such as religion, where sensitive topics are liable to be controversial.

23.6% of the respondents said that they sometimes stumble upon such content. This implies that though misinformation might not be a daily issue for all user interaction, it undoubtedly remains an issue for most listeners. These occasional encounters may draw the attention of the general public to the propaganda being spread in particular areas in cyberspace, such as religious forums or groups in which the content sometimes is not checked.

Only 12.7% said that they rarely stumble on misleading or extremist content related to religion. This might reflect the fact that the problem is not widespread for everyone but always is there, and sometimes users come across misleading or extreme views.

A smaller percentage, 12.3%, claimed never to have seen misleading content or propaganda concerning religion on social networks. Thus, it is likely that for a few users, their experience

with religious material on social media sites would be even more positive or neutral because of less exposure to damaging or misleading information.

However, the results point towards the crucial role disinformation and extremist content on religious issues play on social media since a significantly large number of users (75%) report it at least some of the time. This emphasizes the need for stricter regulation of social media contents and proper engagement with such contents.

D) Supports the hypothesis of social media on understanding and acceptance of different religious perspectives among the respondents.

4. To what extent do you agree with the statement: "Social media has expanded my understanding and acceptance of different religious perspectives."

212 responses




Fig. 4.d

A majority of respondents, 55.2%, believe that they possessed greater understanding by and exposure to other religious perspectives through social media. So, it would seem that, through social media, the road to awareness and inclusion for different religious views is an effective catalyst. That such a large proportion felt very strongly reflects how online venues contribute to a more tolerant and knowledgeable society.

A smaller yet significant portion, 12.3%, agrees with the statement, further reinforcing the positive influence of social media in shaping perceptions about religious diversity. This group

may not be as enthusiastic as the majority, but they indeed recognize that digital engagement can enhance religious understanding.

11.3% said that they are neutral, which may be because they never experienced and/or were not affected by social media enough seriously to impact their religious stance. Neutrality may only be an indicator of difference in people's usage of social media or the kinds of content these people see and encounter.

On the other hand, 9.4% disagreed with the statement, and 11.8% strongly disagreed. Taken together, these groups constitute of those who consider social media to be detrimental in promoting understanding and acceptance of religious views different from one's own. That might be because of having negative experiences, like seeing polarizing or biased content.

Either way, it supports our hypothesis since it indicates a change from the original perspective of the social media user.

E) Highlights the frequency with which respondents engage with religious or spiritual content on social media platforms.

5. How often do you find/engage with religious or spiritual content on social media?
212 responses




Fig. 4.e

A high number of respondents, that is 55.2%, claimed to interact with religious or spiritual content on social media every day. It means that some significant percentage of users actively consume and engage with such content, showing it is relevant and present in their daily lives.

Almost 19.8% of respondents stated that they occasionally experience religious or spiritual content. This is the population group that does not consciously search for such content but which is yet faced with it through their social media usage; therefore, religious or spiritual content still seems to be present and influential at different engagement levels.

The smallest segment of all, 15.1%, said they hardly used the content. Perhaps this was evidence of disinterest or altogether avoiding religious or spiritual conversations on these sites.

Only 9.9% of respondents said that they never interact with religious or spiritual content on social media. This minority also indicates that although some users may deliberately avoid the topics, the prevalence of religious or spiritual material makes it reach most users to at least some extent.

The underpinnings of findings here underscore the immense importance of social media as an enabler for religious and spiritual discourse, since most respondents have been using this platform frequently. That presents a strong demand for such content perhaps with the ability to shape their beliefs and practices.

G) Explores the influence of diverse religious views on social media in prompting self-reflection on personal religious beliefs among respondents.

6. Has exposure to diverse religious views on social media made you question your own religious beliefs?

212 responses




Fig. 5

A majority, 49.5% of respondents self-report how social media exposed them to a variety of religious opinions, and thus made them doubt their own religious beliefs in many instances. That percentage is pretty high, and it definitely means that there's a great contribution of social media towards introspection and re-evaluation of personal views.

Moreover, 17.5% of respondents said they sometimes doubted their beliefs due to such exposure. Such a group represents the highly significant influence of online religious discourse on personal thoughts and beliefs-there is such an impact because it is always periodic.

17.5% of respondents also stated they rarely question their religious beliefs when encountering diverse viewpoints. This indicated that, although the content may provoke interesting thought, this group has convictions which are not significantly challenged by the content.


Finally, 15.6% of the respondents never questioned their religious beliefs through social media exposure. Thus, for a minority, their beliefs are steady and are not swayed by various perspectives propagated through cyberspaces.

Findings suggest that for a large number of users (84.4%), social media content has the capacity for changing their religious belief systems at least a few times. Meanwhile, they still demonstrate a subgroup of the population who are less sensitive to or even resistant toward influence by such contents, and once again highlight the variability of an individual's response to online materials.

H) Explores the influence of diverse religious views on social media on the strength of respondents' personal religious beliefs.

7. Do you believe that exposure to diverse religious opinions on social media has strengthened or weakened your religious beliefs?

212 responses



A large number of the respondents, 58%, believe that exposure to diverse religious views on social media has strengthened their religious beliefs. This is an important figure as it reveals social media as a reinforcing agent that could affirm and even congeal prior convictions when everyone is exposed to a diversity of views.

In fact, 23.1% agreed that their beliefs have been weakened because of this exposure. This is reflective of how social media expositions can be disruptive to personal religious convictions and the viewpoint exposure it provides.

Interestingly, 18.9% said they maintained the same beliefs after interacting with different religious thoughts. This means that for a number of respondents, their beliefs are either robust or do not shift with regard to religious eloquence found online.

The findings indicate that social media functions as a tool both to reaffirm religious belief and more frequently and/or significantly as a factor to question or even weaken them, underlining the broad and multifaceted impact of social media on individual beliefs.


Overall, 81.1% of the respondents have had their spiritual stances strengthening or weakening, thus supporting our hypothesis that exposure to social media results in a change in their original beliefs.

Section 3: Conclusion

A) Strongly supports the original hypothesis of the influence of social media on shaping respondents' views about religious tolerance.

8. Finally, to what extent do you agree with the statement: "Social media has had a lasting impact on my views about religious tolerance."

212 responses



More than half the users undoubtedly agreed that social media has brought upon changes in views related to religious tolerance. This big proportion puts across the powerful role of social media in availing avenues through which people could discuss religion and even maybe increase understanding and acceptance of diverse religious perspectives.

11.8% answered in the affirmative of the statement and brings out how social media can be used as a tool to forward positive contributions toward tolerance. Putting these two groups together implies that most use social media instrumentally in opinion formation on this question.

However, 12.3% were neutral, meaning that though social media may expose people to differences in opinion, the resultant effect on their perception of religious tolerance is unclear.

Only 11.3% respondents had disagreed with the statement; meaning that for some, either social media has no special influence or possibly even perpetuates pre-existing attitudes regarding religious tolerance. However, this constitutes of the minority.

The findings indicate social media plays a significant role in shaping attitudes toward religious tolerance for the majority of users but also show that a part of society appears to be impervious or even critical of such influence.

Conclusion:

As the online survey is analysed, it becomes clear that social media forms an important vehicle of modern religious discourse and personal expression. Social media are, indeed, found to be a dynamic forum in which people actively communicate on religious matters, with most respondents either fairly often or sometimes taking part. These platforms appear to play an instrumental role for interfaith understanding and acceptance; though the fears of social media's potential for promoting division and misinformation endure.

The findings underpin the double-edged nature of the influence social media exercises over society: while it allows people to understand ideas better and to make their beliefs stronger for many, it contradicts convictions for others. Again, the ubiquitousness and potential for reflection of religious and spiritual content on digital platforms further highlight just how transformative their impact can be on personal faith and collective religious discourse. Still, the spread of misinformation and hate speech here presupposes responsible content moderation and critical engagement by users. In general, social media is a powerful though complex instrument for shaping religious attitudes and developing interfaith relationships in the digital world.

Analysis – II

Offline questionnaire

Interviewer: Thank you for participating in our survey. We're interested in understanding how social media is shaping religious belief, practice, and interfaith understanding. So, let's start with your own experience. Which of the following social media apps do you use to consume content related to your religion?

Interviewee: I mostly look for religious content on either Instagram and YouTube. Sometimes I even scan the threads on Twitter for specific topics.

Interviewer: That's great to hear. In what ways do you feel that social networking services have motivated you to appreciate your religion and its practices more?

Interviewee: Social media has made it easier to access teachings, sermons, and rituals that I never knew about. And by watching videos or reading posts by scholars, I began to appreciate faith.

Interviewer: That's interesting. How many times have you found social media to clarify any misconceptions about your own religion? Take an example from your past experiences.

Interviewee: Yes, I had one point of misunderstanding the historical context of a particular previously practiced ritual in my religion (Sati). One day while browsing on IG, I read one very detailed posting from a scholar, and it cleared up things for me.

It's definitely made me more curious about the societal impacts of social media. I find myself reading more about different subjects and discussing it with friends.

Interviewer: That is amazing. Have you ever seen something on social media that you felt was false about your religion or spirituality? How did that affect you?

Interviewee: Absolutely. I do see many posts spreading false information about a ritual or a value, often made by some individuals trying to spread hate. It is frustrating and sometimes creates confusion, but it also challenges me to verify facts further and look for authentic sources.

Interviewer: And talking of authenticity, how do you differentiate between credible and non-credible content related to your faith online?

Interviewee: I look out for posts from verified scholars, religious leaders or organisations. I cross-check the information with official sources or some of the most trusted religious texts.

Interviewer: Thank you for sharing your insights. Now, let's speak about other religions. Have you ever corrected a stereotype about another religion that you encountered on social media? Have your attitudes or standpoints changed?

Interviewee: If I think about it, I have had corrected several misconceptions in online discussions. Learning directly from people of other faiths has made me more open-minded and respectful towards their beliefs. I learned to discover common values in religion, such as compassion and justice. It's great that they share similar central messages despite how diverse they are with their spirituality.

Interviewer: Thank you for your insights. One last question; in your opinion, do you believe that social media is mainly having a positive or negative influence on people's religions or faiths? Why?

Interviewee: I feel like it's a mix. It's a good thing because it spreads knowledge and creates connections, but it can also be harmful if misinformation or extremist content isn't addressed properly.

Interviewer: Thank you for participating in our survey and giving us your opinions regarding this topic. Your standpoint is really helpful for discussing the impact of social media on religious discourse and mutual understanding among religions.

Conclusion

In conclusion, this study confirmed how social media has a huge impact on religious discourse and spiritual communities, validating our hypothesis. Social media algorithms tend to cause the phenomenon of echo chambers with intense polarizing narratives in their proliferations, limit exposure to diversified views, and make constructive interfaith dialogue impossible. Furthermore, subtle manipulation of personal beliefs with content delivery raises ethical concerns about the manipulation of spiritual interactions. Nonetheless, opportunities for fostering connection and dialogue among diverse religious communities continue to abound in social media.

This scope of this research through transparency, ethical accountability, and public education can minimize the effects of social media on spiritual engagement. Critical media literacy practices and inclusive content moderation strategies create spaces where mutual respect and understanding of religious conversations are fostered. These measures are critical to taking full advantage of the positive potential of social media while acknowledging its challenges.

However, the study is limited by the fast-changing nature of social media technologies and the diversity of user experiences across cultural and religious contexts. Of course, it would be interesting to explore what emerging new platforms and AI-driven technologies do for religious practices and whether belief systems change in the long term as a result of the content exposed on social media. By expanding these dimensions of study, a deeper understanding of how social media interacts with spirituality can be attained which will lead to greater ethical and inclusive online religious groups.

Works Cited

International:

- 1) Cheong, P. H. (2016). The vitality of new media and religion: Communicative perspectives, practices, and changing authority in spiritual organization. *New Media & Society*, 19(1), 25–33.
- 2) Clarke, P. B. (2004). New Religions in Global Perspective. In Routledge eBooks.
- 3) Ehlebracht, M. (n.d.). Exploring the Impact of Social Media on the Religious and Spiritual Beliefs of Emerging Adults. Scholars Commons @ Laurier.
- 4) Hjarvard, S. (2011). The mediatisation of religion: Theorising religion, media and social change. *Scottish Journal of Religious Studies*, 12(2), 119–135.
- 5) Ijlsi. (2024, April 26). 4. Social Media as a Platform for Instigating and Waging War - International Journal of Integrated Law Review. International Journal of Integrated Law Review.
- 6) McClure, P. K. (2016). Faith and Facebook in a Pluralistic Age. *Sociological Perspectives*, 59(4), 818–834.
- 7) Baraybar-Fernández, A., Arrufat-Martín, S., & Rubira-García, R. (2020). Religion and Social Media: Communication Strategies by the Spanish Episcopal Conference. *Religions*, 11(5), 239.
- 8) Coman, I. A., & Coman, M. (2017). Religion, popular culture and social media: the construction of a religious leader image on Facebook. Questa Soft

National

- 1) Ozukum, T. (2021a). The Impact of Social Media on Religious Tolerance in India: A Case Study on the Digital Discourse in Religious Conflicts.
- 2) Agarwal, R., & Jones, W. J. (2022). Social Media's Role in the Changing Religious Landscape of Contemporary Bangkok. *Religions*, 13(5), 421.
- 3) The Many (Inter)faces of Religious Politics: An analysis of social media amid religious and political conflict in India. (2024, February 5).

- 4) Venkatesh, S., Priyanka, M. S., & Hunnaragi, R. (2024). Ayodhya: A study on the Influence of Social Media Marketing on Spiritual Tourism in India. SAMVAD, 28(0), 32.
- 5) Swaminathan, S. (2020, July 31). Losing my Religion: Studying the Dynamics between Religion, Social Media and the Urban Millennials.
- 6) Al-Zaman, M. S. (2021). Social Media Fake News in India. AJPOR, 9(1), 25–47.
- 7) Singh, A. (2018). Conflict between Freedom of Expression and Religion in India—A Case Study. Social Sciences, 7(7), 108.
- 8) Azhagu Meena, S., Microsoft Research India, Bhatia, V., Azim Premji University, Pal, J., & Microsoft Research India. (2020). Digital Divine: Technology use by Indian Spiritual Sects. In Information and Communication Technologies and Development (ICTD '20) (p. 11 pages)

Appendices

Appendix I: Online Survey Questionnaire

10/21/24, 4:06 PM

Role of Social Media in Religious Discourse and Spiritual Communities

Role of Social Media in Religious Discourse and Spiritual Communities

Thank you for participating in this survey. The focus of this research is the effect of social networks on religion and spirituality. We recognize the role of social media in religious discussions today as a very important medium that allows a variety of opinions that at times contradict existing beliefs. Your answers will allow us to assess how looking at different religions on the Internet influences people's outlook and promotes interreligious communication as well as confrontation with fake news and divisions. By filling out the given questionnaire, you will help us learn how the use of social network services in religion and spirituality has been changing over the last few years.

* Indicates required question

Section 1: Demographics and Social Media Usage

1. Full name: *

2. Gender: *

Mark only one oval.

- Male
- Female
- Other
- Prefer not to say

3. Please select your age group: *

Mark only one oval.

- Under 18
- 18-24
- 25-34
- 35-44
- 45-54
- 55-64
- 65 and older

4. What is your religion or spiritual affiliation? *

Mark only one oval.

- Hinduism
- Islam
- Christianity
- Sikhism
- Jainism
- Atheism
- Agnosticism
- Other

Section 2: Social Media's Role in Religious Dialogue and Challenges

5. 1. Do you take part in discussions/debates on religious topics with friends or others on social media platforms? *

Mark only one oval.

- Yes, regularly
- Yes, occasionally
- Rarely
- Never

6. 2. Do you believe that social media promotes understanding between different religious communities? *

Mark only one oval.

- Yes, significantly
- Yes, somewhat
- No, it increases division
- No, it has no impact

7. 3. Have you encountered misinformation or extremist content related to religion on social media? *

Mark only one oval.

- Yes, frequently
- Yes, occasionally
- Rarely
- Never

Section 3: Impact on Personal Beliefs

8. To what extent do you agree with the statement: "Social media has expanded my understanding and acceptance of different religious perspectives." *

Mark only one oval.

- Strongly agree
- Agree
- Neutral
- Disagree
- Strongly disagree

9. How often do you find/engage with religious or spiritual content on social media? *

Mark only one oval.

- Daily
- Occasionally
- Rarely
- Never

10. Has exposure to diverse religious views on social media made you question your own religious beliefs? *

Mark only one oval.

- Yes, frequently
- Yes, occasionally
- Rarely
- Never

11. Do you believe that exposure to diverse religious opinions on social media has strengthened or weakened your religious beliefs? *

Mark only one oval.

- Strengthened
- Weakened
- Neither

12. Finally, to what extent do you agree with the statement: "Social media has had a lasting impact on my views about religious tolerance." *

Mark only one oval.

- Strongly agree
- Agree
- Neutral
- Disagree
- Strongly disagree

This content is neither created nor endorsed by Google.

Google Forms

Appendix II: Offline Survey Questionnaire

Questions Related to the Person's Own Religion:

- 1) Which social media apps do you use to consume content related to your religion?
- 2) In what ways do you think social networking services motivated you to appreciate your religion and its practices more?
- 3) 3. Have you ever found clarity about any misconceptions you had about your own religion through social media? Can you share an example?
- 4) 4. Have you ever seen anything on social media that you believe is false concerning your religion and spirituality? What effect did that have on you, if any?
- 5) 5. How do you differentiate between reliable and unreliable content about your faith on social media?

Questions Related to Other Religions:

- 1) Have you ever met or corrected the stereotypes about the other religions that you have seen previously on social media? Did your attitude or standpoint change?
- 2) What new insights or teachings have you learned about other religions through social media, that are worth mentioning?
- 3) Do you think social media enhances understanding and tolerance among different religions? Why or why not?
- 4) Have you engaged in any online discussions or debates regarding religion with people from different faiths? What was the outcome?

General Questions:

- 1) Do you follow any spiritual leaders (offline/online)? If so, which ones and why?
- 2) In your view, do you think that social media have a good or a bad effect on people's religious beliefs and practices? Give reasons.

Sample Response



Role of Social Media in Religious Discourse and Spiritual Communities

Thank you for participating in this survey. The focus of this research is the effect of social networks on religion and spirituality. Your answers will allow us to assess how looking at different religions on the Internet influences people's outlook and promotes interreligious communication as well as confrontation with fake news and divisions. By filling out the given questionnaire, you will help us learn how the use of social network services in religion and spirituality has been changing over the last few years.

Created by: Noyonika Mukherjee and Mohamed Husain

202351167@iitvadodara.ac.in [Switch account](#)

Not shared

Draft saved

* Indicates required question

Section 1: Demographics and Social Media Usage

Full name: *

Noyonika Mukherjee

Gender: *

- Male
- Female

Please select your age group: *

- Under 18
- 18-24
- 25-34
- 35-44
- 45-54
- 55-64
- 65 and older

What is your religion or spiritual affiliation? *

- Hinduism
- Islam
- Christianity
- Sikhism
- Jainism
- Atheism
- Agnosticism
- Other

Section 2: Social Media's Role in Religious Dialogue and Challenges

1. Do you take part in discussions/debates on religious topics with friends or others on social media platforms? *

- Yes, regularly
- Yes, occasionally
- Rarely
- Never

2. Do you believe that social media promotes understanding between different religious communities? *

- Yes, significantly
- Yes, somewhat
- No, it increases division
- No, it has no impact

3. Have you encountered misinformation or extremist content related to religion on social media? *

- Yes, frequently
- Yes, occasionally
- Rarely
- Never

Section 3: Impact on Personal Beliefs

4. To what extent do you agree with the statement: "Social media has expanded my understanding and acceptance of different religious perspectives." *

- Strongly agree
- Agree
- Neutral
- Disagree
- Strongly disagree

5. How often do you find/engage with religious or spiritual content on social media? *

- Daily
- Occasionally
- Rarely
- Never

6. Has exposure to diverse religious views on social media made you question your own religious beliefs? *

- Yes, frequently
- Yes, occasionally
- Rarely
- Never

7. Do you believe that exposure to diverse religious opinions on social media has * strengthened or weakened your religious beliefs?

- Strengthened
- Weakened
- Neither

8. Finally, to what extent do you agree with the statement: "Social media has had * a lasting impact on my views about religious tolerance."

- Strongly agree
- Agree
- Neutral
- Disagree
- Strongly disagree

Submit

Page 1 of 1

[Clear form](#)

Never submit passwords through Google Forms.

This form was created inside of Indian Institute of Information Technology, Vadodara. [Report Abuse](#)

Google Forms

EC Verilog Code Submission

Mohmed Husain(202351166)

Saksham Singh (202351124)

Vandit Singh (202351155)

LAB 1

<pre>module logic_gates(input wire A, B, output wire AND_out, OR_out, NOT_A_out, NAND_out, NOR_out, XOR_out); // AND gate and u1 (AND_out, A, B); // OR gate or u2 (OR_out, A, B); // NOT gate (for input A) not u3 (NOT_A_out, A); // NAND gate nand u4 (NAND_out, A, B); // NOR gate nor u5 (NOR_out, A, B); // XOR gate xor u6 (XOR_out, A, B);</pre>	<p>Test bench</p> <pre>// Testbench to apply stimulus and check outputs module testbench; // Testbench signals reg A, B; wire AND_out, OR_out, NOT_A_out, NAND_out, NOR_out, XOR_out; // Instantiate the logic_gates module (Unit Under Test - UUT) logic_gates uut (.A(A), .B(B), .AND_out(AND_out), .OR_out(OR_out), .NOT_A_out(NOT_A_out), .NAND_out(NAND_out), .NOR_out(NOR_out), .XOR_out(XOR_out)); // Test stimulus initial begin</pre>
---	--


```
endmodule
```

```
// Monitor the outputs whenever A or
B changes
$monitor("A=%b, B=%b |
AND_out=%b, OR_out=%b, NOT_A_out=%b,
NAND_out=%b, NOR_out=%b,
XOR_out=%b",
A, B, AND_out, OR_out, NOT_A_out,
NAND_out, NOR_out, XOR_out);

// Apply test cases
A = 0; B = 0; #10; // Test case 1
A = 0; B = 1; #10; // Test case 2
A = 1; B = 0; #10; // Test case 3
A = 1; B = 1; #10; // Test case 4

// Finish the simulation
$finish;
end

endmodule
```



Lab2

Main:	testbench:
-------	------------

```

// Logic Gates Using Behavioral Model
module logic_gates_behavioral(
    input wire A, B,
    output wire NOT_A_NAND,
    AND_NAND, OR_NAND, XOR_NAND,
    XNOR_NAND, NOR_NAND, NAND_NAND,
    output wire NOT_A_NOR, AND_NOR,
    OR_NOR, XOR_NOR, XNOR_NOR,
    NAND_NOR
);

    // *** Behavioral Model for Gates
    // Using NAND ***

    // NOT using NAND
    assign NOT_A_NAND = ~A;

    // AND using NAND
    assign AND_NAND = A & B;

    // OR using NAND
    assign OR_NAND = A | B;

    // XOR using NAND
    assign XOR_NAND = A ^ B;

    // XNOR using NAND
    assign XNOR_NAND = ~(A ^ B);

    // NOR using NAND (Behavioral
    // implementation of NOR using NAND gates
    // logic)
    assign NOR_NAND = ~(A | B);

    // NAND gate itself (already
    // implemented by NAND gate)
    assign NAND_NAND = ~(A & B);

    // *** Behavioral Model for Gates
    // Using NOR ***

    // NOT using NOR
    assign NOT_A_NOR = ~A;

```

```

// Testbench to check outputs with VCD
// generation
module testbench;

    // Testbench signals
    reg A, B;
    wire NOT_A_NAND, AND_NAND,
    OR_NAND, XOR_NAND, XNOR_NAND,
    NOR_NAND, NAND_NAND;
    wire NOT_A_NOR, AND_NOR,
    OR_NOR, XOR_NOR, XNOR_NOR,
    NAND_NOR;

    // Instantiate the
    logic_gates_behavioral module
    logic_gates_behavioral uut (
        .A(A), .B(B),
        .NOT_A_NAND(NOT_A_NAND),
        .AND_NAND(AND_NAND),
        .OR_NAND(OR_NAND),
        .XOR_NAND(XOR_NAND),
        .XNOR_NAND(XNOR_NAND),
        .NOR_NAND(NOR_NAND),
        .NAND_NAND(NAND_NAND),
        .NOT_A_NOR(NOT_A_NOR),
        .AND_NOR(AND_NOR),
        .OR_NOR(OR_NOR),
        .XOR_NOR(XOR_NOR),
        .XNOR_NOR(XNOR_NOR),
        .NAND_NOR(NAND_NOR)
    );

    // Test stimulus
    initial begin
        // Create a VCD file
        $dumpfile("logic_gates_behavioral_tb.vcd"); // // VCD file name
        $dumpvars(0, testbench); // Dump variables from the testbench module

        // Monitor the outputs

```

<pre> // AND using NOR (Behavioral implementation of AND using NOR gates logic) assign AND_NOR = A & B; // OR using NOR assign OR_NOR = A B; // XOR using NOR assign XOR_NOR = A ^ B; // XNOR using NOR assign XNOR_NOR = ~(A ^ B); // NAND using NOR (Behavioral implementation of NAND using NOR gates logic) assign NAND_NOR = ~(A & B); endmodule </pre>	<pre> \$monitor("A=%b, B=%b NOT_A_NAND=%b, AND_NAND=%b, OR_NAND=%b, XOR_NAND=%b, XNOR_NAND=%b, NOR_NAND=%b, NAND_NAND=%b NOT_A_NOR=%b, AND_NOR=%b, OR_NOR=%b, XOR_NOR=%b, XNOR_NOR=%b, NAND_NOR=%b", A, B, NOT_A_NAND, AND_NAND, OR_NAND, XOR_NAND, XNOR_NAND, NOR_NAND, NAND_NAND, NOT_A_NOR, AND_NOR, OR_NOR, XOR_NOR, XNOR_NOR, NAND_NOR); // Apply test cases A = 0; B = 0; #10; A = 0; B = 1; #10; A = 1; B = 0; #10; A = 1; B = 1; #10; // Finish the simulation \$finish; end endmodule //iverilog -o logic_gates_behavioral_tb.out logic_gates_behavioral_tb.v //vvp logic_gates_behavioral_tb.out //gtkwave logic_gates_behavioral_tb.vcd </pre>
---	---

Name	Value	0.000 ns	5.000 ns	10.000 ns	15.000 ns	20.000 ns	25.000 ns	30.000 ns	35.000 ns
!A	1								
!B	1								
NOT_A_NAND	0								
AND_NAND	1								
OR_NAND	1				0				
XOR_NAND	0								
XNOR_NAND	1								
NOR_NAND	0								
NAND_NAND	0								
NOT_A_NOR	0								
AND_NOR	1								
OR_NOR	1								
XOR_NOR	0								
XNOR_NOR	1								
NAND_NOR	0								

Lab 3:

<pre>Main: `timescale 1ns / 1ps /////////////////////////////// //// // Company: // Engineer: // // Create Date: 19.09.2024 18:07:47 // Design Name: // Module Name: HALF_ADDER // Project Name: // Target Devices: // Tool Versions: // Description: // // Dependencies: // // Revision: // Revision 0.01 - File Created // Additional Comments: //</pre>	<pre>testbench: // Testbench for Full Adder module tb_full_adder; reg A, B, Cin; // Test inputs wire Sum, Cout; // Outputs from full adder // Instantiate the full adder full_adder uut (.A(A), .B(B), .Cin(Cin), .Sum(Sum), .Cout(Cout)); initial begin // Create a VCD file for GTKWave \$dumpfile("full_adder_tb.vcd"); \$dumpvars(0, tb_full_adder); // Display the outputs \$monitor("A=%b B=%b Cin=%b Sum=%b Cout=%b", A, B, Cin, Sum, Cout);</pre>
--	--

```

///////////
///////
module HALF_ADDER(
    input A,
    input B,
    output SUM,
    output CARRY
);
    xor(SUM,A,B);
    and(CARRY,A,B);
endmodule
testbench:
// Testbench for Half Adder with VCD for
GTKWave
module testbench;

    // Testbench signals
    reg A, B;      // Inputs to the half
adder
    wire SUM, CARRY; // Outputs from
the half adder

    // Instantiate the half_adder module
half_adder uut (
    .A(A),
    .B(B),
    .SUM(SUM),
    .CARRY(CARRY)
);

    // Test stimulus
initial begin
    // Open a VCD file for GTKWave
    $dumpfile("half_adder.vcd"); //
Specify the name of the VCD file
    $dumpvars(0, testbench); // Dump
all variables for the module 'testbench'

    // Monitor the inputs and outputs
    $monitor("A=%b, B=%b | SUM=%b,
CARRY=%b", A, B, SUM, CARRY);

    // Apply test cases
    // Test cases
    A = 0; B = 0; Cin = 0; #10;
    A = 0; B = 1; Cin = 0; #10;
    A = 1; B = 0; Cin = 0; #10;
    A = 1; B = 1; Cin = 0; #10;
    A = 0; B = 0; Cin = 1; #10;
    A = 0; B = 1; Cin = 1; #10;
    A = 1; B = 0; Cin = 1; #10;
    A = 1; B = 1; Cin = 1; #10;

    // End the simulation
    $finish;
end

```

```

A = 0; B = 0; #10; // Test case 1: 0 + 0
A = 0; B = 1; #10; // Test case 2: 0 + 1
A = 1; B = 0; #10; // Test case 3: 1 + 0
A = 1; B = 1; #10; // Test case 4: 1 + 1

// Finish the simulation
$finish;
end

endmodule

//iverilog -o half_adder_tb.out half_adder_tb.v
half_adder.v
//vvp half_adder_tb.out
//gtkwave half_adder.vcd
Main_fulladder:
// Full Adder module
module full_adder(
    input wire A, // First input
    input wire B, // Second input
    input wire Cin, // Carry-in input
    output wire Sum, // Sum output
    output wire Cout // Carry-out output
);

// Intermediate values for half-adders
wire Sum1, Carry1, Carry2;

// First half adder (A and B)
assign Sum1 = A ^ B; // First sum
assign Carry1 = A & B; // First carry

// Second half adder (Sum1 and Cin)
assign Sum = Sum1 ^ Cin; // Final sum
assign Carry2 = Sum1 & Cin; // Second carry

// Final carry out
assign Cout = Carry1 | Carry2;

endmodule

```

1 A	1							
1 B	1							
0 SUM	0							
1 CA...	1							

Full adder:

Name	Value	0.000 ns	10.000 ns	20.000 ns	30.000 ns	40.000 ns	50.000 ns	60.000 ns	70.000 ns
1 A	1								
1 B	1								
1 Cin	1								
1 Sum	1								
1 Cout	1								

Lab 4

```
Main:  
Demux:  
'timescale 1ns / 1ps  
/// File: demux_1to8.v  
module demux_1to8 (  
    input wire i,           // Input  
    input wire [2:0] sel,   // 3-bit selection  
line  
    output reg y0,          // Output 0  
    output reg y1,  
    output reg y2,  
    output reg y3,  
    output reg y4,  
    output reg y5,  
    output reg y6,  
    output reg y7  
);  
always @(*) begin  
y0 = 0;  
y1 = 0;  
y2 = 0;  
y3 = 0;  
y4 = 0;  
y5 = 0;  
y6 = 0;  
y7 = 0;
```


```
testbench:demux:  
'timescale 1ns / 1ps  
/// File: tb_demux_1to8.v  
module tb_demux_1to8;  
    reg i;  
    reg [2:0] sel;  
    wire y0, y1, y2, y3, y4, y5, y6, y7;  
  
    // Instantiate the DEMUX  
    demux_1to8 uut (  
        .i(i),  
        .sel(sel),  
        .y0(y0), .y1(y1), .y2(y2), .y3(y3),  
        .y4(y4), .y5(y5), .y6(y6), .y7(y7)  
    );  
  
    initial begin  
        // Initialize input  
        i = 1;  
        sel = 3'b000; #10;  
        sel = 3'b001; #10;  
        sel = 3'b010; #10;  
        sel = 3'b011; #10;  
        sel = 3'b100; #10;  
        sel = 3'b101; #10;  
        sel = 3'b110; #10;  
        sel = 3'b111; #10;  
        $finish;  
    end
```

```

case(sel)
3'b000: y0 = i;
3'b001: y1 = i;
3'b010: y2 = i;
3'b011: y3 = i;
3'b100: y4 = i;
3'b101: y5 = i;
3'b110: y6 = i;
3'b111: y7 = i;
default: ;
endcase
end
endmodule
initial begin
$monitor("sel=%b, y0=%b, y1=%b,
y2=%b, y3=%b, y4=%b, y5=%b, y6=%b,
y7=%b", sel, y0, y1, y2, y3, y4, y5, y6, y7);
end
endmodule

```

Demux:



```

Main:mux:
`timescale 1ns / 1ps
// File: mux_8to1.v
module mux_8to1 (
    input wire [2:0] sel, // 3-bit selection
    line
    input wire i0,          // Input 0

```

```

Testbench:mux:
`timescale 1ns / 1ps
/// File: tb_mux_8to1.v
module tb_mux_8to1;
    reg [2:0] sel;
    reg i0, i1, i2, i3, i4, i5, i6, i7;
    wire y;

```

```

input wire i1,          // Input 1
input wire i2,          // Input 2
input wire i3,          // Input 3
input wire i4,          // Input 4
input wire i5,          // Input 5
input wire i6,          // Input 6
input wire i7,          // Input 7
output reg y            // Output
);
always @(*) begin
  case(sel)
    3'b000: y = i0;
    3'b001: y = i1;
    3'b010: y = i2;
    3'b011: y = i3;
    3'b100: y = i4;
    3'b101: y = i5;
    3'b110: y = i6;
    3'b111: y = i7;
    default: y = 1'bx;
  endcase
end
endmodule


// Instantiate the MUX
mux_8to1 uut (
  .sel(sel),
  .i0(i0), .i1(i1), .i2(i2), .i3(i3),
  .i4(i4), .i5(i5), .i6(i6), .i7(i7),
  .y(y)
);

initial begin
  // Initialize inputs
  {i0, i1, i2, i3, i4, i5, i6, i7} =
  8'b10101011;
  sel = 3'b000; #10;
  sel = 3'b001; #10;
  sel = 3'b010; #10;
  sel = 3'b011; #10;
  sel = 3'b100; #10;
  sel = 3'b101; #10;
  sel = 3'b110; #10;
  sel = 3'b111; #10;
  $finish;
end

initial begin
  $monitor("sel=%b, y=%b", sel, y);
end
endmodule

```

MUX:



LAB 5:

<pre> Main: `timescale 1ns / 1ps /////////////////////////////// ///// // Company: // Engineer: // // Create Date: 26.09.2024 15:18:17 // Design Name: // Module Name: LAB5_NAND // Project Name: // Target Devices: // Tool Versions: // Description: // // Dependencies: // // Revision: // Revision 0.01 - File Created // Additional Comments: // /////////////////////////////// </pre> <pre> module LAB5_NAND(input A, input B, input C, output Y, output Z); wire a1,a2,a3,a4,a5,a6,a7,a8,a9; assign a1=~(A&B); // nand one assign a2 =~(B&a1); //nand 2 assign a3= ~(A&a1) ;//nand 3 </pre>	<pre> testbench: `timescale 1ns / 1ps /////////////////////////////// ///// // Testbench for LAB5_NAND /////////////////////////////// /////// module LAB5_NAND_tb(); // Inputs reg A; reg B; reg C; // Outputs wire Y,Z; // Instantiate the Unit Under Test (UUT) LAB5_NAND uut(A,B,C,Y,Z); initial begin A = 0; B = 0; C = 0;// Test case 1 #10; A = 0; B = 0; C = 1; // Test case 2 #10; A = 0; B = 1; C = 0; // Test case 3 #10; </pre>
--	--

<pre> assign a4 = ~(a2&a3); //nand 4 assign a5 =~(a4&C); // nand 5 assign a6=~(a4&a5) ;//nand 6 assign a7=~(a5&a1); // nand 7 -> output ->Z assign a8=~(C&a5); // nand 8; assign a9=~(a6&a8); // nand 9 ->output->Y //assigning value to outputs assign Z=a7; assign Y=a9; endmodule </pre>	<pre> A = 0; B = 1; C = 1; // Test case 4 #10; A = 1; B = 0; C = 0; // Test case 5 #10; A = 1; B = 0; C = 1; // Test case 6 #10; A = 1; B = 1; C = 0; // Test case 7 #10; A = 1; B = 1; C = 1; // Test case 8 #10; // Finish simulation \$finish; end </pre>
---	---



LAB_6

<p>Main:</p> <p>Siso:</p> <p>// SISO (Serial In Serial Out) Shift Register module SISO (</p>	<p>Testbench:</p> <p>Siso:</p> <p>`timescale 1ns / 1ps</p>
--	--

<pre> input wire serial_in, // Serial input input wire clk, // Clock input input wire reset, // Asynchronous reset output reg serial_out // Serial output); reg [3:0] shift_reg; // 4-bit shift register always @(posedge clk or posedge reset) begin if (reset) begin shift_reg <= 4'b0000; // Reset shift register to 0 serial_out <= 0; // Reset output to 0 end else begin shift_reg <= {shift_reg[2:0], serial_in}; // Shift left and input new bit serial_out <= shift_reg[3]; // Output the last bit end end endmodule </pre>	<pre> module SISO_tb; // Inputs reg serial_in; reg clk; reg reset; // Output wire serial_out; // Instantiate the Unit Under Test (UUT) SISO uut (.serial_in(serial_in), .clk(clk), .reset(reset), .serial_out(serial_out)); // Clock generation initial begin clk = 0; forever #5 clk = ~clk; // Generate a clock with 10ns period end // Test stimulus initial begin // Initialize inputs serial_in = 0; reset = 0; // Apply reset #2 reset = 1; // Assert reset #10 reset = 0; // Deassert reset // Test case: Shift in a series of bits #10 serial_in = 1; // Shift in 1 #10 serial_in = 0; // Shift in 0 #10 serial_in = 1; // Shift in 1 #10 serial_in = 1; // Shift in 1 // Wait and observe #40 \$finish; </pre>
--	--


```

end

// Monitor changes
initial begin
$monitor("Time=%0t | reset=%b |
serial_in=%b | shift_reg=%b | serial_out=%b",
$time, reset, serial_in,
uut.shift_reg, serial_out);
end
endmodule

```

Siso



PIPO



LAB 7:

<pre> Main:ring counter module RingCounter(input clk, input reset, output reg [3:0] q); always @ (posedge clk or posedge reset) begin if (reset) q <= 4'b0001; // Reset to initial state else q <= {q[2:0], q[3]}; // Shift left and wrap around end endmodule testbench:ring counter `timescale 1ns / 1ps module ring_counter_tb; reg clk; reg reset; wire [3:0] q; // Instantiate the RingCounter module ring_counter uut (.clk(clk), .reset(reset), .q(q)); // Clock generation initial begin clk = 0; forever #5 clk = ~clk; // Generate a clock with a period of 10 ns end // Test sequence </pre>	<pre> testbench: module tb_SyncCounter; reg clk; reg reset; wire [1:0] q; // Instantiate the SyncCounter module SyncCounter uut (.clk(clk), .reset(reset), .q(q)); // Clock generation initial begin clk = 0; forever #5 clk = ~clk; // 10 time units period end // Test sequence initial begin \$monitor(\$time, " Reset=%b, Q=%b", reset, q); reset = 1; #10; // Apply reset reset = 0; #50; // Run for a few cycles reset = 1; #10; // Apply reset again reset = 0; #30; // Run for a few more cycles \$stop; end endmodule </pre>
--	---

```

initial begin
// Initialize simulation
$display("Starting simulation...");

// Apply reset
reset = 1;
#10; // Hold reset high for 10 ns
$display("Time: %0t, Reset applied,
Q: %b", $time, q);

// Release reset and observe ring
counter
reset = 0;
#50; // Run simulation for 50 ns
$display("Time: %0t, Reset released,
Q after 50 ns: %b", $time, q);

// Apply reset again to verify reset
functionality
reset = 1;
#10;
$display("Time: %0t, Reset applied
again, Q: %b", $time, q);

reset = 0;
#30;
$display("Time: %0t, Final Q after
additional 30 ns: %b", $time, q);

// End simulation
$display("Ending simulation...");
$stop;
end
endmodule
main:
sync:counter
module sync_counter(
    input clk,
    input reset,
    output reg [1:0] q
);
    always @(posedge clk or posedge
reset) begin


```

```


if (reset)
q <= 2'b00; // Reset to 0
else
q <= q + 1; // Increment counter
end
endmodule

```

Ring counter



Sync counter



LAB 8:

```

Main:
`timescale 1ns / 1ps
///////////////////////////////
/////
// Company:
// Engineer:
//
// Create Date: 07.11.2024 15:58:05
// Design Name: ALU

```

```

Test bench:
`timescale 1ns / 1ps
///////////////////////////////
/////
// Company:
// Engineer:
//
// Create Date: 07.11.2024
// Design Name: ALU Testbench

```

```

// Module Name: ALU
// Project Name:
// Target Devices:
// Tool Versions:
// Description: 4-bit ALU with 16 operations
//
// Dependencies:
//
// Revision:
// Revision 0.01 - File Created
// Additional Comments:
//
///////////////////////////////
///////
module ALU(
    input wire [3:0] A,
    input wire [3:0] B,
    input wire [3:0] S,
    output reg [3:0] x
);

    always @(*) begin

        case (S)
        4'b0000: x = A;
        4'b0001: x = ~A;
        4'b0010: x = A | B;
        4'b0011: x = A & B;
        4'b0100: x = A ^ B;
        4'b0101: x = ~(A | B);
        4'b0110: x = ~(A & B);
        4'b0111: x = ~(A ^ B);
        4'b1000: x = A + B;
    end

```

```

// Module Name: ALU_tb
// Project Name:
// Target Devices:
// Tool Versions:
// Description: Testbench for 4-bit ALU with 16
operations
//
///////////////////////////////
///////
module ALU_tb;
    // Testbench registers and wires
    reg [3:0] A;
    reg [3:0] B;
    reg [3:0] S;
    wire [3:0] x;

    ALU uut (
        .A(A),
        .B(B),
        .S(S),
        .x(x)
    );

    initial begin
        A = 4'b0011; B = 4'b0001;
        S = 4'b0000; #10;
        S = 4'b0001; #10;
        S = 4'b0010; #10;
        S = 4'b0011; #10;
        S = 4'b0100; #10;
        S = 4'b0101; #10;
        S = 4'b0110; #10;
        S = 4'b0111; #10;
        S = 4'b1000; #10;
        S = 4'b1001; #10;
        S = 4'b1010; #10;
    end

```

```

4'b1001: x = A - B;
4'b1010: x = A * B;
4'b1011: x = (B != 0) ? (A / B) :
4'b0000;
4'b1100: x = (A > B) ? 4'b0001 :
4'b0000;
4'b1101: x = A ** B;
4'b1110: x = A >> B;
4'b1111: x = A << B;
default: x = 4'b0000;
endcase
end
endmodule

```

```

S = 4'b1011; #10;
S = 4'b1100; #10;
S = 4'b1110; #10;
S = 4'b1111; #10;

$finish;
end
endmodule

```




Lab 9:

<p>Main:</p> <pre> module cyclic_lamp(clock, light); input clock; output reg [2:0] light; //light is a vector parameter s0=2'b00, s1=2'b01, s2=2'b10; // parameter declaration as constant \ parameter RED=3'b100, GREEN=3'b010, YELLOW=3'b001; reg[1:0] state=s0; //state as two bit variable reg[27:0] count=0; reg clock_out; // always@(posedge clock) // begin // count<=count+1; // if (count==100000000) // begin count<=0; // clock_out=~clock_out; // end // end initial begin state = s0; light = RED; clock_out = 0; end always@(posedge clock) case (state) s0: state<=s1; s1: state<=s2; s2: state<=s0; default: state<=s0; endcase always@(state) case(state) </pre>	<p>Testbench:</p> <pre> `timescale 1ns / 1ps module tb_cyclic_lamp; // Inputs reg clock; // Outputs wire [2:0] light; // Instantiate the Unit Under Test (UUT) cyclic_lamp uut (.clock(clock), .light(light)); // Clock generation initial begin clock = 0; forever #5 clock = ~clock; // Generate a clock signal with a period of 10 ns end // Testbench process initial begin // Display header \$display("Time\tClock\tLight"); // Monitor the changes in outputs \$monitor("%4d\t%b\t%b", \$time, clock, light); // Simulation run for 100 clock cycles #1000; \$finish; end endmodule </pre>
---	---

```

s0: light=RED;
s1: light=GREEN;
s2: light=YELLOW;
default light=RED;
endcase
endmodule

```



LAB 10:

```

Main:
Ocla:
`timescale 1ns / 1ps
///////////////////////////////
/////
// Company:
// Engineer:
//
// Create Date: 21.11.2024 15:43:15
// Design Name:
// Module Name: OCLA
// Project Name:
// Target Devices:
// Tool Versions:
// Description:
//
// Dependencies:
//
// Revision:
// Revision 0.01 - File Created
// Additional Comments:

```

```

Testbench;
`timescale 1ns/1ps

module OCLA_tb;
    // Testbench signals
    reg [3:0] A, B;
    reg Cin;
    wire [3:0] Sum;
    wire Cout;

    // Instantiate the CLA module
    OCLA cla_inst (
        .A(A),
        .B(B),
        .Cin(Cin),
        .Sum(Sum),
        .Cout(Cout)
    );

    // Helper task to display test results
    task display_test;

```

<pre> // ////////// ////// module OCLA (input [3:0] A, input [3:0] B, input Cin, output [3:0] Sum, output Cout); wire [3:0] G, P, C; assign G = A & B; // Generate assign P = A ^ B; // Propagate assign C[0] = Cin; assign C[1] = G[0] (P[0] & Cin); assign C[2] = G[1] (P[1] & G[0]) (P[1]&P[0]&Cin); assign C[3] = G[2] (P[2] & G[1]) (P[2]&P[1]&G[0]) (P[2]&P[1]&P[0]&Cin); assign Cout = G[3] (P[3] & G[2]) (P[3] & G[2] & P[2]) (P[3]&P[2]&P[1]&G[0]) (P[3]&P[2]&P[1]&P[0]&Cin); assign Sum = P ^ C; endmodule </pre>	<pre> input [3:0] exp_sum; input exp_cout; begin #5; // Wait for combinational logic to settle if ({Cout, Sum} === {exp_cout, exp_sum}) begin \$display("PASS: A=%h, B=%h, Cin=%b Sum=%h, Cout=%b", A, B, Cin, Sum, Cout); end else begin \$display("FAIL: A=%h, B=%h, Cin=%b Expected: Sum=%h, Cout=%b Got: Sum=%h, Cout=%b", A, B, Cin, exp_sum, exp_cout, Sum, Cout); end end endtask // Test stimulus initial begin // Initialize inputs A = 0; B = 0; Cin = 0; #10; // Test Case 1: Basic addition without carry A = 4'h3; B = 4'h4; Cin = 0; display_test(4'h7, 0); // Test Case 2: Addition with input carry A = 4'h3; B = 4'h4; Cin = 1; display_test(4'h8, 0); // Test Case 3: Addition causing output carry A = 4'h8; B = 4'h9; Cin = 0; display_test(4'h1, 1); // Test Case 4: Maximum value test A = 4'hF; B = 4'hF; Cin = 1; </pre>
--	--

```
display_test(4'hF, 1);

// Test Case 5: Zero value test
A = 4'h0; B = 4'h0; Cin = 0;
display_test(4'h0, 0);

// Test Case 6: Random test cases
A = 4'h6; B = 4'h7; Cin = 1;
display_test(4'hE, 0);

A = 4'hA; B = 4'h5; Cin = 0;
display_test(4'hF, 0);

// Test Case 7: Alternating bits
A = 4'hA; B = 4'h5; Cin = 1;
display_test(4'h0, 1);

// Test Case 8: One operand zero
A = 4'h0; B = 4'hF; Cin = 0;
display_test(4'hF, 0);

// End simulation
#10;
$display("Simulation completed");
$finish;
end

// Optional: Generate VCD file for
waveform viewing
initial begin
$dumpfile("cla_test.vcd");
$dumpvars(0, OCLA_tb);
end

endmodule
```

The timing diagram illustrates the state of four variables over time. The horizontal axis represents time, divided into 16 slots. The vertical axis lists the variables:

- A[3:0]**: Shows binary values 0, 1, 0, 1, 0, 0.
- B[3:0]**: Shows binary values f, 1, 1, 1, 0, 1.
- Cin**: Shows binary values 0, 0, 1, 1, 1, 0.
- Su...0**: Shows binary values f, 1, 1, 1, 1, 0.
- Cout**: Shows binary values Z, 0, 0, 0, 0, 0.

Key observations from the diagram:

- A[3:0]** and **B[3:0]** both have a value of 0 at the first slot.
- Cin** has a value of 0 at the first slot and 1 at the second slot.
- Su...0** has a value of f at the first slot and 1 at the second slot.
- Cout** is labeled as **Z** at the first slot, indicating it is the initial state.
- At the 16th slot, **Cout** is 0, and **A[3:0]**, **B[3:0]**, and **Su...0** are all 0.

Role of Social Media in Religious Discourse and Spiritual Communities



Mohmed Husain Pasheriya | Noyonika Mukherjee

Professor Dr. Barnali Chetia

Course: HS201

Date: 17th November, 2024

ACKNOWLEDGEMENT

I would like to thank Professor Dr. Barnali Chetia for her mentorship and encouragement during my study about the role of social media in religious communities. Her advice and experience in media studies greatly helped in shaping our research. The helpful feedback and willingness to engage in discussions really broadened my understanding of the topic.

I am also grateful to Ms. Dharti Sharma, our teaching assistant, for her assistance during this study. She was always ready to help students when required, which is truly appreciated.

Furthermore, I wish to acknowledge all the researchers, scholars, and authors who have worked in the domain of media and religion and whose works have been the foundation of this study. Their ideas motivated me to pursue this subject even more and shaped the way I conducted the research.

I would also like to thank my friends and colleagues who supported me during the time of research. Their suggestions made me more meticulous towards my ideas and brought in a totally different aspect towards the concerned topic.

Last but not the least, I extend my appreciation to all the 145 respondents who took part in the survey for this study. Every example of their experience and opinion about this material was constructive insight and data input to my study. Without them, this term paper could never be accomplished.

DECLARATION

We, Mohamed Husain Pasheriya and Noyonika Mukherjee, declare that the research paper entitled "The Role of Social Media in Religious Discourse and Spiritual Communities" in partial fulfilment of the HS102 End of Semester Project assigned by Professor Barnali Chetia, is entirely of our own making. Our hypothesis with regard to the same is: *"Exposure to diverse religious opinions on social media challenges and reshapes an individual's traditional beliefs."* To carry out an appropriate investigation of the subject at hand, a thorough study, analysis, and documentation has been conducted.

All the sources of data that have been used in this research study are duly attributed and cited. All the information provided in this paper has been presented with the utmost care for its reliability and accuracy. In addition, all the passages containing information from other sources as well as all the paraphrases and short quotations contain appropriate acknowledgments.

We sign below to attest to the validity of our work and to remark that the contents of this research paper are true to the best of our knowledge.

Mohamed Husain Pasheriya (20235166)

Noyonika Mukherjee (202351167)

Date: 17th November, 2024

ABSTRACT

Social networking sites have turned into spaces where users engage in religious and spiritual conversations while having access to different spiritual communities. This study investigates the impact of social networking sites on religious discussions, with a growing number of users introducing and sharing different practices, and forming expansive online friendships. Such platforms initiate debates which question established beliefs, often making people revise their ideologies and allowing everyone to engage with a variety of faiths and religious practices.

This study evaluates how exposure to a vast range of religious beliefs may act as a counteractive effect on one's pre-existing beliefs. Although it is an accepted fact that social media could aid in compressing the distance between different groups, creating more inclusive and tolerant individuals, and fostering understanding; social media can also lead to confusion and doubt for the users.

The analysis looks at people's interaction with aspects of religion in social networks by means of both e-survey data and offline interviews. It investigates what happens when the members of different faiths attempt to communicate scientifically, virtual or otherwise, with the concepts of civilization in general and community in particular. There is also the provision of analysis and discussions concerning the approach and use of social media to teach marginalized religions.

Nevertheless, the section of the paper that deals with such conversations outlines the difficulties that social media is known to cause. It has been known to worsen situations through the introduction of radical opinions and falsehoods understood by a majority, leading to cognitive dissonance and even disintegration of certain societies, especially in severe cases where religion is a factor. The speed of information diffusion, especially negative aspects and deceit, is irritating as it destroys the prospect of understanding in religion.

In the end, this study seeks to understand a very contemporary problem - the religious conversation in the internet era.

Keywords: **social networking sites, religious discussions, spiritual communities, established beliefs, cognitive dissonance, information diffusion.**

Table of Contents

Acknowledgment	2
Declaration	3
Abstract	4
Table of Contents	5
List of Figures and Tables	6
List of Abbreviations	7
Glossary	8
Chapter - I	
▪ Introduction	9
▪ Chapterisation	12
Chapter - II	
▪ Literature Review	13
Chapter - III	
▪ Data Analysis	18
○ Methodology	
○ Variables	
▪ Analysis-I: Online Survey	22
▪ Analysis-II: Offline Survey	34
Chapter - IV	
▪ Conclusion	37
Works Cited	38
Appendices	
i. Appendix-I: Online Survey Questionnaire	40
ii. Appendix-II: Offline Survey Questionnaire	45
iii. Appendix-III: Sample of Answers	46

List of Figures and Tables

- Fig. 1 – Demographics Pie Charts
 - 1.a – Gender
 - 1.b – Age
 - 1.c – Religious background
- Fig. 2 – Social Media’s Role
 - 2.a – Question 1
 - 2.b – Question 2
 - 2.c – Question 3
 - 2.d – Question 4
 - 2.e – Question 5
 - 2.f – Question 6
 - 2.g – Question 7
- Fig. 3 – Conclusive Pie Chart

List of Abbreviations

- Fig. – Figure
- AI – Artificial Intelligence
- Tech – Technology
- Dr. – Doctor
- IG – Instagram

Glossary

Polarization – Division of groups or people into completely different and opposing parties

Algorithmic Bias - Systematic and repeatable errors that create unfair outcomes

Cognitive Dissonance – The psychological discomfort one experiences when interacting with someone with conflicting beliefs

Commodification – The process of turning something non-physical but holding some value, like ideas, into a product that can be bought and sold

Chapter – 1

Introduction

In contemporary society, social media has clearly become a game changer for how people access ideas, societies and beliefs. In particular, such media has made it possible for the end users to communicate and engage with any religious or spiritual users across the globe almost instantaneously. This has allowed people to show how different religions are practiced, share ideas and engage in conversations about faith across continents.

On one hand, social networks carry enormous potential to close the barriers and enable engagement between the subjects, while on the other, they raise alarming questions regarding interreligious communication. The exposure to innumerable diverging beliefs and attitudes has raised questions to all religious dogmas and in certain cases caused individuals to transform their personal beliefs and values. Besides, social media is correlated with understanding psychology, and therefore balances the good effects with effects such as false media, propaganda of radical views and the contradiction found by some users in the information concerning religions.

The aim of the research referred to in this study is to explore how the discussions of religion change on social media and what the users of social networks whose are involved in spirituality experience. The results of these interactions will also help us understand the positive impact of social media but also understand the dangers that arise from it.

Focus

This paper aims to discuss the significant role played by social media regarding religious discussions and spiritual communities by exploring how these encourage divergent belief sharing, deconstruction of traditional beliefs, and inclusiveness, thus having a two-edged sword effect on such interactions.

Importance

Understanding how social media influences religious discourse and spiritual communities is a matter of great importance in this interconnected world today. This research addresses a pressing need to analyze the implications of these new platforms within society in regards to faith and belief. Accordingly, this study can inform how social media will allow for approaches to inclusiveness and understanding while working to mitigate the risks presented by misinformation and radicalization. The findings of this study could equally be of value to policymakers, religious leaders, and the internet corporations themselves, based on insights that promote healthier conversations about faith in digital spaces.

Objective of Research

This lays a solid foundation to highlight the many dimensions of social media in shaping religious discourse and impact on spiritual communities; which happens to be the anchor point of this research project. This research provides a critical analysis of the missing pieces in the assessment _ and indeed social structures of the contemporary and historical ethnic psychology. This study will offer meaningful insight in the ways in which social media can be utilized as a tool for promoting tolerance and understanding without the accompanying danger of misinformation and radicalization. And now having that picture, one can see how those very groups are exhausted with fighting with existing faith communities, architects of radicalism, healthy policy, and social network gatekeepers.

Background and Context

This research goes over in detail possible approaches strategies methods dimensions programs schemes and the ways these things affect religious discourse and impact spiritual communities. Presently, this study focuses on how much religion social media may include passive acceptance if not active participation, propagate and share traditional orthodoxy. The study will also explore how these similar sites help in the fostering of contrarian ideologies, wrong information as well as the users' conflicting thoughts. The study also aims to investigate: the composition of virtual spiritual communities, the nature and patterns of interactions within such communities, and as a result how such assessments would they fit

into the idea of social media civicness without it became a dream version of cyberspace but rather striving for realistic adjustment of that modern technical tool.

Research Problem/Hypothesis

Social media has emerged as a significant arena for religious discourse, offering unparalleled access to diverse spiritual practices and ideas. However, this democratization of religious conversations is accompanied by challenges such as the amplification of extreme views and the spread of misinformation. This research examines how these dual dynamics affect individuals and communities, focusing on the evolving role of social media in shaping faith and belief systems.

Our hypothesis is: *Exposure to diverse religious opinions on social media challenges and reshapes an individual's traditional beliefs.*

Chapterisation

Chapter 2 of this research paper focuses on how social media influences the religious conversation and the communities surrounding it. It notes important works and country-wide examples that investigate the relationship between religiosity, social media, and communities. This section gives a brief overview of the topic and figure out the missing parts, which this study seeks to fill.

Chapter 3 is divided into two sections:

- This part deals with the methods used in the process of data collection. Data was collected online by using Google Forms and interviewing people and professionals about media and religion.
- The second section analyzes the data collected, focusing on the impact of exposure to diverse religious opinions on participants' beliefs, attitudes, and behaviours.

Chapter 4 summarizes the research findings and provides conclusions based on the analysis. It discusses the limitations of the study, such as sample diversity and methodological constraints, and suggests directions for future research, including more extensive cross-cultural studies and deeper investigations into social media's role in shaping religious discourse.

Chapter - 2

Literature Review

Identification of Sources

1. International Academic Studies:

- i. "The Vitality of New Media and Religion: Communicative Perspectives, Practices, and Changing Authority in Spiritual Organization" by Cheong, P. H. (2016):
This research seeks to examine the effects of digital platforms on spiritual communication, since new means of interaction are being established and older forms of power relations in the realm of religion are being threatened. Cheong stresses that religious communities use new media for members' mobilization, for network building, and to negotiate power relations. It provides a global perspective on how technology impacts spiritual practices and influences the organization of faith-based groups.
- ii. "New Religions in Global Perspective" by Clarke, P. B. (2004):
Clarke examines the diffusion of newer religious movements within the global arena and focuses on the influence of the media in these trends. It outlines methods through which digital tools enable new religious movements to reach wider audiences while changing traditional religious landscapes. Clarke's work further details the significant role the media has played in advancing globalization trends, especially religious movements.
- iii. "Exploring the Impact of Social Media on the Religious and Spiritual Beliefs of Emerging Adults" by Ehlebracht, M. (n.d.):
This study investigates how social media influences the religious and spiritual beliefs of young adults, focusing on the transitional life phase known as "emerging adulthood." It outlines and incorporates the contradictory applications of social media for both the persistence of orthodoxy and the contending new beliefs into the growing self-definition of younger age groups.

- iv. "The Mediatization of Religion: Theorising Religion, Media, and Social Change" by Hjarvard, S. (2011):
Hjarvard introduces a conceptualization of the process of religion mediatization and considers media as an agent of social change. The research provides an account on the influence of media technology on the practice, rituals and beliefs of religion, thereby altering the aspects of religion and its practice in contemporary society which is media rich.
- v. "Social Media as a Platform for Instigating and Waging War" by Ijlsi (2024):
This study assesses social media's role in the context of religious wars and contemporary globalism, stressing the two trends: its use for promoting oneself and one's groups and for waging violence. This analysis shows how such internet communication magnifies radical ideas and promotes drastic actions and modifies the people's minds about particular religions during their clashes.
- vi. "Faith and Facebook in a Pluralistic Age" by McClure, P. K. (2016):
McClure analyzes how social networking site 'Facebook' encourages religious activities and bringing people together even in societies that are very diverse. The author points to the argument of the changing scope of religious networks in the social media age showing how this has allowed people to bring together different religions in an effective manner and even live in such societies without fears of violent ethnic confrontations in the modern world.
- vii. "Religion and Social Media: Communication Strategies by the Spanish Episcopal Conference" by Baraybar-Fernández, A., Arrufat-Martín, S., & Rubira-García, R. (2020):
This research analyzes the communication strategies employed by the Spanish Episcopal Conference on social media. The study reveals how religious organizations strategically utilize digital platforms to engage followers, disseminate messages, and address societal issues, providing a model for digital religious communication.
- viii. "Religion, Popular Culture, and Social Media: The Construction of a Religious Leader Image on Facebook" by Coman, I. A., & Coman, M. (2017):
The authors Coman and Coman examine how clergy perform on social networking sites by combining religious images and popular culture. This research contributes to

the knowledge on the dynamics of religious leaders in the age of social media, where members of the clergy get to preach as well as perform.

2. National Academic Studies

- i. "The Impact of Social Media on Religious Tolerance in India: A Case Study on the Digital Discourse in Religious Conflicts" by Ozukum, T. (2021):
This study investigates the role of social media in shaping religious tolerance in India, particularly during conflicts. It explores how digital platforms are the reason behind the spread of different narratives that influence the general public.
- ii. "Social Media's Role in the Changing Religious Landscape of Contemporary Bangkok" by Agarwal, R., & Jones, W. J. (2022):
This study is geographically limited to Bangkok but shares the core argument made in the analysis of India, in that it is impossible to avoid the effects of the internet on the way people practice their religion in cities. This reemphasizes a similar point made elsewhere about religious practices in the cities – the old practices fuse seamlessly with the new, modern technologies.
- iii. "The Many (Inter)faces of Religious Politics: An Analysis of Social Media Amid Religious and Political Conflict in India" (2024):
This article explores and analyses Indian social media in the light of religion and politics. Focusing upon the digital ecology, it examines how such conflicts are managed, expanded politically, and constructed within the narratives.
- iv. "Social Media Fake News in India" by Al-Zaman, M. S. (2021):
This article examines the spread of religious fake news in India, focusing on its impact on societal harmony. The study highlights how misinformation campaigns exploit religious sensitivities, exacerbating tensions and fueling conflicts.
- v. "Conflict Between Freedom of Expression and Religion in India—A Case Study" by Singh, A. (2018):
This study analyzes the tension between freedom of expression and religious

sentiments in India, emphasizing the role of social media as both a platform for free speech and a site of religious conflict.

- vi. "Digital Divine: Technology Use by Indian Spiritual Sects" by Azhagu Meena, S., et al. (2020):

This study explores how Indian spiritual organizations adopt digital technologies and social media to engage with followers. It highlights the creative and strategic use of these platforms to sustain and expand spiritual practices in a technologically advanced society.

3. Tech Industry Reports:

The reports about the technology industry give a lot of information on social media, technology, and religion. These reports analyze trends, from how a digital user acts to how the future technology will be used in different domains, such as spirituality and religion. For instance, the reports by the major technology companies, including Meta Platforms and Google, often start by stating the increasing role of social media in virtual communities, which encompasses religious groups as well, and the way algorithms shape what users will consume. Customized religious content through the use of artificial intelligence takes center stage in industry insights: apps for the spiritually customized personal life, virtual worship, and scripture analysis through artificial intelligence.

More relevant to the Pew Research Center and other organizations would be the extent to which the digital platform influences, impacts societal values, community engagement, and religious discourse. Such industry reports with their concentration on the metrics of user engagement, strategies of platforms, and technological advancements do a better contextual understanding of how technology mediates religious interaction and reshapes traditional beliefs.

4. Review and Discussion of Sources:

As has been pointed out extensively within academic discourse, social media makes a deep impact as algorithmic biases, misinformation, and echo chambers also shape user engagement with religious content in this era. These dynamics consistently affect interfaith communication; people tend to be absorbed in polarizing narratives while limiting exposure

to diverse perspectives. On the other hand, with the commodification of spiritual discourse, targeted content delivery subtly shapes personal beliefs, raising questions of accountability and transparency. This requires public education and critical involvement in an effort to assist the online discussion of religion in an effective, respectful manner.

5. Conclusion and Recommendation:

From this review of the sources, it can be concluded that social media has various impacts on the individual and the larger society. It is thus crucial that policymakers, industry stakeholders, and individuals take proactive measures toward ensuring digital literacy and placing stricter privacy regulations among other measures that would ensure responsible use of social media. Further research needs to be done on the long-term consequence of using social media to establish control measures over a healthier relationship with social media.

Chapter – 3

Data Analysis

Methodology

Reliability of Sources

1. Primary Data (Google Forms and Offline Interviews): The primary data collected through Google Forms and offline interviews have been relied upon very much in terms of reliability. The survey questions and interview protocols were framed in ways to persuade validity and consistency while collecting data. A sample size of 200+ has ensured diversity within respondents and hence ensures reliability from the findings. Sampling methods and processes of data collection were standardized to avoid possible errors and biases.

2. Secondary data: The sources of secondary data have been scrutinized for reliability, including available academic research and reports from the tech industry. The outputs obtained depend on credible sources that were used in the present study. Data recency has been considered to make sure it is current and relevant for the research questions asked. Subsequently, cross-referencing between secondary data and primary data ensures consistency and reliability in the findings.

Variables Used

Age, Gender, Religious Affiliation, and Use of Social Media: Controlling for all these variables will help determine which demographic factors play a role in people's engrossment in religion online. It looks for any considerable correlation or distinction by establishing patterns of religious discussion among different groups through social media. For example, do age or gender roles play in propelling someone into online religious communities?

Sample Size of over 200: The sample size selected based on statistical considerations was 212 to ensure reliability and generalisation of the findings obtained. In terms of age, gender, and educational background, the sample was heterogeneous, which allowed for comprehensive analysis of the research hypothesis.

Data Collection Procedures

The procedures for collecting both primary and secondary data were planned and conducted in a careful manner to ensure reliability. The questions in the primary data survey were based on established research methodologies and were pre-tested to ensure that they were clear and relevant. The interviews were conducted by trained researchers using standardized protocols to ensure consistency. For secondary data, a systematic approach was followed to identify the sources, and an extraction of data was done based on established guidelines to ensure accuracy.

Data Analysis Techniques

The techniques used in data analysis for this study were selected based on the nature of the data and the nature of the questions under inquiry. For primary data, statistical analysis was considered necessary in order to identify patterns and trends within the data collected. Qualitative data derived from interviews were analyzed through thematic analysis. Secondary data synthesis utilized a systematic review approach in consolidating the evidence from multiple sources.

Reliability of Findings

Overall, the conduct of this study with regards to data collection and analysis is rigorous, supporting the reliability of the findings. Thorough source selection, careful procedures about collecting data, and use of proper techniques while analyzing data account for the reliability of the findings. However, it is worth noting that no study is without limitations, and the findings should be interpreted in the light of its methodology and also any degree of bias.

Regarding our hypothesis -

In this study, we have carefully tested the hypothesis that exposure to diverse religious perspectives on social media challenges and reshapes traditional beliefs. We used a systematic approach to research, consisting of several key components which fit the hypothesis and delivered conclusive findings.

1. **Research Design:** It is a mixed-method approach as a mix of quantitative and qualitative methods were employed. Surveys were used to collect quantitative data about participants' attitudes toward traditional religious beliefs before and after engagement with assorted social media content. Qualitative insight was gathered through in-depth interviews to uncover deeper understandings of the participants' perceptions and experiences.
2. **Data Collection:** In this the survey questionnaire was administered to a sample of 212 participants, and for a portion of the sample, in-depth interviews were held. The survey questions were actually designed to track changes over time in interest, trust, and awareness, while the interviews provided rich, detailed accounts of the experiences and perspectives of participants.
3. **Data Analysis:** Quantitative data obtained from the surveys were analyzed using statistics to identify significant changes in respondents' attitudes before and after watching the documentary. Qualitative interviews were analyzed through thematics to identify common themes and patterns in respondents.
4. **Interpretation of Findings:** Content analysis of both quantitative and qualitative data provided the most comprehensive understanding of how exposure to diverse religious perspectives on social media impacts the beliefs of people in a traditional norm. The results were then interpreted against the hypothesis, namely, belief shifts, openness to alternative perspectives, and reassessment of traditional religious norms.

5. **Google Forms Pie Charts:** Responses to every questionnaire were given in pie charts developed from Google Forms, which were presentations of the spread of responses based on the questions. These charts showed how attitude changes with respect to religious beliefs and practices were fostered by exposure to varied views through social media.
6. **Conclusion and Recommendations:** Based on the analysis, the study concluded that social media significantly challenges and reshapes traditional beliefs by exposing individuals to diverse religious perspectives. We would like to recommend further research that would test these findings on the long-term implications of exposure through such frameworks on religious discourse, community dynamics, and interfaith understanding besides the involvement of algorithms in shaping these interactions.

Our research methodology has therefore been successful in testing the hypothesis and showing a clear connection between the process of research and the hypothesis. Since the methodologies used qualify as a mix of both quantitative and qualitative methods, a comprehensive investigation of research questions has culminated in a holistic conclusion regarding the role social media plays within religious discourse and spiritual communities.

Analysis – I

Online Questionnaire:

Section 1: Demographics

Gender:

212 responses




Fig 3. a

Please select your age group:

212 responses




Fig. 3. b

What is your religion or spiritual affiliation?

212 responses





Fig. 3. C

Section 2: Social Media's Role in Religious Dialogue and Challenges

A) Provides compelling evidence that watching documentaries like "The Social Dilemma" increases interest in social media's societal impact, as hypothesized.

1. Do you take part in discussions/debates on religious topics with friends or others on social media platforms?

212 responses



A significant majority, 54.2% of respondents, reported that they regularly discuss religious issues on social media. This reflects the hypothesis whereby most of them probably have an active engagement in the discussion about religious topics on the platforms. It shows how this is a rich area of religious discourse for the clients, who engage consistently in such discussions.

A smaller percentage, 24.1% of the respondents, said they often engage in religious debates. This gives more credibility to the hypothesis that social media can be a vehicle for intermittent activity, if not regular activity. This suggests that perhaps people could use social media as one of the channels through which they express their religious opinion once such an occasion or topic arises, but religion is something with which they do not generally seek to engage as some form of entertainment or leisure activity.

10.8% stated that they rarely engage in religious posts on social media. This figure is not central to hypothesis concentration, and it still means that a disproportionately large number of users are being underutilized. The reasons would range from personal issues, lack of time, or perhaps lack of much interest in the discussion of religious matters in the virtual world.

A near similar 10.8% of the respondents claimed to never discuss or engage in religious debates on social media. This finding, although outside of the hypothesis, falls in the rate of the population who either feel that social media should not be an appropriate avenue to discuss religion or would rather not be involved in this at all costs.

Generally, the findings suggest that social media plays a major role in religious discourse, with a large percentage frequently or occasionally participating in these discourses. Thus, this expands the view that social media helps bring meaningful participation into religious debates and further deepens the central position of social media as a resource for communities engaging in modern religious conversation.

B) Provides compelling evidence that social media's role in promoting understanding between different religious communities is perceived positively, but not without reservations.

2. Do you believe that social media promotes understanding between different religious communities?
212 responses




Fig. 4.b

The majority of respondents, 51.9%, believe that social media significantly promotes understanding between different religious communities. This goes a long way in supporting the hypothesis that social media can cause interfaith dialogue and therefore promote mutual understanding. The near-unanimous acceptance of the opinion goes to illustrate that people realize how social media has the potential to knock off barriers and create an avenue for religious communities to share viewpoints that would contribute toward harmonious interaction.

18.9% agreed that social media somewhat promotes understanding between different religious communities. In other words, although it might help in the process of getting to know the other, its impact may be perceived as partial or limited, depending on considerations like the form the social media took, the quality of discussion, or kind of information.

However, 14.2% of them believe that social media exacerbates division between religious communities. Though it is not the majority view, this still exemplifies the types of concerns that social media has led to conflict and misunderstandings. Anonymity and ease of spreading disinformation sometimes assist in aggravating relations between groups.

Only 15.1% of the respondents agreed with the view that social media has not contributed to a better understanding between different religious communities. This can be read in the sense that some people do not see value in online interaction or they feel that these kinds of platforms do not contribute meaningfully to religious discourse.

Overall, it would seem that a great number of people believe the social media phenomenon contributes to understanding among religious communities, although there are still some concerns about whether this platform fosters division or not sufficiently encourages meaningful engagement.

C) Provides compelling evidence that misinformation or extremist content related to religion is a significant issue on social media platforms, according to the survey respondents.

3. Have you encountered misinformation or extremist content related to religion on social media?
212 responses




Fig. 4.c

A large proportion, 51.4% of the respondents, reported regularly encountering misinformation or extreme content regarding religion. This is in line with the notion that social media empowers potentially extreme and/or false views, not least in areas such as religion, where sensitive topics are liable to be controversial.

23.6% of the respondents said that they sometimes stumble upon such content. This implies that though misinformation might not be a daily issue for all user interaction, it undoubtedly remains an issue for most listeners. These occasional encounters may draw the attention of the general public to the propaganda being spread in particular areas in cyberspace, such as religious forums or groups in which the content sometimes is not checked.

Only 12.7% said that they rarely stumble on misleading or extremist content related to religion. This might reflect the fact that the problem is not widespread for everyone but always is there, and sometimes users come across misleading or extreme views.

A smaller percentage, 12.3%, claimed never to have seen misleading content or propaganda concerning religion on social networks. Thus, it is likely that for a few users, their experience

with religious material on social media sites would be even more positive or neutral because of less exposure to damaging or misleading information.

However, the results point towards the crucial role disinformation and extremist content on religious issues play on social media since a significantly large number of users (75%) report it at least some of the time. This emphasizes the need for stricter regulation of social media contents and proper engagement with such contents.

D) Supports the hypothesis of social media on understanding and acceptance of different religious perspectives among the respondents.

4. To what extent do you agree with the statement: "Social media has expanded my understanding and acceptance of different religious perspectives."

212 responses




Fig. 4.d

A majority of respondents, 55.2%, believe that they possessed greater understanding by and exposure to other religious perspectives through social media. So, it would seem that, through social media, the road to awareness and inclusion for different religious views is an effective catalyst. That such a large proportion felt very strongly reflects how online venues contribute to a more tolerant and knowledgeable society.

A smaller yet significant portion, 12.3%, agrees with the statement, further reinforcing the positive influence of social media in shaping perceptions about religious diversity. This group

may not be as enthusiastic as the majority, but they indeed recognize that digital engagement can enhance religious understanding.

11.3% said that they are neutral, which may be because they never experienced and/or were not affected by social media enough seriously to impact their religious stance. Neutrality may only be an indicator of difference in people's usage of social media or the kinds of content these people see and encounter.

On the other hand, 9.4% disagreed with the statement, and 11.8% strongly disagreed. Taken together, these groups constitute of those who consider social media to be detrimental in promoting understanding and acceptance of religious views different from one's own. That might be because of having negative experiences, like seeing polarizing or biased content.

Either way, it supports our hypothesis since it indicates a change from the original perspective of the social media user.

E) Highlights the frequency with which respondents engage with religious or spiritual content on social media platforms.

5. How often do you find/engage with religious or spiritual content on social media?
212 responses




Fig. 4.e

A high number of respondents, that is 55.2%, claimed to interact with religious or spiritual content on social media every day. It means that some significant percentage of users actively consume and engage with such content, showing it is relevant and present in their daily lives.

Almost 19.8% of respondents stated that they occasionally experience religious or spiritual content. This is the population group that does not consciously search for such content but which is yet faced with it through their social media usage; therefore, religious or spiritual content still seems to be present and influential at different engagement levels.

The smallest segment of all, 15.1%, said they hardly used the content. Perhaps this was evidence of disinterest or altogether avoiding religious or spiritual conversations on these sites.

Only 9.9% of respondents said that they never interact with religious or spiritual content on social media. This minority also indicates that although some users may deliberately avoid the topics, the prevalence of religious or spiritual material makes it reach most users to at least some extent.

The underpinnings of findings here underscore the immense importance of social media as an enabler for religious and spiritual discourse, since most respondents have been using this platform frequently. That presents a strong demand for such content perhaps with the ability to shape their beliefs and practices.

G) Explores the influence of diverse religious views on social media in prompting self-reflection on personal religious beliefs among respondents.

6. Has exposure to diverse religious views on social media made you question your own religious beliefs?

212 responses




Fig. 5

A majority, 49.5% of respondents self-report how social media exposed them to a variety of religious opinions, and thus made them doubt their own religious beliefs in many instances. That percentage is pretty high, and it definitely means that there's a great contribution of social media towards introspection and re-evaluation of personal views.

Moreover, 17.5% of respondents said they sometimes doubted their beliefs due to such exposure. Such a group represents the highly significant influence of online religious discourse on personal thoughts and beliefs-there is such an impact because it is always periodic.

17.5% of respondents also stated they rarely question their religious beliefs when encountering diverse viewpoints. This indicated that, although the content may provoke interesting thought, this group has convictions which are not significantly challenged by the content.


Finally, 15.6% of the respondents never questioned their religious beliefs through social media exposure. Thus, for a minority, their beliefs are steady and are not swayed by various perspectives propagated through cyberspaces.

Findings suggest that for a large number of users (84.4%), social media content has the capacity for changing their religious belief systems at least a few times. Meanwhile, they still demonstrate a subgroup of the population who are less sensitive to or even resistant toward influence by such contents, and once again highlight the variability of an individual's response to online materials.

H) Explores the influence of diverse religious views on social media on the strength of respondents' personal religious beliefs.

7. Do you believe that exposure to diverse religious opinions on social media has strengthened or weakened your religious beliefs?

212 responses



A large number of the respondents, 58%, believe that exposure to diverse religious views on social media has strengthened their religious beliefs. This is an important figure as it reveals social media as a reinforcing agent that could affirm and even congeal prior convictions when everyone is exposed to a diversity of views.

In fact, 23.1% agreed that their beliefs have been weakened because of this exposure. This is reflective of how social media expositions can be disruptive to personal religious convictions and the viewpoint exposure it provides.

Interestingly, 18.9% said they maintained the same beliefs after interacting with different religious thoughts. This means that for a number of respondents, their beliefs are either robust or do not shift with regard to religious eloquence found online.

The findings indicate that social media functions as a tool both to reaffirm religious belief and more frequently and/or significantly as a factor to question or even weaken them, underlining the broad and multifaceted impact of social media on individual beliefs.


Overall, 81.1% of the respondents have had their spiritual stances strengthening or weakening, thus supporting our hypothesis that exposure to social media results in a change in their original beliefs.

Section 3: Conclusion

A) Strongly supports the original hypothesis of the influence of social media on shaping respondents' views about religious tolerance.

8. Finally, to what extent do you agree with the statement: "Social media has had a lasting impact on my views about religious tolerance."

212 responses



More than half the users undoubtedly agreed that social media has brought upon changes in views related to religious tolerance. This big proportion puts across the powerful role of social media in availing avenues through which people could discuss religion and even maybe increase understanding and acceptance of diverse religious perspectives.

11.8% answered in the affirmative of the statement and brings out how social media can be used as a tool to forward positive contributions toward tolerance. Putting these two groups together implies that most use social media instrumentally in opinion formation on this question.

However, 12.3% were neutral, meaning that though social media may expose people to differences in opinion, the resultant effect on their perception of religious tolerance is unclear.

Only 11.3% respondents had disagreed with the statement; meaning that for some, either social media has no special influence or possibly even perpetuates pre-existing attitudes regarding religious tolerance. However, this constitutes of the minority.

The findings indicate social media plays a significant role in shaping attitudes toward religious tolerance for the majority of users but also show that a part of society appears to be impervious or even critical of such influence.

Conclusion:

As the online survey is analysed, it becomes clear that social media forms an important vehicle of modern religious discourse and personal expression. Social media are, indeed, found to be a dynamic forum in which people actively communicate on religious matters, with most respondents either fairly often or sometimes taking part. These platforms appear to play an instrumental role for interfaith understanding and acceptance; though the fears of social media's potential for promoting division and misinformation endure.

The findings underpin the double-edged nature of the influence social media exercises over society: while it allows people to understand ideas better and to make their beliefs stronger for many, it contradicts convictions for others. Again, the ubiquitousness and potential for reflection of religious and spiritual content on digital platforms further highlight just how transformative their impact can be on personal faith and collective religious discourse. Still, the spread of misinformation and hate speech here presupposes responsible content moderation and critical engagement by users. In general, social media is a powerful though complex instrument for shaping religious attitudes and developing interfaith relationships in the digital world.

Analysis – II

Offline questionnaire

Interviewer: Thank you for participating in our survey. We're interested in understanding how social media is shaping religious belief, practice, and interfaith understanding. So, let's start with your own experience. Which of the following social media apps do you use to consume content related to your religion?

Interviewee: I mostly look for religious content on either Instagram and YouTube. Sometimes I even scan the threads on Twitter for specific topics.

Interviewer: That's great to hear. In what ways do you feel that social networking services have motivated you to appreciate your religion and its practices more?

Interviewee: Social media has made it easier to access teachings, sermons, and rituals that I never knew about. And by watching videos or reading posts by scholars, I began to appreciate faith.

Interviewer: That's interesting. How many times have you found social media to clarify any misconceptions about your own religion? Take an example from your past experiences.

Interviewee: Yes, I had one point of misunderstanding the historical context of a particular previously practiced ritual in my religion (Sati). One day while browsing on IG, I read one very detailed posting from a scholar, and it cleared up things for me.

It's definitely made me more curious about the societal impacts of social media. I find myself reading more about different subjects and discussing it with friends.

Interviewer: That is amazing. Have you ever seen something on social media that you felt was false about your religion or spirituality? How did that affect you?

Interviewee: Absolutely. I do see many posts spreading false information about a ritual or a value, often made by some individuals trying to spread hate. It is frustrating and sometimes creates confusion, but it also challenges me to verify facts further and look for authentic sources.

Interviewer: And talking of authenticity, how do you differentiate between credible and non-credible content related to your faith online?

Interviewee: I look out for posts from verified scholars, religious leaders or organisations. I cross-check the information with official sources or some of the most trusted religious texts.

Interviewer: Thank you for sharing your insights. Now, let's speak about other religions. Have you ever corrected a stereotype about another religion that you encountered on social media? Have your attitudes or standpoints changed?

Interviewee: If I think about it, I have had corrected several misconceptions in online discussions. Learning directly from people of other faiths has made me more open-minded and respectful towards their beliefs. I learned to discover common values in religion, such as compassion and justice. It's great that they share similar central messages despite how diverse they are with their spirituality.

Interviewer: Thank you for your insights. One last question; in your opinion, do you believe that social media is mainly having a positive or negative influence on people's religions or faiths? Why?

Interviewee: I feel like it's a mix. It's a good thing because it spreads knowledge and creates connections, but it can also be harmful if misinformation or extremist content isn't addressed properly.

Interviewer: Thank you for participating in our survey and giving us your opinions regarding this topic. Your standpoint is really helpful for discussing the impact of social media on religious discourse and mutual understanding among religions.

Conclusion

In conclusion, this study confirmed how social media has a huge impact on religious discourse and spiritual communities, validating our hypothesis. Social media algorithms tend to cause the phenomenon of echo chambers with intense polarizing narratives in their proliferations, limit exposure to diversified views, and make constructive interfaith dialogue impossible. Furthermore, subtle manipulation of personal beliefs with content delivery raises ethical concerns about the manipulation of spiritual interactions. Nonetheless, opportunities for fostering connection and dialogue among diverse religious communities continue to abound in social media.

This scope of this research through transparency, ethical accountability, and public education can minimize the effects of social media on spiritual engagement. Critical media literacy practices and inclusive content moderation strategies create spaces where mutual respect and understanding of religious conversations are fostered. These measures are critical to taking full advantage of the positive potential of social media while acknowledging its challenges.

However, the study is limited by the fast-changing nature of social media technologies and the diversity of user experiences across cultural and religious contexts. Of course, it would be interesting to explore what emerging new platforms and AI-driven technologies do for religious practices and whether belief systems change in the long term as a result of the content exposed on social media. By expanding these dimensions of study, a deeper understanding of how social media interacts with spirituality can be attained which will lead to greater ethical and inclusive online religious groups.

Works Cited

International:

- 1) Cheong, P. H. (2016). The vitality of new media and religion: Communicative perspectives, practices, and changing authority in spiritual organization. *New Media & Society*, 19(1), 25–33.
- 2) Clarke, P. B. (2004). New Religions in Global Perspective. In Routledge eBooks.
- 3) Ehlebracht, M. (n.d.). Exploring the Impact of Social Media on the Religious and Spiritual Beliefs of Emerging Adults. Scholars Commons @ Laurier.
- 4) Hjarvard, S. (2011). The mediatisation of religion: Theorising religion, media and social change. *Scottish Journal of Religious Studies*, 12(2), 119–135.
- 5) Ijlsi. (2024, April 26). 4. Social Media as a Platform for Instigating and Waging War - International Journal of Integrated Law Review. International Journal of Integrated Law Review.
- 6) McClure, P. K. (2016). Faith and Facebook in a Pluralistic Age. *Sociological Perspectives*, 59(4), 818–834.
- 7) Baraybar-Fernández, A., Arrufat-Martín, S., & Rubira-García, R. (2020). Religion and Social Media: Communication Strategies by the Spanish Episcopal Conference. *Religions*, 11(5), 239.
- 8) Coman, I. A., & Coman, M. (2017). Religion, popular culture and social media: the construction of a religious leader image on Facebook. Questa Soft

National

- 1) Ozukum, T. (2021a). The Impact of Social Media on Religious Tolerance in India: A Case Study on the Digital Discourse in Religious Conflicts.
- 2) Agarwal, R., & Jones, W. J. (2022). Social Media's Role in the Changing Religious Landscape of Contemporary Bangkok. *Religions*, 13(5), 421.
- 3) The Many (Inter)faces of Religious Politics: An analysis of social media amid religious and political conflict in India. (2024, February 5).

- 4) Venkatesh, S., Priyanka, M. S., & Hunnaragi, R. (2024). Ayodhya: A study on the Influence of Social Media Marketing on Spiritual Tourism in India. SAMVAD, 28(0), 32.
- 5) Swaminathan, S. (2020, July 31). Losing my Religion: Studying the Dynamics between Religion, Social Media and the Urban Millennials.
- 6) Al-Zaman, M. S. (2021). Social Media Fake News in India. AJPOR, 9(1), 25–47.
- 7) Singh, A. (2018). Conflict between Freedom of Expression and Religion in India—A Case Study. Social Sciences, 7(7), 108.
- 8) Azhagu Meena, S., Microsoft Research India, Bhatia, V., Azim Premji University, Pal, J., & Microsoft Research India. (2020). Digital Divine: Technology use by Indian Spiritual Sects. In Information and Communication Technologies and Development (ICTD '20) (p. 11 pages)

Appendices

Appendix I: Online Survey Questionnaire

10/21/24, 4:06 PM

Role of Social Media in Religious Discourse and Spiritual Communities

Role of Social Media in Religious Discourse and Spiritual Communities

Thank you for participating in this survey. The focus of this research is the effect of social networks on religion and spirituality. We recognize the role of social media in religious discussions today as a very important medium that allows a variety of opinions that at times contradict existing beliefs. Your answers will allow us to assess how looking at different religions on the Internet influences people's outlook and promotes interreligious communication as well as confrontation with fake news and divisions. By filling out the given questionnaire, you will help us learn how the use of social network services in religion and spirituality has been changing over the last few years.

* Indicates required question

Section 1: Demographics and Social Media Usage

1. Full name: *

2. Gender: *

Mark only one oval.

- Male
- Female
- Other
- Prefer not to say

3. Please select your age group: *

Mark only one oval.

- Under 18
- 18-24
- 25-34
- 35-44
- 45-54
- 55-64
- 65 and older

4. What is your religion or spiritual affiliation? *

Mark only one oval.

- Hinduism
- Islam
- Christianity
- Sikhism
- Jainism
- Atheism
- Agnosticism
- Other

Section 2: Social Media's Role in Religious Dialogue and Challenges

5. 1. Do you take part in discussions/debates on religious topics with friends or others on social media platforms? *

Mark only one oval.

- Yes, regularly
- Yes, occasionally
- Rarely
- Never

6. 2. Do you believe that social media promotes understanding between different religious communities? *

Mark only one oval.

- Yes, significantly
- Yes, somewhat
- No, it increases division
- No, it has no impact

7. 3. Have you encountered misinformation or extremist content related to religion on social media? *

Mark only one oval.

- Yes, frequently
- Yes, occasionally
- Rarely
- Never

Section 3: Impact on Personal Beliefs

8. To what extent do you agree with the statement: "Social media has expanded my understanding and acceptance of different religious perspectives." *

Mark only one oval.

- Strongly agree
- Agree
- Neutral
- Disagree
- Strongly disagree

9. How often do you find/engage with religious or spiritual content on social media? *

Mark only one oval.

- Daily
- Occasionally
- Rarely
- Never

10. Has exposure to diverse religious views on social media made you question your own religious beliefs? *

Mark only one oval.

- Yes, frequently
- Yes, occasionally
- Rarely
- Never

11. Do you believe that exposure to diverse religious opinions on social media has strengthened or weakened your religious beliefs? *

Mark only one oval.

- Strengthened
- Weakened
- Neither

12. Finally, to what extent do you agree with the statement: "Social media has had a lasting impact on my views about religious tolerance." *

Mark only one oval.

- Strongly agree
- Agree
- Neutral
- Disagree
- Strongly disagree

This content is neither created nor endorsed by Google.

Google Forms

Appendix II: Offline Survey Questionnaire

Questions Related to the Person's Own Religion:

- 1) Which social media apps do you use to consume content related to your religion?
- 2) In what ways do you think social networking services motivated you to appreciate your religion and its practices more?
- 3) 3. Have you ever found clarity about any misconceptions you had about your own religion through social media? Can you share an example?
- 4) 4. Have you ever seen anything on social media that you believe is false concerning your religion and spirituality? What effect did that have on you, if any?
- 5) 5. How do you differentiate between reliable and unreliable content about your faith on social media?

Questions Related to Other Religions:

- 1) Have you ever met or corrected the stereotypes about the other religions that you have seen previously on social media? Did your attitude or standpoint change?
- 2) What new insights or teachings have you learned about other religions through social media, that are worth mentioning?
- 3) Do you think social media enhances understanding and tolerance among different religions? Why or why not?
- 4) Have you engaged in any online discussions or debates regarding religion with people from different faiths? What was the outcome?

General Questions:

- 1) Do you follow any spiritual leaders (offline/online)? If so, which ones and why?
- 2) In your view, do you think that social media have a good or a bad effect on people's religious beliefs and practices? Give reasons.

Sample Response



Role of Social Media in Religious Discourse and Spiritual Communities

Thank you for participating in this survey. The focus of this research is the effect of social networks on religion and spirituality. Your answers will allow us to assess how looking at different religions on the Internet influences people's outlook and promotes interreligious communication as well as confrontation with fake news and divisions. By filling out the given questionnaire, you will help us learn how the use of social network services in religion and spirituality has been changing over the last few years.

Created by: Noyonika Mukherjee and Mohamed Husain

202351167@iitvadodara.ac.in [Switch account](#)

Not shared

Draft saved

* Indicates required question

Section 1: Demographics and Social Media Usage

Full name: *

Noyonika Mukherjee

Gender: *

- Male
- Female

Please select your age group: *

- Under 18
- 18-24
- 25-34
- 35-44
- 45-54
- 55-64
- 65 and older

What is your religion or spiritual affiliation? *

- Hinduism
- Islam
- Christianity
- Sikhism
- Jainism
- Atheism
- Agnosticism
- Other

Section 2: Social Media's Role in Religious Dialogue and Challenges

1. Do you take part in discussions/debates on religious topics with friends or others on social media platforms? *

- Yes, regularly
- Yes, occasionally
- Rarely
- Never

2. Do you believe that social media promotes understanding between different religious communities? *

- Yes, significantly
- Yes, somewhat
- No, it increases division
- No, it has no impact

3. Have you encountered misinformation or extremist content related to religion on social media? *

- Yes, frequently
- Yes, occasionally
- Rarely
- Never

Section 3: Impact on Personal Beliefs

4. To what extent do you agree with the statement: "Social media has expanded my understanding and acceptance of different religious perspectives." *

- Strongly agree
- Agree
- Neutral
- Disagree
- Strongly disagree

5. How often do you find/engage with religious or spiritual content on social media? *

- Daily
- Occasionally
- Rarely
- Never

6. Has exposure to diverse religious views on social media made you question your own religious beliefs? *

- Yes, frequently
- Yes, occasionally
- Rarely
- Never

7. Do you believe that exposure to diverse religious opinions on social media has * strengthened or weakened your religious beliefs?

- Strengthened
- Weakened
- Neither

8. Finally, to what extent do you agree with the statement: "Social media has had * a lasting impact on my views about religious tolerance."

- Strongly agree
- Agree
- Neutral
- Disagree
- Strongly disagree

Submit

Page 1 of 1

[Clear form](#)

Never submit passwords through Google Forms.

This form was created inside of Indian Institute of Information Technology, Vadodara. [Report Abuse](#)

Google Forms

LAB 1

Main:

```
//NAME = UDAY SINGH ID = 202351150
//NAME = SHIVAM KUMAR ID=202351130
// Logic Gates Module (Structural Model)
module logic_gates(
    input wire A, B,
    output wire AND_out, OR_out, NOT_A_out, NAND_out, NOR_out, XOR_out
);
// AND gate
and u1 (AND_out, A, B);

// OR gate
```

```
or u2 (OR_out, A, B);

// NOT gate (for input A)
not u3 (NOT_A_out, A);

// NAND gate
nand u4 (NAND_out, A, B);

// NOR gate
nor u5 (NOR_out, A, B);

// XOR gate
xor u6 (XOR_out, A, B);

endmodule
```

test bench

```
// Testbench to apply stimulus and check outputs
module testbench;

// Testbench signals
reg A, B;
wire AND_out, OR_out, NOT_A_out, NAND_out, NOR_out, XOR_out;

// Instantiate the logic_gates module (Unit Under Test - UUT)
logic_gates uut (
    .A(A),
    .B(B),
    .AND_out(AND_out),
    .OR_out(OR_out),
    .NOT_A_out(NOT_A_out),
    .NAND_out(NAND_out),
    .NOR_out(NOR_out),
    .XOR_out(XOR_out)
);

// Test stimulus
initial begin

    // Monitor the outputs whenever A or B changes
    $monitor("A=%b, B=%b | AND_out=%b, OR_out=%b, NOT_A_out=%b,
    NAND_out=%b, NOR_out=%b, XOR_out=%b",

```

```
A, B, AND_out, OR_out, NOT_A_out, NAND_out, NOR_out, XOR_out);  
  
// Apply test cases  
A = 0; B = 0; #10; // Test case 1  
A = 0; B = 1; #10; // Test case 2  
A = 1; B = 0; #10; // Test case 3  
A = 1; B = 1; #10; // Test case 4  
  
// Finish the simulation  
$finish;  
end  
  
endmodule
```

Output

```
shivam-kumar@iitanshivamkumar:~/Documents
```

```
shivam-kumar@iitanshivamkumar:~/Documents$ iverilog -o logic_gates_tb.out logic_gates_tb.v
shivam-kumar@iitanshivamkumar:~/Documents$ vvp logic_gates_tb.out
VCD info: dumpfile logic_gates_tb.vcd opened for output.
A=0, B=0 | AND_out=0, OR_out=0, NOT_A_out=1, NAND_out=1, NOR_out=1, XOR_out=0
A=0, B=1 | AND_out=0, OR_out=1, NOT_A_out=1, NAND_out=1, NOR_out=0, XOR_out=1
A=1, B=0 | AND_out=0, OR_out=1, NOT_A_out=0, NAND_out=1, NOR_out=0, XOR_out=1
A=1, B=1 | AND_out=1, OR_out=1, NOT_A_out=0, NAND_out=0, NOR_out=0, XOR_out=0
logic_gates_tb.v:64: $finish called at 40 (1s)
shivam-kumar@iitanshivamkumar:~/Documents$ gtkwave logic_gates_tb.vcd

GTKWave Analyzer v3.3.116 (w)1999-2023 BSI

[0] start time.
[40] end time.
GTKWAVE | Reloading waveform...
[0] start time.
[40] end time.
GTKWAVE | ...waveform reloaded
GTKWAVE | Reloading waveform...
[0] start time.
[40] end time.
GTKWAVE | ...waveform reloaded
GTKWAVE | Unsupported dumpfile type for rtlbrowse.
```



Lab2

Main:

```
// Logic Gates Using Behavioral Model

module logic_gates_behavioral(
    input wire A, B,
    output wire NOT_A_NAND, AND_NAND, OR_NAND, XOR_NAND,
    XNOR_NAND, NOR_NAND, NAND_NAND,
    output wire NOT_A_NOR, AND_NOR, OR_NOR, XOR_NOR, XNOR_NOR,
    NAND_NOR
);
```

```
// *** Behavioral Model for Gates Using NAND ***
```

```
// NOT using NAND
```

```
assign NOT_A_NAND = ~A;
```

```
// AND using NAND
```

```
assign AND_NAND = A & B;
```

```
// OR using NAND
```

```
assign OR_NAND = A | B;
```

```
// XOR using NAND
```

```
assign XOR_NAND = A ^ B;
```

```
// XNOR using NAND
```

```
assign XNOR_NAND = ~(A ^ B);

// NOR using NAND (Behavioral implementation of NOR using NAND gates
logic)
assign NOR_NAND = ~(A | B);

// NAND gate itself (already implemented by NAND gate)
assign NAND_NAND = ~(A & B);

// *** Behavioral Model for Gates Using NOR ***
// NOT using NOR
assign NOT_A_NOR = ~A;

// AND using NOR (Behavioral implementation of AND using NOR gates logic)
assign AND_NOR = A & B;

// OR using NOR
assign OR_NOR = A | B;

// XOR using NOR
assign XOR_NOR = A ^ B;

// XNOR using NOR
assign XNOR_NOR = ~(A ^ B);
```

```
// NAND using NOR (Behavioral implementation of NAND using NOR gates
logic)
assign NAND_NOR = ~(A & B);

endmodule
```

testbench:

```
// Testbench to check outputs with VCD generation

module testbench;

// Testbench signals
reg A, B;

wire NOT_A_NAND, AND_NAND, OR_NAND, XOR_NAND, XNOR_NAND, NOR_NAND,
NAND_NAND;

wire NOT_A_NOR, AND_NOR, OR_NOR, XOR_NOR, XNOR_NOR, NAND_NOR;

// Instantiate the logic_gates_behavioral module
logic_gates_behavioral uut (
    .A(A), .B(B),
    .NOT_A_NAND(NOT_A_NAND), .AND_NAND(AND_NAND), .OR_NAND(OR_NAND),
    .XOR_NAND(XOR_NAND), .XNOR_NAND(XNOR_NAND), .NOR_NAND(NOR_NAND),
    .NAND_NAND(NAND_NAND),
    .NOT_A_NOR(NOT_A_NOR), .AND_NOR(AND_NOR), .OR_NOR(OR_NOR),
    .XOR_NOR(XOR_NOR), .XNOR_NOR(XNOR_NOR), .NAND_NOR(NAND_NOR)
);

// Test stimulus
initial begin
    // Create a VCD file
    $dumpfile("logic_gates_behavioral_tb.vcd"); // VCD file name
    $dumpvars(0, testbench); // Dump variables from the testbench module

    // Monitor the outputs
    $monitor("A=%b, B=%b | NOT_A_NAND=%b, AND_NAND=%b, OR_NAND=%b,
    XOR_NAND=%b, XNOR_NAND=%b, NOR_NAND=%b, NAND_NAND=%b | NOT_A_NOR=%b,
    AND_NOR=%b, OR_NOR=%b, XOR_NOR=%b, XNOR_NOR=%b, NAND_NOR=%b",

```

```
A, B, NOT_A_NAND, AND_NAND, OR_NAND, XOR_NAND, XNOR_NAND,  
NOR_NAND, NAND_NAND, NOT_A_NOR, AND_NOR, OR_NOR, XOR_NOR, XNOR_NOR,  
NAND_NOR);
```

```
// Apply test cases
```

```
A = 0; B = 0; #10;
```

```
A = 0; B = 1; #10;
```

```
A = 1; B = 0; #10;
```

```
A = 1; B = 1; #10;
```

```
// Finish the simulation
```

```
$finish;
```

```
end
```

```
endmodule
```

```
//iverilog -o logic_gates_behavioral_tb.out logic_gates_behavioral_tb.v
```

```
//vvp logic_gates_behavioral_tb.out
```

```
//gtkwave logic_gates_behavioral_tb.vcd
```


Output:

```
shivam-kumar@iitanshshivamkumar:~/Documents$ iverilog -o logic_gates_behavioral_tb.out logic_gates_behavioral_tb.v
shivam-kumar@iitanshshivamkumar:~/Documents$ vvp logic_gates_behavioral_tb.out

VCD info: dumpfile logic_gates_behavioral_tb.vcd opened for output.
A=0, B=0 | NOT_A_NAND=1, AND_NAND=0, OR_NAND=0, XOR_NAND=0, XNOR_NAND=1, NOR_NAND=1, NAND_NAND=1 | NOT_A_NOR=1, AND_NOR=0, OR_NOR=0, XOR_NOR=0, XNOR_NOR=1, NOR_NOR=1
A=0, B=1 | NOT_A_NAND=1, AND_NAND=0, OR_NAND=1, XOR_NAND=1, XNOR_NAND=0, NOR_NAND=0, NAND_NAND=1 | NOT_A_NOR=1, AND_NOR=0, OR_NOR=1, XOR_NOR=1, XNOR_NOR=0, NOR_NOR=1
A=1, B=0 | NOT_A_NAND=0, AND_NAND=0, OR_NAND=1, XOR_NAND=1, XNOR_NAND=0, NOR_NAND=0, NAND_NAND=1 | NOT_A_NOR=0, AND_NOR=1, XOR_NOR=1, XNOR_NOR=0, NOR_NOR=1
A=1, B=1 | NOT_A_NAND=0, AND_NAND=1, OR_NAND=1, XOR_NAND=0, XNOR_NAND=1, NOR_NAND=0, NAND_NAND=0 | NOT_A_NOR=0, AND_NOR=1, XOR_NOR=0, XNOR_NOR=1, NOR_NOR=0
logic_gates_behavioral_tb.v:86: $finish called at 40 (1s)
shivam-kumar@iitanshshivamkumar:~/Documents$ gtkwave logic_gates_behavioral_tb.vcd

GTKWave Analyzer v3.3.116 (w)1999-2023 BSI

[0] start time.
[40] end time.
```



Lab 3:

Main:

```
`timescale 1ns / 1ps

///////////////////////////////
/////////////////////////////
// Company:
// Engineer:
//
// Create Date: 19.09.2024 18:07:47
// Design Name:
// Module Name: HALF_ADDER
// Project Name:
// Target Devices:
// Tool Versions:
// Description:
//
// Dependencies:
//
// Revision:
```

```
// Revision 0.01 - File Created  
// Additional Comments:  
  
//  
//////////  
//////////
```

```
// NAME = UDAY SINGH ,ROLL NO = 202351150 ||  
NAME = SHIVAM KUMAR, ROLL NO = 202351130
```

```
module HALF_ADDER(
```

```
    input A,
```

```
    input B,
```

```
    output SUM,
```

```
    output CARRY
```

```
);
```

```
xor(SUM,A,B);
```

```
and(CARRY,A,B);
```

```
endmodule
```

```
testbench:
```

```
// Testbench for Half Adder with VCD for GTKWave
```

```
module testbench;
```

```
// Testbench signals

reg A, B;          // Inputs to the half adder
wire SUM, CARRY;  // Outputs from the half adder

// Instantiate the half_adder module
half_adder uut (
    .A(A),
    .B(B),
    .SUM(SUM),
    .CARRY(CARRY)
);

// Test stimulus
initial begin
    // Open a VCD file for GTKWave
    $dumpfile("half_adder.vcd"); // Specify the name
    of the VCD file
    $dumpvars(0, testbench);    // Dump all variables
    for the module 'testbench'

    // Monitor the inputs and outputs
```

```
$monitor("A=%b, B=%b | SUM=%b, CARRY=%b",
A, B, SUM, CARRY);

// Apply test cases
A = 0; B = 0; #10; // Test case 1: 0 + 0
A = 0; B = 1; #10; // Test case 2: 0 + 1
A = 1; B = 0; #10; // Test case 3: 1 + 0
A = 1; B = 1; #10; // Test case 4: 1 + 1

// Finish the simulation
$finish;

end

endmodule
```

```
//iverilog -o half_adder_tb.out half_adder_tb.v
half_adder.v

//vvp half_adder_tb.out
//gtkwave half_adder.vcd
```

Main_fulladder:

```
// Full Adder module
module full_adder(
    input wire A, // First input
    input wire B, // Second input
    input wire Cin, // Carry-in input
    output wire Sum, // Sum output
    output wire Cout // Carry-out output
);
```

// Intermediate values for half-adders

```
wire Sum1, Carry1, Carry2;
```

// First half adder (A and B)

```
assign Sum1 = A ^ B; // First sum
assign Carry1 = A & B; // First carry
```

// Second half adder (Sum1 and Cin)

```
assign Sum = Sum1 ^ Cin; // Final sum
assign Carry2 = Sum1 & Cin; // Second carry
```

```
// Final carry out  
assign Cout = Carry1 | Carry2;  
  
endmodule
```

```
testbench:  
// Testbench for Full Adder  
module tb_full_adder;  
  
reg A, B, Cin; // Test inputs  
wire Sum, Cout; // Outputs from full adder  
  
// Instantiate the full adder  
full_adder uut (  
    .A(A),  
    .B(B),  
    .Cin(Cin),  
    .Sum(Sum),  
    .Cout(Cout)
```

```
);
```

```
initial begin
```

```
// Create a VCD file for GTKWave
```

```
$dumpfile("full_adder_tb.vcd");
```

```
$dumpvars(0, tb_full_adder);
```

```
// Display the outputs
```

```
$monitor("A=%b B=%b Cin=%b | Sum=%b Cout=%b",  
A, B, Cin, Sum, Cout);
```

```
// Test cases
```

```
A = 0; B = 0; Cin = 0; #10;
```

```
A = 0; B = 1; Cin = 0; #10;
```

```
A = 1; B = 0; Cin = 0; #10;
```

```
A = 1; B = 1; Cin = 0; #10;
```

```
A = 0; B = 0; Cin = 1; #10;
```

```
A = 0; B = 1; Cin = 1; #10;
```

```
A = 1; B = 0; Cin = 1; #10;
```

```
A = 1; B = 1; Cin = 1; #10;
```


```
// End the simulation  
$finish;  
end  
  
endmodule
```

output : half adder


```
shivam-kumar@iitanshivamkumar:~/Documents$ iverilog -o half_adder_tb.out half_adder_tb.v
shivam-kumar@iitanshivamkumar:~/Documents$ vvp half_adder_tb.out
VCD info: dumpfile half_adder.vcd opened for output.
A=0, B=0 | SUM=0, CARRY=0
A=0, B=1 | SUM=1, CARRY=0
A=1, B=0 | SUM=1, CARRY=0
A=1, B=1 | SUM=0, CARRY=1
half_adder_tb.v:46: $finish called at 40 (1s)
shivam-kumar@iitanshivamkumar:~/Documents$ gtkwave half_adder.vcd

GTKWave Analyzer v3.3.116 (w)1999-2023 BSI

[0] start time.
[40] end time.
```



Full adder:



```
shivam-kumar@iitanshivamkumar:~/Documents
```

```
shivam-kumar@iitanshivamkumar:~/Documents
```

```
shivam-kumar@iitanshivamkumar:~/Documents$ iverilog -o full_adder_tb.out full_adder_tb.v
shivam-kumar@iitanshivamkumar:~/Documents$ vvp full_adder_tb.out
VCD info: dumpfile full_adder_tb.vcd opened for output.
A=0 B=0 Cin=0 | Sum=0 Cout=0
A=0 B=1 Cin=0 | Sum=1 Cout=0
A=1 B=0 Cin=0 | Sum=1 Cout=0
A=1 B=1 Cin=0 | Sum=0 Cout=1
A=0 B=0 Cin=1 | Sum=1 Cout=0
A=0 B=1 Cin=1 | Sum=0 Cout=1
A=1 B=0 Cin=1 | Sum=0 Cout=1
A=1 B=1 Cin=1 | Sum=1 Cout=1
full_adder_tb.v:60: $finish called at 80 (1s)
shivam-kumar@iitanshivamkumar:~/Documents$ gtkwave full_adder_tb.vcd

GTKWave Analyzer v3.3.116 (w)1999-2023 BSI

[0] start time.
[80] end time.
```

Lab 4

Main:

Demux:

```
`timescale 1ns / 1ps

//// File: demux_1to8.v

module demux_1to8 (
    input wire i,          // Input
    input wire [2:0] sel,   // 3-bit selection line
    output reg y0,         // Output 0
    output reg y1,
    output reg y2,
    output reg y3,
    output reg y4,
    output reg y5,
    output reg y6,
    output reg y7
);
    always @(*) begin
        y0 = 0;
        y1 = 0;
```

y2 = 0;

y3 = 0;

y4 = 0;

y5 = 0;

y6 = 0;

y7 = 0;

case(sel)

3'b000: y0 = i;

3'b001: y1 = i;

3'b010: y2 = i;

3'b011: y3 = i;

3'b100: y4 = i;

3'b101: y5 = i;

3'b110: y6 = i;

3'b111: y7 = i;

default: ;

endcase

end

endmodule

```
testbench:demux:  
`timescale 1ns / 1ps  
/// File: tb_demux_1to8.v  
module tb_demux_1to8;  
    reg i;  
    reg [2:0] sel;  
    wire y0, y1, y2, y3, y4, y5, y6, y7;  
  
    // Instantiate the DEMUX  
    demux_1to8 uut (  
        .i(i),  
        .sel(sel),  
        .y0(y0), .y1(y1), .y2(y2), .y3(y3),  
        .y4(y4), .y5(y5), .y6(y6), .y7(y7)  
    );  
  
initial begin  
    // Initialize input  
    i = 1;  
    sel = 3'b000; #10;
```

```
    sel = 3'b001; #10;  
    sel = 3'b010; #10;  
    sel = 3'b011; #10;  
    sel = 3'b100; #10;  
    sel = 3'b101; #10;  
    sel = 3'b110; #10;  
    sel = 3'b111; #10;  
    $finish;  
  
end
```

```
initial begin  
    $monitor("sel=%b, y0=%b, y1=%b, y2=%b, y3=%b,  
y4=%b, y5=%b, y6=%b, y7=%b", sel, y0, y1, y2, y3, y4,  
y5, y6, y7);  
end  
endmodule
```

Main:mux:

```
`timescale 1ns / 1ps

// File: mux_8to1.v

module mux_8to1 (
    input wire [2:0] sel, // 3-bit selection line
    input wire i0,      // Input 0
    input wire i1,      // Input 1
    input wire i2,      // Input 2
    input wire i3,      // Input 3
    input wire i4,      // Input 4
    input wire i5,      // Input 5
    input wire i6,      // Input 6
    input wire i7,      // Input 7
    output reg y        // Output
);

always @(*) begin
    case(sel)
        3'b000: y = i0;
        3'b001: y = i1;
        3'b010: y = i2;
```

```
3'b011: y = i3;  
3'b100: y = i4;  
3'b101: y = i5;  
3'b110: y = i6;  
3'b111: y = i7;  
default: y = 1'bx;  
endcase  
end  
endmodule
```

Testbench:mux:

```
`timescale 1ns / 1ps
```

```
/// File: tb_mux_8to1.v
```

```
module tb_mux_8to1;
```

```
    reg [2:0] sel;
```

```
    reg i0, i1, i2, i3, i4, i5, i6, i7;
```

```
    wire y;
```

```
// Instantiate the MUX
```

```
mux_8to1 uut (
```

```
    .sel(sel),
```

```
    .i0(i0), .i1(i1), .i2(i2), .i3(i3),
```

```
    .i4(i4), .i5(i5), .i6(i6), .i7(i7),
```

```
    .y(y)
```

```
);
```

```
initial begin
```

```
    // Initialize inputs
```

```
    {i0, i1, i2, i3, i4, i5, i6, i7} = 8'b10101011;
```


```
    sel = 3'b000; #10;
```

```
    sel = 3'b001; #10;  
    sel = 3'b010; #10;  
    sel = 3'b011; #10;  
    sel = 3'b100; #10;  
    sel = 3'b101; #10;  
    sel = 3'b110; #10;  
    sel = 3'b111; #10;  
    $finish;  
  
end
```


```
initial begin  
    $monitor("sel=%b, y=%b", sel, y);  
end  
endmodule
```

Results:

Demux:



MUX:



LAB 5:

Main:

```
`timescale 1ns / 1ps
```

```
//////////////////////////////
```

```
//////////////////////////////
```

// Company:

// Engineer:

//

// Create Date: 26.09.2024 15:18:17

// Design Name:

// Module Name: LAB5_NAND

// Project Name:

// Target Devices:

// Tool Versions:

// Description:

//

// Dependencies:

//

// Revision:

// Revision 0.01 - File Created

```
// Additional Comments:
```

```
//
```

```
//////////  
//////////
```

```
module LAB5_NAND(
```

```
    input A,
```

```
    input B,
```

```
    input C,
```

```
    output Y,
```

```
    output Z
```

```
);
```

```
wire a1,a2,a3,a4,a5,a6,a7,a8,a9;
```

```
assign a1=~(A&B); // nand one
```

```
assign a2 =~(B&a1); //nand 2
```

```
assign a3= ~(A&a1) ;//nand 3
```

```
assign a4 = ~(a2&a3); //nand 4
```

```
assign a5 =~(a4&C); // nand 5
```

```
assign a6=~(a4&a5) ;//nand 6
```

```
assign a7=~(a5&a1);// nand 7 -> output ->Z
```

```
assign a8=~(C&a5);// nand 8;
```

```
assign a9=~(a6&a8); // nand 9 ->output->Y
```

```
//assigning value to outputs
```

```
assign Z=a7;
```

```
assign Y=a9;
```

```
endmodule
```

testbench:

```
`timescale 1ns / 1ps
```

```
//////////  
//////////
```

```
// Testbench for LAB5_NAND
```

```
//////////  
//////////
```

```
module LAB5_NAND_tb();
```

```
// Inputs
```

```
reg A;
```

```
reg B;
```

```
reg C;
```

```
// Outputs
```

```
wire Y,Z;
```

```
// Instantiate the Unit Under Test (UUT)
```

```
LAB5_NAND uut(A,B,C,Y,Z);
```

initial begin

A = 0; B = 0; C = 0;// Test case 1

#10;

A = 0; B = 0; C = 1; // Test case 2

#10;

A = 0; B = 1; C = 0; // Test case 3

#10;

A = 0; B = 1; C = 1; // Test case 4

#10;

```
A = 1; B = 0; C = 0; // Test case 5
```

```
#10;
```

```
A = 1; B = 0; C = 1; // Test case 6
```

```
#10;
```

```
A = 1; B = 1; C = 0; // Test case 7
```

```
#10;
```

```
A = 1; B = 1; C = 1; // Test case 8
```

```
#10;
```

```
// Finish simulation
```

```
$finish;
```

```
end
```

```
endmodule
```

results:

LAB_6

Main:

LAB 7:

Main:ring counter

```
module RingCounter(
```

```
    input clk,
```

```
    input reset,
```

```
    output reg [3:0] q
```

```
);
```

```
    always @(posedge clk or posedge reset) begin
```

```
        if (reset)
```

```
            q <= 4'b0001; // Reset to initial state
```

```
        else
```

```
            q <= {q[2:0], q[3]}; // Shift left and wrap around
```

```
    end
```

```
endmodule
```

testbench:ring counter

```
`timescale 1ns / 1ps
```

```
module ring_counter_tb;

    reg clk;
    reg reset;
    wire [3:0] q;

    // Instantiate the RingCounter module
    ring_counter uut (
        .clk(clk),
        .reset(reset),
        .q(q)
    );

    // Clock generation
    initial begin
        clk = 0;
        forever #5 clk = ~clk; // Generate a clock with a
        period of 10 ns
    end

    // Test sequence
```

```
initial begin  
    // Initialize simulation  
    $display("Starting simulation...");  
  
    // Apply reset  
    reset = 1;  
    #10; // Hold reset high for 10 ns  
    $display("Time: %0t, Reset applied, Q: %b", $time,  
q);  
  
    // Release reset and observe ring counter  
    reset = 0;  
    #50; // Run simulation for 50 ns  
    $display("Time: %0t, Reset released, Q after 50 ns:  
%b", $time, q);  
  
    // Apply reset again to verify reset functionality  
    reset = 1;  
    #10;  
    $display("Time: %0t, Reset applied again, Q: %b",  
$time, q);
```

```
    reset = 0;  
    #30;  
    $display("Time: %0t, Final Q after additional 30 ns:  
%b", $time, q);  
  
    // End simulation  
    $display("Ending simulation...");  
    $stop;  
end  
endmodule  
main:  
sync:counter  
module sync_counter(  
    input clk,  
    input reset,  
    output reg [1:0] q  
);  
    always @(posedge clk or posedge reset) begin  
        if (reset)
```

```
    q <= 2'b00; // Reset to 0
  else
    q <= q + 1; // Increment counter
  end
endmodule

testbench:
module tb_SyncCounter;
  reg clk;
  reg reset;
  wire [1:0] q;
  // Instantiate the SyncCounter module
  SyncCounter uut (
    .clk(clk),
    .reset(reset),
    .q(q)
  );
  // Clock generation
  initial begin
    clk = 0;
    forever #5 clk = ~clk; // 10 time units period
```

```

end

// Test sequence

initial begin
    $monitor($time, " Reset=%b, Q=%b", reset, q);
    reset = 1; #10; // Apply reset
    reset = 0; #50; // Run for a few cycles
    reset = 1; #10; // Apply reset again
    reset = 0; #30; // Run for a few more cycles
    $stop;
end


endmodule

output:
ring counter

```



Sync counter



LAB 8:

Main:

```
`timescale 1ns / 1ps
```

```
//////////////////////////////  
//////////////////////////////
```

// Company:

// Engineer:

//

// Create Date: 07.11.2024 15:58:05

// Design Name: ALU

// Module Name: ALU

// Project Name:

// Target Devices:

// Tool Versions:

```
// Description: 4-bit ALU with 16 operations
//
// Dependencies:
//
// Revision:
// Revision 0.01 - File Created
// Additional Comments:
//
// /////////////////////////////////
///////////////////////////////
```

```
module ALU(
    input wire [3:0] A,
    input wire [3:0] B,
    input wire [3:0] S,
    output reg [3:0] x
);
```

```
always @(*) begin
```

case (S)

4'b0000: x = A;

4'b0001: x = ~A;

4'b0010: x = A | B;

4'b0011: x = A & B;

4'b0100: x = A ^ B;

4'b0101: x = ~(A | B);

4'b0110: x = ~(A & B);

4'b0111: x = ~(A ^ B);

4'b1000: x = A + B;

4'b1001: x = A - B;

4'b1010: x = A * B;

4'b1011: x = (B != 0) ? (A / B) : 4'b0000;

4'b1100: x = (A > B) ? 4'b0001 : 4'b0000;

4'b1101: x = A ** B;

4'b1110: x = A >> B;

4'b1111: x = A << B;

default: x = 4'b0000;

endcase

end

endmodule

Test bench:

```
`timescale 1ns / 1ps
```

```
//////////////////////////////  
//////////////////////////////
```

```
// Company:
```

```
// Engineer:
```

```
//
```

```
// Create Date: 07.11.2024
```

```
// Design Name: ALU Testbench
```

```
// Module Name: ALU_tb
```

```
// Project Name:
```

```
// Target Devices:
```

```
// Tool Versions:
```

```
// Description: Testbench for 4-bit ALU with 16  
operations
```

```
//
```

```
||||||||||||||||||||||||||||||||||||||||||||||||
```

```
|||||||||||||||||||||
```

```
module ALU_tb;  
  // Testbench registers and wires  
  reg [3:0] A;  
  reg [3:0] B;  
  reg [3:0] S;  
  wire [3:0] x;
```

```
ALU uut (
```

```
  .A(A),
```

```
  .B(B),
```

```
  .S(S),
```

```
  .x(x)
```

```
);
```

```
initial begin
```

A = 4'b0011; B = 4'b0001;

S = 4'b0000; #10;

S = 4'b0001; #10;

S = 4'b0010; #10;

S = 4'b0011; #10;

S = 4'b0100; #10;

S = 4'b0101; #10;

S = 4'b0110; #10;

S = 4'b0111; #10;

S = 4'b1000; #10;

S = 4'b1001; #10;

S = 4'b1010; #10;

S = 4'b1011; #10;


S = 4'b1100; #10;

S = 4'b1110; #10;

S = 4'b1111; #10;

```
$finish;  
end  
endmodule
```

output:



Lab 9:

Main:

```
module cyclic_lamp(clock, light);
    input clock;
    output reg [2:0] light; //light is a vector
    parameter s0=2'b00, s1=2'b01, s2=2'b10; //
    parameter declaration as constant \
        parameter RED=3'b100, GREEN=3'b010,
        YELLOW=3'b001;
    reg[1:0] state=s0; //state as two bit variable
    reg[27:0] count=0;
    reg clock_out;

    // always@( posedge clock )
    // begin
    //     count<=count+1;
```

```
//      if (count==100000000)  
//          begin count<=0;  
//              clock_out=~clock_out;  
//          end  
//      end
```

```
initial begin  
    state = s0;  
    light = RED;  
    clock_out = 0;  
end
```

```
always@(posedge clock )  
    case (state)  
        s0: state<=s1;  
        s1: state<=s2;  
        s2: state<=s0;  
        default: state<=s0;  
    endcase
```

```
always@(state)
  case(state)
    s0: light=RED;
    s1: light=GREEN;
    s2: light=YELLOW;
    default light=RED;
  endcase
endmodule
```

Testbench:

```
`timescale 1ns / 1ps
```

```
module tb_cyclic_lamp;
```

```
// Inputs
```

```
reg clock;
```

```
// Outputs
```

```
wire [2:0] light;
```

```
// Instantiate the Unit Under Test (UUT)
```

```
cyclic_lamp uut (
```

```
.clock(clock),
```

```
.light(light)
);


// Clock generation
initial begin
    clock = 0;
    forever #5 clock = ~clock; // Generate a clock signal
    with a period of 10 ns
end

// Testbench process
initial begin
    // Display header
    $display("Time\tClock\tLight");
    // Monitor the changes in outputs
    $monitor("%4d\t%b\t%b", $time, clock, light);
    // Simulation run for 100 clock cycles
    #1000;
```

```
$finish;  
end
```

```
endmodule
```

Result:



LAB 10:

Main:

Ocla:

```
`timescale 1ns / 1ps
```

```
//////////////////////////////  
//////////////////////////////
```

// Company:

// Engineer:

//

// Create Date: 21.11.2024 15:43:15

// Design Name:

// Module Name: OCLA

// Project Name:

// Target Devices:

// Tool Versions:

```
// Description:  
//  
// Dependencies:  
//  
// Revision:  
// Revision 0.01 - File Created  
// Additional Comments:  
//  
//////////  
//////////
```

```
module OCLA (  
    input [3:0] A,  
    input [3:0] B,  
    input Cin,  
    output [3:0] Sum,  
    output Cout  
);  
    wire [3:0] G, P, C;  
    assign G = A & B;      // Generate
```

```
assign P = A ^ B;      // Propagate
assign C[0] = Cin;
assign C[1] = G[0] | (P[0] & Cin );
assign C[2] = G[1] | (P[1] & G[0]) | (P[1]&P[0]&Cin);
assign C[3] = G[2] | (P[2] & G[1]) | (P[2]&P[1]&G[0])
| (P[2]&P[1]&P[0]&Cin);
assign Cout = G[3] | (P[3] & G[2]) | (P[3] & G[2] &
P[2]) | (P[3]&P[2]&P[1]&G[0]) |
(P[3]&P[2]&P[1]&P[0]&Cin);
assign Sum = P ^ C;
endmodule
```

```
Testbench;
```

```
`timescale 1ns/1ps
```

```
module OCLA_tb;
```

```
    // Testbench signals
```

```
    reg [3:0] A, B;
```

```
    reg Cin;
```

```
    wire [3:0] Sum;
```

```
    wire Cout;
```

```
    // Instantiate the CLA module
```

```
    OCLA cla_inst (
```

```
        .A(A),
```

```
        .B(B),
```

```
.Cin(Cin),  
.Sum(Sum),  
.Cout(Cout)  
);
```

```
// Helper task to display test results  
task display_test;  
    input [3:0] exp_sum;  
    input exp_cout;  
    begin  
        #5; // Wait for combinational logic to settle  
        if ({Cout, Sum} === {exp_cout, exp_sum}) begin  
            $display("PASS: A=%h, B=%h, Cin=%b |  
Sum=%h, Cout=%b", A, B, Cin, Sum, Cout);  
        end else begin  
            $display("FAIL: A=%h, B=%h, Cin=%b |  
Expected: Sum=%h, Cout=%b | Got: Sum=%h,  
Cout=%b",  
A, B, Cin, exp_sum, exp_cout, Sum,  
Cout);  
        end  
    end
```

```
end  
endtask  
  
  
// Test stimulus  
initial begin  
    // Initialize inputs  
    A = 0; B = 0; Cin = 0;  
    #10;  
  
  
    // Test Case 1: Basic addition without carry  
    A = 4'h3; B = 4'h4; Cin = 0;  
    display_test(4'h7, 0);  
  
  
    // Test Case 2: Addition with input carry  
    A = 4'h3; B = 4'h4; Cin = 1;  
    display_test(4'h8, 0);  
  
  
    // Test Case 3: Addition causing output carry  
    A = 4'h8; B = 4'h9; Cin = 0;  
    display_test(4'h1, 1);
```

// Test Case 4: Maximum value test

A = 4'hF; B = 4'hF; Cin = 1;

display_test(4'hF, 1);

// Test Case 5: Zero value test

A = 4'h0; B = 4'h0; Cin = 0;

display_test(4'h0, 0);

// Test Case 6: Random test cases

A = 4'h6; B = 4'h7; Cin = 1;

display_test(4'hE, 0);

A = 4'hA; B = 4'h5; Cin = 0;

display_test(4'hF, 0);

// Test Case 7: Alternating bits

A = 4'hA; B = 4'h5; Cin = 1;

display_test(4'h0, 1);

```
// Test Case 8: One operand zero  
A = 4'h0; B = 4'hF; Cin = 0;  
display_test(4'hF, 0);  
  
// End simulation  
#10;  
$display("Simulation completed");  
$finish;  
end  
  
// Optional: Generate VCD file for waveform viewing  
initial begin  
$dumpfile("cla_test.vcd");  
$dumpvars(0, OCLA_tb);  
end  
  
endmodule
```

Output:

The figure displays a timing diagram for a digital circuit, likely a Full Adder, showing the state of four registers over time. The registers are labeled A[3:0], B[3:0], Cin, and Su[0:0]. The horizontal axis represents time, with major ticks at 0, 3, 6, and 9. The vertical axis represents the bits of each register.

- Register A:** Initial value 0, changing to 3 at time 0, then to 8 at time 3, followed by f at time 6, 0 at time 9, e at time 12, f at time 15, and 0 at time 18.
- Register B:** Initial value f, changing to 4 at time 0, then to 9 at time 3, followed by f at time 6, 0 at time 9, 7 at time 12, 5 at time 15, and f at time 18.
- Cin:** Initial value 0, changing to 1 at time 0, then to 0 at time 3, followed by 1 at time 6, 0 at time 9, 1 at time 12, 0 at time 15, and 1 at time 18.
- Su:** Initial value f, changing to 0 at time 0, then to 7 at time 3, followed by 8 at time 6, 1 at time 9, f at time 12, f at time 15, and 0 at time 18.

The bottom row shows the output Z, which is high (blue) from time 0 to 18.

EC Verilog Code Submission

Mohmed Husain(202351166)

Saksham Singh (202351124)

Vandit Singh (202351155)

LAB 1

<pre>module logic_gates(input wire A, B, output wire AND_out, OR_out, NOT_A_out, NAND_out, NOR_out, XOR_out); // AND gate and u1 (AND_out, A, B); // OR gate or u2 (OR_out, A, B); // NOT gate (for input A) not u3 (NOT_A_out, A); // NAND gate nand u4 (NAND_out, A, B); // NOR gate nor u5 (NOR_out, A, B); // XOR gate xor u6 (XOR_out, A, B);</pre>	<p>Test bench</p> <pre>// Testbench to apply stimulus and check outputs module testbench; // Testbench signals reg A, B; wire AND_out, OR_out, NOT_A_out, NAND_out, NOR_out, XOR_out; // Instantiate the logic_gates module (Unit Under Test - UUT) logic_gates uut (.A(A), .B(B), .AND_out(AND_out), .OR_out(OR_out), .NOT_A_out(NOT_A_out), .NAND_out(NAND_out), .NOR_out(NOR_out), .XOR_out(XOR_out)); // Test stimulus initial begin</pre>
---	--


```
endmodule
```

```
// Monitor the outputs whenever A or
B changes
$monitor("A=%b, B=%b |
AND_out=%b, OR_out=%b, NOT_A_out=%b,
NAND_out=%b, NOR_out=%b,
XOR_out=%b",
A, B, AND_out, OR_out, NOT_A_out,
NAND_out, NOR_out, XOR_out);

// Apply test cases
A = 0; B = 0; #10; // Test case 1
A = 0; B = 1; #10; // Test case 2
A = 1; B = 0; #10; // Test case 3
A = 1; B = 1; #10; // Test case 4

// Finish the simulation
$finish;
end

endmodule
```



Lab2

Main:	testbench:
-------	------------

```

// Logic Gates Using Behavioral Model
module logic_gates_behavioral(
    input wire A, B,
    output wire NOT_A_NAND,
    AND_NAND, OR_NAND, XOR_NAND,
    XNOR_NAND, NOR_NAND, NAND_NAND,
    output wire NOT_A_NOR, AND_NOR,
    OR_NOR, XOR_NOR, XNOR_NOR,
    NAND_NOR
);

    // *** Behavioral Model for Gates
    // Using NAND ***

    // NOT using NAND
    assign NOT_A_NAND = ~A;

    // AND using NAND
    assign AND_NAND = A & B;

    // OR using NAND
    assign OR_NAND = A | B;

    // XOR using NAND
    assign XOR_NAND = A ^ B;

    // XNOR using NAND
    assign XNOR_NAND = ~(A ^ B);

    // NOR using NAND (Behavioral
    // implementation of NOR using NAND gates
    // logic)
    assign NOR_NAND = ~(A | B);

    // NAND gate itself (already
    // implemented by NAND gate)
    assign NAND_NAND = ~(A & B);

    // *** Behavioral Model for Gates
    // Using NOR ***

    // NOT using NOR
    assign NOT_A_NOR = ~A;

```

```

// Testbench to check outputs with VCD
// generation
module testbench;

    // Testbench signals
    reg A, B;
    wire NOT_A_NAND, AND_NAND,
    OR_NAND, XOR_NAND, XNOR_NAND,
    NOR_NAND, NAND_NAND;
    wire NOT_A_NOR, AND_NOR,
    OR_NOR, XOR_NOR, XNOR_NOR,
    NAND_NOR;

    // Instantiate the
    logic_gates_behavioral module
    logic_gates_behavioral uut (
        .A(A), .B(B),
        .NOT_A_NAND(NOT_A_NAND),
        .AND_NAND(AND_NAND),
        .OR_NAND(OR_NAND),
        .XOR_NAND(XOR_NAND),
        .XNOR_NAND(XNOR_NAND),
        .NOR_NAND(NOR_NAND),
        .NAND_NAND(NAND_NAND),
        .NOT_A_NOR(NOT_A_NOR),
        .AND_NOR(AND_NOR),
        .OR_NOR(OR_NOR),
        .XOR_NOR(XOR_NOR),
        .XNOR_NOR(XNOR_NOR),
        .NAND_NOR(NAND_NOR)
    );

    // Test stimulus
    initial begin
        // Create a VCD file
        $dumpfile("logic_gates_behavioral_tb.vcd"); // // VCD file name
        $dumpvars(0, testbench); // Dump variables from the testbench module

        // Monitor the outputs

```

<pre> // AND using NOR (Behavioral implementation of AND using NOR gates logic) assign AND_NOR = A & B; // OR using NOR assign OR_NOR = A B; // XOR using NOR assign XOR_NOR = A ^ B; // XNOR using NOR assign XNOR_NOR = ~(A ^ B); // NAND using NOR (Behavioral implementation of NAND using NOR gates logic) assign NAND_NOR = ~(A & B); endmodule </pre>	<pre> \$monitor("A=%b, B=%b NOT_A_NAND=%b, AND_NAND=%b, OR_NAND=%b, XOR_NAND=%b, XNOR_NAND=%b, NOR_NAND=%b, NAND_NAND=%b NOT_A_NOR=%b, AND_NOR=%b, OR_NOR=%b, XOR_NOR=%b, XNOR_NOR=%b, NAND_NOR=%b", A, B, NOT_A_NAND, AND_NAND, OR_NAND, XOR_NAND, XNOR_NAND, NOR_NAND, NAND_NAND, NOT_A_NOR, AND_NOR, OR_NOR, XOR_NOR, XNOR_NOR, NAND_NOR); // Apply test cases A = 0; B = 0; #10; A = 0; B = 1; #10; A = 1; B = 0; #10; A = 1; B = 1; #10; // Finish the simulation \$finish; end endmodule //iverilog -o logic_gates_behavioral_tb.out logic_gates_behavioral_tb.v //vvp logic_gates_behavioral_tb.out //gtkwave logic_gates_behavioral_tb.vcd </pre>
---	---

Name	Value	0.000 ns	5.000 ns	10.000 ns	15.000 ns	20.000 ns	25.000 ns	30.000 ns	35.000 ns
!A	1								
!B	1								
NOT_A_NAND	0								
AND_NAND	1								
OR_NAND	1				0				
XOR_NAND	0								
XNOR_NAND	1								
NOR_NAND	0								
NAND_NAND	0								
NOT_A_NOR	0								
AND_NOR	1								
OR_NOR	1								
XOR_NOR	0								
XNOR_NOR	1								
NAND_NOR	0								

Lab 3:

<pre>Main: `timescale 1ns / 1ps /////////////////////////////// //// // Company: // Engineer: // // Create Date: 19.09.2024 18:07:47 // Design Name: // Module Name: HALF_ADDER // Project Name: // Target Devices: // Tool Versions: // Description: // // Dependencies: // // Revision: // Revision 0.01 - File Created // Additional Comments: //</pre>	<pre>testbench: // Testbench for Full Adder module tb_full_adder; reg A, B, Cin; // Test inputs wire Sum, Cout; // Outputs from full adder // Instantiate the full adder full_adder uut (.A(A), .B(B), .Cin(Cin), .Sum(Sum), .Cout(Cout)); initial begin // Create a VCD file for GTKWave \$dumpfile("full_adder_tb.vcd"); \$dumpvars(0, tb_full_adder); // Display the outputs \$monitor("A=%b B=%b Cin=%b Sum=%b Cout=%b", A, B, Cin, Sum, Cout);</pre>
--	--

```

///////////
///////
module HALF_ADDER(
    input A,
    input B,
    output SUM,
    output CARRY
);
    xor(SUM,A,B);
    and(CARRY,A,B);
endmodule
testbench:
// Testbench for Half Adder with VCD for
GTKWave
module testbench;

    // Testbench signals
    reg A, B;      // Inputs to the half
adder
    wire SUM, CARRY; // Outputs from
the half adder

    // Instantiate the half_adder module
half_adder uut (
    .A(A),
    .B(B),
    .SUM(SUM),
    .CARRY(CARRY)
);

    // Test stimulus
initial begin
    // Open a VCD file for GTKWave
    $dumpfile("half_adder.vcd"); //
Specify the name of the VCD file
    $dumpvars(0, testbench); // Dump
all variables for the module 'testbench'

    // Monitor the inputs and outputs
    $monitor("A=%b, B=%b | SUM=%b,
CARRY=%b", A, B, SUM, CARRY);

    // Apply test cases
    // Test cases
    A = 0; B = 0; Cin = 0; #10;
    A = 0; B = 1; Cin = 0; #10;
    A = 1; B = 0; Cin = 0; #10;
    A = 1; B = 1; Cin = 0; #10;
    A = 0; B = 0; Cin = 1; #10;
    A = 0; B = 1; Cin = 1; #10;
    A = 1; B = 0; Cin = 1; #10;
    A = 1; B = 1; Cin = 1; #10;

    // End the simulation
    $finish;
end

```

```

A = 0; B = 0; #10; // Test case 1: 0 + 0
A = 0; B = 1; #10; // Test case 2: 0 + 1
A = 1; B = 0; #10; // Test case 3: 1 + 0
A = 1; B = 1; #10; // Test case 4: 1 + 1

// Finish the simulation
$finish;
end

endmodule

//iverilog -o half_adder_tb.out half_adder_tb.v
half_adder.v
//vvp half_adder_tb.out
//gtkwave half_adder.vcd
Main_fulladder:
// Full Adder module
module full_adder(
    input wire A, // First input
    input wire B, // Second input
    input wire Cin, // Carry-in input
    output wire Sum, // Sum output
    output wire Cout // Carry-out output
);

// Intermediate values for half-adders
wire Sum1, Carry1, Carry2;

// First half adder (A and B)
assign Sum1 = A ^ B; // First sum
assign Carry1 = A & B; // First carry

// Second half adder (Sum1 and Cin)
assign Sum = Sum1 ^ Cin; // Final sum
assign Carry2 = Sum1 & Cin; // Second carry

// Final carry out
assign Cout = Carry1 | Carry2;

endmodule

```

1 A	1							
1 B	1							
0 SUM	0							
1 CA...	1							

Full adder:

Name	Value	0.000 ns	10.000 ns	20.000 ns	30.000 ns	40.000 ns	50.000 ns	60.000 ns	70.000 ns
1 A	1								
1 B	1								
1 Cin	1								
1 Sum	1								
1 Cout	1								

Lab 4

```
Main:  
Demux:  
'timescale 1ns / 1ps  
/// File: demux_1to8.v  
module demux_1to8 (  
    input wire i,           // Input  
    input wire [2:0] sel,   // 3-bit selection  
line  
    output reg y0,          // Output 0  
    output reg y1,  
    output reg y2,  
    output reg y3,  
    output reg y4,  
    output reg y5,  
    output reg y6,  
    output reg y7  
);  
always @(*) begin  
y0 = 0;  
y1 = 0;  
y2 = 0;  
y3 = 0;  
y4 = 0;  
y5 = 0;  
y6 = 0;  
y7 = 0;
```


```
testbench:demux:  
'timescale 1ns / 1ps  
/// File: tb_demux_1to8.v  
module tb_demux_1to8;  
    reg i;  
    reg [2:0] sel;  
    wire y0, y1, y2, y3, y4, y5, y6, y7;  
  
    // Instantiate the DEMUX  
    demux_1to8 uut (  
        .i(i),  
        .sel(sel),  
        .y0(y0), .y1(y1), .y2(y2), .y3(y3),  
        .y4(y4), .y5(y5), .y6(y6), .y7(y7)  
    );  
  
    initial begin  
        // Initialize input  
        i = 1;  
        sel = 3'b000; #10;  
        sel = 3'b001; #10;  
        sel = 3'b010; #10;  
        sel = 3'b011; #10;  
        sel = 3'b100; #10;  
        sel = 3'b101; #10;  
        sel = 3'b110; #10;  
        sel = 3'b111; #10;  
        $finish;  
    end
```

```

case(sel)
3'b000: y0 = i;
3'b001: y1 = i;
3'b010: y2 = i;
3'b011: y3 = i;
3'b100: y4 = i;
3'b101: y5 = i;
3'b110: y6 = i;
3'b111: y7 = i;
default: ;
endcase
end
endmodule
initial begin
$monitor("sel=%b, y0=%b, y1=%b,
y2=%b, y3=%b, y4=%b, y5=%b, y6=%b,
y7=%b", sel, y0, y1, y2, y3, y4, y5, y6, y7);
end
endmodule

```

Demux:



Main:mux:

```

`timescale 1ns / 1ps
// File: mux_8to1.v
module mux_8to1 (
    input wire [2:0] sel, // 3-bit selection
    line
    input wire i0,         // Input 0

```

Testbench:mux:

```

`timescale 1ns / 1ps
/// File: tb_mux_8to1.v
module tb_mux_8to1;
    reg [2:0] sel;
    reg i0, i1, i2, i3, i4, i5, i6, i7;
    wire y;

```

```

    input wire i1,          // Input 1
    input wire i2,          // Input 2
    input wire i3,          // Input 3
    input wire i4,          // Input 4
    input wire i5,          // Input 5
    input wire i6,          // Input 6
    input wire i7,          // Input 7
    output reg y           // Output

};

always @(*) begin
  case(sel)
    3'b000: y = i0;
    3'b001: y = i1;
    3'b010: y = i2;
    3'b011: y = i3;
    3'b100: y = i4;
    3'b101: y = i5;
    3'b110: y = i6;
    3'b111: y = i7;
    default: y = 1'bx;
  endcase
end

endmodule

```


```
// Instantiate the MUX
mux_8to1 uut (
    .sel(sel),
    .i0(i0), .i1(i1), .i2(i2), .i3(i3),
    .i4(i4), .i5(i5), .i6(i6), .i7(i7),
    .y(y)
);
```

```
initial begin  
    // Initialize inputs  
    {i0, i1, i2, i3, i4, i5, i6, i7} =  
    8'b10101011;
```

```
    sel = 3'b000; #10;
    sel = 3'b001; #10;
    sel = 3'b010; #10;
    sel = 3'b011; #10;
    sel = 3'b100; #10;
    sel = 3'b101; #10;
    sel = 3'b110; #10;
    sel = 3'b111; #10;
    $finish;
end
```

```
initial begin
    $monitor("sel=%b, y=%b", sel, y);
end
endmodule
```


MUX:



LAB 5:

<pre>Main: `timescale 1ns / 1ps ////////// //// // Company: // Engineer: // // Create Date: 26.09.2024 15:18:17 // Design Name: // Module Name: LAB5_NAND // Project Name: // Target Devices: // Tool Versions: // Description: // // Dependencies: // // Revision: // Revision 0.01 - File Created // Additional Comments: // ////////// module LAB5_NAND(input A, input B, input C, output Y, output Z); wire a1,a2,a3,a4,a5,a6,a7,a8,a9; assign a1=~(A&B); // nand one assign a2 =~(B&a1); //nand 2 assign a3= ~(A&a1) ;//nand 3</pre>	<pre>testbench: `timescale 1ns / 1ps ////////// //// // Testbench for LAB5_NAND ////////// //// module LAB5_NAND_tb(); // Inputs reg A; reg B; reg C; // Outputs wire Y,Z; // Instantiate the Unit Under Test (UUT) LAB5_NAND uut(A,B,C,Y,Z); initial begin A = 0; B = 0; C = 0;// Test case 1 #10; A = 0; B = 0; C = 1; // Test case 2 #10; A = 0; B = 1; C = 0; // Test case 3 #10;</pre>
--	---

<pre> assign a4 = ~(a2&a3); //nand 4 assign a5 =~(a4&C); // nand 5 assign a6=~(a4&a5) ;//nand 6 assign a7=~(a5&a1); // nand 7 -> output ->Z assign a8=~(C&a5); // nand 8; assign a9=~(a6&a8); // nand 9 ->output->Y //assigning value to outputs assign Z=a7; assign Y=a9; endmodule </pre>	<pre> A = 0; B = 1; C = 1; // Test case 4 #10; A = 1; B = 0; C = 0; // Test case 5 #10; A = 1; B = 0; C = 1; // Test case 6 #10; A = 1; B = 1; C = 0; // Test case 7 #10; A = 1; B = 1; C = 1; // Test case 8 #10; // Finish simulation \$finish; end </pre>
---	---



<p>Main:</p> <p>Siso:</p> <p>// SISO (Serial In Serial Out) Shift Register module SISO (</p>	<p>Testbench:</p> <p>Siso:</p> <p>`timescale 1ns / 1ps</p>
--	--

<pre> input wire serial_in, // Serial input input wire clk, // Clock input input wire reset, // Asynchronous reset output reg serial_out // Serial output); reg [3:0] shift_reg; // 4-bit shift register always @(posedge clk or posedge reset) begin if (reset) begin shift_reg <= 4'b0000; // Reset shift register to 0 serial_out <= 0; // Reset output to 0 end else begin shift_reg <= {shift_reg[2:0], serial_in}; // Shift left and input new bit serial_out <= shift_reg[3]; // Output the last bit end end endmodule </pre>	<pre> module SISO_tb; // Inputs reg serial_in; reg clk; reg reset; // Output wire serial_out; // Instantiate the Unit Under Test (UUT) SISO uut (.serial_in(serial_in), .clk(clk), .reset(reset), .serial_out(serial_out)); // Clock generation initial begin clk = 0; forever #5 clk = ~clk; // Generate a clock with 10ns period end // Test stimulus initial begin // Initialize inputs serial_in = 0; reset = 0; // Apply reset #2 reset = 1; // Assert reset #10 reset = 0; // Deassert reset // Test case: Shift in a series of bits #10 serial_in = 1; // Shift in 1 #10 serial_in = 0; // Shift in 0 #10 serial_in = 1; // Shift in 1 #10 serial_in = 1; // Shift in 1 // Wait and observe #40 \$finish; </pre>
---	--


```

end

// Monitor changes
initial begin
$monitor("Time=%0t | reset=%b |
serial_in=%b | shift_reg=%b | serial_out=%b",
$time, reset, serial_in,
uut.shift_reg, serial_out);
end
endmodule

```

Siso



PIPO



LAB 7:

<pre> Main:ring counter module RingCounter(input clk, input reset, output reg [3:0] q); always @ (posedge clk or posedge reset) begin if (reset) q <= 4'b0001; // Reset to initial state else q <= {q[2:0], q[3]}; // Shift left and wrap around end endmodule testbench:ring counter `timescale 1ns / 1ps module ring_counter_tb; reg clk; reg reset; wire [3:0] q; // Instantiate the RingCounter module ring_counter uut (.clk(clk), .reset(reset), .q(q)); // Clock generation initial begin clk = 0; forever #5 clk = ~clk; // Generate a clock with a period of 10 ns end // Test sequence </pre>	<pre> testbench: module tb_SyncCounter; reg clk; reg reset; wire [1:0] q; // Instantiate the SyncCounter module SyncCounter uut (.clk(clk), .reset(reset), .q(q)); // Clock generation initial begin clk = 0; forever #5 clk = ~clk; // 10 time units period end // Test sequence initial begin \$monitor(\$time, " Reset=%b, Q=%b", reset, q); reset = 1; #10; // Apply reset reset = 0; #50; // Run for a few cycles reset = 1; #10; // Apply reset again reset = 0; #30; // Run for a few more cycles \$stop; end endmodule </pre>
--	---

```

initial begin
// Initialize simulation
$display("Starting simulation...");

// Apply reset
reset = 1;
#10; // Hold reset high for 10 ns
$display("Time: %0t, Reset applied,
Q: %b", $time, q);

// Release reset and observe ring
counter
reset = 0;
#50; // Run simulation for 50 ns
$display("Time: %0t, Reset released,
Q after 50 ns: %b", $time, q);

// Apply reset again to verify reset
functionality
reset = 1;
#10;
$display("Time: %0t, Reset applied
again, Q: %b", $time, q);

reset = 0;
#30;
$display("Time: %0t, Final Q after
additional 30 ns: %b", $time, q);

// End simulation
$display("Ending simulation...");
```

\$stop;

end

endmodule

main:

sync:counter

```


module sync_counter(
    input clk,
    input reset,
    output reg [1:0] q
);
    always @(posedge clk or posedge
reset) begin
```

```


if (reset)
q <= 2'b00; // Reset to 0
else
q <= q + 1; // Increment counter
end
endmodule

```

Ring counter



Sync counter



LAB 8:

```

Main:
`timescale 1ns / 1ps
/////////////////////////////
///////
// Company:
// Engineer:
//
// Create Date: 07.11.2024 15:58:05
// Design Name: ALU

```

```

Test bench:
`timescale 1ns / 1ps
/////////////////////////////
///////
// Company:
// Engineer:
//
// Create Date: 07.11.2024
// Design Name: ALU Testbench

```

```

// Module Name: ALU
// Project Name:
// Target Devices:
// Tool Versions:
// Description: 4-bit ALU with 16 operations
//
// Dependencies:
//
// Revision:
// Revision 0.01 - File Created
// Additional Comments:
//
///////////////////////////////
///////
module ALU(
    input wire [3:0] A,
    input wire [3:0] B,
    input wire [3:0] S,
    output reg [3:0] x
);

    always @(*) begin

        case (S)
        4'b0000: x = A;
        4'b0001: x = ~A;
        4'b0010: x = A | B;
        4'b0011: x = A & B;
        4'b0100: x = A ^ B;
        4'b0101: x = ~(A | B);
        4'b0110: x = ~(A & B);
        4'b0111: x = ~(A ^ B);
        4'b1000: x = A + B;
    end

```

```

// Module Name: ALU_tb
// Project Name:
// Target Devices:
// Tool Versions:
// Description: Testbench for 4-bit ALU with 16
operations
//
///////////////////////////////
///////
module ALU_tb;
    // Testbench registers and wires
    reg [3:0] A;
    reg [3:0] B;
    reg [3:0] S;
    wire [3:0] x;

    ALU uut (
        .A(A),
        .B(B),
        .S(S),
        .x(x)
    );

    initial begin
        A = 4'b0011; B = 4'b0001;
        S = 4'b0000; #10;
        S = 4'b0001; #10;
        S = 4'b0010; #10;
        S = 4'b0011; #10;
        S = 4'b0100; #10;
        S = 4'b0101; #10;
        S = 4'b0110; #10;
        S = 4'b0111; #10;
        S = 4'b1000; #10;
        S = 4'b1001; #10;
        S = 4'b1010; #10;
    end

```

```

4'b1001: x = A - B;
4'b1010: x = A * B;
4'b1011: x = (B != 0) ? (A / B) :
4'b0000;
4'b1100: x = (A > B) ? 4'b0001 :
4'b0000;
4'b1101: x = A ** B;
4'b1110: x = A >> B;
4'b1111: x = A << B;
default: x = 4'b0000;
endcase
end
endmodule

```

```

S = 4'b1011; #10;
S = 4'b1100; #10;
S = 4'b1110; #10;
S = 4'b1111; #10;

$finish;
end
endmodule

```




Lab 9:

<p>Main:</p> <pre> module cyclic_lamp(clock, light); input clock; output reg [2:0] light; //light is a vector parameter s0=2'b00, s1=2'b01, s2=2'b10; // parameter declaration as constant \ parameter RED=3'b100, GREEN=3'b010, YELLOW=3'b001; reg[1:0] state=s0; //state as two bit variable reg[27:0] count=0; reg clock_out; // always@(posedge clock) // begin // count<=count+1; // if (count==100000000) // begin count<=0; // clock_out=~clock_out; // end // end initial begin state = s0; light = RED; clock_out = 0; end always@(posedge clock) case (state) s0: state<=s1; s1: state<=s2; s2: state<=s0; default: state<=s0; endcase always@(state) case(state) </pre>	<p>Testbench:</p> <pre> `timescale 1ns / 1ps module tb_cyclic_lamp; // Inputs reg clock; // Outputs wire [2:0] light; // Instantiate the Unit Under Test (UUT) cyclic_lamp uut (.clock(clock), .light(light)); // Clock generation initial begin clock = 0; forever #5 clock = ~clock; // Generate a clock signal with a period of 10 ns end // Testbench process initial begin // Display header \$display("Time\tClock\tLight"); // Monitor the changes in outputs \$monitor("%4d\t%b\t%b", \$time, clock, light); // Simulation run for 100 clock cycles #1000; \$finish; end endmodule </pre>
---	---

```

s0: light=RED;
s1: light=GREEN;
s2: light=YELLOW;
default light=RED;
endcase
endmodule

```



LAB 10:

```

Main:
Ocla:
`timescale 1ns / 1ps
///////////////////////////////
/////
// Company:
// Engineer:
//
// Create Date: 21.11.2024 15:43:15
// Design Name:
// Module Name: OCLA
// Project Name:
// Target Devices:
// Tool Versions:
// Description:
//
// Dependencies:
//
// Revision:
// Revision 0.01 - File Created
// Additional Comments:

```

```

Testbench;
`timescale 1ns/1ps

module OCLA_tb;
    // Testbench signals
    reg [3:0] A, B;
    reg Cin;
    wire [3:0] Sum;
    wire Cout;

    // Instantiate the CLA module
    OCLA cla_inst (
        .A(A),
        .B(B),
        .Cin(Cin),
        .Sum(Sum),
        .Cout(Cout)
    );

    // Helper task to display test results
    task display_test;

```

<pre> // ////////// ////// module OCLA (input [3:0] A, input [3:0] B, input Cin, output [3:0] Sum, output Cout); wire [3:0] G, P, C; assign G = A & B; // Generate assign P = A ^ B; // Propagate assign C[0] = Cin; assign C[1] = G[0] (P[0] & Cin); assign C[2] = G[1] (P[1] & G[0]) (P[1]&P[0]&Cin); assign C[3] = G[2] (P[2] & G[1]) (P[2]&P[1]&G[0]) (P[2]&P[1]&P[0]&Cin); assign Cout = G[3] (P[3] & G[2]) (P[3] & G[2] & P[2]) (P[3]&P[2]&P[1]&G[0]) (P[3]&P[2]&P[1]&P[0]&Cin); assign Sum = P ^ C; endmodule </pre>	<pre> input [3:0] exp_sum; input exp_cout; begin #5; // Wait for combinational logic to settle if ({Cout, Sum} === {exp_cout, exp_sum}) begin \$display("PASS: A=%h, B=%h, Cin=%b Sum=%h, Cout=%b", A, B, Cin, Sum, Cout); end else begin \$display("FAIL: A=%h, B=%h, Cin=%b Expected: Sum=%h, Cout=%b Got: Sum=%h, Cout=%b", A, B, Cin, exp_sum, exp_cout, Sum, Cout); end end endtask // Test stimulus initial begin // Initialize inputs A = 0; B = 0; Cin = 0; #10; // Test Case 1: Basic addition without carry A = 4'h3; B = 4'h4; Cin = 0; display_test(4'h7, 0); // Test Case 2: Addition with input carry A = 4'h3; B = 4'h4; Cin = 1; display_test(4'h8, 0); // Test Case 3: Addition causing output carry A = 4'h8; B = 4'h9; Cin = 0; display_test(4'h1, 1); // Test Case 4: Maximum value test A = 4'hF; B = 4'hF; Cin = 1; </pre>
--	--

```
display_test(4'hF, 1);

// Test Case 5: Zero value test
A = 4'h0; B = 4'h0; Cin = 0;
display_test(4'h0, 0);

// Test Case 6: Random test cases
A = 4'h6; B = 4'h7; Cin = 1;
display_test(4'hE, 0);

A = 4'hA; B = 4'h5; Cin = 0;
display_test(4'hF, 0);

// Test Case 7: Alternating bits
A = 4'hA; B = 4'h5; Cin = 1;
display_test(4'h0, 1);

// Test Case 8: One operand zero
A = 4'h0; B = 4'hF; Cin = 0;
display_test(4'hF, 0);

// End simulation
#10;
$display("Simulation completed");
$finish;
end

// Optional: Generate VCD file for
waveform viewing
initial begin
$dumpfile("cla_test.vcd");
$dumpvars(0, OCLA_tb);
end

endmodule
```

The figure displays a timing diagram with 10 horizontal time slots. The vertical axis lists five signals: A[3:0], B[3:0], Cin, Su...0, and Cout. The first four signals have 4-bit widths, while Cout has a width of 1.

- A[3:0]**: The most significant bit (A[3]) is high for the first 4 cycles, then low for the next 6. Subsequent bits (A[2:0]) show a repeating pattern of high-low-low-high across all cycles.
- B[3:0]**: The most significant bit (B[3]) is high for the first 3 cycles, then low for the next 7. Subsequent bits (B[2:0]) show a repeating pattern of high-low-low-high across all cycles.
- Cin**: This signal is high for the first 5 cycles and low for the next 5.
- Su...0**: This signal is high for the first 3 cycles and low for the next 7.
- Cout**: The output is high for the first cycle, then low for the next 9 cycles.

Role of Social Media in Religious Discourse and Spiritual Communities



Mohmed Husain Pasheriya | Noyonika Mukherjee

Professor Dr. Barnali Chetia

Course: HS201

Date: 17th November, 2024

ACKNOWLEDGEMENT

I would like to thank Professor Dr. Barnali Chetia for her mentorship and encouragement during my study about the role of social media in religious communities. Her advice and experience in media studies greatly helped in shaping our research. The helpful feedback and willingness to engage in discussions really broadened my understanding of the topic.

I am also grateful to Ms. Dharti Sharma, our teaching assistant, for her assistance during this study. She was always ready to help students when required, which is truly appreciated.

Furthermore, I wish to acknowledge all the researchers, scholars, and authors who have worked in the domain of media and religion and whose works have been the foundation of this study. Their ideas motivated me to pursue this subject even more and shaped the way I conducted the research.

I would also like to thank my friends and colleagues who supported me during the time of research. Their suggestions made me more meticulous towards my ideas and brought in a totally different aspect towards the concerned topic.

Last but not the least, I extend my appreciation to all the 145 respondents who took part in the survey for this study. Every example of their experience and opinion about this material was constructive insight and data input to my study. Without them, this term paper could never be accomplished.

DECLARATION

We, Mohamed Husain Pasheriya and Noyonika Mukherjee, declare that the research paper entitled "The Role of Social Media in Religious Discourse and Spiritual Communities" in partial fulfilment of the HS102 End of Semester Project assigned by Professor Barnali Chetia, is entirely of our own making. Our hypothesis with regard to the same is: *"Exposure to diverse religious opinions on social media challenges and reshapes an individual's traditional beliefs."* To carry out an appropriate investigation of the subject at hand, a thorough study, analysis, and documentation has been conducted.

All the sources of data that have been used in this research study are duly attributed and cited. All the information provided in this paper has been presented with the utmost care for its reliability and accuracy. In addition, all the passages containing information from other sources as well as all the paraphrases and short quotations contain appropriate acknowledgments.

We sign below to attest to the validity of our work and to remark that the contents of this research paper are true to the best of our knowledge.

Mohamed Husain Pasheriya (20235166)

Noyonika Mukherjee (202351167)

Date: 17th November, 2024

ABSTRACT

Social networking sites have turned into spaces where users engage in religious and spiritual conversations while having access to different spiritual communities. This study investigates the impact of social networking sites on religious discussions, with a growing number of users introducing and sharing different practices, and forming expansive online friendships. Such platforms initiate debates which question established beliefs, often making people revise their ideologies and allowing everyone to engage with a variety of faiths and religious practices.

This study evaluates how exposure to a vast range of religious beliefs may act as a counteractive effect on one's pre-existing beliefs. Although it is an accepted fact that social media could aid in compressing the distance between different groups, creating more inclusive and tolerant individuals, and fostering understanding; social media can also lead to confusion and doubt for the users.

The analysis looks at people's interaction with aspects of religion in social networks by means of both e-survey data and offline interviews. It investigates what happens when the members of different faiths attempt to communicate scientifically, virtual or otherwise, with the concepts of civilization in general and community in particular. There is also the provision of analysis and discussions concerning the approach and use of social media to teach marginalized religions.

Nevertheless, the section of the paper that deals with such conversations outlines the difficulties that social media is known to cause. It has been known to worsen situations through the introduction of radical opinions and falsehoods understood by a majority, leading to cognitive dissonance and even disintegration of certain societies, especially in severe cases where religion is a factor. The speed of information diffusion, especially negative aspects and deceit, is irritating as it destroys the prospect of understanding in religion.

In the end, this study seeks to understand a very contemporary problem - the religious conversation in the internet era.

Keywords: **social networking sites, religious discussions, spiritual communities, established beliefs, cognitive dissonance, information diffusion.**

Table of Contents

Acknowledgment	2
Declaration	3
Abstract	4
Table of Contents	5
List of Figures and Tables	6
List of Abbreviations	7
Glossary	8
Chapter - I	
▪ Introduction	9
▪ Chapterisation	12
Chapter - II	
▪ Literature Review	13
Chapter - III	
▪ Data Analysis	18
○ Methodology	
○ Variables	
▪ Analysis-I: Online Survey	22
▪ Analysis-II: Offline Survey	34
Chapter - IV	
▪ Conclusion	37
Works Cited	38
Appendices	
i. Appendix-I: Online Survey Questionnaire	40
ii. Appendix-II: Offline Survey Questionnaire	45
iii. Appendix-III: Sample of Answers	46

List of Figures and Tables

- Fig. 1 – Demographics Pie Charts
 - 1.a – Gender
 - 1.b – Age
 - 1.c – Religious background
- Fig. 2 – Social Media’s Role
 - 2.a – Question 1
 - 2.b – Question 2
 - 2.c – Question 3
 - 2.d – Question 4
 - 2.e – Question 5
 - 2.f – Question 6
 - 2.g – Question 7
- Fig. 3 – Conclusive Pie Chart

List of Abbreviations

- Fig. – Figure
- AI – Artificial Intelligence
- Tech – Technology
- Dr. – Doctor
- IG – Instagram

Glossary

Polarization – Division of groups or people into completely different and opposing parties

Algorithmic Bias - Systematic and repeatable errors that create unfair outcomes

Cognitive Dissonance – The psychological discomfort one experiences when interacting with someone with conflicting beliefs

Commodification – The process of turning something non-physical but holding some value, like ideas, into a product that can be bought and sold

Chapter – 1

Introduction

In contemporary society, social media has clearly become a game changer for how people access ideas, societies and beliefs. In particular, such media has made it possible for the end users to communicate and engage with any religious or spiritual users across the globe almost instantaneously. This has allowed people to show how different religions are practiced, share ideas and engage in conversations about faith across continents.

On one hand, social networks carry enormous potential to close the barriers and enable engagement between the subjects, while on the other, they raise alarming questions regarding interreligious communication. The exposure to innumerable diverging beliefs and attitudes has raised questions to all religious dogmas and in certain cases caused individuals to transform their personal beliefs and values. Besides, social media is correlated with understanding psychology, and therefore balances the good effects with effects such as false media, propaganda of radical views and the contradiction found by some users in the information concerning religions.

The aim of the research referred to in this study is to explore how the discussions of religion change on social media and what the users of social networks whose are involved in spirituality experience. The results of these interactions will also help us understand the positive impact of social media but also understand the dangers that arise from it.

Focus

This paper aims to discuss the significant role played by social media regarding religious discussions and spiritual communities by exploring how these encourage divergent belief sharing, deconstruction of traditional beliefs, and inclusiveness, thus having a two-edged sword effect on such interactions.

Importance

Understanding how social media influences religious discourse and spiritual communities is a matter of great importance in this interconnected world today. This research addresses a pressing need to analyze the implications of these new platforms within society in regards to faith and belief. Accordingly, this study can inform how social media will allow for approaches to inclusiveness and understanding while working to mitigate the risks presented by misinformation and radicalization. The findings of this study could equally be of value to policymakers, religious leaders, and the internet corporations themselves, based on insights that promote healthier conversations about faith in digital spaces.

Objective of Research

This lays a solid foundation to highlight the many dimensions of social media in shaping religious discourse and impact on spiritual communities; which happens to be the anchor point of this research project. This research provides a critical analysis of the missing pieces in the assessment _ and indeed social structures of the contemporary and historical ethnic psychology. This study will offer meaningful insight in the ways in which social media can be utilized as a tool for promoting tolerance and understanding without the accompanying danger of misinformation and radicalization. And now having that picture, one can see how those very groups are exhausted with fighting with existing faith communities, architects of radicalism, healthy policy, and social network gatekeepers.

Background and Context

This research goes over in detail possible approaches strategies methods dimensions programs schemes and the ways these things affect religious discourse and impact spiritual communities. Presently, this study focuses on how much religion social media may include passive acceptance if not active participation, propagate and share traditional orthodoxy. The study will also explore how these similar sites help in the fostering of contrarian ideologies, wrong information as well as the users' conflicting thoughts. The study also aims to investigate: the composition of virtual spiritual communities, the nature and patterns of interactions within such communities, and as a result how such assessments would they fit

into the idea of social media civicness without it became a dream version of cyberspace but rather striving for realistic adjustment of that modern technical tool.

Research Problem/Hypothesis

Social media has emerged as a significant arena for religious discourse, offering unparalleled access to diverse spiritual practices and ideas. However, this democratization of religious conversations is accompanied by challenges such as the amplification of extreme views and the spread of misinformation. This research examines how these dual dynamics affect individuals and communities, focusing on the evolving role of social media in shaping faith and belief systems.

Our hypothesis is: *Exposure to diverse religious opinions on social media challenges and reshapes an individual's traditional beliefs.*

Chapterisation

Chapter 2 of this research paper focuses on how social media influences the religious conversation and the communities surrounding it. It notes important works and country-wide examples that investigate the relationship between religiosity, social media, and communities. This section gives a brief overview of the topic and figure out the missing parts, which this study seeks to fill.

Chapter 3 is divided into two sections:

- This part deals with the methods used in the process of data collection. Data was collected online by using Google Forms and interviewing people and professionals about media and religion.
- The second section analyzes the data collected, focusing on the impact of exposure to diverse religious opinions on participants' beliefs, attitudes, and behaviours.

Chapter 4 summarizes the research findings and provides conclusions based on the analysis. It discusses the limitations of the study, such as sample diversity and methodological constraints, and suggests directions for future research, including more extensive cross-cultural studies and deeper investigations into social media's role in shaping religious discourse.

Chapter - 2

Literature Review

Identification of Sources

1. International Academic Studies:

- i. "The Vitality of New Media and Religion: Communicative Perspectives, Practices, and Changing Authority in Spiritual Organization" by Cheong, P. H. (2016): This research seeks to examine the effects of digital platforms on spiritual communication, since new means of interaction are being established and older forms of power relations in the realm of religion are being threatened. Cheong stresses that religious communities use new media for members' mobilization, for network building, and to negotiate power relations. It provides a global perspective on how technology impacts spiritual practices and influences the organization of faith-based groups.

- ii. "New Religions in Global Perspective" by Clarke, P. B. (2004): Clarke examines the diffusion of newer religious movements within the global arena and focuses on the influence of the media in these trends. It outlines methods through which digital tools enable new religious movements to reach wider audiences while changing traditional religious landscapes. Clarke's work further details the significant role the media has played in advancing globalization trends, especially religious movements.

- iii. "Exploring the Impact of Social Media on the Religious and Spiritual Beliefs of Emerging Adults" by Ehlebracht, M. (n.d.): This study investigates how social media influences the religious and spiritual beliefs of young adults, focusing on the transitional life phase known as "emerging adulthood." It outlines and incorporates the contradictory applications of social media for both the persistence of orthodoxy and the contending new beliefs into the growing self-definition of younger age groups.

- iv. "The Mediatization of Religion: Theorising Religion, Media, and Social Change" by Hjarvard, S. (2011):
Hjarvard introduces a conceptualization of the process of religion mediatization and considers media as an agent of social change. The research provides an account on the influence of media technology on the practice, rituals and beliefs of religion, thereby altering the aspects of religion and its practice in contemporary society which is media rich.
- v. "Social Media as a Platform for Instigating and Waging War" by Ijlsi (2024):
This study assesses social media's role in the context of religious wars and contemporary globalism, stressing the two trends: its use for promoting oneself and one's groups and for waging violence. This analysis shows how such internet communication magnifies radical ideas and promotes drastic actions and modifies the people's minds about particular religions during their clashes.
- vi. "Faith and Facebook in a Pluralistic Age" by McClure, P. K. (2016):
McClure analyzes how social networking site 'Facebook' encourages religious activities and bringing people together even in societies that are very diverse. The author points to the argument of the changing scope of religious networks in the social media age showing how this has allowed people to bring together different religions in an effective manner and even live in such societies without fears of violent ethnic confrontations in the modern world.
- vii. "Religion and Social Media: Communication Strategies by the Spanish Episcopal Conference" by Baraybar-Fernández, A., Arrufat-Martín, S., & Rubira-García, R. (2020):
This research analyzes the communication strategies employed by the Spanish Episcopal Conference on social media. The study reveals how religious organizations strategically utilize digital platforms to engage followers, disseminate messages, and address societal issues, providing a model for digital religious communication.
- viii. "Religion, Popular Culture, and Social Media: The Construction of a Religious Leader Image on Facebook" by Coman, I. A., & Coman, M. (2017):
The authors Coman and Coman examine how clergy perform on social networking sites by combining religious images and popular culture. This research contributes to

the knowledge on the dynamics of religious leaders in the age of social media, where members of the clergy get to preach as well as perform.

2. National Academic Studies

- i. "The Impact of Social Media on Religious Tolerance in India: A Case Study on the Digital Discourse in Religious Conflicts" by Ozukum, T. (2021):
This study investigates the role of social media in shaping religious tolerance in India, particularly during conflicts. It explores how digital platforms are the reason behind the spread of different narratives that influence the general public.
- ii. "Social Media's Role in the Changing Religious Landscape of Contemporary Bangkok" by Agarwal, R., & Jones, W. J. (2022):
This study is geographically limited to Bangkok but shares the core argument made in the analysis of India, in that it is impossible to avoid the effects of the internet on the way people practice their religion in cities. This reemphasizes a similar point made elsewhere about religious practices in the cities – the old practices fuse seamlessly with the new, modern technologies.
- iii. "The Many (Inter)faces of Religious Politics: An Analysis of Social Media Amid Religious and Political Conflict in India" (2024):
This article explores and analyses Indian social media in the light of religion and politics. Focusing upon the digital ecology, it examines how such conflicts are managed, expanded politically, and constructed within the narratives.
- iv. "Social Media Fake News in India" by Al-Zaman, M. S. (2021):
This article examines the spread of religious fake news in India, focusing on its impact on societal harmony. The study highlights how misinformation campaigns exploit religious sensitivities, exacerbating tensions and fueling conflicts.
- v. "Conflict Between Freedom of Expression and Religion in India—A Case Study" by Singh, A. (2018):
This study analyzes the tension between freedom of expression and religious

sentiments in India, emphasizing the role of social media as both a platform for free speech and a site of religious conflict.

- vi. "Digital Divine: Technology Use by Indian Spiritual Sects" by Azhagu Meena, S., et al. (2020):

This study explores how Indian spiritual organizations adopt digital technologies and social media to engage with followers. It highlights the creative and strategic use of these platforms to sustain and expand spiritual practices in a technologically advanced society.

3. Tech Industry Reports:

The reports about the technology industry give a lot of information on social media, technology, and religion. These reports analyze trends, from how a digital user acts to how the future technology will be used in different domains, such as spirituality and religion. For instance, the reports by the major technology companies, including Meta Platforms and Google, often start by stating the increasing role of social media in virtual communities, which encompasses religious groups as well, and the way algorithms shape what users will consume. Customized religious content through the use of artificial intelligence takes center stage in industry insights: apps for the spiritually customized personal life, virtual worship, and scripture analysis through artificial intelligence.

More relevant to the Pew Research Center and other organizations would be the extent to which the digital platform influences, impacts societal values, community engagement, and religious discourse. Such industry reports with their concentration on the metrics of user engagement, strategies of platforms, and technological advancements do a better contextual understanding of how technology mediates religious interaction and reshapes traditional beliefs.

4. Review and Discussion of Sources:

As has been pointed out extensively within academic discourse, social media makes a deep impact as algorithmic biases, misinformation, and echo chambers also shape user engagement with religious content in this era. These dynamics consistently affect interfaith communication; people tend to be absorbed in polarizing narratives while limiting exposure

to diverse perspectives. On the other hand, with the commodification of spiritual discourse, targeted content delivery subtly shapes personal beliefs, raising questions of accountability and transparency. This requires public education and critical involvement in an effort to assist the online discussion of religion in an effective, respectful manner.

5. Conclusion and Recommendation:

From this review of the sources, it can be concluded that social media has various impacts on the individual and the larger society. It is thus crucial that policymakers, industry stakeholders, and individuals take proactive measures toward ensuring digital literacy and placing stricter privacy regulations among other measures that would ensure responsible use of social media. Further research needs to be done on the long-term consequence of using social media to establish control measures over a healthier relationship with social media.

Chapter – 3

Data Analysis

Methodology

Reliability of Sources

1. Primary Data (Google Forms and Offline Interviews): The primary data collected through Google Forms and offline interviews have been relied upon very much in terms of reliability. The survey questions and interview protocols were framed in ways to persuade validity and consistency while collecting data. A sample size of 200+ has ensured diversity within respondents and hence ensures reliability from the findings. Sampling methods and processes of data collection were standardized to avoid possible errors and biases.

2. Secondary data: The sources of secondary data have been scrutinized for reliability, including available academic research and reports from the tech industry. The outputs obtained depend on credible sources that were used in the present study. Data recency has been considered to make sure it is current and relevant for the research questions asked. Subsequently, cross-referencing between secondary data and primary data ensures consistency and reliability in the findings.

Variables Used

Age, Gender, Religious Affiliation, and Use of Social Media: Controlling for all these variables will help determine which demographic factors play a role in people's engrossment in religion online. It looks for any considerable correlation or distinction by establishing patterns of religious discussion among different groups through social media. For example, do age or gender roles play in propelling someone into online religious communities?

Sample Size of over 200: The sample size selected based on statistical considerations was 212 to ensure reliability and generalisation of the findings obtained. In terms of age, gender, and educational background, the sample was heterogeneous, which allowed for comprehensive analysis of the research hypothesis.

Data Collection Procedures

The procedures for collecting both primary and secondary data were planned and conducted in a careful manner to ensure reliability. The questions in the primary data survey were based on established research methodologies and were pre-tested to ensure that they were clear and relevant. The interviews were conducted by trained researchers using standardized protocols to ensure consistency. For secondary data, a systematic approach was followed to identify the sources, and an extraction of data was done based on established guidelines to ensure accuracy.

Data Analysis Techniques

The techniques used in data analysis for this study were selected based on the nature of the data and the nature of the questions under inquiry. For primary data, statistical analysis was considered necessary in order to identify patterns and trends within the data collected. Qualitative data derived from interviews were analyzed through thematic analysis. Secondary data synthesis utilized a systematic review approach in consolidating the evidence from multiple sources.

Reliability of Findings

Overall, the conduct of this study with regards to data collection and analysis is rigorous, supporting the reliability of the findings. Thorough source selection, careful procedures about collecting data, and use of proper techniques while analyzing data account for the reliability of the findings. However, it is worth noting that no study is without limitations, and the findings should be interpreted in the light of its methodology and also any degree of bias.

Regarding our hypothesis -

In this study, we have carefully tested the hypothesis that exposure to diverse religious perspectives on social media challenges and reshapes traditional beliefs. We used a systematic approach to research, consisting of several key components which fit the hypothesis and delivered conclusive findings.

1. **Research Design:** It is a mixed-method approach as a mix of quantitative and qualitative methods were employed. Surveys were used to collect quantitative data about participants' attitudes toward traditional religious beliefs before and after engagement with assorted social media content. Qualitative insight was gathered through in-depth interviews to uncover deeper understandings of the participants' perceptions and experiences.
2. **Data Collection:** In this the survey questionnaire was administered to a sample of 212 participants, and for a portion of the sample, in-depth interviews were held. The survey questions were actually designed to track changes over time in interest, trust, and awareness, while the interviews provided rich, detailed accounts of the experiences and perspectives of participants.
3. **Data Analysis:** Quantitative data obtained from the surveys were analyzed using statistics to identify significant changes in respondents' attitudes before and after watching the documentary. Qualitative interviews were analyzed through thematics to identify common themes and patterns in respondents.
4. **Interpretation of Findings:** Content analysis of both quantitative and qualitative data provided the most comprehensive understanding of how exposure to diverse religious perspectives on social media impacts the beliefs of people in a traditional norm. The results were then interpreted against the hypothesis, namely, belief shifts, openness to alternative perspectives, and reassessment of traditional religious norms.

5. **Google Forms Pie Charts:** Responses to every questionnaire were given in pie charts developed from Google Forms, which were presentations of the spread of responses based on the questions. These charts showed how attitude changes with respect to religious beliefs and practices were fostered by exposure to varied views through social media.
6. **Conclusion and Recommendations:** Based on the analysis, the study concluded that social media significantly challenges and reshapes traditional beliefs by exposing individuals to diverse religious perspectives. We would like to recommend further research that would test these findings on the long-term implications of exposure through such frameworks on religious discourse, community dynamics, and interfaith understanding besides the involvement of algorithms in shaping these interactions.

Our research methodology has therefore been successful in testing the hypothesis and showing a clear connection between the process of research and the hypothesis. Since the methodologies used qualify as a mix of both quantitative and qualitative methods, a comprehensive investigation of research questions has culminated in a holistic conclusion regarding the role social media plays within religious discourse and spiritual communities.

Analysis – I

Online Questionnaire:

Section 1: Demographics

Gender:

212 responses




Fig 3. a

Please select your age group:

212 responses




Fig. 3. b

What is your religion or spiritual affiliation?

212 responses





Fig. 3. C

Section 2: Social Media's Role in Religious Dialogue and Challenges

A) Provides compelling evidence that watching documentaries like "The Social Dilemma" increases interest in social media's societal impact, as hypothesized.

1. Do you take part in discussions/debates on religious topics with friends or others on social media platforms?

212 responses



A significant majority, 54.2% of respondents, reported that they regularly discuss religious issues on social media. This reflects the hypothesis whereby most of them probably have an active engagement in the discussion about religious topics on the platforms. It shows how this is a rich area of religious discourse for the clients, who engage consistently in such discussions.

A smaller percentage, 24.1% of the respondents, said they often engage in religious debates. This gives more credibility to the hypothesis that social media can be a vehicle for intermittent activity, if not regular activity. This suggests that perhaps people could use social media as one of the channels through which they express their religious opinion once such an occasion or topic arises, but religion is something with which they do not generally seek to engage as some form of entertainment or leisure activity.

10.8% stated that they rarely engage in religious posts on social media. This figure is not central to hypothesis concentration, and it still means that a disproportionately large number of users are being underutilized. The reasons would range from personal issues, lack of time, or perhaps lack of much interest in the discussion of religious matters in the virtual world.

A near similar 10.8% of the respondents claimed to never discuss or engage in religious debates on social media. This finding, although outside of the hypothesis, falls in the rate of the population who either feel that social media should not be an appropriate avenue to discuss religion or would rather not be involved in this at all costs.

Generally, the findings suggest that social media plays a major role in religious discourse, with a large percentage frequently or occasionally participating in these discourses. Thus, this expands the view that social media helps bring meaningful participation into religious debates and further deepens the central position of social media as a resource for communities engaging in modern religious conversation.

B) Provides compelling evidence that social media's role in promoting understanding between different religious communities is perceived positively, but not without reservations.

2. Do you believe that social media promotes understanding between different religious communities?
212 responses




Fig. 4.b

The majority of respondents, 51.9%, believe that social media significantly promotes understanding between different religious communities. This goes a long way in supporting the hypothesis that social media can cause interfaith dialogue and therefore promote mutual understanding. The near-unanimous acceptance of the opinion goes to illustrate that people realize how social media has the potential to knock off barriers and create an avenue for religious communities to share viewpoints that would contribute toward harmonious interaction.

18.9% agreed that social media somewhat promotes understanding between different religious communities. In other words, although it might help in the process of getting to know the other, its impact may be perceived as partial or limited, depending on considerations like the form the social media took, the quality of discussion, or kind of information.

However, 14.2% of them believe that social media exacerbates division between religious communities. Though it is not the majority view, this still exemplifies the types of concerns that social media has led to conflict and misunderstandings. Anonymity and ease of spreading disinformation sometimes assist in aggravating relations between groups.

Only 15.1% of the respondents agreed with the view that social media has not contributed to a better understanding between different religious communities. This can be read in the sense that some people do not see value in online interaction or they feel that these kinds of platforms do not contribute meaningfully to religious discourse.

Overall, it would seem that a great number of people believe the social media phenomenon contributes to understanding among religious communities, although there are still some concerns about whether this platform fosters division or not sufficiently encourages meaningful engagement.

C) Provides compelling evidence that misinformation or extremist content related to religion is a significant issue on social media platforms, according to the survey respondents.

3. Have you encountered misinformation or extremist content related to religion on social media?
212 responses




Fig. 4.c

A large proportion, 51.4% of the respondents, reported regularly encountering misinformation or extreme content regarding religion. This is in line with the notion that social media empowers potentially extreme and/or false views, not least in areas such as religion, where sensitive topics are liable to be controversial.

23.6% of the respondents said that they sometimes stumble upon such content. This implies that though misinformation might not be a daily issue for all user interaction, it undoubtedly remains an issue for most listeners. These occasional encounters may draw the attention of the general public to the propaganda being spread in particular areas in cyberspace, such as religious forums or groups in which the content sometimes is not checked.

Only 12.7% said that they rarely stumble on misleading or extremist content related to religion. This might reflect the fact that the problem is not widespread for everyone but always is there, and sometimes users come across misleading or extreme views.

A smaller percentage, 12.3%, claimed never to have seen misleading content or propaganda concerning religion on social networks. Thus, it is likely that for a few users, their experience

with religious material on social media sites would be even more positive or neutral because of less exposure to damaging or misleading information.

However, the results point towards the crucial role disinformation and extremist content on religious issues play on social media since a significantly large number of users (75%) report it at least some of the time. This emphasizes the need for stricter regulation of social media contents and proper engagement with such contents.

D) Supports the hypothesis of social media on understanding and acceptance of different religious perspectives among the respondents.

4. To what extent do you agree with the statement: "Social media has expanded my understanding and acceptance of different religious perspectives."

212 responses




Fig. 4.d

A majority of respondents, 55.2%, believe that they possessed greater understanding by and exposure to other religious perspectives through social media. So, it would seem that, through social media, the road to awareness and inclusion for different religious views is an effective catalyst. That such a large proportion felt very strongly reflects how online venues contribute to a more tolerant and knowledgeable society.

A smaller yet significant portion, 12.3%, agrees with the statement, further reinforcing the positive influence of social media in shaping perceptions about religious diversity. This group

may not be as enthusiastic as the majority, but they indeed recognize that digital engagement can enhance religious understanding.

11.3% said that they are neutral, which may be because they never experienced and/or were not affected by social media enough seriously to impact their religious stance. Neutrality may only be an indicator of difference in people's usage of social media or the kinds of content these people see and encounter.

On the other hand, 9.4% disagreed with the statement, and 11.8% strongly disagreed. Taken together, these groups constitute of those who consider social media to be detrimental in promoting understanding and acceptance of religious views different from one's own. That might be because of having negative experiences, like seeing polarizing or biased content.

Either way, it supports our hypothesis since it indicates a change from the original perspective of the social media user.

E) Highlights the frequency with which respondents engage with religious or spiritual content on social media platforms.

5. How often do you find/engage with religious or spiritual content on social media?
212 responses




Fig. 4.e

A high number of respondents, that is 55.2%, claimed to interact with religious or spiritual content on social media every day. It means that some significant percentage of users actively consume and engage with such content, showing it is relevant and present in their daily lives.

Almost 19.8% of respondents stated that they occasionally experience religious or spiritual content. This is the population group that does not consciously search for such content but which is yet faced with it through their social media usage; therefore, religious or spiritual content still seems to be present and influential at different engagement levels.

The smallest segment of all, 15.1%, said they hardly used the content. Perhaps this was evidence of disinterest or altogether avoiding religious or spiritual conversations on these sites.

Only 9.9% of respondents said that they never interact with religious or spiritual content on social media. This minority also indicates that although some users may deliberately avoid the topics, the prevalence of religious or spiritual material makes it reach most users to at least some extent.

The underpinnings of findings here underscore the immense importance of social media as an enabler for religious and spiritual discourse, since most respondents have been using this platform frequently. That presents a strong demand for such content perhaps with the ability to shape their beliefs and practices.

G) Explores the influence of diverse religious views on social media in prompting self-reflection on personal religious beliefs among respondents.

6. Has exposure to diverse religious views on social media made you question your own religious beliefs?

212 responses




Fig. 5

A majority, 49.5% of respondents self-report how social media exposed them to a variety of religious opinions, and thus made them doubt their own religious beliefs in many instances. That percentage is pretty high, and it definitely means that there's a great contribution of social media towards introspection and re-evaluation of personal views.

Moreover, 17.5% of respondents said they sometimes doubted their beliefs due to such exposure. Such a group represents the highly significant influence of online religious discourse on personal thoughts and beliefs-there is such an impact because it is always periodic.

17.5% of respondents also stated they rarely question their religious beliefs when encountering diverse viewpoints. This indicated that, although the content may provoke interesting thought, this group has convictions which are not significantly challenged by the content.


Finally, 15.6% of the respondents never questioned their religious beliefs through social media exposure. Thus, for a minority, their beliefs are steady and are not swayed by various perspectives propagated through cyberspaces.

Findings suggest that for a large number of users (84.4%), social media content has the capacity for changing their religious belief systems at least a few times. Meanwhile, they still demonstrate a subgroup of the population who are less sensitive to or even resistant toward influence by such contents, and once again highlight the variability of an individual's response to online materials.

H) Explores the influence of diverse religious views on social media on the strength of respondents' personal religious beliefs.

7. Do you believe that exposure to diverse religious opinions on social media has strengthened or weakened your religious beliefs?

212 responses



A large number of the respondents, 58%, believe that exposure to diverse religious views on social media has strengthened their religious beliefs. This is an important figure as it reveals social media as a reinforcing agent that could affirm and even congeal prior convictions when everyone is exposed to a diversity of views.

In fact, 23.1% agreed that their beliefs have been weakened because of this exposure. This is reflective of how social media expositions can be disruptive to personal religious convictions and the viewpoint exposure it provides.

Interestingly, 18.9% said they maintained the same beliefs after interacting with different religious thoughts. This means that for a number of respondents, their beliefs are either robust or do not shift with regard to religious eloquence found online.

The findings indicate that social media functions as a tool both to reaffirm religious belief and more frequently and/or significantly as a factor to question or even weaken them, underlining the broad and multifaceted impact of social media on individual beliefs.


Overall, 81.1% of the respondents have had their spiritual stances strengthening or weakening, thus supporting our hypothesis that exposure to social media results in a change in their original beliefs.

Section 3: Conclusion

A) Strongly supports the original hypothesis of the influence of social media on shaping respondents' views about religious tolerance.

8. Finally, to what extent do you agree with the statement: "Social media has had a lasting impact on my views about religious tolerance."

212 responses



More than half the users undoubtedly agreed that social media has brought upon changes in views related to religious tolerance. This big proportion puts across the powerful role of social media in availing avenues through which people could discuss religion and even maybe increase understanding and acceptance of diverse religious perspectives.

11.8% answered in the affirmative of the statement and brings out how social media can be used as a tool to forward positive contributions toward tolerance. Putting these two groups together implies that most use social media instrumentally in opinion formation on this question.

However, 12.3% were neutral, meaning that though social media may expose people to differences in opinion, the resultant effect on their perception of religious tolerance is unclear.

Only 11.3% respondents had disagreed with the statement; meaning that for some, either social media has no special influence or possibly even perpetuates pre-existing attitudes regarding religious tolerance. However, this constitutes of the minority.

The findings indicate social media plays a significant role in shaping attitudes toward religious tolerance for the majority of users but also show that a part of society appears to be impervious or even critical of such influence.

Conclusion:

As the online survey is analysed, it becomes clear that social media forms an important vehicle of modern religious discourse and personal expression. Social media are, indeed, found to be a dynamic forum in which people actively communicate on religious matters, with most respondents either fairly often or sometimes taking part. These platforms appear to play an instrumental role for interfaith understanding and acceptance; though the fears of social media's potential for promoting division and misinformation endure.

The findings underpin the double-edged nature of the influence social media exercises over society: while it allows people to understand ideas better and to make their beliefs stronger for many, it contradicts convictions for others. Again, the ubiquitousness and potential for reflection of religious and spiritual content on digital platforms further highlight just how transformative their impact can be on personal faith and collective religious discourse. Still, the spread of misinformation and hate speech here presupposes responsible content moderation and critical engagement by users. In general, social media is a powerful though complex instrument for shaping religious attitudes and developing interfaith relationships in the digital world.

Analysis – II

Offline questionnaire

Interviewer: Thank you for participating in our survey. We're interested in understanding how social media is shaping religious belief, practice, and interfaith understanding. So, let's start with your own experience. Which of the following social media apps do you use to consume content related to your religion?

Interviewee: I mostly look for religious content on either Instagram and YouTube. Sometimes I even scan the threads on Twitter for specific topics.

Interviewer: That's great to hear. In what ways do you feel that social networking services have motivated you to appreciate your religion and its practices more?

Interviewee: Social media has made it easier to access teachings, sermons, and rituals that I never knew about. And by watching videos or reading posts by scholars, I began to appreciate faith.

Interviewer: That's interesting. How many times have you found social media to clarify any misconceptions about your own religion? Take an example from your past experiences.

Interviewee: Yes, I had one point of misunderstanding the historical context of a particular previously practiced ritual in my religion (Sati). One day while browsing on IG, I read one very detailed posting from a scholar, and it cleared up things for me.

It's definitely made me more curious about the societal impacts of social media. I find myself reading more about different subjects and discussing it with friends.

Interviewer: That is amazing. Have you ever seen something on social media that you felt was false about your religion or spirituality? How did that affect you?

Interviewee: Absolutely. I do see many posts spreading false information about a ritual or a value, often made by some individuals trying to spread hate. It is frustrating and sometimes creates confusion, but it also challenges me to verify facts further and look for authentic sources.

Interviewer: And talking of authenticity, how do you differentiate between credible and non-credible content related to your faith online?

Interviewee: I look out for posts from verified scholars, religious leaders or organisations. I cross-check the information with official sources or some of the most trusted religious texts.

Interviewer: Thank you for sharing your insights. Now, let's speak about other religions. Have you ever corrected a stereotype about another religion that you encountered on social media? Have your attitudes or standpoints changed?

Interviewee: If I think about it, I have had corrected several misconceptions in online discussions. Learning directly from people of other faiths has made me more open-minded and respectful towards their beliefs. I learned to discover common values in religion, such as compassion and justice. It's great that they share similar central messages despite how diverse they are with their spirituality.

Interviewer: Thank you for your insights. One last question; in your opinion, do you believe that social media is mainly having a positive or negative influence on people's religions or faiths? Why?

Interviewee: I feel like it's a mix. It's a good thing because it spreads knowledge and creates connections, but it can also be harmful if misinformation or extremist content isn't addressed properly.

Interviewer: Thank you for participating in our survey and giving us your opinions regarding this topic. Your standpoint is really helpful for discussing the impact of social media on religious discourse and mutual understanding among religions.

Conclusion

In conclusion, this study confirmed how social media has a huge impact on religious discourse and spiritual communities, validating our hypothesis. Social media algorithms tend to cause the phenomenon of echo chambers with intense polarizing narratives in their proliferations, limit exposure to diversified views, and make constructive interfaith dialogue impossible. Furthermore, subtle manipulation of personal beliefs with content delivery raises ethical concerns about the manipulation of spiritual interactions. Nonetheless, opportunities for fostering connection and dialogue among diverse religious communities continue to abound in social media.

This scope of this research through transparency, ethical accountability, and public education can minimize the effects of social media on spiritual engagement. Critical media literacy practices and inclusive content moderation strategies create spaces where mutual respect and understanding of religious conversations are fostered. These measures are critical to taking full advantage of the positive potential of social media while acknowledging its challenges.

However, the study is limited by the fast-changing nature of social media technologies and the diversity of user experiences across cultural and religious contexts. Of course, it would be interesting to explore what emerging new platforms and AI-driven technologies do for religious practices and whether belief systems change in the long term as a result of the content exposed on social media. By expanding these dimensions of study, a deeper understanding of how social media interacts with spirituality can be attained which will lead to greater ethical and inclusive online religious groups.

Works Cited

International:

- 1) Cheong, P. H. (2016). The vitality of new media and religion: Communicative perspectives, practices, and changing authority in spiritual organization. *New Media & Society*, 19(1), 25–33.
- 2) Clarke, P. B. (2004). New Religions in Global Perspective. In Routledge eBooks.
- 3) Ehlebracht, M. (n.d.). Exploring the Impact of Social Media on the Religious and Spiritual Beliefs of Emerging Adults. Scholars Commons @ Laurier.
- 4) Hjarvard, S. (2011). The mediatisation of religion: Theorising religion, media and social change. *Scottish Journal of Religious Studies*, 12(2), 119–135.
- 5) Ijlsi. (2024, April 26). 4. Social Media as a Platform for Instigating and Waging War - International Journal of Integrated Law Review. International Journal of Integrated Law Review.
- 6) McClure, P. K. (2016). Faith and Facebook in a Pluralistic Age. *Sociological Perspectives*, 59(4), 818–834.
- 7) Baraybar-Fernández, A., Arrufat-Martín, S., & Rubira-García, R. (2020). Religion and Social Media: Communication Strategies by the Spanish Episcopal Conference. *Religions*, 11(5), 239.
- 8) Coman, I. A., & Coman, M. (2017). Religion, popular culture and social media: the construction of a religious leader image on Facebook. Questa Soft

National

- 1) Ozukum, T. (2021a). The Impact of Social Media on Religious Tolerance in India: A Case Study on the Digital Discourse in Religious Conflicts.
- 2) Agarwal, R., & Jones, W. J. (2022). Social Media's Role in the Changing Religious Landscape of Contemporary Bangkok. *Religions*, 13(5), 421.
- 3) The Many (Inter)faces of Religious Politics: An analysis of social media amid religious and political conflict in India. (2024, February 5).

- 4) Venkatesh, S., Priyanka, M. S., & Hunnaragi, R. (2024). Ayodhya: A study on the Influence of Social Media Marketing on Spiritual Tourism in India. SAMVAD, 28(0), 32.
- 5) Swaminathan, S. (2020, July 31). Losing my Religion: Studying the Dynamics between Religion, Social Media and the Urban Millennials.
- 6) Al-Zaman, M. S. (2021). Social Media Fake News in India. AJPOR, 9(1), 25–47.
- 7) Singh, A. (2018). Conflict between Freedom of Expression and Religion in India—A Case Study. Social Sciences, 7(7), 108.
- 8) Azhagu Meena, S., Microsoft Research India, Bhatia, V., Azim Premji University, Pal, J., & Microsoft Research India. (2020). Digital Divine: Technology use by Indian Spiritual Sects. In Information and Communication Technologies and Development (ICTD '20) (p. 11 pages)

Appendices

Appendix I: Online Survey Questionnaire

10/21/24, 4:06 PM

Role of Social Media in Religious Discourse and Spiritual Communities

Role of Social Media in Religious Discourse and Spiritual Communities

Thank you for participating in this survey. The focus of this research is the effect of social networks on religion and spirituality. We recognize the role of social media in religious discussions today as a very important medium that allows a variety of opinions that at times contradict existing beliefs. Your answers will allow us to assess how looking at different religions on the Internet influences people's outlook and promotes interreligious communication as well as confrontation with fake news and divisions. By filling out the given questionnaire, you will help us learn how the use of social network services in religion and spirituality has been changing over the last few years.

* Indicates required question

Section 1: Demographics and Social Media Usage

1. Full name: *

2. Gender: *

Mark only one oval.

- Male
- Female
- Other
- Prefer not to say

3. Please select your age group: *

Mark only one oval.

- Under 18
- 18-24
- 25-34
- 35-44
- 45-54
- 55-64
- 65 and older

4. What is your religion or spiritual affiliation? *

Mark only one oval.

- Hinduism
- Islam
- Christianity
- Sikhism
- Jainism
- Atheism
- Agnosticism
- Other

Section 2: Social Media's Role in Religious Dialogue and Challenges

5. 1. Do you take part in discussions/debates on religious topics with friends or others on social media platforms? *

Mark only one oval.

- Yes, regularly
- Yes, occasionally
- Rarely
- Never

6. 2. Do you believe that social media promotes understanding between different religious communities? *

Mark only one oval.

- Yes, significantly
- Yes, somewhat
- No, it increases division
- No, it has no impact

7. 3. Have you encountered misinformation or extremist content related to religion on social media? *

Mark only one oval.

- Yes, frequently
- Yes, occasionally
- Rarely
- Never

Section 3: Impact on Personal Beliefs

8. To what extent do you agree with the statement: "Social media has expanded my understanding and acceptance of different religious perspectives." *

Mark only one oval.

- Strongly agree
- Agree
- Neutral
- Disagree
- Strongly disagree

9. How often do you find/engage with religious or spiritual content on social media? *

Mark only one oval.

- Daily
- Occasionally
- Rarely
- Never

10. Has exposure to diverse religious views on social media made you question your own religious beliefs? *

Mark only one oval.

- Yes, frequently
- Yes, occasionally
- Rarely
- Never

11. Do you believe that exposure to diverse religious opinions on social media has strengthened or weakened your religious beliefs? *

Mark only one oval.

- Strengthened
- Weakened
- Neither

12. Finally, to what extent do you agree with the statement: "Social media has had a lasting impact on my views about religious tolerance." *

Mark only one oval.

- Strongly agree
- Agree
- Neutral
- Disagree
- Strongly disagree

This content is neither created nor endorsed by Google.

Google Forms

Appendix II: Offline Survey Questionnaire

Questions Related to the Person's Own Religion:

- 1) Which social media apps do you use to consume content related to your religion?
- 2) In what ways do you think social networking services motivated you to appreciate your religion and its practices more?
- 3) 3. Have you ever found clarity about any misconceptions you had about your own religion through social media? Can you share an example?
- 4) 4. Have you ever seen anything on social media that you believe is false concerning your religion and spirituality? What effect did that have on you, if any?
- 5) 5. How do you differentiate between reliable and unreliable content about your faith on social media?

Questions Related to Other Religions:

- 1) Have you ever met or corrected the stereotypes about the other religions that you have seen previously on social media? Did your attitude or standpoint change?
- 2) What new insights or teachings have you learned about other religions through social media, that are worth mentioning?
- 3) Do you think social media enhances understanding and tolerance among different religions? Why or why not?
- 4) Have you engaged in any online discussions or debates regarding religion with people from different faiths? What was the outcome?

General Questions:

- 1) Do you follow any spiritual leaders (offline/online)? If so, which ones and why?
- 2) In your view, do you think that social media have a good or a bad effect on people's religious beliefs and practices? Give reasons.

Sample Response



Role of Social Media in Religious Discourse and Spiritual Communities

Thank you for participating in this survey. The focus of this research is the effect of social networks on religion and spirituality. Your answers will allow us to assess how looking at different religions on the Internet influences people's outlook and promotes interreligious communication as well as confrontation with fake news and divisions. By filling out the given questionnaire, you will help us learn how the use of social network services in religion and spirituality has been changing over the last few years.

Created by: Noyonika Mukherjee and Mohamed Husain

202351167@iitvadodara.ac.in [Switch account](#)

Not shared

Draft saved

* Indicates required question

Section 1: Demographics and Social Media Usage

Full name: *

Noyonika Mukherjee

Gender: *

- Male
- Female

Please select your age group: *

- Under 18
- 18-24
- 25-34
- 35-44
- 45-54
- 55-64
- 65 and older

What is your religion or spiritual affiliation? *

- Hinduism
- Islam
- Christianity
- Sikhism
- Jainism
- Atheism
- Agnosticism
- Other

Section 2: Social Media's Role in Religious Dialogue and Challenges

1. Do you take part in discussions/debates on religious topics with friends or others on social media platforms? *

- Yes, regularly
- Yes, occasionally
- Rarely
- Never

2. Do you believe that social media promotes understanding between different religious communities? *

- Yes, significantly
- Yes, somewhat
- No, it increases division
- No, it has no impact

3. Have you encountered misinformation or extremist content related to religion on social media? *

- Yes, frequently
- Yes, occasionally
- Rarely
- Never

Section 3: Impact on Personal Beliefs

4. To what extent do you agree with the statement: "Social media has expanded my understanding and acceptance of different religious perspectives." *

- Strongly agree
- Agree
- Neutral
- Disagree
- Strongly disagree

5. How often do you find/engage with religious or spiritual content on social media? *

- Daily
- Occasionally
- Rarely
- Never

6. Has exposure to diverse religious views on social media made you question your own religious beliefs? *

- Yes, frequently
- Yes, occasionally
- Rarely
- Never

7. Do you believe that exposure to diverse religious opinions on social media has * strengthened or weakened your religious beliefs?

- Strengthened
- Weakened
- Neither

8. Finally, to what extent do you agree with the statement: "Social media has had * a lasting impact on my views about religious tolerance."

- Strongly agree
- Agree
- Neutral
- Disagree
- Strongly disagree

Submit

Page 1 of 1

[Clear form](#)

Never submit passwords through Google Forms.

This form was created inside of Indian Institute of Information Technology, Vadodara. [Report Abuse](#)

Google Forms

EC Verilog Code Submission

Mohmed Husain(202351166)

Saksham Singh (202351124)

Vandit Singh (202351155)

LAB 1

<pre>module logic_gates(input wire A, B, output wire AND_out, OR_out, NOT_A_out, NAND_out, NOR_out, XOR_out); // AND gate and u1 (AND_out, A, B); // OR gate or u2 (OR_out, A, B); // NOT gate (for input A) not u3 (NOT_A_out, A); // NAND gate nand u4 (NAND_out, A, B); // NOR gate nor u5 (NOR_out, A, B); // XOR gate xor u6 (XOR_out, A, B);</pre>	<p>Test bench</p> <pre>// Testbench to apply stimulus and check outputs module testbench; // Testbench signals reg A, B; wire AND_out, OR_out, NOT_A_out, NAND_out, NOR_out, XOR_out; // Instantiate the logic_gates module (Unit Under Test - UUT) logic_gates uut (.A(A), .B(B), .AND_out(AND_out), .OR_out(OR_out), .NOT_A_out(NOT_A_out), .NAND_out(NAND_out), .NOR_out(NOR_out), .XOR_out(XOR_out)); // Test stimulus initial begin</pre>
---	--


```
endmodule
```

```
// Monitor the outputs whenever A or
B changes
$monitor("A=%b, B=%b |
AND_out=%b, OR_out=%b, NOT_A_out=%b,
NAND_out=%b, NOR_out=%b,
XOR_out=%b",
A, B, AND_out, OR_out, NOT_A_out,
NAND_out, NOR_out, XOR_out);

// Apply test cases
A = 0; B = 0; #10; // Test case 1
A = 0; B = 1; #10; // Test case 2
A = 1; B = 0; #10; // Test case 3
A = 1; B = 1; #10; // Test case 4

// Finish the simulation
$finish;
end

endmodule
```



Lab2

```
Main:
```

```
testbench:
```

```

// Logic Gates Using Behavioral Model
module logic_gates_behavioral(
    input wire A, B,
    output wire NOT_A_NAND,
    AND_NAND, OR_NAND, XOR_NAND,
    XNOR_NAND, NOR_NAND, NAND_NAND,
    output wire NOT_A_NOR, AND_NOR,
    OR_NOR, XOR_NOR, XNOR_NOR,
    NAND_NOR
);

    // *** Behavioral Model for Gates
    // Using NAND ***

    // NOT using NAND
    assign NOT_A_NAND = ~A;

    // AND using NAND
    assign AND_NAND = A & B;

    // OR using NAND
    assign OR_NAND = A | B;

    // XOR using NAND
    assign XOR_NAND = A ^ B;

    // XNOR using NAND
    assign XNOR_NAND = ~(A ^ B);

    // NOR using NAND (Behavioral
    // implementation of NOR using NAND gates
    // logic)
    assign NOR_NAND = ~(A | B);

    // NAND gate itself (already
    // implemented by NAND gate)
    assign NAND_NAND = ~(A & B);

    // *** Behavioral Model for Gates
    // Using NOR ***

    // NOT using NOR
    assign NOT_A_NOR = ~A;

```

```

// Testbench to check outputs with VCD
// generation
module testbench;

    // Testbench signals
    reg A, B;
    wire NOT_A_NAND, AND_NAND,
    OR_NAND, XOR_NAND, XNOR_NAND,
    NOR_NAND, NAND_NAND;
    wire NOT_A_NOR, AND_NOR,
    OR_NOR, XOR_NOR, XNOR_NOR,
    NAND_NOR;

    // Instantiate the
    logic_gates_behavioral module
    logic_gates_behavioral uut (
        .A(A), .B(B),
        .NOT_A_NAND(NOT_A_NAND),
        .AND_NAND(AND_NAND),
        .OR_NAND(OR_NAND),
        .XOR_NAND(XOR_NAND),
        .XNOR_NAND(XNOR_NAND),
        .NOR_NAND(NOR_NAND),
        .NAND_NAND(NAND_NAND),
        .NOT_A_NOR(NOT_A_NOR),
        .AND_NOR(AND_NOR),
        .OR_NOR(OR_NOR),
        .XOR_NOR(XOR_NOR),
        .XNOR_NOR(XNOR_NOR),
        .NAND_NOR(NAND_NOR)
    );

    // Test stimulus
    initial begin
        // Create a VCD file
        $dumpfile("logic_gates_behavioral_tb.vcd"); // // VCD file name
        $dumpvars(0, testbench); // Dump variables from the testbench module

        // Monitor the outputs

```

```

// AND using NOR (Behavioral
implementation of AND using NOR gates
logic)
assign AND_NOR = A & B;

// OR using NOR
assign OR_NOR = A | B;

// XOR using NOR
assign XOR_NOR = A ^ B;

// XNOR using NOR
assign XNOR_NOR = ~(A ^ B);

// NAND using NOR (Behavioral
implementation of NAND using NOR gates
logic)
assign NAND_NOR = ~(A & B);

endmodule

$monitor("A=%b, B=%b |
NOT_A_NAND=%b, AND_NAND=%b,
OR_NAND=%b, XOR_NAND=%b,
XNOR_NAND=%b, NOR_NAND=%b,
NAND_NAND=%b | NOT_A_NOR=%b,
AND_NOR=%b, OR_NOR=%b,
XOR_NOR=%b, XNOR_NOR=%b,
NAND_NOR=%b",
A, B, NOT_A_NAND,
AND_NAND, OR_NAND, XOR_NAND,
XNOR_NAND, NOR_NAND, NAND_NAND,
NOT_A_NOR, AND_NOR, OR_NOR,
XOR_NOR, XNOR_NOR, NAND_NOR);

// Apply test cases
A = 0; B = 0; #10;
A = 0; B = 1; #10;
A = 1; B = 0; #10;
A = 1; B = 1; #10;

// Finish the simulation
$finish;
end

endmodule

//iverilog -o logic_gates_behavioral_tb.out
logic_gates_behavioral_tb.v
//vvp logic_gates_behavioral_tb.out
//gtkwave logic_gates_behavioral_tb.vcd

```

Name	Value	0.000 ns	5.000 ns	10.000 ns	15.000 ns	20.000 ns	25.000 ns	30.000 ns	35.000 ns
!A	1								
!B	1								
NOT_A_NAND	0								
AND_NAND	1								
OR_NAND	1				0				
XOR_NAND	0								
XNOR_NAND	1								
NOR_NAND	0								
NAND_NAND	0								
NOT_A_NOR	0								
AND_NOR	1								
OR_NOR	1								
XOR_NOR	0								
XNOR_NOR	1								
NAND_NOR	0								

Lab 3:

<pre>Main: `timescale 1ns / 1ps /////////////////////////////// //// // Company: // Engineer: // // Create Date: 19.09.2024 18:07:47 // Design Name: // Module Name: HALF_ADDER // Project Name: // Target Devices: // Tool Versions: // Description: // // Dependencies: // // Revision: // Revision 0.01 - File Created // Additional Comments: //</pre>	<pre>testbench: // Testbench for Full Adder module tb_full_adder; reg A, B, Cin; // Test inputs wire Sum, Cout; // Outputs from full adder // Instantiate the full adder full_adder uut (.A(A), .B(B), .Cin(Cin), .Sum(Sum), .Cout(Cout)); initial begin // Create a VCD file for GTKWave \$dumpfile("full_adder_tb.vcd"); \$dumpvars(0, tb_full_adder); // Display the outputs \$monitor("A=%b B=%b Cin=%b Sum=%b Cout=%b", A, B, Cin, Sum, Cout);</pre>
--	--

```

///////////
///////
module HALF_ADDER(
    input A,
    input B,
    output SUM,
    output CARRY
);
    xor(SUM,A,B);
    and(CARRY,A,B);
endmodule
testbench:
// Testbench for Half Adder with VCD for
GTKWave
module testbench;

    // Testbench signals
    reg A, B;      // Inputs to the half
adder
    wire SUM, CARRY; // Outputs from
the half adder

    // Instantiate the half_adder module
half_adder uut (
    .A(A),
    .B(B),
    .SUM(SUM),
    .CARRY(CARRY)
);

    // Test stimulus
initial begin
    // Open a VCD file for GTKWave
    $dumpfile("half_adder.vcd"); //
Specify the name of the VCD file
    $dumpvars(0, testbench); // Dump
all variables for the module 'testbench'

    // Monitor the inputs and outputs
    $monitor("A=%b, B=%b | SUM=%b,
CARRY=%b", A, B, SUM, CARRY);

    // Apply test cases
    // Test cases
    A = 0; B = 0; Cin = 0; #10;
    A = 0; B = 1; Cin = 0; #10;
    A = 1; B = 0; Cin = 0; #10;
    A = 1; B = 1; Cin = 0; #10;
    A = 0; B = 0; Cin = 1; #10;
    A = 0; B = 1; Cin = 1; #10;
    A = 1; B = 0; Cin = 1; #10;
    A = 1; B = 1; Cin = 1; #10;

    // End the simulation
    $finish;
end

```

```

A = 0; B = 0; #10; // Test case 1: 0 + 0
A = 0; B = 1; #10; // Test case 2: 0 + 1
A = 1; B = 0; #10; // Test case 3: 1 + 0
A = 1; B = 1; #10; // Test case 4: 1 + 1

// Finish the simulation
$finish;
end

endmodule

//iverilog -o half_adder_tb.out half_adder_tb.v
half_adder.v
//vvp half_adder_tb.out
//gtkwave half_adder.vcd
Main_fulladder:
// Full Adder module
module full_adder(
    input wire A, // First input
    input wire B, // Second input
    input wire Cin, // Carry-in input
    output wire Sum, // Sum output
    output wire Cout // Carry-out output
);

// Intermediate values for half-adders
wire Sum1, Carry1, Carry2;

// First half adder (A and B)
assign Sum1 = A ^ B; // First sum
assign Carry1 = A & B; // First carry

// Second half adder (Sum1 and Cin)
assign Sum = Sum1 ^ Cin; // Final sum
assign Carry2 = Sum1 & Cin; // Second carry

// Final carry out
assign Cout = Carry1 | Carry2;

endmodule

```

1 A	1							
1 B	1							
0 SUM	0							
1 CA...	1							

Full adder:

Name	Value	0.000 ns	10.000 ns	20.000 ns	30.000 ns	40.000 ns	50.000 ns	60.000 ns	70.000 ns
1 A	1								
1 B	1								
1 Cin	1								
1 Sum	1								
1 Cout	1								

Lab 4

```
Main:  
Demux:  
'timescale 1ns / 1ps  
/// File: demux_1to8.v  
module demux_1to8 (  
    input wire i,           // Input  
    input wire [2:0] sel,   // 3-bit selection  
line  
    output reg y0,          // Output 0  
    output reg y1,  
    output reg y2,  
    output reg y3,  
    output reg y4,  
    output reg y5,  
    output reg y6,  
    output reg y7  
);  
always @(*) begin  
y0 = 0;  
y1 = 0;  
y2 = 0;  
y3 = 0;  
y4 = 0;  
y5 = 0;  
y6 = 0;  
y7 = 0;
```


```
testbench:demux:  
'timescale 1ns / 1ps  
/// File: tb_demux_1to8.v  
module tb_demux_1to8;  
    reg i;  
    reg [2:0] sel;  
    wire y0, y1, y2, y3, y4, y5, y6, y7;  
  
    // Instantiate the DEMUX  
    demux_1to8 uut (  
        .i(i),  
        .sel(sel),  
        .y0(y0), .y1(y1), .y2(y2), .y3(y3),  
        .y4(y4), .y5(y5), .y6(y6), .y7(y7)  
    );  
  
    initial begin  
        // Initialize input  
        i = 1;  
        sel = 3'b000; #10;  
        sel = 3'b001; #10;  
        sel = 3'b010; #10;  
        sel = 3'b011; #10;  
        sel = 3'b100; #10;  
        sel = 3'b101; #10;  
        sel = 3'b110; #10;  
        sel = 3'b111; #10;  
        $finish;  
    end
```

```

case(sel)
3'b000: y0 = i;
3'b001: y1 = i;
3'b010: y2 = i;
3'b011: y3 = i;
3'b100: y4 = i;
3'b101: y5 = i;
3'b110: y6 = i;
3'b111: y7 = i;
default: ;
endcase
end
endmodule
initial begin
$monitor("sel=%b, y0=%b, y1=%b,
y2=%b, y3=%b, y4=%b, y5=%b, y6=%b,
y7=%b", sel, y0, y1, y2, y3, y4, y5, y6, y7);
end
endmodule

```

Demux:



```

Main:mux:
`timescale 1ns / 1ps
// File: mux_8to1.v
module mux_8to1 (
    input wire [2:0] sel, // 3-bit selection
    line
    input wire i0,         // Input 0

```

```

Testbench:mux:
`timescale 1ns / 1ps
/// File: tb_mux_8to1.v
module tb_mux_8to1;
    reg [2:0] sel;
    reg i0, i1, i2, i3, i4, i5, i6, i7;
    wire y;

```

```

    input wire i1,          // Input 1
    input wire i2,          // Input 2
    input wire i3,          // Input 3
    input wire i4,          // Input 4
    input wire i5,          // Input 5
    input wire i6,          // Input 6
    input wire i7,          // Input 7
    output reg y           // Output

};

always @(*) begin
  case(sel)
    3'b000: y = i0;
    3'b001: y = i1;
    3'b010: y = i2;
    3'b011: y = i3;
    3'b100: y = i4;
    3'b101: y = i5;
    3'b110: y = i6;
    3'b111: y = i7;
    default: y = 1'bx;
  endcase
end

endmodule

```


```
// Instantiate the MUX
mux_8to1 uut (
    .sel(sel),
    .i0(i0), .i1(i1), .i2(i2), .i3(i3),
    .i4(i4), .i5(i5), .i6(i6), .i7(i7),
    .y(y)
);
```

```
initial begin  
    // Initialize inputs  
    {i0, i1, i2, i3, i4, i5, i6, i7} =  
    8'b10101011;
```

```
    sel = 3'b000; #10;
    sel = 3'b001; #10;
    sel = 3'b010; #10;
    sel = 3'b011; #10;
    sel = 3'b100; #10;
    sel = 3'b101; #10;
    sel = 3'b110; #10;
    sel = 3'b111; #10;
    $finish;
end
```

```
initial begin
    $monitor("sel=%b, y=%b", sel, y);
end
endmodule
```


MUX:



LAB 5:

<pre>Main: `timescale 1ns / 1ps ////////// //// // Company: // Engineer: // // Create Date: 26.09.2024 15:18:17 // Design Name: // Module Name: LAB5_NAND // Project Name: // Target Devices: // Tool Versions: // Description: // // Dependencies: // // Revision: // Revision 0.01 - File Created // Additional Comments: // ////////// module LAB5_NAND(input A, input B, input C, output Y, output Z); wire a1,a2,a3,a4,a5,a6,a7,a8,a9; assign a1=~(A&B); // nand one assign a2 =~(B&a1); //nand 2 assign a3= ~(A&a1) ;//nand 3</pre>	<pre>testbench: `timescale 1ns / 1ps ////////// //// // Testbench for LAB5_NAND ////////// //// module LAB5_NAND_tb(); // Inputs reg A; reg B; reg C; // Outputs wire Y,Z; // Instantiate the Unit Under Test (UUT) LAB5_NAND uut(A,B,C,Y,Z); initial begin A = 0; B = 0; C = 0;// Test case 1 #10; A = 0; B = 0; C = 1; // Test case 2 #10; A = 0; B = 1; C = 0; // Test case 3 #10;</pre>
--	---

<pre> assign a4 = ~(a2&a3); //nand 4 assign a5 =~(a4&C); // nand 5 assign a6=~(a4&a5) ;//nand 6 assign a7=~(a5&a1); // nand 7 -> output ->Z assign a8=~(C&a5); // nand 8; assign a9=~(a6&a8); // nand 9 ->output->Y //assigning value to outputs assign Z=a7; assign Y=a9; endmodule </pre>	<pre> A = 0; B = 1; C = 1; // Test case 4 #10; A = 1; B = 0; C = 0; // Test case 5 #10; A = 1; B = 0; C = 1; // Test case 6 #10; A = 1; B = 1; C = 0; // Test case 7 #10; A = 1; B = 1; C = 1; // Test case 8 #10; // Finish simulation \$finish; end endmodule </pre>
---	--



<p>Main:</p> <p>Siso:</p> <p>// SISO (Serial In Serial Out) Shift Register module SISO (</p>	<p>Testbench:</p> <p>Siso:</p> <p>`timescale 1ns / 1ps</p>
--	--

<pre> input wire serial_in, // Serial input input wire clk, // Clock input input wire reset, // Asynchronous reset output reg serial_out // Serial output); reg [3:0] shift_reg; // 4-bit shift register always @(posedge clk or posedge reset) begin if (reset) begin shift_reg <= 4'b0000; // Reset shift register to 0 serial_out <= 0; // Reset output to 0 end else begin shift_reg <= {shift_reg[2:0], serial_in}; // Shift left and input new bit serial_out <= shift_reg[3]; // Output the last bit end end endmodule </pre>	<pre> module SISO_tb; // Inputs reg serial_in; reg clk; reg reset; // Output wire serial_out; // Instantiate the Unit Under Test (UUT) SISO uut (.serial_in(serial_in), .clk(clk), .reset(reset), .serial_out(serial_out)); // Clock generation initial begin clk = 0; forever #5 clk = ~clk; // Generate a clock with 10ns period end // Test stimulus initial begin // Initialize inputs serial_in = 0; reset = 0; // Apply reset #2 reset = 1; // Assert reset #10 reset = 0; // Deassert reset // Test case: Shift in a series of bits #10 serial_in = 1; // Shift in 1 #10 serial_in = 0; // Shift in 0 #10 serial_in = 1; // Shift in 1 #10 serial_in = 1; // Shift in 1 // Wait and observe #40 \$finish; </pre>
--	--


```

end

// Monitor changes
initial begin
$monitor("Time=%0t | reset=%b |
serial_in=%b | shift_reg=%b | serial_out=%b",
$time, reset, serial_in,
uut.shift_reg, serial_out);
end
endmodule

```

Siso



PIPO



LAB 7:

<pre> Main:ring counter module RingCounter(input clk, input reset, output reg [3:0] q); always @ (posedge clk or posedge reset) begin if (reset) q <= 4'b0001; // Reset to initial state else q <= {q[2:0], q[3]}; // Shift left and wrap around end endmodule testbench:ring counter `timescale 1ns / 1ps module ring_counter_tb; reg clk; reg reset; wire [3:0] q; // Instantiate the RingCounter module ring_counter uut (.clk(clk), .reset(reset), .q(q)); // Clock generation initial begin clk = 0; forever #5 clk = ~clk; // Generate a clock with a period of 10 ns end // Test sequence </pre>	<pre> testbench: module tb_SyncCounter; reg clk; reg reset; wire [1:0] q; // Instantiate the SyncCounter module SyncCounter uut (.clk(clk), .reset(reset), .q(q)); // Clock generation initial begin clk = 0; forever #5 clk = ~clk; // 10 time units period end // Test sequence initial begin \$monitor(\$time, " Reset=%b, Q=%b", reset, q); reset = 1; #10; // Apply reset reset = 0; #50; // Run for a few cycles reset = 1; #10; // Apply reset again reset = 0; #30; // Run for a few more cycles \$stop; end endmodule </pre>
--	---

```

initial begin
// Initialize simulation
$display("Starting simulation...");

// Apply reset
reset = 1;
#10; // Hold reset high for 10 ns
$display("Time: %0t, Reset applied,
Q: %b", $time, q);

// Release reset and observe ring
counter
reset = 0;
#50; // Run simulation for 50 ns
$display("Time: %0t, Reset released,
Q after 50 ns: %b", $time, q);

// Apply reset again to verify reset
functionality
reset = 1;
#10;
$display("Time: %0t, Reset applied
again, Q: %b", $time, q);

reset = 0;
#30;
$display("Time: %0t, Final Q after
additional 30 ns: %b", $time, q);

// End simulation
$display("Ending simulation...");
```

\$stop;

end

endmodule

main:

sync:counter

```


module sync_counter(
    input clk,
    input reset,
    output reg [1:0] q
);
    always @(posedge clk or posedge
reset) begin
```

```


if (reset)
q <= 2'b00; // Reset to 0
else
q <= q + 1; // Increment counter
end
endmodule

```

Ring counter



Sync counter



LAB 8:

```

Main:
`timescale 1ns / 1ps
///////////////////////////////
/////
// Company:
// Engineer:
//
// Create Date: 07.11.2024 15:58:05
// Design Name: ALU

```

```

Test bench:
`timescale 1ns / 1ps
///////////////////////////////
/////
// Company:
// Engineer:
//
// Create Date: 07.11.2024
// Design Name: ALU Testbench

```

```

// Module Name: ALU
// Project Name:
// Target Devices:
// Tool Versions:
// Description: 4-bit ALU with 16 operations
//
// Dependencies:
//
// Revision:
// Revision 0.01 - File Created
// Additional Comments:
//
///////////////////////////////
///////
module ALU(
    input wire [3:0] A,
    input wire [3:0] B,
    input wire [3:0] S,
    output reg [3:0] x
);

    always @(*) begin

        case (S)
        4'b0000: x = A;
        4'b0001: x = ~A;
        4'b0010: x = A | B;
        4'b0011: x = A & B;
        4'b0100: x = A ^ B;
        4'b0101: x = ~(A | B);
        4'b0110: x = ~(A & B);
        4'b0111: x = ~(A ^ B);
        4'b1000: x = A + B;
    end

```

```

// Module Name: ALU_tb
// Project Name:
// Target Devices:
// Tool Versions:
// Description: Testbench for 4-bit ALU with 16
operations
//
///////////////////////////////
///////
module ALU_tb;
    // Testbench registers and wires
    reg [3:0] A;
    reg [3:0] B;
    reg [3:0] S;
    wire [3:0] x;

    ALU uut (
        .A(A),
        .B(B),
        .S(S),
        .x(x)
    );

    initial begin
        A = 4'b0011; B = 4'b0001;
        S = 4'b0000; #10;
        S = 4'b0001; #10;
        S = 4'b0010; #10;
        S = 4'b0011; #10;
        S = 4'b0100; #10;
        S = 4'b0101; #10;
        S = 4'b0110; #10;
        S = 4'b0111; #10;
        S = 4'b1000; #10;
        S = 4'b1001; #10;
        S = 4'b1010; #10;
    end

```

```

4'b1001: x = A - B;
4'b1010: x = A * B;
4'b1011: x = (B != 0) ? (A / B) :
4'b0000;
4'b1100: x = (A > B) ? 4'b0001 :
4'b0000;
4'b1101: x = A ** B;
4'b1110: x = A >> B;
4'b1111: x = A << B;
default: x = 4'b0000;
endcase
end
endmodule

```

```

S = 4'b1011; #10;
S = 4'b1100; #10;
S = 4'b1110; #10;
S = 4'b1111; #10;

$finish;
end
endmodule

```




Lab 9:

<p>Main:</p> <pre> module cyclic_lamp(clock, light); input clock; output reg [2:0] light; //light is a vector parameter s0=2'b00, s1=2'b01, s2=2'b10; // parameter declaration as constant \ parameter RED=3'b100, GREEN=3'b010, YELLOW=3'b001; reg[1:0] state=s0; //state as two bit variable reg[27:0] count=0; reg clock_out; // always@(posedge clock) // begin // count<=count+1; // if (count==100000000) // begin count<=0; // clock_out=~clock_out; // end // end initial begin state = s0; light = RED; clock_out = 0; end always@(posedge clock) case (state) s0: state<=s1; s1: state<=s2; s2: state<=s0; default: state<=s0; endcase always@(state) case(state) </pre>	<p>Testbench:</p> <pre> `timescale 1ns / 1ps module tb_cyclic_lamp; // Inputs reg clock; // Outputs wire [2:0] light; // Instantiate the Unit Under Test (UUT) cyclic_lamp uut (.clock(clock), .light(light)); // Clock generation initial begin clock = 0; forever #5 clock = ~clock; // Generate a clock signal with a period of 10 ns end // Testbench process initial begin // Display header \$display("Time\tClock\tLight"); // Monitor the changes in outputs \$monitor("%4d\t%b\t%b", \$time, clock, light); // Simulation run for 100 clock cycles #1000; \$finish; end endmodule </pre>
---	---

```

s0: light=RED;
s1: light=GREEN;
s2: light=YELLOW;
default light=RED;
endcase
endmodule

```



LAB 10:

```

Main:
Ocla:
`timescale 1ns / 1ps
///////////////////////////////
/////
// Company:
// Engineer:
//
// Create Date: 21.11.2024 15:43:15
// Design Name:
// Module Name: OCLA
// Project Name:
// Target Devices:
// Tool Versions:
// Description:
//
// Dependencies:
//
// Revision:
// Revision 0.01 - File Created
// Additional Comments:

```

```

Testbench;
`timescale 1ns/1ps

module OCLA_tb;
    // Testbench signals
    reg [3:0] A, B;
    reg Cin;
    wire [3:0] Sum;
    wire Cout;

    // Instantiate the CLA module
    OCLA cla_inst (
        .A(A),
        .B(B),
        .Cin(Cin),
        .Sum(Sum),
        .Cout(Cout)
    );

    // Helper task to display test results
    task display_test;

```

<pre> // ////////// ////// module OCLA (input [3:0] A, input [3:0] B, input Cin, output [3:0] Sum, output Cout); wire [3:0] G, P, C; assign G = A & B; // Generate assign P = A ^ B; // Propagate assign C[0] = Cin; assign C[1] = G[0] (P[0] & Cin); assign C[2] = G[1] (P[1] & G[0]) (P[1]&P[0]&Cin); assign C[3] = G[2] (P[2] & G[1]) (P[2]&P[1]&G[0]) (P[2]&P[1]&P[0]&Cin); assign Cout = G[3] (P[3] & G[2]) (P[3] & G[2] & P[2]) (P[3]&P[2]&P[1]&G[0]) (P[3]&P[2]&P[1]&P[0]&Cin); assign Sum = P ^ C; endmodule </pre>	<pre> input [3:0] exp_sum; input exp_cout; begin #5; // Wait for combinational logic to settle if ({Cout, Sum} === {exp_cout, exp_sum}) begin \$display("PASS: A=%h, B=%h, Cin=%b Sum=%h, Cout=%b", A, B, Cin, Sum, Cout); end else begin \$display("FAIL: A=%h, B=%h, Cin=%b Expected: Sum=%h, Cout=%b Got: Sum=%h, Cout=%b", A, B, Cin, exp_sum, exp_cout, Sum, Cout); end end endtask // Test stimulus initial begin // Initialize inputs A = 0; B = 0; Cin = 0; #10; // Test Case 1: Basic addition without carry A = 4'h3; B = 4'h4; Cin = 0; display_test(4'h7, 0); // Test Case 2: Addition with input carry A = 4'h3; B = 4'h4; Cin = 1; display_test(4'h8, 0); // Test Case 3: Addition causing output carry A = 4'h8; B = 4'h9; Cin = 0; display_test(4'h1, 1); // Test Case 4: Maximum value test A = 4'hF; B = 4'hF; Cin = 1; </pre>
--	--

```
display_test(4'hF, 1);

// Test Case 5: Zero value test
A = 4'h0; B = 4'h0; Cin = 0;
display_test(4'h0, 0);

// Test Case 6: Random test cases
A = 4'h6; B = 4'h7; Cin = 1;
display_test(4'hE, 0);

A = 4'hA; B = 4'h5; Cin = 0;
display_test(4'hF, 0);

// Test Case 7: Alternating bits
A = 4'hA; B = 4'h5; Cin = 1;
display_test(4'h0, 1);

// Test Case 8: One operand zero
A = 4'h0; B = 4'hF; Cin = 0;
display_test(4'hF, 0);

// End simulation
#10;
$display("Simulation completed");
$finish;
end

// Optional: Generate VCD file for
waveform viewing
initial begin
$dumpfile("cla_test.vcd");
$dumpvars(0, OCLA_tb);
end

endmodule
```

The figure displays a timing diagram with four vertical columns representing different signals: A[3:0], B[3:0], Cin, and Cout. The horizontal axis represents time across 10 clock cycles. The waveforms show the following states:

- A[3:0]**:
 - Cycle 0: 0000
 - Cycle 1: 1000
 - Cycle 2: 1100
 - Cycle 3: 1110
 - Cycle 4: 1111
 - Cycle 5: 1111
 - Cycle 6: 1111
 - Cycle 7: 1111
 - Cycle 8: 1111
 - Cycle 9: 1111
- B[3:0]**:
 - Cycle 0: 0000
 - Cycle 1: 0001
 - Cycle 2: 0011
 - Cycle 3: 0111
 - Cycle 4: 1111
 - Cycle 5: 1111
 - Cycle 6: 1111
 - Cycle 7: 1111
 - Cycle 8: 1111
 - Cycle 9: 1111
- Cin**:
 - Cycle 0: 0
 - Cycle 1: 0
 - Cycle 2: 0
 - Cycle 3: 0
 - Cycle 4: 1
 - Cycle 5: 1
 - Cycle 6: 1
 - Cycle 7: 1
 - Cycle 8: 1
 - Cycle 9: 1
- Su...0**:
 - Cycle 0: 0000
 - Cycle 1: 0001
 - Cycle 2: 0011
 - Cycle 3: 0111
 - Cycle 4: 1111
 - Cycle 5: 1111
 - Cycle 6: 1111
 - Cycle 7: 1111
 - Cycle 8: 1111
 - Cycle 9: 1111
- Cout**:
 - Cycle 0: Z
 - Cycle 1: Z
 - Cycle 2: Z
 - Cycle 3: Z
 - Cycle 4: 0
 - Cycle 5: 1
 - Cycle 6: 1
 - Cycle 7: 1
 - Cycle 8: 1
 - Cycle 9: 1

Role of Social Media in Religious Discourse and Spiritual Communities



Mohmed Husain Pasheriya | Noyonika Mukherjee

Professor Dr. Barnali Chetia

Course: HS201

Date: 17th November, 2024

ACKNOWLEDGEMENT

I would like to thank Professor Dr. Barnali Chetia for her mentorship and encouragement during my study about the role of social media in religious communities. Her advice and experience in media studies greatly helped in shaping our research. The helpful feedback and willingness to engage in discussions really broadened my understanding of the topic.

I am also grateful to Ms. Dharti Sharma, our teaching assistant, for her assistance during this study. She was always ready to help students when required, which is truly appreciated.

Furthermore, I wish to acknowledge all the researchers, scholars, and authors who have worked in the domain of media and religion and whose works have been the foundation of this study. Their ideas motivated me to pursue this subject even more and shaped the way I conducted the research.

I would also like to thank my friends and colleagues who supported me during the time of research. Their suggestions made me more meticulous towards my ideas and brought in a totally different aspect towards the concerned topic.

Last but not the least, I extend my appreciation to all the 145 respondents who took part in the survey for this study. Every example of their experience and opinion about this material was constructive insight and data input to my study. Without them, this term paper could never be accomplished.

DECLARATION

We, Mohamed Husain Pasheriya and Noyonika Mukherjee, declare that the research paper entitled "The Role of Social Media in Religious Discourse and Spiritual Communities" in partial fulfilment of the HS102 End of Semester Project assigned by Professor Barnali Chetia, is entirely of our own making. Our hypothesis with regard to the same is: *"Exposure to diverse religious opinions on social media challenges and reshapes an individual's traditional beliefs."* To carry out an appropriate investigation of the subject at hand, a thorough study, analysis, and documentation has been conducted.

All the sources of data that have been used in this research study are duly attributed and cited. All the information provided in this paper has been presented with the utmost care for its reliability and accuracy. In addition, all the passages containing information from other sources as well as all the paraphrases and short quotations contain appropriate acknowledgments.

We sign below to attest to the validity of our work and to remark that the contents of this research paper are true to the best of our knowledge.

Mohamed Husain Pasheriya (20235166)

Noyonika Mukherjee (202351167)

Date: 17th November, 2024

ABSTRACT

Social networking sites have turned into spaces where users engage in religious and spiritual conversations while having access to different spiritual communities. This study investigates the impact of social networking sites on religious discussions, with a growing number of users introducing and sharing different practices, and forming expansive online friendships. Such platforms initiate debates which question established beliefs, often making people revise their ideologies and allowing everyone to engage with a variety of faiths and religious practices.

This study evaluates how exposure to a vast range of religious beliefs may act as a counteractive effect on one's pre-existing beliefs. Although it is an accepted fact that social media could aid in compressing the distance between different groups, creating more inclusive and tolerant individuals, and fostering understanding; social media can also lead to confusion and doubt for the users.

The analysis looks at people's interaction with aspects of religion in social networks by means of both e-survey data and offline interviews. It investigates what happens when the members of different faiths attempt to communicate scientifically, virtual or otherwise, with the concepts of civilization in general and community in particular. There is also the provision of analysis and discussions concerning the approach and use of social media to teach marginalized religions.

Nevertheless, the section of the paper that deals with such conversations outlines the difficulties that social media is known to cause. It has been known to worsen situations through the introduction of radical opinions and falsehoods understood by a majority, leading to cognitive dissonance and even disintegration of certain societies, especially in severe cases where religion is a factor. The speed of information diffusion, especially negative aspects and deceit, is irritating as it destroys the prospect of understanding in religion.

In the end, this study seeks to understand a very contemporary problem - the religious conversation in the internet era.

Keywords: **social networking sites, religious discussions, spiritual communities, established beliefs, cognitive dissonance, information diffusion.**

Table of Contents

Acknowledgment	2
Declaration	3
Abstract	4
Table of Contents	5
List of Figures and Tables	6
List of Abbreviations	7
Glossary	8
Chapter - I	
▪ Introduction	9
▪ Chapterisation	12
Chapter - II	
▪ Literature Review	13
Chapter - III	
▪ Data Analysis	18
○ Methodology	
○ Variables	
▪ Analysis-I: Online Survey	22
▪ Analysis-II: Offline Survey	34
Chapter - IV	
▪ Conclusion	37
Works Cited	38
Appendices	
i. Appendix-I: Online Survey Questionnaire	40
ii. Appendix-II: Offline Survey Questionnaire	45
iii. Appendix-III: Sample of Answers	46

List of Figures and Tables

- Fig. 1 – Demographics Pie Charts
 - 1.a – Gender
 - 1.b – Age
 - 1.c – Religious background
- Fig. 2 – Social Media's Role
 - 2.a – Question 1
 - 2.b – Question 2
 - 2.c – Question 3
 - 2.d – Question 4
 - 2.e – Question 5
 - 2.f – Question 6
 - 2.g – Question 7
- Fig. 3 – Conclusive Pie Chart

List of Abbreviations

- Fig. – Figure
- AI – Artificial Intelligence
- Tech – Technology
- Dr. – Doctor
- IG – Instagram

Glossary

Polarization – Division of groups or people into completely different and opposing parties

Algorithmic Bias - Systematic and repeatable errors that create unfair outcomes

Cognitive Dissonance – The psychological discomfort one experiences when interacting with someone with conflicting beliefs

Commodification – The process of turning something non-physical but holding some value, like ideas, into a product that can be bought and sold

Chapter – 1

Introduction

In contemporary society, social media has clearly become a game changer for how people access ideas, societies and beliefs. In particular, such media has made it possible for the end users to communicate and engage with any religious or spiritual users across the globe almost instantaneously. This has allowed people to show how different religions are practiced, share ideas and engage in conversations about faith across continents.

On one hand, social networks carry enormous potential to close the barriers and enable engagement between the subjects, while on the other, they raise alarming questions regarding interreligious communication. The exposure to innumerable diverging beliefs and attitudes has raised questions to all religious dogmas and in certain cases caused individuals to transform their personal beliefs and values. Besides, social media is correlated with understanding psychology, and therefore balances the good effects with effects such as false media, propaganda of radical views and the contradiction found by some users in the information concerning religions.

The aim of the research referred to in this study is to explore how the discussions of religion change on social media and what the users of social networks whose are involved in spirituality experience. The results of these interactions will also help us understand the positive impact of social media but also understand the dangers that arise from it.

Focus

This paper aims to discuss the significant role played by social media regarding religious discussions and spiritual communities by exploring how these encourage divergent belief sharing, deconstruction of traditional beliefs, and inclusiveness, thus having a two-edged sword effect on such interactions.

Importance

Understanding how social media influences religious discourse and spiritual communities is a matter of great importance in this interconnected world today. This research addresses a pressing need to analyze the implications of these new platforms within society in regards to faith and belief. Accordingly, this study can inform how social media will allow for approaches to inclusiveness and understanding while working to mitigate the risks presented by misinformation and radicalization. The findings of this study could equally be of value to policymakers, religious leaders, and the internet corporations themselves, based on insights that promote healthier conversations about faith in digital spaces.

Objective of Research

This lays a solid foundation to highlight the many dimensions of social media in shaping religious discourse and impact on spiritual communities; which happens to be the anchor point of this research project. This research provides a critical analysis of the missing pieces in the assessment _ and indeed social structures of the contemporary and historical ethnic psychology. This study will offer meaningful insight in the ways in which social media can be utilized as a tool for promoting tolerance and understanding without the accompanying danger of misinformation and radicalization. And now having that picture, one can see how those very groups are exhausted with fighting with existing faith communities, architects of radicalism, healthy policy, and social network gatekeepers.

Background and Context

This research goes over in detail possible approaches strategies methods dimensions programs schemes and the ways these things affect religious discourse and impact spiritual communities. Presently, this study focuses on how much religion social media may include passive acceptance if not active participation, propagate and share traditional orthodoxy. The study will also explore how these similar sites help in the fostering of contrarian ideologies, wrong information as well as the users' conflicting thoughts. The study also aims to investigate: the composition of virtual spiritual communities, the nature and patterns of interactions within such communities, and as a result how such assessments would they fit

into the idea of social media civicness without it became a dream version of cyberspace but rather striving for realistic adjustment of that modern technical tool.

Research Problem/Hypothesis

Social media has emerged as a significant arena for religious discourse, offering unparalleled access to diverse spiritual practices and ideas. However, this democratization of religious conversations is accompanied by challenges such as the amplification of extreme views and the spread of misinformation. This research examines how these dual dynamics affect individuals and communities, focusing on the evolving role of social media in shaping faith and belief systems.

Our hypothesis is: *Exposure to diverse religious opinions on social media challenges and reshapes an individual's traditional beliefs.*

Chapterisation

Chapter 2 of this research paper focuses on how social media influences the religious conversation and the communities surrounding it. It notes important works and country-wide examples that investigate the relationship between religiosity, social media, and communities. This section gives a brief overview of the topic and figure out the missing parts, which this study seeks to fill.

Chapter 3 is divided into two sections:

- This part deals with the methods used in the process of data collection. Data was collected online by using Google Forms and interviewing people and professionals about media and religion.
- The second section analyzes the data collected, focusing on the impact of exposure to diverse religious opinions on participants' beliefs, attitudes, and behaviours.

Chapter 4 summarizes the research findings and provides conclusions based on the analysis. It discusses the limitations of the study, such as sample diversity and methodological constraints, and suggests directions for future research, including more extensive cross-cultural studies and deeper investigations into social media's role in shaping religious discourse.

Chapter - 2

Literature Review

Identification of Sources

1. International Academic Studies:

- i. "The Vitality of New Media and Religion: Communicative Perspectives, Practices, and Changing Authority in Spiritual Organization" by Cheong, P. H. (2016): This research seeks to examine the effects of digital platforms on spiritual communication, since new means of interaction are being established and older forms of power relations in the realm of religion are being threatened. Cheong stresses that religious communities use new media for members' mobilization, for network building, and to negotiate power relations. It provides a global perspective on how technology impacts spiritual practices and influences the organization of faith-based groups.

- ii. "New Religions in Global Perspective" by Clarke, P. B. (2004): Clarke examines the diffusion of newer religious movements within the global arena and focuses on the influence of the media in these trends. It outlines methods through which digital tools enable new religious movements to reach wider audiences while changing traditional religious landscapes. Clarke's work further details the significant role the media has played in advancing globalization trends, especially religious movements.

- iii. "Exploring the Impact of Social Media on the Religious and Spiritual Beliefs of Emerging Adults" by Ehlebracht, M. (n.d.): This study investigates how social media influences the religious and spiritual beliefs of young adults, focusing on the transitional life phase known as "emerging adulthood." It outlines and incorporates the contradictory applications of social media for both the persistence of orthodoxy and the contending new beliefs into the growing self-definition of younger age groups.

- iv. "The Mediatization of Religion: Theorising Religion, Media, and Social Change" by Hjarvard, S. (2011):
Hjarvard introduces a conceptualization of the process of religion mediatization and considers media as an agent of social change. The research provides an account on the influence of media technology on the practice, rituals and beliefs of religion, thereby altering the aspects of religion and its practice in contemporary society which is media rich.
- v. "Social Media as a Platform for Instigating and Waging War" by Ijlsi (2024):
This study assesses social media's role in the context of religious wars and contemporary globalism, stressing the two trends: its use for promoting oneself and one's groups and for waging violence. This analysis shows how such internet communication magnifies radical ideas and promotes drastic actions and modifies the people's minds about particular religions during their clashes.
- vi. "Faith and Facebook in a Pluralistic Age" by McClure, P. K. (2016):
McClure analyzes how social networking site 'Facebook' encourages religious activities and bringing people together even in societies that are very diverse. The author points to the argument of the changing scope of religious networks in the social media age showing how this has allowed people to bring together different religions in an effective manner and even live in such societies without fears of violent ethnic confrontations in the modern world.
- vii. "Religion and Social Media: Communication Strategies by the Spanish Episcopal Conference" by Baraybar-Fernández, A., Arrufat-Martín, S., & Rubira-García, R. (2020):
This research analyzes the communication strategies employed by the Spanish Episcopal Conference on social media. The study reveals how religious organizations strategically utilize digital platforms to engage followers, disseminate messages, and address societal issues, providing a model for digital religious communication.
- viii. "Religion, Popular Culture, and Social Media: The Construction of a Religious Leader Image on Facebook" by Coman, I. A., & Coman, M. (2017):
The authors Coman and Coman examine how clergy perform on social networking sites by combining religious images and popular culture. This research contributes to

the knowledge on the dynamics of religious leaders in the age of social media, where members of the clergy get to preach as well as perform.

2. National Academic Studies

- i. "The Impact of Social Media on Religious Tolerance in India: A Case Study on the Digital Discourse in Religious Conflicts" by Ozukum, T. (2021):
This study investigates the role of social media in shaping religious tolerance in India, particularly during conflicts. It explores how digital platforms are the reason behind the spread of different narratives that influence the general public.
- ii. "Social Media's Role in the Changing Religious Landscape of Contemporary Bangkok" by Agarwal, R., & Jones, W. J. (2022):
This study is geographically limited to Bangkok but shares the core argument made in the analysis of India, in that it is impossible to avoid the effects of the internet on the way people practice their religion in cities. This reemphasizes a similar point made elsewhere about religious practices in the cities – the old practices fuse seamlessly with the new, modern technologies.
- iii. "The Many (Inter)faces of Religious Politics: An Analysis of Social Media Amid Religious and Political Conflict in India" (2024):
This article explores and analyses Indian social media in the light of religion and politics. Focusing upon the digital ecology, it examines how such conflicts are managed, expanded politically, and constructed within the narratives.
- iv. "Social Media Fake News in India" by Al-Zaman, M. S. (2021):
This article examines the spread of religious fake news in India, focusing on its impact on societal harmony. The study highlights how misinformation campaigns exploit religious sensitivities, exacerbating tensions and fueling conflicts.
- v. "Conflict Between Freedom of Expression and Religion in India—A Case Study" by Singh, A. (2018):
This study analyzes the tension between freedom of expression and religious

sentiments in India, emphasizing the role of social media as both a platform for free speech and a site of religious conflict.

- vi. "Digital Divine: Technology Use by Indian Spiritual Sects" by Azhagu Meena, S., et al. (2020):

This study explores how Indian spiritual organizations adopt digital technologies and social media to engage with followers. It highlights the creative and strategic use of these platforms to sustain and expand spiritual practices in a technologically advanced society.

3. Tech Industry Reports:

The reports about the technology industry give a lot of information on social media, technology, and religion. These reports analyze trends, from how a digital user acts to how the future technology will be used in different domains, such as spirituality and religion. For instance, the reports by the major technology companies, including Meta Platforms and Google, often start by stating the increasing role of social media in virtual communities, which encompasses religious groups as well, and the way algorithms shape what users will consume. Customized religious content through the use of artificial intelligence takes center stage in industry insights: apps for the spiritually customized personal life, virtual worship, and scripture analysis through artificial intelligence.

More relevant to the Pew Research Center and other organizations would be the extent to which the digital platform influences, impacts societal values, community engagement, and religious discourse. Such industry reports with their concentration on the metrics of user engagement, strategies of platforms, and technological advancements do a better contextual understanding of how technology mediates religious interaction and reshapes traditional beliefs.

4. Review and Discussion of Sources:

As has been pointed out extensively within academic discourse, social media makes a deep impact as algorithmic biases, misinformation, and echo chambers also shape user engagement with religious content in this era. These dynamics consistently affect interfaith communication; people tend to be absorbed in polarizing narratives while limiting exposure

to diverse perspectives. On the other hand, with the commodification of spiritual discourse, targeted content delivery subtly shapes personal beliefs, raising questions of accountability and transparency. This requires public education and critical involvement in an effort to assist the online discussion of religion in an effective, respectful manner.

5. Conclusion and Recommendation:

From this review of the sources, it can be concluded that social media has various impacts on the individual and the larger society. It is thus crucial that policymakers, industry stakeholders, and individuals take proactive measures toward ensuring digital literacy and placing stricter privacy regulations among other measures that would ensure responsible use of social media. Further research needs to be done on the long-term consequence of using social media to establish control measures over a healthier relationship with social media.

Chapter – 3

Data Analysis

Methodology

Reliability of Sources

1. Primary Data (Google Forms and Offline Interviews): The primary data collected through Google Forms and offline interviews have been relied upon very much in terms of reliability. The survey questions and interview protocols were framed in ways to persuade validity and consistency while collecting data. A sample size of 200+ has ensured diversity within respondents and hence ensures reliability from the findings. Sampling methods and processes of data collection were standardized to avoid possible errors and biases.

2. Secondary data: The sources of secondary data have been scrutinized for reliability, including available academic research and reports from the tech industry. The outputs obtained depend on credible sources that were used in the present study. Data recency has been considered to make sure it is current and relevant for the research questions asked. Subsequently, cross-referencing between secondary data and primary data ensures consistency and reliability in the findings.

Variables Used

Age, Gender, Religious Affiliation, and Use of Social Media: Controlling for all these variables will help determine which demographic factors play a role in people's engrossment in religion online. It looks for any considerable correlation or distinction by establishing patterns of religious discussion among different groups through social media. For example, do age or gender roles play in propelling someone into online religious communities?

Sample Size of over 200: The sample size selected based on statistical considerations was 212 to ensure reliability and generalisation of the findings obtained. In terms of age, gender, and educational background, the sample was heterogeneous, which allowed for comprehensive analysis of the research hypothesis.

Data Collection Procedures

The procedures for collecting both primary and secondary data were planned and conducted in a careful manner to ensure reliability. The questions in the primary data survey were based on established research methodologies and were pre-tested to ensure that they were clear and relevant. The interviews were conducted by trained researchers using standardized protocols to ensure consistency. For secondary data, a systematic approach was followed to identify the sources, and an extraction of data was done based on established guidelines to ensure accuracy.

Data Analysis Techniques

The techniques used in data analysis for this study were selected based on the nature of the data and the nature of the questions under inquiry. For primary data, statistical analysis was considered necessary in order to identify patterns and trends within the data collected. Qualitative data derived from interviews were analyzed through thematic analysis. Secondary data synthesis utilized a systematic review approach in consolidating the evidence from multiple sources.

Reliability of Findings

Overall, the conduct of this study with regards to data collection and analysis is rigorous, supporting the reliability of the findings. Thorough source selection, careful procedures about collecting data, and use of proper techniques while analyzing data account for the reliability of the findings. However, it is worth noting that no study is without limitations, and the findings should be interpreted in the light of its methodology and also any degree of bias.

Regarding our hypothesis -

In this study, we have carefully tested the hypothesis that exposure to diverse religious perspectives on social media challenges and reshapes traditional beliefs. We used a systematic approach to research, consisting of several key components which fit the hypothesis and delivered conclusive findings.

1. **Research Design:** It is a mixed-method approach as a mix of quantitative and qualitative methods were employed. Surveys were used to collect quantitative data about participants' attitudes toward traditional religious beliefs before and after engagement with assorted social media content. Qualitative insight was gathered through in-depth interviews to uncover deeper understandings of the participants' perceptions and experiences.
2. **Data Collection:** In this the survey questionnaire was administered to a sample of 212 participants, and for a portion of the sample, in-depth interviews were held. The survey questions were actually designed to track changes over time in interest, trust, and awareness, while the interviews provided rich, detailed accounts of the experiences and perspectives of participants.
3. **Data Analysis:** Quantitative data obtained from the surveys were analyzed using statistics to identify significant changes in respondents' attitudes before and after watching the documentary. Qualitative interviews were analyzed through thematics to identify common themes and patterns in respondents.
4. **Interpretation of Findings:** Content analysis of both quantitative and qualitative data provided the most comprehensive understanding of how exposure to diverse religious perspectives on social media impacts the beliefs of people in a traditional norm. The results were then interpreted against the hypothesis, namely, belief shifts, openness to alternative perspectives, and reassessment of traditional religious norms.

5. **Google Forms Pie Charts:** Responses to every questionnaire were given in pie charts developed from Google Forms, which were presentations of the spread of responses based on the questions. These charts showed how attitude changes with respect to religious beliefs and practices were fostered by exposure to varied views through social media.
6. **Conclusion and Recommendations:** Based on the analysis, the study concluded that social media significantly challenges and reshapes traditional beliefs by exposing individuals to diverse religious perspectives. We would like to recommend further research that would test these findings on the long-term implications of exposure through such frameworks on religious discourse, community dynamics, and interfaith understanding besides the involvement of algorithms in shaping these interactions.

Our research methodology has therefore been successful in testing the hypothesis and showing a clear connection between the process of research and the hypothesis. Since the methodologies used qualify as a mix of both quantitative and qualitative methods, a comprehensive investigation of research questions has culminated in a holistic conclusion regarding the role social media plays within religious discourse and spiritual communities.

Analysis – I

Online Questionnaire:

Section 1: Demographics

Gender:

212 responses




Fig 3. a

Please select your age group:

212 responses




Fig. 3. b

What is your religion or spiritual affiliation?

212 responses





Fig. 3. C

Section 2: Social Media's Role in Religious Dialogue and Challenges

A) Provides compelling evidence that watching documentaries like "The Social Dilemma" increases interest in social media's societal impact, as hypothesized.

1. Do you take part in discussions/debates on religious topics with friends or others on social media platforms?

212 responses



A significant majority, 54.2% of respondents, reported that they regularly discuss religious issues on social media. This reflects the hypothesis whereby most of them probably have an active engagement in the discussion about religious topics on the platforms. It shows how this is a rich area of religious discourse for the clients, who engage consistently in such discussions.

A smaller percentage, 24.1% of the respondents, said they often engage in religious debates. This gives more credibility to the hypothesis that social media can be a vehicle for intermittent activity, if not regular activity. This suggests that perhaps people could use social media as one of the channels through which they express their religious opinion once such an occasion or topic arises, but religion is something with which they do not generally seek to engage as some form of entertainment or leisure activity.

10.8% stated that they rarely engage in religious posts on social media. This figure is not central to hypothesis concentration, and it still means that a disproportionately large number of users are being underutilized. The reasons would range from personal issues, lack of time, or perhaps lack of much interest in the discussion of religious matters in the virtual world.

A near similar 10.8% of the respondents claimed to never discuss or engage in religious debates on social media. This finding, although outside of the hypothesis, falls in the rate of the population who either feel that social media should not be an appropriate avenue to discuss religion or would rather not be involved in this at all costs.

Generally, the findings suggest that social media plays a major role in religious discourse, with a large percentage frequently or occasionally participating in these discourses. Thus, this expands the view that social media helps bring meaningful participation into religious debates and further deepens the central position of social media as a resource for communities engaging in modern religious conversation.

B) Provides compelling evidence that social media's role in promoting understanding between different religious communities is perceived positively, but not without reservations.

2. Do you believe that social media promotes understanding between different religious communities?
212 responses




Fig. 4.b

The majority of respondents, 51.9%, believe that social media significantly promotes understanding between different religious communities. This goes a long way in supporting the hypothesis that social media can cause interfaith dialogue and therefore promote mutual understanding. The near-unanimous acceptance of the opinion goes to illustrate that people realize how social media has the potential to knock off barriers and create an avenue for religious communities to share viewpoints that would contribute toward harmonious interaction.

18.9% agreed that social media somewhat promotes understanding between different religious communities. In other words, although it might help in the process of getting to know the other, its impact may be perceived as partial or limited, depending on considerations like the form the social media took, the quality of discussion, or kind of information.

However, 14.2% of them believe that social media exacerbates division between religious communities. Though it is not the majority view, this still exemplifies the types of concerns that social media has led to conflict and misunderstandings. Anonymity and ease of spreading disinformation sometimes assist in aggravating relations between groups.

Only 15.1% of the respondents agreed with the view that social media has not contributed to a better understanding between different religious communities. This can be read in the sense that some people do not see value in online interaction or they feel that these kinds of platforms do not contribute meaningfully to religious discourse.

Overall, it would seem that a great number of people believe the social media phenomenon contributes to understanding among religious communities, although there are still some concerns about whether this platform fosters division or not sufficiently encourages meaningful engagement.

C) Provides compelling evidence that misinformation or extremist content related to religion is a significant issue on social media platforms, according to the survey respondents.

3. Have you encountered misinformation or extremist content related to religion on social media?
212 responses




Fig. 4.c

A large proportion, 51.4% of the respondents, reported regularly encountering misinformation or extreme content regarding religion. This is in line with the notion that social media empowers potentially extreme and/or false views, not least in areas such as religion, where sensitive topics are liable to be controversial.

23.6% of the respondents said that they sometimes stumble upon such content. This implies that though misinformation might not be a daily issue for all user interaction, it undoubtedly remains an issue for most listeners. These occasional encounters may draw the attention of the general public to the propaganda being spread in particular areas in cyberspace, such as religious forums or groups in which the content sometimes is not checked.

Only 12.7% said that they rarely stumble on misleading or extremist content related to religion. This might reflect the fact that the problem is not widespread for everyone but always is there, and sometimes users come across misleading or extreme views.

A smaller percentage, 12.3%, claimed never to have seen misleading content or propaganda concerning religion on social networks. Thus, it is likely that for a few users, their experience

with religious material on social media sites would be even more positive or neutral because of less exposure to damaging or misleading information.

However, the results point towards the crucial role disinformation and extremist content on religious issues play on social media since a significantly large number of users (75%) report it at least some of the time. This emphasizes the need for stricter regulation of social media contents and proper engagement with such contents.

D) Supports the hypothesis of social media on understanding and acceptance of different religious perspectives among the respondents.

4. To what extent do you agree with the statement: "Social media has expanded my understanding and acceptance of different religious perspectives."

212 responses




Fig. 4.d

A majority of respondents, 55.2%, believe that they possessed greater understanding by and exposure to other religious perspectives through social media. So, it would seem that, through social media, the road to awareness and inclusion for different religious views is an effective catalyst. That such a large proportion felt very strongly reflects how online venues contribute to a more tolerant and knowledgeable society.

A smaller yet significant portion, 12.3%, agrees with the statement, further reinforcing the positive influence of social media in shaping perceptions about religious diversity. This group

may not be as enthusiastic as the majority, but they indeed recognize that digital engagement can enhance religious understanding.

11.3% said that they are neutral, which may be because they never experienced and/or were not affected by social media enough seriously to impact their religious stance. Neutrality may only be an indicator of difference in people's usage of social media or the kinds of content these people see and encounter.

On the other hand, 9.4% disagreed with the statement, and 11.8% strongly disagreed. Taken together, these groups constitute of those who consider social media to be detrimental in promoting understanding and acceptance of religious views different from one's own. That might be because of having negative experiences, like seeing polarizing or biased content.

Either way, it supports our hypothesis since it indicates a change from the original perspective of the social media user.

E) Highlights the frequency with which respondents engage with religious or spiritual content on social media platforms.

5. How often do you find/engage with religious or spiritual content on social media?
212 responses




Fig. 4.e

A high number of respondents, that is 55.2%, claimed to interact with religious or spiritual content on social media every day. It means that some significant percentage of users actively consume and engage with such content, showing it is relevant and present in their daily lives.

Almost 19.8% of respondents stated that they occasionally experience religious or spiritual content. This is the population group that does not consciously search for such content but which is yet faced with it through their social media usage; therefore, religious or spiritual content still seems to be present and influential at different engagement levels.

The smallest segment of all, 15.1%, said they hardly used the content. Perhaps this was evidence of disinterest or altogether avoiding religious or spiritual conversations on these sites.

Only 9.9% of respondents said that they never interact with religious or spiritual content on social media. This minority also indicates that although some users may deliberately avoid the topics, the prevalence of religious or spiritual material makes it reach most users to at least some extent.

The underpinnings of findings here underscore the immense importance of social media as an enabler for religious and spiritual discourse, since most respondents have been using this platform frequently. That presents a strong demand for such content perhaps with the ability to shape their beliefs and practices.

G) Explores the influence of diverse religious views on social media in prompting self-reflection on personal religious beliefs among respondents.

6. Has exposure to diverse religious views on social media made you question your own religious beliefs?

212 responses




Fig. 5

A majority, 49.5% of respondents self-report how social media exposed them to a variety of religious opinions, and thus made them doubt their own religious beliefs in many instances. That percentage is pretty high, and it definitely means that there's a great contribution of social media towards introspection and re-evaluation of personal views.

Moreover, 17.5% of respondents said they sometimes doubted their beliefs due to such exposure. Such a group represents the highly significant influence of online religious discourse on personal thoughts and beliefs-there is such an impact because it is always periodic.

17.5% of respondents also stated they rarely question their religious beliefs when encountering diverse viewpoints. This indicated that, although the content may provoke interesting thought, this group has convictions which are not significantly challenged by the content.


Finally, 15.6% of the respondents never questioned their religious beliefs through social media exposure. Thus, for a minority, their beliefs are steady and are not swayed by various perspectives propagated through cyberspaces.

Findings suggest that for a large number of users (84.4%), social media content has the capacity for changing their religious belief systems at least a few times. Meanwhile, they still demonstrate a subgroup of the population who are less sensitive to or even resistant toward influence by such contents, and once again highlight the variability of an individual's response to online materials.

H) Explores the influence of diverse religious views on social media on the strength of respondents' personal religious beliefs.

7. Do you believe that exposure to diverse religious opinions on social media has strengthened or weakened your religious beliefs?

212 responses



A large number of the respondents, 58%, believe that exposure to diverse religious views on social media has strengthened their religious beliefs. This is an important figure as it reveals social media as a reinforcing agent that could affirm and even congeal prior convictions when everyone is exposed to a diversity of views.

In fact, 23.1% agreed that their beliefs have been weakened because of this exposure. This is reflective of how social media expositions can be disruptive to personal religious convictions and the viewpoint exposure it provides.

Interestingly, 18.9% said they maintained the same beliefs after interacting with different religious thoughts. This means that for a number of respondents, their beliefs are either robust or do not shift with regard to religious eloquence found online.

The findings indicate that social media functions as a tool both to reaffirm religious belief and more frequently and/or significantly as a factor to question or even weaken them, underlining the broad and multifaceted impact of social media on individual beliefs.


Overall, 81.1% of the respondents have had their spiritual stances strengthening or weakening, thus supporting our hypothesis that exposure to social media results in a change in their original beliefs.

Section 3: Conclusion

A) Strongly supports the original hypothesis of the influence of social media on shaping respondents' views about religious tolerance.

8. Finally, to what extent do you agree with the statement: "Social media has had a lasting impact on my views about religious tolerance."

212 responses



More than half the users undoubtedly agreed that social media has brought upon changes in views related to religious tolerance. This big proportion puts across the powerful role of social media in availing avenues through which people could discuss religion and even maybe increase understanding and acceptance of diverse religious perspectives.

11.8% answered in the affirmative of the statement and brings out how social media can be used as a tool to forward positive contributions toward tolerance. Putting these two groups together implies that most use social media instrumentally in opinion formation on this question.

However, 12.3% were neutral, meaning that though social media may expose people to differences in opinion, the resultant effect on their perception of religious tolerance is unclear.

Only 11.3% respondents had disagreed with the statement; meaning that for some, either social media has no special influence or possibly even perpetuates pre-existing attitudes regarding religious tolerance. However, this constitutes of the minority.

The findings indicate social media plays a significant role in shaping attitudes toward religious tolerance for the majority of users but also show that a part of society appears to be impervious or even critical of such influence.

Conclusion:

As the online survey is analysed, it becomes clear that social media forms an important vehicle of modern religious discourse and personal expression. Social media are, indeed, found to be a dynamic forum in which people actively communicate on religious matters, with most respondents either fairly often or sometimes taking part. These platforms appear to play an instrumental role for interfaith understanding and acceptance; though the fears of social media's potential for promoting division and misinformation endure.

The findings underpin the double-edged nature of the influence social media exercises over society: while it allows people to understand ideas better and to make their beliefs stronger for many, it contradicts convictions for others. Again, the ubiquitousness and potential for reflection of religious and spiritual content on digital platforms further highlight just how transformative their impact can be on personal faith and collective religious discourse. Still, the spread of misinformation and hate speech here presupposes responsible content moderation and critical engagement by users. In general, social media is a powerful though complex instrument for shaping religious attitudes and developing interfaith relationships in the digital world.

Analysis – II

Offline questionnaire

Interviewer: Thank you for participating in our survey. We're interested in understanding how social media is shaping religious belief, practice, and interfaith understanding. So, let's start with your own experience. Which of the following social media apps do you use to consume content related to your religion?

Interviewee: I mostly look for religious content on either Instagram and YouTube. Sometimes I even scan the threads on Twitter for specific topics.

Interviewer: That's great to hear. In what ways do you feel that social networking services have motivated you to appreciate your religion and its practices more?

Interviewee: Social media has made it easier to access teachings, sermons, and rituals that I never knew about. And by watching videos or reading posts by scholars, I began to appreciate faith.

Interviewer: That's interesting. How many times have you found social media to clarify any misconceptions about your own religion? Take an example from your past experiences.

Interviewee: Yes, I had one point of misunderstanding the historical context of a particular previously practiced ritual in my religion (Sati). One day while browsing on IG, I read one very detailed posting from a scholar, and it cleared up things for me.

It's definitely made me more curious about the societal impacts of social media. I find myself reading more about different subjects and discussing it with friends.

Interviewer: That is amazing. Have you ever seen something on social media that you felt was false about your religion or spirituality? How did that affect you?

Interviewee: Absolutely. I do see many posts spreading false information about a ritual or a value, often made by some individuals trying to spread hate. It is frustrating and sometimes creates confusion, but it also challenges me to verify facts further and look for authentic sources.

Interviewer: And talking of authenticity, how do you differentiate between credible and non-credible content related to your faith online?

Interviewee: I look out for posts from verified scholars, religious leaders or organisations. I cross-check the information with official sources or some of the most trusted religious texts.

Interviewer: Thank you for sharing your insights. Now, let's speak about other religions. Have you ever corrected a stereotype about another religion that you encountered on social media? Have your attitudes or standpoints changed?

Interviewee: If I think about it, I have had corrected several misconceptions in online discussions. Learning directly from people of other faiths has made me more open-minded and respectful towards their beliefs. I learned to discover common values in religion, such as compassion and justice. It's great that they share similar central messages despite how diverse they are with their spirituality.

Interviewer: Thank you for your insights. One last question; in your opinion, do you believe that social media is mainly having a positive or negative influence on people's religions or faiths? Why?

Interviewee: I feel like it's a mix. It's a good thing because it spreads knowledge and creates connections, but it can also be harmful if misinformation or extremist content isn't addressed properly.

Interviewer: Thank you for participating in our survey and giving us your opinions regarding this topic. Your standpoint is really helpful for discussing the impact of social media on religious discourse and mutual understanding among religions.

Conclusion

In conclusion, this study confirmed how social media has a huge impact on religious discourse and spiritual communities, validating our hypothesis. Social media algorithms tend to cause the phenomenon of echo chambers with intense polarizing narratives in their proliferations, limit exposure to diversified views, and make constructive interfaith dialogue impossible. Furthermore, subtle manipulation of personal beliefs with content delivery raises ethical concerns about the manipulation of spiritual interactions. Nonetheless, opportunities for fostering connection and dialogue among diverse religious communities continue to abound in social media.

This scope of this research through transparency, ethical accountability, and public education can minimize the effects of social media on spiritual engagement. Critical media literacy practices and inclusive content moderation strategies create spaces where mutual respect and understanding of religious conversations are fostered. These measures are critical to taking full advantage of the positive potential of social media while acknowledging its challenges.

However, the study is limited by the fast-changing nature of social media technologies and the diversity of user experiences across cultural and religious contexts. Of course, it would be interesting to explore what emerging new platforms and AI-driven technologies do for religious practices and whether belief systems change in the long term as a result of the content exposed on social media. By expanding these dimensions of study, a deeper understanding of how social media interacts with spirituality can be attained which will lead to greater ethical and inclusive online religious groups.

Works Cited

International:

- 1) Cheong, P. H. (2016). The vitality of new media and religion: Communicative perspectives, practices, and changing authority in spiritual organization. *New Media & Society*, 19(1), 25–33.
- 2) Clarke, P. B. (2004). New Religions in Global Perspective. In Routledge eBooks.
- 3) Ehlebracht, M. (n.d.). Exploring the Impact of Social Media on the Religious and Spiritual Beliefs of Emerging Adults. Scholars Commons @ Laurier.
- 4) Hjarvard, S. (2011). The mediatisation of religion: Theorising religion, media and social change. *Scottish Journal of Religious Studies*, 12(2), 119–135.
- 5) Ijlsi. (2024, April 26). 4. Social Media as a Platform for Instigating and Waging War - International Journal of Integrated Law Review. International Journal of Integrated Law Review.
- 6) McClure, P. K. (2016). Faith and Facebook in a Pluralistic Age. *Sociological Perspectives*, 59(4), 818–834.
- 7) Baraybar-Fernández, A., Arrufat-Martín, S., & Rubira-García, R. (2020). Religion and Social Media: Communication Strategies by the Spanish Episcopal Conference. *Religions*, 11(5), 239.
- 8) Coman, I. A., & Coman, M. (2017). Religion, popular culture and social media: the construction of a religious leader image on Facebook. Questa Soft

National

- 1) Ozukum, T. (2021a). The Impact of Social Media on Religious Tolerance in India: A Case Study on the Digital Discourse in Religious Conflicts.
- 2) Agarwal, R., & Jones, W. J. (2022). Social Media's Role in the Changing Religious Landscape of Contemporary Bangkok. *Religions*, 13(5), 421.
- 3) The Many (Inter)faces of Religious Politics: An analysis of social media amid religious and political conflict in India. (2024, February 5).

- 4) Venkatesh, S., Priyanka, M. S., & Hunnaragi, R. (2024). Ayodhya: A study on the Influence of Social Media Marketing on Spiritual Tourism in India. SAMVAD, 28(0), 32.
- 5) Swaminathan, S. (2020, July 31). Losing my Religion: Studying the Dynamics between Religion, Social Media and the Urban Millennials.
- 6) Al-Zaman, M. S. (2021). Social Media Fake News in India. AJPOR, 9(1), 25–47.
- 7) Singh, A. (2018). Conflict between Freedom of Expression and Religion in India—A Case Study. Social Sciences, 7(7), 108.
- 8) Azhagu Meena, S., Microsoft Research India, Bhatia, V., Azim Premji University, Pal, J., & Microsoft Research India. (2020). Digital Divine: Technology use by Indian Spiritual Sects. In Information and Communication Technologies and Development (ICTD '20) (p. 11 pages)

Appendices

Appendix I: Online Survey Questionnaire

10/21/24, 4:06 PM

Role of Social Media in Religious Discourse and Spiritual Communities

Role of Social Media in Religious Discourse and Spiritual Communities

Thank you for participating in this survey. The focus of this research is the effect of social networks on religion and spirituality. We recognize the role of social media in religious discussions today as a very important medium that allows a variety of opinions that at times contradict existing beliefs. Your answers will allow us to assess how looking at different religions on the Internet influences people's outlook and promotes interreligious communication as well as confrontation with fake news and divisions. By filling out the given questionnaire, you will help us learn how the use of social network services in religion and spirituality has been changing over the last few years.

* Indicates required question

Section 1: Demographics and Social Media Usage

1. Full name: *

2. Gender: *

Mark only one oval.

- Male
- Female
- Other
- Prefer not to say

3. Please select your age group: *

Mark only one oval.

- Under 18
- 18-24
- 25-34
- 35-44
- 45-54
- 55-64
- 65 and older

4. What is your religion or spiritual affiliation? *

Mark only one oval.

- Hinduism
- Islam
- Christianity
- Sikhism
- Jainism
- Atheism
- Agnosticism
- Other

Section 2: Social Media's Role in Religious Dialogue and Challenges

5. 1. Do you take part in discussions/debates on religious topics with friends or others on social media platforms? *

Mark only one oval.

- Yes, regularly
- Yes, occasionally
- Rarely
- Never

6. 2. Do you believe that social media promotes understanding between different religious communities? *

Mark only one oval.

- Yes, significantly
- Yes, somewhat
- No, it increases division
- No, it has no impact

7. 3. Have you encountered misinformation or extremist content related to religion on social media? *

Mark only one oval.

- Yes, frequently
- Yes, occasionally
- Rarely
- Never

Section 3: Impact on Personal Beliefs

8. To what extent do you agree with the statement: "Social media has expanded my understanding and acceptance of different religious perspectives." *

Mark only one oval.

- Strongly agree
- Agree
- Neutral
- Disagree
- Strongly disagree

9. How often do you find/engage with religious or spiritual content on social media? *

Mark only one oval.

- Daily
- Occasionally
- Rarely
- Never

10. Has exposure to diverse religious views on social media made you question your own religious beliefs? *

Mark only one oval.

- Yes, frequently
- Yes, occasionally
- Rarely
- Never

11. Do you believe that exposure to diverse religious opinions on social media has strengthened or weakened your religious beliefs? *

Mark only one oval.

- Strengthened
- Weakened
- Neither

12. Finally, to what extent do you agree with the statement: "Social media has had a lasting impact on my views about religious tolerance." *

Mark only one oval.

- Strongly agree
- Agree
- Neutral
- Disagree
- Strongly disagree

This content is neither created nor endorsed by Google.

Google Forms

Appendix II: Offline Survey Questionnaire

Questions Related to the Person's Own Religion:

- 1) Which social media apps do you use to consume content related to your religion?
- 2) In what ways do you think social networking services motivated you to appreciate your religion and its practices more?
- 3) 3. Have you ever found clarity about any misconceptions you had about your own religion through social media? Can you share an example?
- 4) 4. Have you ever seen anything on social media that you believe is false concerning your religion and spirituality? What effect did that have on you, if any?
- 5) 5. How do you differentiate between reliable and unreliable content about your faith on social media?

Questions Related to Other Religions:

- 1) Have you ever met or corrected the stereotypes about the other religions that you have seen previously on social media? Did your attitude or standpoint change?
- 2) What new insights or teachings have you learned about other religions through social media, that are worth mentioning?
- 3) Do you think social media enhances understanding and tolerance among different religions? Why or why not?
- 4) Have you engaged in any online discussions or debates regarding religion with people from different faiths? What was the outcome?

General Questions:

- 1) Do you follow any spiritual leaders (offline/online)? If so, which ones and why?
- 2) In your view, do you think that social media have a good or a bad effect on people's religious beliefs and practices? Give reasons.

Sample Response



Role of Social Media in Religious Discourse and Spiritual Communities

Thank you for participating in this survey. The focus of this research is the effect of social networks on religion and spirituality. Your answers will allow us to assess how looking at different religions on the Internet influences people's outlook and promotes interreligious communication as well as confrontation with fake news and divisions. By filling out the given questionnaire, you will help us learn how the use of social network services in religion and spirituality has been changing over the last few years.

Created by: Noyonika Mukherjee and Mohamed Husain

202351167@iitvadodara.ac.in [Switch account](#)

Not shared

Draft saved

* Indicates required question

Section 1: Demographics and Social Media Usage

Full name: *

Noyonika Mukherjee

Gender: *

- Male
- Female

Please select your age group: *

- Under 18
- 18-24
- 25-34
- 35-44
- 45-54
- 55-64
- 65 and older

What is your religion or spiritual affiliation? *

- Hinduism
- Islam
- Christianity
- Sikhism
- Jainism
- Atheism
- Agnosticism
- Other

Section 2: Social Media's Role in Religious Dialogue and Challenges

1. Do you take part in discussions/debates on religious topics with friends or others on social media platforms? *

- Yes, regularly
- Yes, occasionally
- Rarely
- Never

2. Do you believe that social media promotes understanding between different religious communities? *

- Yes, significantly
- Yes, somewhat
- No, it increases division
- No, it has no impact

3. Have you encountered misinformation or extremist content related to religion on social media? *

- Yes, frequently
- Yes, occasionally
- Rarely
- Never

Section 3: Impact on Personal Beliefs

4. To what extent do you agree with the statement: "Social media has expanded my understanding and acceptance of different religious perspectives." *

- Strongly agree
- Agree
- Neutral
- Disagree
- Strongly disagree

5. How often do you find/engage with religious or spiritual content on social media? *

- Daily
- Occasionally
- Rarely
- Never

6. Has exposure to diverse religious views on social media made you question your own religious beliefs? *

- Yes, frequently
- Yes, occasionally
- Rarely
- Never

7. Do you believe that exposure to diverse religious opinions on social media has * strengthened or weakened your religious beliefs?

- Strengthened
- Weakened
- Neither

8. Finally, to what extent do you agree with the statement: "Social media has had * a lasting impact on my views about religious tolerance."

- Strongly agree
- Agree
- Neutral
- Disagree
- Strongly disagree

Submit

Page 1 of 1

[Clear form](#)

Never submit passwords through Google Forms.

This form was created inside of Indian Institute of Information Technology, Vadodara. [Report Abuse](#)

Google Forms

LAB 1

Main:

```
//NAME = UDAY SINGH ID = 202351150
//NAME = SHIVAM KUMAR ID=202351130
// Logic Gates Module (Structural Model)
module logic_gates(
    input wire A, B,
    output wire AND_out, OR_out, NOT_A_out, NAND_out, NOR_out, XOR_out
);
// AND gate
and u1 (AND_out, A, B);

// OR gate
```

```
or u2 (OR_out, A, B);

// NOT gate (for input A)
not u3 (NOT_A_out, A);

// NAND gate
nand u4 (NAND_out, A, B);

// NOR gate
nor u5 (NOR_out, A, B);

// XOR gate
xor u6 (XOR_out, A, B);

endmodule
```

test bench

```
// Testbench to apply stimulus and check outputs
module testbench;

// Testbench signals
reg A, B;
wire AND_out, OR_out, NOT_A_out, NAND_out, NOR_out, XOR_out;

// Instantiate the logic_gates module (Unit Under Test - UUT)
logic_gates uut (
    .A(A),
    .B(B),
    .AND_out(AND_out),
    .OR_out(OR_out),
    .NOT_A_out(NOT_A_out),
    .NAND_out(NAND_out),
    .NOR_out(NOR_out),
    .XOR_out(XOR_out)
);

// Test stimulus
initial begin

    // Monitor the outputs whenever A or B changes
    $monitor("A=%b, B=%b | AND_out=%b, OR_out=%b, NOT_A_out=%b,
    NAND_out=%b, NOR_out=%b, XOR_out=%b",

```

```
A, B, AND_out, OR_out, NOT_A_out, NAND_out, NOR_out, XOR_out);  
  
// Apply test cases  
A = 0; B = 0; #10; // Test case 1  
A = 0; B = 1; #10; // Test case 2  
A = 1; B = 0; #10; // Test case 3  
A = 1; B = 1; #10; // Test case 4  
  
// Finish the simulation  
$finish;  
end  
  
endmodule
```


Output

```
shivam-kumar@iitanshivamkumar:~/Documents
```

```
shivam-kumar@iitanshivamkumar:~/Documents$ iverilog -o logic_gates_tb.out logic_gates_tb.v
shivam-kumar@iitanshivamkumar:~/Documents$ vvp logic_gates_tb.out
VCD info: dumpfile logic_gates_tb.vcd opened for output.
A=0, B=0 | AND_out=0, OR_out=0, NOT_A_out=1, NAND_out=1, NOR_out=1, XOR_out=0
A=0, B=1 | AND_out=0, OR_out=1, NOT_A_out=1, NAND_out=1, NOR_out=0, XOR_out=1
A=1, B=0 | AND_out=0, OR_out=1, NOT_A_out=0, NAND_out=1, NOR_out=0, XOR_out=1
A=1, B=1 | AND_out=1, OR_out=1, NOT_A_out=0, NAND_out=0, NOR_out=0, XOR_out=0
logic_gates_tb.v:64: $finish called at 40 (1s)
shivam-kumar@iitanshivamkumar:~/Documents$ gtkwave logic_gates_tb.vcd

GTKWave Analyzer v3.3.116 (w)1999-2023 BSI

[0] start time.
[40] end time.
GTKWAVE | Reloading waveform...
[0] start time.
[40] end time.
GTKWAVE | ...waveform reloaded
GTKWAVE | Reloading waveform...
[0] start time.
[40] end time.
GTKWAVE | ...waveform reloaded
GTKWAVE | Unsupported dumpfile type for rtlbrowse.
```



Lab2

Main:

```
// Logic Gates Using Behavioral Model

module logic_gates_behavioral(
    input wire A, B,
    output wire NOT_A_NAND, AND_NAND, OR_NAND, XOR_NAND,
    XNOR_NAND, NOR_NAND, NAND_NAND,
    output wire NOT_A_NOR, AND_NOR, OR_NOR, XOR_NOR, XNOR_NOR,
    NAND_NOR
);
```

```
// *** Behavioral Model for Gates Using NAND ***
```

```
// NOT using NAND
```

```
assign NOT_A_NAND = ~A;
```

```
// AND using NAND
```

```
assign AND_NAND = A & B;
```

```
// OR using NAND
```

```
assign OR_NAND = A | B;
```

```
// XOR using NAND
```

```
assign XOR_NAND = A ^ B;
```

```
// XNOR using NAND
```

```
assign XNOR_NAND = ~(A ^ B);

// NOR using NAND (Behavioral implementation of NOR using NAND gates
logic)
assign NOR_NAND = ~(A | B);

// NAND gate itself (already implemented by NAND gate)
assign NAND_NAND = ~(A & B);

// *** Behavioral Model for Gates Using NOR ***
// NOT using NOR
assign NOT_A_NOR = ~A;

// AND using NOR (Behavioral implementation of AND using NOR gates logic)
assign AND_NOR = A & B;

// OR using NOR
assign OR_NOR = A | B;

// XOR using NOR
assign XOR_NOR = A ^ B;

// XNOR using NOR
assign XNOR_NOR = ~(A ^ B);
```

```
// NAND using NOR (Behavioral implementation of NAND using NOR gates
logic)
assign NAND_NOR = ~(A & B);

endmodule
```

testbench:

```
// Testbench to check outputs with VCD generation

module testbench;

// Testbench signals
reg A, B;

wire NOT_A_NAND, AND_NAND, OR_NAND, XOR_NAND, XNOR_NAND, NOR_NAND,
NAND_NAND;

wire NOT_A_NOR, AND_NOR, OR_NOR, XOR_NOR, XNOR_NOR, NAND_NOR;

// Instantiate the logic_gates_behavioral module
logic_gates_behavioral uut (
    .A(A), .B(B),
    .NOT_A_NAND(NOT_A_NAND), .AND_NAND(AND_NAND), .OR_NAND(OR_NAND),
    .XOR_NAND(XOR_NAND), .XNOR_NAND(XNOR_NAND), .NOR_NAND(NOR_NAND),
    .NAND_NAND(NAND_NAND),
    .NOT_A_NOR(NOT_A_NOR), .AND_NOR(AND_NOR), .OR_NOR(OR_NOR),
    .XOR_NOR(XOR_NOR), .XNOR_NOR(XNOR_NOR), .NAND_NOR(NAND_NOR)
);

// Test stimulus
initial begin
    // Create a VCD file
    $dumpfile("logic_gates_behavioral_tb.vcd"); // VCD file name
    $dumpvars(0, testbench); // Dump variables from the testbench module

    // Monitor the outputs
    $monitor("A=%b, B=%b | NOT_A_NAND=%b, AND_NAND=%b, OR_NAND=%b,
    XOR_NAND=%b, XNOR_NAND=%b, NOR_NAND=%b, NAND_NAND=%b | NOT_A_NOR=%b,
    AND_NOR=%b, OR_NOR=%b, XOR_NOR=%b, XNOR_NOR=%b, NAND_NOR=%b",

```

```
A, B, NOT_A_NAND, AND_NAND, OR_NAND, XOR_NAND, XNOR_NAND,  
NOR_NAND, NAND_NAND, NOT_A_NOR, AND_NOR, OR_NOR, XOR_NOR, XNOR_NOR,  
NAND_NOR);
```

```
// Apply test cases
```

```
A = 0; B = 0; #10;
```

```
A = 0; B = 1; #10;
```

```
A = 1; B = 0; #10;
```

```
A = 1; B = 1; #10;
```

```
// Finish the simulation
```

```
$finish;
```

```
end
```

```
endmodule
```

```
//iverilog -o logic_gates_behavioral_tb.out logic_gates_behavioral_tb.v
```

```
//vvp logic_gates_behavioral_tb.out
```

```
//gtkwave logic_gates_behavioral_tb.vcd
```

Output:

```
shivam-kumar@iitanshshivamkumar:~/Documents$ iverilog -o logic_gates_behavioral_tb.out logic_gates_behavioral_tb.v
shivam-kumar@iitanshshivamkumar:~/Documents$ vvp logic_gates_behavioral_tb.out

VCD info: dumpfile logic_gates_behavioral_tb.vcd opened for output.
A=0, B=0 | NOT_A_NAND=1, AND_NAND=0, OR_NAND=0, XOR_NAND=0, XNOR_NAND=1, NOR_NAND=1, NAND_NAND=1 | NOT_A_NOR=1, AND_NOR=0, OR_NOR=0, XOR_NOR=0, XNOR_NOR=1, NOR_NOR=1
A=0, B=1 | NOT_A_NAND=1, AND_NAND=0, OR_NAND=1, XOR_NAND=1, XNOR_NAND=0, NOR_NAND=0, NAND_NAND=1 | NOT_A_NOR=1, AND_NOR=0, OR_NOR=1, XOR_NOR=1, XNOR_NOR=0, NOR_NOR=1
A=1, B=0 | NOT_A_NAND=0, AND_NAND=0, OR_NAND=1, XOR_NAND=1, XNOR_NAND=0, NOR_NAND=0, NAND_NAND=1 | NOT_A_NOR=0, AND_NOR=1, XOR_NOR=1, XNOR_NOR=0, NOR_NOR=1
A=1, B=1 | NOT_A_NAND=0, AND_NAND=1, OR_NAND=1, XOR_NAND=0, XNOR_NAND=1, NOR_NAND=0, NAND_NAND=0 | NOT_A_NOR=0, AND_NOR=1, XOR_NOR=0, XNOR_NOR=1, NOR_NOR=0
logic_gates_behavioral_tb.v:86: $finish called at 40 (1s)
shivam-kumar@iitanshshivamkumar:~/Documents$ gtkwave logic_gates_behavioral_tb.vcd

GTKWave Analyzer v3.3.116 (w)1999-2023 BSI

[0] start time.
[40] end time.
```



Lab 3:

Main:

```
`timescale 1ns / 1ps

///////////////////////////////
/////////////////////////////
// Company:
// Engineer:
//
// Create Date: 19.09.2024 18:07:47
// Design Name:
// Module Name: HALF_ADDER
// Project Name:
// Target Devices:
// Tool Versions:
// Description:
//
// Dependencies:
//
// Revision:
```

```
// Revision 0.01 - File Created  
// Additional Comments:  
  
//  
//////////  
//////////
```

```
// NAME = UDAY SINGH ,ROLL NO = 202351150 ||  
NAME = SHIVAM KUMAR, ROLL NO = 202351130
```

```
module HALF_ADDER(
```

```
    input A,
```

```
    input B,
```

```
    output SUM,
```

```
    output CARRY
```

```
);
```

```
xor(SUM,A,B);
```

```
and(CARRY,A,B);
```

```
endmodule
```

```
testbench:
```

```
// Testbench for Half Adder with VCD for GTKWave
```

```
module testbench;
```

```
// Testbench signals

reg A, B;          // Inputs to the half adder
wire SUM, CARRY;  // Outputs from the half adder

// Instantiate the half_adder module
half_adder uut (
    .A(A),
    .B(B),
    .SUM(SUM),
    .CARRY(CARRY)
);

// Test stimulus
initial begin
    // Open a VCD file for GTKWave
    $dumpfile("half_adder.vcd"); // Specify the name
    of the VCD file
    $dumpvars(0, testbench);    // Dump all variables
    for the module 'testbench'

    // Monitor the inputs and outputs
```

```
$monitor("A=%b, B=%b | SUM=%b, CARRY=%b",
A, B, SUM, CARRY);

// Apply test cases
A = 0; B = 0; #10; // Test case 1: 0 + 0
A = 0; B = 1; #10; // Test case 2: 0 + 1
A = 1; B = 0; #10; // Test case 3: 1 + 0
A = 1; B = 1; #10; // Test case 4: 1 + 1

// Finish the simulation
$finish;

end

endmodule
```

```
//iverilog -o half_adder_tb.out half_adder_tb.v
half_adder.v

//vvp half_adder_tb.out
//gtkwave half_adder.vcd
```

Main_fulladder:

```
// Full Adder module
module full_adder(
    input wire A, // First input
    input wire B, // Second input
    input wire Cin, // Carry-in input
    output wire Sum, // Sum output
    output wire Cout // Carry-out output
);
```

// Intermediate values for half-adders

```
wire Sum1, Carry1, Carry2;
```

// First half adder (A and B)

```
assign Sum1 = A ^ B; // First sum
assign Carry1 = A & B; // First carry
```

// Second half adder (Sum1 and Cin)

```
assign Sum = Sum1 ^ Cin; // Final sum
assign Carry2 = Sum1 & Cin; // Second carry
```

```
// Final carry out  
assign Cout = Carry1 | Carry2;  
  
endmodule
```

```
testbench:  
// Testbench for Full Adder  
module tb_full_adder;  
  
reg A, B, Cin; // Test inputs  
wire Sum, Cout; // Outputs from full adder  
  
// Instantiate the full adder  
full_adder uut (  
    .A(A),  
    .B(B),  
    .Cin(Cin),  
    .Sum(Sum),  
    .Cout(Cout)
```

```
);
```

```
initial begin
```

```
// Create a VCD file for GTKWave
```

```
$dumpfile("full_adder_tb.vcd");
```

```
$dumpvars(0, tb_full_adder);
```

```
// Display the outputs
```

```
$monitor("A=%b B=%b Cin=%b | Sum=%b Cout=%b",  
A, B, Cin, Sum, Cout);
```

```
// Test cases
```

```
A = 0; B = 0; Cin = 0; #10;
```

```
A = 0; B = 1; Cin = 0; #10;
```

```
A = 1; B = 0; Cin = 0; #10;
```

```
A = 1; B = 1; Cin = 0; #10;
```

```
A = 0; B = 0; Cin = 1; #10;
```

```
A = 0; B = 1; Cin = 1; #10;
```

```
A = 1; B = 0; Cin = 1; #10;
```

```
A = 1; B = 1; Cin = 1; #10;
```


```
// End the simulation  
$finish;  
end  
  
endmodule
```

output : half adder

```
shivam-kumar@iitanshivamkumar:~/Documents$ iverilog -o half_adder_tb.out half_adder_tb.v
shivam-kumar@iitanshivamkumar:~/Documents$ vvp half_adder_tb.out
VCD info: dumpfile half_adder.vcd opened for output.
A=0, B=0 | SUM=0, CARRY=0
A=0, B=1 | SUM=1, CARRY=0
A=1, B=0 | SUM=1, CARRY=0
A=1, B=1 | SUM=0, CARRY=1
half_adder_tb.v:46: $finish called at 40 (1s)
shivam-kumar@iitanshivamkumar:~/Documents$ gtkwave half_adder.vcd

GTKWave Analyzer v3.3.116 (w)1999-2023 BSI

[0] start time.
[40] end time.
```



Full adder:



```
shivam-kumar@iitanshivamkumar:~/Documents
```

```
shivam-kumar@iitanshivamkumar:~/Documents
```

```
shivam-kumar@iitanshivamkumar:~/Documents$ iverilog -o full_adder_tb.out full_adder_tb.v
shivam-kumar@iitanshivamkumar:~/Documents$ vvp full_adder_tb.out
VCD info: dumpfile full_adder_tb.vcd opened for output.
A=0 B=0 Cin=0 | Sum=0 Cout=0
A=0 B=1 Cin=0 | Sum=1 Cout=0
A=1 B=0 Cin=0 | Sum=1 Cout=0
A=1 B=1 Cin=0 | Sum=0 Cout=1
A=0 B=0 Cin=1 | Sum=1 Cout=0
A=0 B=1 Cin=1 | Sum=0 Cout=1
A=1 B=0 Cin=1 | Sum=0 Cout=1
A=1 B=1 Cin=1 | Sum=1 Cout=1
full_adder_tb.v:60: $finish called at 80 (1s)
shivam-kumar@iitanshivamkumar:~/Documents$ gtkwave full_adder_tb.vcd

GTKWave Analyzer v3.3.116 (w)1999-2023 BSI

[0] start time.
[80] end time.
```

Lab 4

Main:

Demux:

```
`timescale 1ns / 1ps

//// File: demux_1to8.v

module demux_1to8 (
    input wire i,          // Input
    input wire [2:0] sel,   // 3-bit selection line
    output reg y0,         // Output 0
    output reg y1,
    output reg y2,
    output reg y3,
    output reg y4,
    output reg y5,
    output reg y6,
    output reg y7
);
    always @(*) begin
        y0 = 0;
        y1 = 0;
```

y2 = 0;

y3 = 0;

y4 = 0;

y5 = 0;

y6 = 0;

y7 = 0;

case(sel)

3'b000: y0 = i;

3'b001: y1 = i;

3'b010: y2 = i;

3'b011: y3 = i;

3'b100: y4 = i;

3'b101: y5 = i;

3'b110: y6 = i;

3'b111: y7 = i;

default: ;

endcase

end

endmodule

```
testbench:demux:  
`timescale 1ns / 1ps  
/// File: tb_demux_1to8.v  
module tb_demux_1to8;  
    reg i;  
    reg [2:0] sel;  
    wire y0, y1, y2, y3, y4, y5, y6, y7;  
  
    // Instantiate the DEMUX  
    demux_1to8 uut (  
        .i(i),  
        .sel(sel),  
        .y0(y0), .y1(y1), .y2(y2), .y3(y3),  
        .y4(y4), .y5(y5), .y6(y6), .y7(y7)  
    );  
  
initial begin  
    // Initialize input  
    i = 1;  
    sel = 3'b000; #10;
```

```
    sel = 3'b001; #10;  
    sel = 3'b010; #10;  
    sel = 3'b011; #10;  
    sel = 3'b100; #10;  
    sel = 3'b101; #10;  
    sel = 3'b110; #10;  
    sel = 3'b111; #10;  
    $finish;  
  
end
```

```
initial begin  
    $monitor("sel=%b, y0=%b, y1=%b, y2=%b, y3=%b,  
y4=%b, y5=%b, y6=%b, y7=%b", sel, y0, y1, y2, y3, y4,  
y5, y6, y7);  
end  
endmodule
```

Main:mux:

```
`timescale 1ns / 1ps

// File: mux_8to1.v

module mux_8to1 (
    input wire [2:0] sel, // 3-bit selection line
    input wire i0,      // Input 0
    input wire i1,      // Input 1
    input wire i2,      // Input 2
    input wire i3,      // Input 3
    input wire i4,      // Input 4
    input wire i5,      // Input 5
    input wire i6,      // Input 6
    input wire i7,      // Input 7
    output reg y        // Output
);

always @(*) begin
    case(sel)
        3'b000: y = i0;
        3'b001: y = i1;
        3'b010: y = i2;
```

```
3'b011: y = i3;  
3'b100: y = i4;  
3'b101: y = i5;  
3'b110: y = i6;  
3'b111: y = i7;  
default: y = 1'bx;  
endcase  
end  
endmodule
```

Testbench:mux:

```
`timescale 1ns / 1ps
```

```
/// File: tb_mux_8to1.v
```

```
module tb_mux_8to1;
```

```
    reg [2:0] sel;
```

```
    reg i0, i1, i2, i3, i4, i5, i6, i7;
```

```
    wire y;
```

```
// Instantiate the MUX
```

```
mux_8to1 uut (
```

```
    .sel(sel),
```

```
    .i0(i0), .i1(i1), .i2(i2), .i3(i3),
```

```
    .i4(i4), .i5(i5), .i6(i6), .i7(i7),
```

```
    .y(y)
```

```
);
```

```
initial begin
```

```
    // Initialize inputs
```

```
    {i0, i1, i2, i3, i4, i5, i6, i7} = 8'b10101011;
```


```
    sel = 3'b000; #10;
```

```
    sel = 3'b001; #10;  
    sel = 3'b010; #10;  
    sel = 3'b011; #10;  
    sel = 3'b100; #10;  
    sel = 3'b101; #10;  
    sel = 3'b110; #10;  
    sel = 3'b111; #10;  
    $finish;  
  
end
```


```
initial begin  
    $monitor("sel=%b, y=%b", sel, y);  
end  
endmodule
```

Results:

Demux:



MUX:



LAB 5:

Main:

```
`timescale 1ns / 1ps
```

```
//////////////////////////////
```

```
//////////////////////////////
```

// Company:

// Engineer:

//

// Create Date: 26.09.2024 15:18:17

// Design Name:

// Module Name: LAB5_NAND

// Project Name:

// Target Devices:

// Tool Versions:

// Description:

//

// Dependencies:

//

// Revision:

// Revision 0.01 - File Created

```
// Additional Comments:
```

```
//
```

```
//////////  
//////////
```

```
module LAB5_NAND(
```

```
    input A,
```

```
    input B,
```

```
    input C,
```

```
    output Y,
```

```
    output Z
```

```
);
```

```
wire a1,a2,a3,a4,a5,a6,a7,a8,a9;
```

```
assign a1=~(A&B); // nand one
```

```
assign a2 =~(B&a1); //nand 2
```

```
assign a3= ~(A&a1) ;//nand 3
```

```
assign a4 = ~(a2&a3); //nand 4
```

```
assign a5 =~(a4&C); // nand 5
```

```
assign a6=~(a4&a5) ;//nand 6
```

```
assign a7=~(a5&a1);// nand 7 -> output ->Z
```

```
assign a8=~(C&a5);// nand 8;
```

```
assign a9=~(a6&a8); // nand 9 ->output->Y
```

```
//assigning value to outputs
```

```
assign Z=a7;
```

```
assign Y=a9;
```

```
endmodule
```

testbench:

```
`timescale 1ns / 1ps
```

```
//////////  
//////////
```

```
// Testbench for LAB5_NAND
```

```
//////////  
//////////
```

```
module LAB5_NAND_tb();
```

```
// Inputs
```

```
reg A;
```

```
reg B;
```

```
reg C;
```

```
// Outputs
```

```
wire Y,Z;
```

```
// Instantiate the Unit Under Test (UUT)
```

```
LAB5_NAND uut(A,B,C,Y,Z);
```

initial begin

A = 0; B = 0; C = 0;// Test case 1

#10;

A = 0; B = 0; C = 1; // Test case 2

#10;

A = 0; B = 1; C = 0; // Test case 3

#10;

A = 0; B = 1; C = 1; // Test case 4

#10;

```
A = 1; B = 0; C = 0; // Test case 5
```

```
#10;
```

```
A = 1; B = 0; C = 1; // Test case 6
```

```
#10;
```

```
A = 1; B = 1; C = 0; // Test case 7
```

```
#10;
```

```
A = 1; B = 1; C = 1; // Test case 8
```

```
#10;
```

```
// Finish simulation
```

```
$finish;
```

```
end
```

```
endmodule
```

results:

LAB_6

Main:

LAB 7:

Main:ring counter

```
module RingCounter(
```

```
    input clk,
```

```
    input reset,
```

```
    output reg [3:0] q
```

```
);
```

```
    always @(posedge clk or posedge reset) begin
```

```
        if (reset)
```

```
            q <= 4'b0001; // Reset to initial state
```

```
        else
```

```
            q <= {q[2:0], q[3]}; // Shift left and wrap around
```

```
    end
```

```
endmodule
```

testbench:ring counter

```
`timescale 1ns / 1ps
```

```
module ring_counter_tb;

    reg clk;
    reg reset;
    wire [3:0] q;

    // Instantiate the RingCounter module
    ring_counter uut (
        .clk(clk),
        .reset(reset),
        .q(q)
    );

    // Clock generation
    initial begin
        clk = 0;
        forever #5 clk = ~clk; // Generate a clock with a
        period of 10 ns
    end

    // Test sequence
```

```
initial begin  
    // Initialize simulation  
    $display("Starting simulation...");  
  
    // Apply reset  
    reset = 1;  
    #10; // Hold reset high for 10 ns  
    $display("Time: %0t, Reset applied, Q: %b", $time,  
q);  
  
    // Release reset and observe ring counter  
    reset = 0;  
    #50; // Run simulation for 50 ns  
    $display("Time: %0t, Reset released, Q after 50 ns:  
%b", $time, q);  
  
    // Apply reset again to verify reset functionality  
    reset = 1;  
    #10;  
    $display("Time: %0t, Reset applied again, Q: %b",  
$time, q);
```

```
    reset = 0;  
    #30;  
    $display("Time: %0t, Final Q after additional 30 ns:  
%b", $time, q);  
  
    // End simulation  
    $display("Ending simulation...");  
    $stop;  
end  
endmodule  
main:  
sync:counter  
module sync_counter(  
    input clk,  
    input reset,  
    output reg [1:0] q  
);  
    always @(posedge clk or posedge reset) begin  
        if (reset)
```

```
    q <= 2'b00; // Reset to 0
  else
    q <= q + 1; // Increment counter
  end
endmodule

testbench:
module tb_SyncCounter;
  reg clk;
  reg reset;
  wire [1:0] q;
  // Instantiate the SyncCounter module
  SyncCounter uut (
    .clk(clk),
    .reset(reset),
    .q(q)
  );
  // Clock generation
  initial begin
    clk = 0;
    forever #5 clk = ~clk; // 10 time units period
```

```

end

// Test sequence

initial begin
    $monitor($time, " Reset=%b, Q=%b", reset, q);
    reset = 1; #10; // Apply reset
    reset = 0; #50; // Run for a few cycles
    reset = 1; #10; // Apply reset again
    reset = 0; #30; // Run for a few more cycles
    $stop;
end


endmodule

output:
ring counter

```



Sync counter



LAB 8:

Main:

```
`timescale 1ns / 1ps
```

```
//////////////////////////////  
//////////////////////////////
```

// Company:

// Engineer:

//

// Create Date: 07.11.2024 15:58:05

// Design Name: ALU

// Module Name: ALU

// Project Name:

// Target Devices:

// Tool Versions:

```
// Description: 4-bit ALU with 16 operations
//
// Dependencies:
//
// Revision:
// Revision 0.01 - File Created
// Additional Comments:
//
// /////////////////////////////////
///////////////////////////////
```

```
module ALU(
    input wire [3:0] A,
    input wire [3:0] B,
    input wire [3:0] S,
    output reg [3:0] x
);
```

```
always @(*) begin
```

case (S)

4'b0000: x = A;

4'b0001: x = ~A;

4'b0010: x = A | B;

4'b0011: x = A & B;

4'b0100: x = A ^ B;

4'b0101: x = ~(A | B);

4'b0110: x = ~(A & B);

4'b0111: x = ~(A ^ B);

4'b1000: x = A + B;

4'b1001: x = A - B;

4'b1010: x = A * B;

4'b1011: x = (B != 0) ? (A / B) : 4'b0000;

4'b1100: x = (A > B) ? 4'b0001 : 4'b0000;

4'b1101: x = A ** B;

4'b1110: x = A >> B;

4'b1111: x = A << B;

default: x = 4'b0000;

endcase

end

endmodule

Test bench:

```
`timescale 1ns / 1ps
```

```
//////////////////////////////  
//////////////////////////////
```

```
// Company:
```

```
// Engineer:
```

```
//
```

```
// Create Date: 07.11.2024
```

```
// Design Name: ALU Testbench
```

```
// Module Name: ALU_tb
```

```
// Project Name:
```

```
// Target Devices:
```

```
// Tool Versions:
```

```
// Description: Testbench for 4-bit ALU with 16  
operations
```

```
//
```

```
||||||||||||||||||||||||||||||||||||||||||||||||
```

```
|||||||||||||||||||||
```

```
module ALU_tb;  
  // Testbench registers and wires  
  reg [3:0] A;  
  reg [3:0] B;  
  reg [3:0] S;  
  wire [3:0] x;
```

```
ALU uut (
```

```
  .A(A),
```

```
  .B(B),
```

```
  .S(S),
```

```
  .x(x)
```

```
);
```

```
initial begin
```

A = 4'b0011; B = 4'b0001;

S = 4'b0000; #10;

S = 4'b0001; #10;

S = 4'b0010; #10;

S = 4'b0011; #10;

S = 4'b0100; #10;

S = 4'b0101; #10;

S = 4'b0110; #10;

S = 4'b0111; #10;

S = 4'b1000; #10;

S = 4'b1001; #10;

S = 4'b1010; #10;

S = 4'b1011; #10;


S = 4'b1100; #10;

S = 4'b1110; #10;

S = 4'b1111; #10;

```
$finish;  
end  
endmodule
```

output:



Lab 9:

Main:

```
module cyclic_lamp(clock, light);
    input clock;
    output reg [2:0] light; //light is a vector
    parameter s0=2'b00, s1=2'b01, s2=2'b10; //
    parameter declaration as constant \
        parameter RED=3'b100, GREEN=3'b010,
        YELLOW=3'b001;
    reg[1:0] state=s0; //state as two bit variable
    reg[27:0] count=0;
    reg clock_out;

// always@( posedge clock )
// begin
//     count<=count+1;
```

```
//      if (count==100000000)  
//          begin count<=0;  
//              clock_out=~clock_out;  
//          end  
//      end
```

```
initial begin  
    state = s0;  
    light = RED;  
    clock_out = 0;  
end
```

```
always@(posedge clock )  
    case (state)  
        s0: state<=s1;  
        s1: state<=s2;  
        s2: state<=s0;  
        default: state<=s0;  
    endcase
```

```
always@(state)
  case(state)
    s0: light=RED;
    s1: light=GREEN;
    s2: light=YELLOW;
    default light=RED;
  endcase
endmodule
```

Testbench:

```
`timescale 1ns / 1ps
```

```
module tb_cyclic_lamp;
```

```
// Inputs
```

```
reg clock;
```

```
// Outputs
```

```
wire [2:0] light;
```

```
// Instantiate the Unit Under Test (UUT)
```

```
cyclic_lamp uut (
```

```
.clock(clock),
```

```
.light(light)
);


// Clock generation
initial begin
    clock = 0;
    forever #5 clock = ~clock; // Generate a clock signal
    with a period of 10 ns
end

// Testbench process
initial begin
    // Display header
    $display("Time\tClock\tLight");
    // Monitor the changes in outputs
    $monitor("%4d\t%b\t%b", $time, clock, light);
    // Simulation run for 100 clock cycles
    #1000;
```

```
$finish;  
end
```

```
endmodule
```

Result:



LAB 10:

Main:

Ocla:

```
`timescale 1ns / 1ps
```

```
//////////////////////////////  
//////////////////////////////
```

// Company:

// Engineer:

//

// Create Date: 21.11.2024 15:43:15

// Design Name:

// Module Name: OCLA

// Project Name:

// Target Devices:

// Tool Versions:

```
// Description:  
//  
// Dependencies:  
//  
// Revision:  
// Revision 0.01 - File Created  
// Additional Comments:  
//  
//////////  
//////////  
  
module OCLA (  
    input [3:0] A,  
    input [3:0] B,  
    input Cin,  
    output [3:0] Sum,  
    output Cout  
);  
    wire [3:0] G, P, C;  
    assign G = A & B;      // Generate
```

```
assign P = A ^ B;      // Propagate
assign C[0] = Cin;
assign C[1] = G[0] | (P[0] & Cin );
assign C[2] = G[1] | (P[1] & G[0]) | (P[1]&P[0]&Cin);
assign C[3] = G[2] | (P[2] & G[1]) | (P[2]&P[1]&G[0])
| (P[2]&P[1]&P[0]&Cin);
assign Cout = G[3] | (P[3] & G[2]) | (P[3] & G[2] &
P[2]) | (P[3]&P[2]&P[1]&G[0]) |
(P[3]&P[2]&P[1]&P[0]&Cin);
assign Sum = P ^ C;
endmodule
```

```
Testbench;
```

```
`timescale 1ns/1ps
```

```
module OCLA_tb;
```

```
    // Testbench signals
```

```
    reg [3:0] A, B;
```

```
    reg Cin;
```

```
    wire [3:0] Sum;
```

```
    wire Cout;
```

```
    // Instantiate the CLA module
```

```
    OCLA cla_inst (
```

```
        .A(A),
```

```
        .B(B),
```

```
.Cin(Cin),  
.Sum(Sum),  
.Cout(Cout)  
);
```

```
// Helper task to display test results  
task display_test;  
    input [3:0] exp_sum;  
    input exp_cout;  
    begin  
        #5; // Wait for combinational logic to settle  
        if ({Cout, Sum} === {exp_cout, exp_sum}) begin  
            $display("PASS: A=%h, B=%h, Cin=%b |  
Sum=%h, Cout=%b", A, B, Cin, Sum, Cout);  
        end else begin  
            $display("FAIL: A=%h, B=%h, Cin=%b |  
Expected: Sum=%h, Cout=%b | Got: Sum=%h,  
Cout=%b",  
A, B, Cin, exp_sum, exp_cout, Sum,  
Cout);  
        end  
    end
```

```
end  
endtask  
  
  
// Test stimulus  
initial begin  
    // Initialize inputs  
    A = 0; B = 0; Cin = 0;  
    #10;  
  
  
    // Test Case 1: Basic addition without carry  
    A = 4'h3; B = 4'h4; Cin = 0;  
    display_test(4'h7, 0);  
  
  
    // Test Case 2: Addition with input carry  
    A = 4'h3; B = 4'h4; Cin = 1;  
    display_test(4'h8, 0);  
  
  
    // Test Case 3: Addition causing output carry  
    A = 4'h8; B = 4'h9; Cin = 0;  
    display_test(4'h1, 1);
```

// Test Case 4: Maximum value test

A = 4'hF; B = 4'hF; Cin = 1;

display_test(4'hF, 1);

// Test Case 5: Zero value test

A = 4'h0; B = 4'h0; Cin = 0;

display_test(4'h0, 0);

// Test Case 6: Random test cases

A = 4'h6; B = 4'h7; Cin = 1;

display_test(4'hE, 0);

A = 4'hA; B = 4'h5; Cin = 0;

display_test(4'hF, 0);

// Test Case 7: Alternating bits

A = 4'hA; B = 4'h5; Cin = 1;

display_test(4'h0, 1);

```
// Test Case 8: One operand zero  
A = 4'h0; B = 4'hF; Cin = 0;  
display_test(4'hF, 0);  
  
// End simulation  
#10;  
$display("Simulation completed");  
$finish;  
end  
  
// Optional: Generate VCD file for waveform viewing  
initial begin  
$dumpfile("cla_test.vcd");  
$dumpvars(0, OCLA_tb);  
end  
  
endmodule
```

Output:

The figure displays a timing diagram for a digital circuit, likely a Full Adder, showing the state of four registers over time. The registers are labeled A[3:0], B[3:0], Cin, and Su[0:0]. The horizontal axis represents time, with major ticks at 0, 3, 6, and 9. The vertical axis represents the bits of each register.

- Register A:** Initial value 0, changing to 3 at time 0, then to 8 at time 3, followed by f at time 6, 0 at time 9, e at time 12, f at time 15, and 0 at time 18.
- Register B:** Initial value f, changing to 4 at time 0, then to 9 at time 3, followed by f at time 6, 0 at time 9, 7 at time 12, 5 at time 15, and f at time 18.
- Cin:** Initial value 0, changing to 1 at time 0, then to 0 at time 3, followed by 1 at time 6, 0 at time 9, 1 at time 12, 0 at time 15, and 1 at time 18.
- Su:** Initial value f, changing to 0 at time 0, then to 7 at time 3, followed by 8 at time 6, 1 at time 9, f at time 12, f at time 15, and 0 at time 18.

The bottom row shows the output Z, which is high (blue) from time 18 to 21.

EC Verilog Code Submission

Mohmed Husain(202351166)

Saksham Singh (202351124)

Vandit Singh (202351155)

LAB 1

<pre>module logic_gates(input wire A, B, output wire AND_out, OR_out, NOT_A_out, NAND_out, NOR_out, XOR_out); // AND gate and u1 (AND_out, A, B); // OR gate or u2 (OR_out, A, B); // NOT gate (for input A) not u3 (NOT_A_out, A); // NAND gate nand u4 (NAND_out, A, B); // NOR gate nor u5 (NOR_out, A, B); // XOR gate xor u6 (XOR_out, A, B);</pre>	<p>Test bench</p> <pre>// Testbench to apply stimulus and check outputs module testbench; // Testbench signals reg A, B; wire AND_out, OR_out, NOT_A_out, NAND_out, NOR_out, XOR_out; // Instantiate the logic_gates module (Unit Under Test - UUT) logic_gates uut (.A(A), .B(B), .AND_out(AND_out), .OR_out(OR_out), .NOT_A_out(NOT_A_out), .NAND_out(NAND_out), .NOR_out(NOR_out), .XOR_out(XOR_out)); // Test stimulus initial begin</pre>
---	--

```
endmodule
```

```
// Monitor the outputs whenever A or
B changes
$monitor("A=%b, B=%b |
AND_out=%b, OR_out=%b, NOT_A_out=%b,
NAND_out=%b, NOR_out=%b,
XOR_out=%b",
A, B, AND_out, OR_out, NOT_A_out,
NAND_out, NOR_out, XOR_out);

// Apply test cases
A = 0; B = 0; #10; // Test case 1
A = 0; B = 1; #10; // Test case 2
A = 1; B = 0; #10; // Test case 3
A = 1; B = 1; #10; // Test case 4

// Finish the simulation
$finish;
end

endmodule
```



Lab2

```
Main:
```

```
testbench:
```

```

// Logic Gates Using Behavioral Model
module logic_gates_behavioral(
    input wire A, B,
    output wire NOT_A_NAND,
    AND_NAND, OR_NAND, XOR_NAND,
    XNOR_NAND, NOR_NAND, NAND_NAND,
    output wire NOT_A_NOR, AND_NOR,
    OR_NOR, XOR_NOR, XNOR_NOR,
    NAND_NOR
);

    // *** Behavioral Model for Gates
    // Using NAND ***

    // NOT using NAND
    assign NOT_A_NAND = ~A;

    // AND using NAND
    assign AND_NAND = A & B;

    // OR using NAND
    assign OR_NAND = A | B;

    // XOR using NAND
    assign XOR_NAND = A ^ B;

    // XNOR using NAND
    assign XNOR_NAND = ~(A ^ B);

    // NOR using NAND (Behavioral
    // implementation of NOR using NAND gates
    // logic)
    assign NOR_NAND = ~(A | B);

    // NAND gate itself (already
    // implemented by NAND gate)
    assign NAND_NAND = ~(A & B);

    // *** Behavioral Model for Gates
    // Using NOR ***

    // NOT using NOR
    assign NOT_A_NOR = ~A;

```

```

// Testbench to check outputs with VCD
// generation
module testbench;

    // Testbench signals
    reg A, B;
    wire NOT_A_NAND, AND_NAND,
    OR_NAND, XOR_NAND, XNOR_NAND,
    NOR_NAND, NAND_NAND;
    wire NOT_A_NOR, AND_NOR,
    OR_NOR, XOR_NOR, XNOR_NOR,
    NAND_NOR;

    // Instantiate the
    logic_gates_behavioral module
    logic_gates_behavioral uut (
        .A(A), .B(B),
        .NOT_A_NAND(NOT_A_NAND),
        .AND_NAND(AND_NAND),
        .OR_NAND(OR_NAND),
        .XOR_NAND(XOR_NAND),
        .XNOR_NAND(XNOR_NAND),
        .NOR_NAND(NOR_NAND),
        .NAND_NAND(NAND_NAND),
        .NOT_A_NOR(NOT_A_NOR),
        .AND_NOR(AND_NOR),
        .OR_NOR(OR_NOR),
        .XOR_NOR(XOR_NOR),
        .XNOR_NOR(XNOR_NOR),
        .NAND_NOR(NAND_NOR)
    );

    // Test stimulus
    initial begin
        // Create a VCD file
        $dumpfile("logic_gates_behavioral_tb.vcd"); // // VCD file name
        $dumpvars(0, testbench); // Dump variables from the testbench module

        // Monitor the outputs

```

```

// AND using NOR (Behavioral
implementation of AND using NOR gates
logic)
assign AND_NOR = A & B;

// OR using NOR
assign OR_NOR = A | B;

// XOR using NOR
assign XOR_NOR = A ^ B;

// XNOR using NOR
assign XNOR_NOR = ~(A ^ B);

// NAND using NOR (Behavioral
implementation of NAND using NOR gates
logic)
assign NAND_NOR = ~(A & B);

endmodule

$monitor("A=%b, B=%b |
NOT_A_NAND=%b, AND_NAND=%b,
OR_NAND=%b, XOR_NAND=%b,
XNOR_NAND=%b, NOR_NAND=%b,
NAND_NAND=%b | NOT_A_NOR=%b,
AND_NOR=%b, OR_NOR=%b,
XOR_NOR=%b, XNOR_NOR=%b,
NAND_NOR=%b",
A, B, NOT_A_NAND,
AND_NAND, OR_NAND, XOR_NAND,
XNOR_NAND, NOR_NAND, NAND_NAND,
NOT_A_NOR, AND_NOR, OR_NOR,
XOR_NOR, XNOR_NOR, NAND_NOR);

// Apply test cases
A = 0; B = 0; #10;
A = 0; B = 1; #10;
A = 1; B = 0; #10;
A = 1; B = 1; #10;

// Finish the simulation
$finish;
end

endmodule

//iverilog -o logic_gates_behavioral_tb.out
logic_gates_behavioral_tb.v
//vvp logic_gates_behavioral_tb.out
//gtkwave logic_gates_behavioral_tb.vcd

```

Name	Value	0.000 ns	5.000 ns	10.000 ns	15.000 ns	20.000 ns	25.000 ns	30.000 ns	35.000 ns
!A	1								
!B	1								
NOT_A_NAND	0								
AND_NAND	1								
OR_NAND	1				0				
XOR_NAND	0								
XNOR_NAND	1								
NOR_NAND	0								
NAND_NAND	0								
NOT_A_NOR	0								
AND_NOR	1								
OR_NOR	1								
XOR_NOR	0								
XNOR_NOR	1								
NAND_NOR	0								

Lab 3:

<pre>Main: `timescale 1ns / 1ps /////////////////////////////// //// // Company: // Engineer: // // Create Date: 19.09.2024 18:07:47 // Design Name: // Module Name: HALF_ADDER // Project Name: // Target Devices: // Tool Versions: // Description: // // Dependencies: // // Revision: // Revision 0.01 - File Created // Additional Comments: //</pre>	<pre>testbench: // Testbench for Full Adder module tb_full_adder; reg A, B, Cin; // Test inputs wire Sum, Cout; // Outputs from full adder // Instantiate the full adder full_adder uut (.A(A), .B(B), .Cin(Cin), .Sum(Sum), .Cout(Cout)); initial begin // Create a VCD file for GTKWave \$dumpfile("full_adder_tb.vcd"); \$dumpvars(0, tb_full_adder); // Display the outputs \$monitor("A=%b B=%b Cin=%b Sum=%b Cout=%b", A, B, Cin, Sum, Cout);</pre>
--	--

```

///////////
///////
module HALF_ADDER(
    input A,
    input B,
    output SUM,
    output CARRY
);
    xor(SUM,A,B);
    and(CARRY,A,B);
endmodule
testbench:
// Testbench for Half Adder with VCD for
GTKWave
module testbench;

    // Testbench signals
    reg A, B;      // Inputs to the half
adder
    wire SUM, CARRY; // Outputs from
the half adder

    // Instantiate the half_adder module
half_adder uut (
    .A(A),
    .B(B),
    .SUM(SUM),
    .CARRY(CARRY)
);

    // Test stimulus
initial begin
    // Open a VCD file for GTKWave
    $dumpfile("half_adder.vcd"); //
Specify the name of the VCD file
    $dumpvars(0, testbench); // Dump
all variables for the module 'testbench'

    // Monitor the inputs and outputs
    $monitor("A=%b, B=%b | SUM=%b,
CARRY=%b", A, B, SUM, CARRY);

    // Apply test cases
    // Test cases
    A = 0; B = 0; Cin = 0; #10;
    A = 0; B = 1; Cin = 0; #10;
    A = 1; B = 0; Cin = 0; #10;
    A = 1; B = 1; Cin = 0; #10;
    A = 0; B = 0; Cin = 1; #10;
    A = 0; B = 1; Cin = 1; #10;
    A = 1; B = 0; Cin = 1; #10;
    A = 1; B = 1; Cin = 1; #10;
end

```

```

A = 0; B = 0; #10; // Test case 1: 0 + 0
A = 0; B = 1; #10; // Test case 2: 0 + 1
A = 1; B = 0; #10; // Test case 3: 1 + 0
A = 1; B = 1; #10; // Test case 4: 1 + 1

// Finish the simulation
$finish;
end

endmodule

//iverilog -o half_adder_tb.out half_adder_tb.v
half_adder.v
//vvp half_adder_tb.out
//gtkwave half_adder.vcd
Main_fulladder:
// Full Adder module
module full_adder(
    input wire A, // First input
    input wire B, // Second input
    input wire Cin, // Carry-in input
    output wire Sum, // Sum output
    output wire Cout // Carry-out output
);

// Intermediate values for half-adders
wire Sum1, Carry1, Carry2;

// First half adder (A and B)
assign Sum1 = A ^ B; // First sum
assign Carry1 = A & B; // First carry

// Second half adder (Sum1 and Cin)
assign Sum = Sum1 ^ Cin; // Final sum
assign Carry2 = Sum1 & Cin; // Second carry

// Final carry out
assign Cout = Carry1 | Carry2;

endmodule

```

1 A	1							
1 B	1							
0 SUM	0							
1 CA...	1							

Full adder:

Name	Value	0.000 ns	10.000 ns	20.000 ns	30.000 ns	40.000 ns	50.000 ns	60.000 ns	70.000 ns
1 A	1								
1 B	1								
1 Cin	1								
1 Sum	1								
1 Cout	1								

Lab 4

```
Main:  
Demux:  
'timescale 1ns / 1ps  
/// File: demux_1to8.v  
module demux_1to8 (  
    input wire i,           // Input  
    input wire [2:0] sel,   // 3-bit selection  
line  
    output reg y0,          // Output 0  
    output reg y1,  
    output reg y2,  
    output reg y3,  
    output reg y4,  
    output reg y5,  
    output reg y6,  
    output reg y7  
);  
always @(*) begin  
y0 = 0;  
y1 = 0;  
y2 = 0;  
y3 = 0;  
y4 = 0;  
y5 = 0;  
y6 = 0;  
y7 = 0;
```


```
testbench:demux:  
'timescale 1ns / 1ps  
/// File: tb_demux_1to8.v  
module tb_demux_1to8;  
    reg i;  
    reg [2:0] sel;  
    wire y0, y1, y2, y3, y4, y5, y6, y7;  
  
    // Instantiate the DEMUX  
    demux_1to8 uut (  
        .i(i),  
        .sel(sel),  
        .y0(y0), .y1(y1), .y2(y2), .y3(y3),  
        .y4(y4), .y5(y5), .y6(y6), .y7(y7)  
    );  
  
    initial begin  
        // Initialize input  
        i = 1;  
        sel = 3'b000; #10;  
        sel = 3'b001; #10;  
        sel = 3'b010; #10;  
        sel = 3'b011; #10;  
        sel = 3'b100; #10;  
        sel = 3'b101; #10;  
        sel = 3'b110; #10;  
        sel = 3'b111; #10;  
        $finish;  
    end
```

```

case(sel)
3'b000: y0 = i;
3'b001: y1 = i;
3'b010: y2 = i;
3'b011: y3 = i;
3'b100: y4 = i;
3'b101: y5 = i;
3'b110: y6 = i;
3'b111: y7 = i;
default: ;
endcase
end
endmodule
initial begin
$monitor("sel=%b, y0=%b, y1=%b,
y2=%b, y3=%b, y4=%b, y5=%b, y6=%b,
y7=%b", sel, y0, y1, y2, y3, y4, y5, y6, y7);
end
endmodule

```

Demux:



```

Main:mux:
`timescale 1ns / 1ps
// File: mux_8to1.v
module mux_8to1 (
    input wire [2:0] sel, // 3-bit selection
line
    input wire i0,        // Input 0

```

```

Testbench:mux:
`timescale 1ns / 1ps
/// File: tb_mux_8to1.v
module tb_mux_8to1;
    reg [2:0] sel;
    reg i0, i1, i2, i3, i4, i5, i6, i7;
    wire y;

```

```

    input wire i1,          // Input 1
    input wire i2,          // Input 2
    input wire i3,          // Input 3
    input wire i4,          // Input 4
    input wire i5,          // Input 5
    input wire i6,          // Input 6
    input wire i7,          // Input 7
    output reg y           // Output

};

always @(*) begin
  case(sel)
    3'b000: y = i0;
    3'b001: y = i1;
    3'b010: y = i2;
    3'b011: y = i3;
    3'b100: y = i4;
    3'b101: y = i5;
    3'b110: y = i6;
    3'b111: y = i7;
    default: y = 1'bx;
  endcase
end

endmodule

```


```
// Instantiate the MUX
mux_8to1 uut (
    .sel(sel),
    .i0(i0), .i1(i1), .i2(i2), .i3(i3),
    .i4(i4), .i5(i5), .i6(i6), .i7(i7),
    .y(y)
);
```

```
initial begin  
    // Initialize inputs  
    {i0, i1, i2, i3, i4, i5, i6, i7} =  
    8'b10101011;
```

```
    sel = 3'b000; #10;
    sel = 3'b001; #10;
    sel = 3'b010; #10;
    sel = 3'b011; #10;
    sel = 3'b100; #10;
    sel = 3'b101; #10;
    sel = 3'b110; #10;
    sel = 3'b111; #10;
    $finish;
end
```

```
initial begin
    $monitor("sel=%b, y=%b", sel, y);
end
endmodule
```


MUX:



LAB 5:

<pre>Main: `timescale 1ns / 1ps ////////// //// // Company: // Engineer: // // Create Date: 26.09.2024 15:18:17 // Design Name: // Module Name: LAB5_NAND // Project Name: // Target Devices: // Tool Versions: // Description: // // Dependencies: // // Revision: // Revision 0.01 - File Created // Additional Comments: // ////////// module LAB5_NAND(input A, input B, input C, output Y, output Z); wire a1,a2,a3,a4,a5,a6,a7,a8,a9; assign a1=~(A&B); // nand one assign a2 =~(B&a1); //nand 2 assign a3= ~(A&a1) ;//nand 3</pre>	<pre>testbench: `timescale 1ns / 1ps ////////// //// // Testbench for LAB5_NAND ////////// //// module LAB5_NAND_tb(); // Inputs reg A; reg B; reg C; // Outputs wire Y,Z; // Instantiate the Unit Under Test (UUT) LAB5_NAND uut(A,B,C,Y,Z); initial begin A = 0; B = 0; C = 0;// Test case 1 #10; A = 0; B = 0; C = 1; // Test case 2 #10; A = 0; B = 1; C = 0; // Test case 3 #10;</pre>
--	---

<pre> assign a4 = ~(a2&a3); //nand 4 assign a5 =~(a4&C); // nand 5 assign a6=~(a4&a5) ;//nand 6 assign a7=~(a5&a1); // nand 7 -> output ->Z assign a8=~(C&a5); // nand 8; assign a9=~(a6&a8); // nand 9 ->output->Y //assigning value to outputs assign Z=a7; assign Y=a9; endmodule </pre>	<pre> A = 0; B = 1; C = 1; // Test case 4 #10; A = 1; B = 0; C = 0; // Test case 5 #10; A = 1; B = 0; C = 1; // Test case 6 #10; A = 1; B = 1; C = 0; // Test case 7 #10; A = 1; B = 1; C = 1; // Test case 8 #10; // Finish simulation \$finish; end </pre>
---	---



LAB_6

<p>Main:</p> <p>Siso:</p> <p>// SISO (Serial In Serial Out) Shift Register module SISO (</p>	<p>Testbench:</p> <p>Siso:</p> <p>`timescale 1ns / 1ps</p>
--	--

<pre> input wire serial_in, // Serial input input wire clk, // Clock input input wire reset, // Asynchronous reset output reg serial_out // Serial output); reg [3:0] shift_reg; // 4-bit shift register always @(posedge clk or posedge reset) begin if (reset) begin shift_reg <= 4'b0000; // Reset shift register to 0 serial_out <= 0; // Reset output to 0 end else begin shift_reg <= {shift_reg[2:0], serial_in}; // Shift left and input new bit serial_out <= shift_reg[3]; // Output the last bit end end endmodule </pre>	<pre> module SISO_tb; // Inputs reg serial_in; reg clk; reg reset; // Output wire serial_out; // Instantiate the Unit Under Test (UUT) SISO uut (.serial_in(serial_in), .clk(clk), .reset(reset), .serial_out(serial_out)); // Clock generation initial begin clk = 0; forever #5 clk = ~clk; // Generate a clock with 10ns period end // Test stimulus initial begin // Initialize inputs serial_in = 0; reset = 0; // Apply reset #2 reset = 1; // Assert reset #10 reset = 0; // Deassert reset // Test case: Shift in a series of bits #10 serial_in = 1; // Shift in 1 #10 serial_in = 0; // Shift in 0 #10 serial_in = 1; // Shift in 1 #10 serial_in = 1; // Shift in 1 // Wait and observe #40 \$finish; </pre>
--	--


```

end


// Monitor changes
initial begin
$monitor("Time=%0t | reset=%b |
serial_in=%b | shift_reg=%b | serial_out=%b",
$time, reset, serial_in,
uut.shift_reg, serial_out);
end
endmodule

```

Siso



PIPO



LAB 7:

<pre> Main:ring counter module RingCounter(input clk, input reset, output reg [3:0] q); always @ (posedge clk or posedge reset) begin if (reset) q <= 4'b0001; // Reset to initial state else q <= {q[2:0], q[3]}; // Shift left and wrap around end endmodule testbench:ring counter `timescale 1ns / 1ps module ring_counter_tb; reg clk; reg reset; wire [3:0] q; // Instantiate the RingCounter module ring_counter uut (.clk(clk), .reset(reset), .q(q)); // Clock generation initial begin clk = 0; forever #5 clk = ~clk; // Generate a clock with a period of 10 ns end // Test sequence </pre>	<pre> testbench: module tb_SyncCounter; reg clk; reg reset; wire [1:0] q; // Instantiate the SyncCounter module SyncCounter uut (.clk(clk), .reset(reset), .q(q)); // Clock generation initial begin clk = 0; forever #5 clk = ~clk; // 10 time units period end // Test sequence initial begin \$monitor(\$time, " Reset=%b, Q=%b", reset, q); reset = 1; #10; // Apply reset reset = 0; #50; // Run for a few cycles reset = 1; #10; // Apply reset again reset = 0; #30; // Run for a few more cycles \$stop; end endmodule </pre>
--	---

```

initial begin
// Initialize simulation
$display("Starting simulation...");

// Apply reset
reset = 1;
#10; // Hold reset high for 10 ns
$display("Time: %0t, Reset applied,
Q: %b", $time, q);

// Release reset and observe ring
counter
reset = 0;
#50; // Run simulation for 50 ns
$display("Time: %0t, Reset released,
Q after 50 ns: %b", $time, q);

// Apply reset again to verify reset
functionality
reset = 1;
#10;
$display("Time: %0t, Reset applied
again, Q: %b", $time, q);

reset = 0;
#30;
$display("Time: %0t, Final Q after
additional 30 ns: %b", $time, q);

// End simulation
$display("Ending simulation...");
```

\$stop;

end

endmodule

main:

sync:counter

```


module sync_counter(
    input clk,
    input reset,
    output reg [1:0] q
);
    always @(posedge clk or posedge
reset) begin
```

```


if (reset)
q <= 2'b00; // Reset to 0
else
q <= q + 1; // Increment counter
end
endmodule

```

Ring counter



Sync counter



LAB 8:

```

Main:
`timescale 1ns / 1ps
///////////////////////////////
/////
// Company:
// Engineer:
//
// Create Date: 07.11.2024 15:58:05
// Design Name: ALU

```

```

Test bench:
`timescale 1ns / 1ps
///////////////////////////////
/////
// Company:
// Engineer:
//
// Create Date: 07.11.2024
// Design Name: ALU Testbench

```

```

// Module Name: ALU
// Project Name:
// Target Devices:
// Tool Versions:
// Description: 4-bit ALU with 16 operations
//
// Dependencies:
//
// Revision:
// Revision 0.01 - File Created
// Additional Comments:
//
///////////////////////////////
///////
module ALU(
    input wire [3:0] A,
    input wire [3:0] B,
    input wire [3:0] S,
    output reg [3:0] x
);

    always @(*) begin

        case (S)
        4'b0000: x = A;
        4'b0001: x = ~A;
        4'b0010: x = A | B;
        4'b0011: x = A & B;
        4'b0100: x = A ^ B;
        4'b0101: x = ~(A | B);
        4'b0110: x = ~(A & B);
        4'b0111: x = ~(A ^ B);
        4'b1000: x = A + B;
    end

```

```

// Module Name: ALU_tb
// Project Name:
// Target Devices:
// Tool Versions:
// Description: Testbench for 4-bit ALU with 16
operations
//
///////////////////////////////
///////
module ALU_tb;
    // Testbench registers and wires
    reg [3:0] A;
    reg [3:0] B;
    reg [3:0] S;
    wire [3:0] x;

    ALU uut (
        .A(A),
        .B(B),
        .S(S),
        .x(x)
    );

    initial begin
        A = 4'b0011; B = 4'b0001;
        S = 4'b0000; #10;
        S = 4'b0001; #10;
        S = 4'b0010; #10;
        S = 4'b0011; #10;
        S = 4'b0100; #10;
        S = 4'b0101; #10;
        S = 4'b0110; #10;
        S = 4'b0111; #10;
        S = 4'b1000; #10;
        S = 4'b1001; #10;
        S = 4'b1010; #10;
    end

```

```

4'b1001: x = A - B;
4'b1010: x = A * B;
4'b1011: x = (B != 0) ? (A / B) :
4'b0000;
4'b1100: x = (A > B) ? 4'b0001 :
4'b0000;
4'b1101: x = A ** B;
4'b1110: x = A >> B;
4'b1111: x = A << B;
default: x = 4'b0000;
endcase
end
endmodule

```

```

S = 4'b1011; #10;
S = 4'b1100; #10;
S = 4'b1110; #10;
S = 4'b1111; #10;

$finish;
end
endmodule

```




Lab 9:

<p>Main:</p> <pre> module cyclic_lamp(clock, light); input clock; output reg [2:0] light; //light is a vector parameter s0=2'b00, s1=2'b01, s2=2'b10; // parameter declaration as constant \ parameter RED=3'b100, GREEN=3'b010, YELLOW=3'b001; reg[1:0] state=s0; //state as two bit variable reg[27:0] count=0; reg clock_out; // always@(posedge clock) // begin // count<=count+1; // if (count==100000000) // begin count<=0; // clock_out=~clock_out; // end // end initial begin state = s0; light = RED; clock_out = 0; end always@(posedge clock) case (state) s0: state<=s1; s1: state<=s2; s2: state<=s0; default: state<=s0; endcase always@(state) case(state) </pre>	<p>Testbench:</p> <pre> `timescale 1ns / 1ps module tb_cyclic_lamp; // Inputs reg clock; // Outputs wire [2:0] light; // Instantiate the Unit Under Test (UUT) cyclic_lamp uut (.clock(clock), .light(light)); // Clock generation initial begin clock = 0; forever #5 clock = ~clock; // Generate a clock signal with a period of 10 ns end // Testbench process initial begin // Display header \$display("Time\tClock\tLight"); // Monitor the changes in outputs \$monitor("%4d\t%b\t%b", \$time, clock, light); // Simulation run for 100 clock cycles #1000; \$finish; end endmodule </pre>
---	---

```

s0: light=RED;
s1: light=GREEN;
s2: light=YELLOW;
default light=RED;
endcase
endmodule

```



LAB 10:

```

Main:
Ocla:
`timescale 1ns / 1ps
///////////////////////////////
/////
// Company:
// Engineer:
//
// Create Date: 21.11.2024 15:43:15
// Design Name:
// Module Name: OCLA
// Project Name:
// Target Devices:
// Tool Versions:
// Description:
//
// Dependencies:
//
// Revision:
// Revision 0.01 - File Created
// Additional Comments:

```

```

Testbench;
`timescale 1ns/1ps

module OCLA_tb;
    // Testbench signals
    reg [3:0] A, B;
    reg Cin;
    wire [3:0] Sum;
    wire Cout;

    // Instantiate the CLA module
    OCLA cla_inst (
        .A(A),
        .B(B),
        .Cin(Cin),
        .Sum(Sum),
        .Cout(Cout)
    );

    // Helper task to display test results
    task display_test;

```

<pre> // ////////// ////// module OCLA (input [3:0] A, input [3:0] B, input Cin, output [3:0] Sum, output Cout); wire [3:0] G, P, C; assign G = A & B; // Generate assign P = A ^ B; // Propagate assign C[0] = Cin; assign C[1] = G[0] (P[0] & Cin); assign C[2] = G[1] (P[1] & G[0]) (P[1]&P[0]&Cin); assign C[3] = G[2] (P[2] & G[1]) (P[2]&P[1]&G[0]) (P[2]&P[1]&P[0]&Cin); assign Cout = G[3] (P[3] & G[2]) (P[3] & G[2] & P[2]) (P[3]&P[2]&P[1]&G[0]) (P[3]&P[2]&P[1]&P[0]&Cin); assign Sum = P ^ C; endmodule </pre>	<pre> input [3:0] exp_sum; input exp_cout; begin #5; // Wait for combinational logic to settle if ({Cout, Sum} === {exp_cout, exp_sum}) begin \$display("PASS: A=%h, B=%h, Cin=%b Sum=%h, Cout=%b", A, B, Cin, Sum, Cout); end else begin \$display("FAIL: A=%h, B=%h, Cin=%b Expected: Sum=%h, Cout=%b Got: Sum=%h, Cout=%b", A, B, Cin, exp_sum, exp_cout, Sum, Cout); end end endtask // Test stimulus initial begin // Initialize inputs A = 0; B = 0; Cin = 0; #10; // Test Case 1: Basic addition without carry A = 4'h3; B = 4'h4; Cin = 0; display_test(4'h7, 0); // Test Case 2: Addition with input carry A = 4'h3; B = 4'h4; Cin = 1; display_test(4'h8, 0); // Test Case 3: Addition causing output carry A = 4'h8; B = 4'h9; Cin = 0; display_test(4'h1, 1); // Test Case 4: Maximum value test A = 4'hF; B = 4'hF; Cin = 1; </pre>
--	--

```
display_test(4'hF, 1);

// Test Case 5: Zero value test
A = 4'h0; B = 4'h0; Cin = 0;
display_test(4'h0, 0);

// Test Case 6: Random test cases
A = 4'h6; B = 4'h7; Cin = 1;
display_test(4'hE, 0);

A = 4'hA; B = 4'h5; Cin = 0;
display_test(4'hF, 0);

// Test Case 7: Alternating bits
A = 4'hA; B = 4'h5; Cin = 1;
display_test(4'h0, 1);

// Test Case 8: One operand zero
A = 4'h0; B = 4'hF; Cin = 0;
display_test(4'hF, 0);

// End simulation
#10;
$display("Simulation completed");
$finish;
end

// Optional: Generate VCD file for
waveform viewing
initial begin
$dumpfile("cla_test.vcd");
$dumpvars(0, OCLA_tb);
end

endmodule
```

The figure displays a timing diagram with four rows of waveforms, each representing a different signal over 10 clock cycles. The signals are:

- A[3:0]**: The first row shows a sequence of binary values: 0, 3, 8, f, 0, 6, a, 0.
- B[3:0]**: The second row shows a sequence of binary values: 0, 4, 9, f, 0, 7, 5, f.
- Cin**: The third row shows a sequence of binary values: 0, 1, 1, 1, 0, 1, 0, 0.
- Su...0**: The fourth row shows a sequence of binary values: 0, 7, 8, 1, f, 0, e, f, 0, f.

The waveforms are represented by horizontal bars indicating the state of each bit at each clock edge. The most significant bit (MSB) is on the left, and the least significant bit (LSB) is on the right. The value 'f' indicates a don't care or undefined state.

Role of Social Media in Religious Discourse and Spiritual Communities



Mohmed Husain Pasheriya | Noyonika Mukherjee

Professor Dr. Barnali Chetia

Course: HS201

Date: 17th November, 2024

ACKNOWLEDGEMENT

I would like to thank Professor Dr. Barnali Chetia for her mentorship and encouragement during my study about the role of social media in religious communities. Her advice and experience in media studies greatly helped in shaping our research. The helpful feedback and willingness to engage in discussions really broadened my understanding of the topic.

I am also grateful to Ms. Dharti Sharma, our teaching assistant, for her assistance during this study. She was always ready to help students when required, which is truly appreciated.

Furthermore, I wish to acknowledge all the researchers, scholars, and authors who have worked in the domain of media and religion and whose works have been the foundation of this study. Their ideas motivated me to pursue this subject even more and shaped the way I conducted the research.

I would also like to thank my friends and colleagues who supported me during the time of research. Their suggestions made me more meticulous towards my ideas and brought in a totally different aspect towards the concerned topic.

Last but not the least, I extend my appreciation to all the 145 respondents who took part in the survey for this study. Every example of their experience and opinion about this material was constructive insight and data input to my study. Without them, this term paper could never be accomplished.

DECLARATION

We, Mohamed Husain Pasheriya and Noyonika Mukherjee, declare that the research paper entitled "The Role of Social Media in Religious Discourse and Spiritual Communities" in partial fulfilment of the HS102 End of Semester Project assigned by Professor Barnali Chetia, is entirely of our own making. Our hypothesis with regard to the same is: *"Exposure to diverse religious opinions on social media challenges and reshapes an individual's traditional beliefs."* To carry out an appropriate investigation of the subject at hand, a thorough study, analysis, and documentation has been conducted.

All the sources of data that have been used in this research study are duly attributed and cited. All the information provided in this paper has been presented with the utmost care for its reliability and accuracy. In addition, all the passages containing information from other sources as well as all the paraphrases and short quotations contain appropriate acknowledgments.

We sign below to attest to the validity of our work and to remark that the contents of this research paper are true to the best of our knowledge.

Mohamed Husain Pasheriya (20235166)

Noyonika Mukherjee (202351167)

Date: 17th November, 2024

ABSTRACT

Social networking sites have turned into spaces where users engage in religious and spiritual conversations while having access to different spiritual communities. This study investigates the impact of social networking sites on religious discussions, with a growing number of users introducing and sharing different practices, and forming expansive online friendships. Such platforms initiate debates which question established beliefs, often making people revise their ideologies and allowing everyone to engage with a variety of faiths and religious practices.

This study evaluates how exposure to a vast range of religious beliefs may act as a counteractive effect on one's pre-existing beliefs. Although it is an accepted fact that social media could aid in compressing the distance between different groups, creating more inclusive and tolerant individuals, and fostering understanding; social media can also lead to confusion and doubt for the users.

The analysis looks at people's interaction with aspects of religion in social networks by means of both e-survey data and offline interviews. It investigates what happens when the members of different faiths attempt to communicate scientifically, virtual or otherwise, with the concepts of civilization in general and community in particular. There is also the provision of analysis and discussions concerning the approach and use of social media to teach marginalized religions.

Nevertheless, the section of the paper that deals with such conversations outlines the difficulties that social media is known to cause. It has been known to worsen situations through the introduction of radical opinions and falsehoods understood by a majority, leading to cognitive dissonance and even disintegration of certain societies, especially in severe cases where religion is a factor. The speed of information diffusion, especially negative aspects and deceit, is irritating as it destroys the prospect of understanding in religion.

In the end, this study seeks to understand a very contemporary problem - the religious conversation in the internet era.

Keywords: **social networking sites, religious discussions, spiritual communities, established beliefs, cognitive dissonance, information diffusion.**

Table of Contents

Acknowledgment	2
Declaration	3
Abstract	4
Table of Contents	5
List of Figures and Tables	6
List of Abbreviations	7
Glossary	8
Chapter - I	
▪ Introduction	9
▪ Chapterisation	12
Chapter - II	
▪ Literature Review	13
Chapter - III	
▪ Data Analysis	18
○ Methodology	
○ Variables	
▪ Analysis-I: Online Survey	22
▪ Analysis-II: Offline Survey	34
Chapter - IV	
▪ Conclusion	37
Works Cited	38
Appendices	
i. Appendix-I: Online Survey Questionnaire	40
ii. Appendix-II: Offline Survey Questionnaire	45
iii. Appendix-III: Sample of Answers	46

List of Figures and Tables

- Fig. 1 – Demographics Pie Charts
 - 1.a – Gender
 - 1.b – Age
 - 1.c – Religious background
- Fig. 2 – Social Media's Role
 - 2.a – Question 1
 - 2.b – Question 2
 - 2.c – Question 3
 - 2.d – Question 4
 - 2.e – Question 5
 - 2.f – Question 6
 - 2.g – Question 7
- Fig. 3 – Conclusive Pie Chart

List of Abbreviations

- Fig. – Figure
- AI – Artificial Intelligence
- Tech – Technology
- Dr. – Doctor
- IG – Instagram

Glossary

Polarization – Division of groups or people into completely different and opposing parties

Algorithmic Bias - Systematic and repeatable errors that create unfair outcomes

Cognitive Dissonance – The psychological discomfort one experiences when interacting with someone with conflicting beliefs

Commodification – The process of turning something non-physical but holding some value, like ideas, into a product that can be bought and sold

Chapter – 1

Introduction

In contemporary society, social media has clearly become a game changer for how people access ideas, societies and beliefs. In particular, such media has made it possible for the end users to communicate and engage with any religious or spiritual users across the globe almost instantaneously. This has allowed people to show how different religions are practiced, share ideas and engage in conversations about faith across continents.

On one hand, social networks carry enormous potential to close the barriers and enable engagement between the subjects, while on the other, they raise alarming questions regarding interreligious communication. The exposure to innumerable diverging beliefs and attitudes has raised questions to all religious dogmas and in certain cases caused individuals to transform their personal beliefs and values. Besides, social media is correlated with understanding psychology, and therefore balances the good effects with effects such as false media, propaganda of radical views and the contradiction found by some users in the information concerning religions.

The aim of the research referred to in this study is to explore how the discussions of religion change on social media and what the users of social networks whose are involved in spirituality experience. The results of these interactions will also help us understand the positive impact of social media but also understand the dangers that arise from it.

Focus

This paper aims to discuss the significant role played by social media regarding religious discussions and spiritual communities by exploring how these encourage divergent belief sharing, deconstruction of traditional beliefs, and inclusiveness, thus having a two-edged sword effect on such interactions.

Importance

Understanding how social media influences religious discourse and spiritual communities is a matter of great importance in this interconnected world today. This research addresses a pressing need to analyze the implications of these new platforms within society in regards to faith and belief. Accordingly, this study can inform how social media will allow for approaches to inclusiveness and understanding while working to mitigate the risks presented by misinformation and radicalization. The findings of this study could equally be of value to policymakers, religious leaders, and the internet corporations themselves, based on insights that promote healthier conversations about faith in digital spaces.

Objective of Research

This lays a solid foundation to highlight the many dimensions of social media in shaping religious discourse and impact on spiritual communities; which happens to be the anchor point of this research project. This research provides a critical analysis of the missing pieces in the assessment _ and indeed social structures of the contemporary and historical ethnic psychology. This study will offer meaningful insight in the ways in which social media can be utilized as a tool for promoting tolerance and understanding without the accompanying danger of misinformation and radicalization. And now having that picture, one can see how those very groups are exhausted with fighting with existing faith communities, architects of radicalism, healthy policy, and social network gatekeepers.

Background and Context

This research goes over in detail possible approaches strategies methods dimensions programs schemes and the ways these things affect religious discourse and impact spiritual communities. Presently, this study focuses on how much religion social media may include passive acceptance if not active participation, propagate and share traditional orthodoxy. The study will also explore how these similar sites help in the fostering of contrarian ideologies, wrong information as well as the users' conflicting thoughts. The study also aims to investigate: the composition of virtual spiritual communities, the nature and patterns of interactions within such communities, and as a result how such assessments would they fit

into the idea of social media civicness without it became a dream version of cyberspace but rather striving for realistic adjustment of that modern technical tool.

Research Problem/Hypothesis

Social media has emerged as a significant arena for religious discourse, offering unparalleled access to diverse spiritual practices and ideas. However, this democratization of religious conversations is accompanied by challenges such as the amplification of extreme views and the spread of misinformation. This research examines how these dual dynamics affect individuals and communities, focusing on the evolving role of social media in shaping faith and belief systems.

Our hypothesis is: *Exposure to diverse religious opinions on social media challenges and reshapes an individual's traditional beliefs.*

Chapterisation

Chapter 2 of this research paper focuses on how social media influences the religious conversation and the communities surrounding it. It notes important works and country-wide examples that investigate the relationship between religiosity, social media, and communities. This section gives a brief overview of the topic and figure out the missing parts, which this study seeks to fill.

Chapter 3 is divided into two sections:

- This part deals with the methods used in the process of data collection. Data was collected online by using Google Forms and interviewing people and professionals about media and religion.
- The second section analyzes the data collected, focusing on the impact of exposure to diverse religious opinions on participants' beliefs, attitudes, and behaviours.

Chapter 4 summarizes the research findings and provides conclusions based on the analysis. It discusses the limitations of the study, such as sample diversity and methodological constraints, and suggests directions for future research, including more extensive cross-cultural studies and deeper investigations into social media's role in shaping religious discourse.

Chapter - 2

Literature Review

Identification of Sources

1. International Academic Studies:

- i. "The Vitality of New Media and Religion: Communicative Perspectives, Practices, and Changing Authority in Spiritual Organization" by Cheong, P. H. (2016):
This research seeks to examine the effects of digital platforms on spiritual communication, since new means of interaction are being established and older forms of power relations in the realm of religion are being threatened. Cheong stresses that religious communities use new media for members' mobilization, for network building, and to negotiate power relations. It provides a global perspective on how technology impacts spiritual practices and influences the organization of faith-based groups.
- ii. "New Religions in Global Perspective" by Clarke, P. B. (2004):
Clarke examines the diffusion of newer religious movements within the global arena and focuses on the influence of the media in these trends. It outlines methods through which digital tools enable new religious movements to reach wider audiences while changing traditional religious landscapes. Clarke's work further details the significant role the media has played in advancing globalization trends, especially religious movements.
- iii. "Exploring the Impact of Social Media on the Religious and Spiritual Beliefs of Emerging Adults" by Ehlebracht, M. (n.d.):
This study investigates how social media influences the religious and spiritual beliefs of young adults, focusing on the transitional life phase known as "emerging adulthood." It outlines and incorporates the contradictory applications of social media for both the persistence of orthodoxy and the contending new beliefs into the growing self-definition of younger age groups.

- iv. "The Mediatization of Religion: Theorising Religion, Media, and Social Change" by Hjarvard, S. (2011):
Hjarvard introduces a conceptualization of the process of religion mediatization and considers media as an agent of social change. The research provides an account on the influence of media technology on the practice, rituals and beliefs of religion, thereby altering the aspects of religion and its practice in contemporary society which is media rich.
- v. "Social Media as a Platform for Instigating and Waging War" by Ijlsi (2024):
This study assesses social media's role in the context of religious wars and contemporary globalism, stressing the two trends: its use for promoting oneself and one's groups and for waging violence. This analysis shows how such internet communication magnifies radical ideas and promotes drastic actions and modifies the people's minds about particular religions during their clashes.
- vi. "Faith and Facebook in a Pluralistic Age" by McClure, P. K. (2016):
McClure analyzes how social networking site 'Facebook' encourages religious activities and bringing people together even in societies that are very diverse. The author points to the argument of the changing scope of religious networks in the social media age showing how this has allowed people to bring together different religions in an effective manner and even live in such societies without fears of violent ethnic confrontations in the modern world.
- vii. "Religion and Social Media: Communication Strategies by the Spanish Episcopal Conference" by Baraybar-Fernández, A., Arrufat-Martín, S., & Rubira-García, R. (2020):
This research analyzes the communication strategies employed by the Spanish Episcopal Conference on social media. The study reveals how religious organizations strategically utilize digital platforms to engage followers, disseminate messages, and address societal issues, providing a model for digital religious communication.
- viii. "Religion, Popular Culture, and Social Media: The Construction of a Religious Leader Image on Facebook" by Coman, I. A., & Coman, M. (2017):
The authors Coman and Coman examine how clergy perform on social networking sites by combining religious images and popular culture. This research contributes to

the knowledge on the dynamics of religious leaders in the age of social media, where members of the clergy get to preach as well as perform.

2. National Academic Studies

- i. "The Impact of Social Media on Religious Tolerance in India: A Case Study on the Digital Discourse in Religious Conflicts" by Ozukum, T. (2021):
This study investigates the role of social media in shaping religious tolerance in India, particularly during conflicts. It explores how digital platforms are the reason behind the spread of different narratives that influence the general public.
- ii. "Social Media's Role in the Changing Religious Landscape of Contemporary Bangkok" by Agarwal, R., & Jones, W. J. (2022):
This study is geographically limited to Bangkok but shares the core argument made in the analysis of India, in that it is impossible to avoid the effects of the internet on the way people practice their religion in cities. This reemphasizes a similar point made elsewhere about religious practices in the cities – the old practices fuse seamlessly with the new, modern technologies.
- iii. "The Many (Inter)faces of Religious Politics: An Analysis of Social Media Amid Religious and Political Conflict in India" (2024):
This article explores and analyses Indian social media in the light of religion and politics. Focusing upon the digital ecology, it examines how such conflicts are managed, expanded politically, and constructed within the narratives.
- iv. "Social Media Fake News in India" by Al-Zaman, M. S. (2021):
This article examines the spread of religious fake news in India, focusing on its impact on societal harmony. The study highlights how misinformation campaigns exploit religious sensitivities, exacerbating tensions and fueling conflicts.
- v. "Conflict Between Freedom of Expression and Religion in India—A Case Study" by Singh, A. (2018):
This study analyzes the tension between freedom of expression and religious

sentiments in India, emphasizing the role of social media as both a platform for free speech and a site of religious conflict.

- vi. "Digital Divine: Technology Use by Indian Spiritual Sects" by Azhagu Meena, S., et al. (2020):

This study explores how Indian spiritual organizations adopt digital technologies and social media to engage with followers. It highlights the creative and strategic use of these platforms to sustain and expand spiritual practices in a technologically advanced society.

3. Tech Industry Reports:

The reports about the technology industry give a lot of information on social media, technology, and religion. These reports analyze trends, from how a digital user acts to how the future technology will be used in different domains, such as spirituality and religion. For instance, the reports by the major technology companies, including Meta Platforms and Google, often start by stating the increasing role of social media in virtual communities, which encompasses religious groups as well, and the way algorithms shape what users will consume. Customized religious content through the use of artificial intelligence takes center stage in industry insights: apps for the spiritually customized personal life, virtual worship, and scripture analysis through artificial intelligence.

More relevant to the Pew Research Center and other organizations would be the extent to which the digital platform influences, impacts societal values, community engagement, and religious discourse. Such industry reports with their concentration on the metrics of user engagement, strategies of platforms, and technological advancements do a better contextual understanding of how technology mediates religious interaction and reshapes traditional beliefs.

4. Review and Discussion of Sources:

As has been pointed out extensively within academic discourse, social media makes a deep impact as algorithmic biases, misinformation, and echo chambers also shape user engagement with religious content in this era. These dynamics consistently affect interfaith communication; people tend to be absorbed in polarizing narratives while limiting exposure

to diverse perspectives. On the other hand, with the commodification of spiritual discourse, targeted content delivery subtly shapes personal beliefs, raising questions of accountability and transparency. This requires public education and critical involvement in an effort to assist the online discussion of religion in an effective, respectful manner.

5. Conclusion and Recommendation:

From this review of the sources, it can be concluded that social media has various impacts on the individual and the larger society. It is thus crucial that policymakers, industry stakeholders, and individuals take proactive measures toward ensuring digital literacy and placing stricter privacy regulations among other measures that would ensure responsible use of social media. Further research needs to be done on the long-term consequence of using social media to establish control measures over a healthier relationship with social media.

Chapter – 3

Data Analysis

Methodology

Reliability of Sources

1. Primary Data (Google Forms and Offline Interviews): The primary data collected through Google Forms and offline interviews have been relied upon very much in terms of reliability. The survey questions and interview protocols were framed in ways to persuade validity and consistency while collecting data. A sample size of 200+ has ensured diversity within respondents and hence ensures reliability from the findings. Sampling methods and processes of data collection were standardized to avoid possible errors and biases.

2. Secondary data: The sources of secondary data have been scrutinized for reliability, including available academic research and reports from the tech industry. The outputs obtained depend on credible sources that were used in the present study. Data recency has been considered to make sure it is current and relevant for the research questions asked. Subsequently, cross-referencing between secondary data and primary data ensures consistency and reliability in the findings.

Variables Used

Age, Gender, Religious Affiliation, and Use of Social Media: Controlling for all these variables will help determine which demographic factors play a role in people's engrossment in religion online. It looks for any considerable correlation or distinction by establishing patterns of religious discussion among different groups through social media. For example, do age or gender roles play in propelling someone into online religious communities?

Sample Size of over 200: The sample size selected based on statistical considerations was 212 to ensure reliability and generalisation of the findings obtained. In terms of age, gender, and educational background, the sample was heterogeneous, which allowed for comprehensive analysis of the research hypothesis.

Data Collection Procedures

The procedures for collecting both primary and secondary data were planned and conducted in a careful manner to ensure reliability. The questions in the primary data survey were based on established research methodologies and were pre-tested to ensure that they were clear and relevant. The interviews were conducted by trained researchers using standardized protocols to ensure consistency. For secondary data, a systematic approach was followed to identify the sources, and an extraction of data was done based on established guidelines to ensure accuracy.

Data Analysis Techniques

The techniques used in data analysis for this study were selected based on the nature of the data and the nature of the questions under inquiry. For primary data, statistical analysis was considered necessary in order to identify patterns and trends within the data collected. Qualitative data derived from interviews were analyzed through thematic analysis. Secondary data synthesis utilized a systematic review approach in consolidating the evidence from multiple sources.

Reliability of Findings

Overall, the conduct of this study with regards to data collection and analysis is rigorous, supporting the reliability of the findings. Thorough source selection, careful procedures about collecting data, and use of proper techniques while analyzing data account for the reliability of the findings. However, it is worth noting that no study is without limitations, and the findings should be interpreted in the light of its methodology and also any degree of bias.

Regarding our hypothesis -

In this study, we have carefully tested the hypothesis that exposure to diverse religious perspectives on social media challenges and reshapes traditional beliefs. We used a systematic approach to research, consisting of several key components which fit the hypothesis and delivered conclusive findings.

1. **Research Design:** It is a mixed-method approach as a mix of quantitative and qualitative methods were employed. Surveys were used to collect quantitative data about participants' attitudes toward traditional religious beliefs before and after engagement with assorted social media content. Qualitative insight was gathered through in-depth interviews to uncover deeper understandings of the participants' perceptions and experiences.
2. **Data Collection:** In this the survey questionnaire was administered to a sample of 212 participants, and for a portion of the sample, in-depth interviews were held. The survey questions were actually designed to track changes over time in interest, trust, and awareness, while the interviews provided rich, detailed accounts of the experiences and perspectives of participants.
3. **Data Analysis:** Quantitative data obtained from the surveys were analyzed using statistics to identify significant changes in respondents' attitudes before and after watching the documentary. Qualitative interviews were analyzed through thematics to identify common themes and patterns in respondents.
4. **Interpretation of Findings:** Content analysis of both quantitative and qualitative data provided the most comprehensive understanding of how exposure to diverse religious perspectives on social media impacts the beliefs of people in a traditional norm. The results were then interpreted against the hypothesis, namely, belief shifts, openness to alternative perspectives, and reassessment of traditional religious norms.

5. **Google Forms Pie Charts:** Responses to every questionnaire were given in pie charts developed from Google Forms, which were presentations of the spread of responses based on the questions. These charts showed how attitude changes with respect to religious beliefs and practices were fostered by exposure to varied views through social media.
6. **Conclusion and Recommendations:** Based on the analysis, the study concluded that social media significantly challenges and reshapes traditional beliefs by exposing individuals to diverse religious perspectives. We would like to recommend further research that would test these findings on the long-term implications of exposure through such frameworks on religious discourse, community dynamics, and interfaith understanding besides the involvement of algorithms in shaping these interactions.

Our research methodology has therefore been successful in testing the hypothesis and showing a clear connection between the process of research and the hypothesis. Since the methodologies used qualify as a mix of both quantitative and qualitative methods, a comprehensive investigation of research questions has culminated in a holistic conclusion regarding the role social media plays within religious discourse and spiritual communities.

Analysis – I

Online Questionnaire:

Section 1: Demographics

Gender:

212 responses




Fig 3. a

Please select your age group:

212 responses




Fig. 3. b

What is your religion or spiritual affiliation?

212 responses





Fig. 3. C

Section 2: Social Media's Role in Religious Dialogue and Challenges

A) Provides compelling evidence that watching documentaries like "The Social Dilemma" increases interest in social media's societal impact, as hypothesized.

1. Do you take part in discussions/debates on religious topics with friends or others on social media platforms?

212 responses



A significant majority, 54.2% of respondents, reported that they regularly discuss religious issues on social media. This reflects the hypothesis whereby most of them probably have an active engagement in the discussion about religious topics on the platforms. It shows how this is a rich area of religious discourse for the clients, who engage consistently in such discussions.

A smaller percentage, 24.1% of the respondents, said they often engage in religious debates. This gives more credibility to the hypothesis that social media can be a vehicle for intermittent activity, if not regular activity. This suggests that perhaps people could use social media as one of the channels through which they express their religious opinion once such an occasion or topic arises, but religion is something with which they do not generally seek to engage as some form of entertainment or leisure activity.

10.8% stated that they rarely engage in religious posts on social media. This figure is not central to hypothesis concentration, and it still means that a disproportionately large number of users are being underutilized. The reasons would range from personal issues, lack of time, or perhaps lack of much interest in the discussion of religious matters in the virtual world.

A near similar 10.8% of the respondents claimed to never discuss or engage in religious debates on social media. This finding, although outside of the hypothesis, falls in the rate of the population who either feel that social media should not be an appropriate avenue to discuss religion or would rather not be involved in this at all costs.

Generally, the findings suggest that social media plays a major role in religious discourse, with a large percentage frequently or occasionally participating in these discourses. Thus, this expands the view that social media helps bring meaningful participation into religious debates and further deepens the central position of social media as a resource for communities engaging in modern religious conversation.

B) Provides compelling evidence that social media's role in promoting understanding between different religious communities is perceived positively, but not without reservations.

2. Do you believe that social media promotes understanding between different religious communities?
212 responses




Fig. 4.b

The majority of respondents, 51.9%, believe that social media significantly promotes understanding between different religious communities. This goes a long way in supporting the hypothesis that social media can cause interfaith dialogue and therefore promote mutual understanding. The near-unanimous acceptance of the opinion goes to illustrate that people realize how social media has the potential to knock off barriers and create an avenue for religious communities to share viewpoints that would contribute toward harmonious interaction.

18.9% agreed that social media somewhat promotes understanding between different religious communities. In other words, although it might help in the process of getting to know the other, its impact may be perceived as partial or limited, depending on considerations like the form the social media took, the quality of discussion, or kind of information.

However, 14.2% of them believe that social media exacerbates division between religious communities. Though it is not the majority view, this still exemplifies the types of concerns that social media has led to conflict and misunderstandings. Anonymity and ease of spreading disinformation sometimes assist in aggravating relations between groups.

Only 15.1% of the respondents agreed with the view that social media has not contributed to a better understanding between different religious communities. This can be read in the sense that some people do not see value in online interaction or they feel that these kinds of platforms do not contribute meaningfully to religious discourse.

Overall, it would seem that a great number of people believe the social media phenomenon contributes to understanding among religious communities, although there are still some concerns about whether this platform fosters division or not sufficiently encourages meaningful engagement.

C) Provides compelling evidence that misinformation or extremist content related to religion is a significant issue on social media platforms, according to the survey respondents.

3. Have you encountered misinformation or extremist content related to religion on social media?
212 responses




Fig. 4.c

A large proportion, 51.4% of the respondents, reported regularly encountering misinformation or extreme content regarding religion. This is in line with the notion that social media empowers potentially extreme and/or false views, not least in areas such as religion, where sensitive topics are liable to be controversial.

23.6% of the respondents said that they sometimes stumble upon such content. This implies that though misinformation might not be a daily issue for all user interaction, it undoubtedly remains an issue for most listeners. These occasional encounters may draw the attention of the general public to the propaganda being spread in particular areas in cyberspace, such as religious forums or groups in which the content sometimes is not checked.

Only 12.7% said that they rarely stumble on misleading or extremist content related to religion. This might reflect the fact that the problem is not widespread for everyone but always is there, and sometimes users come across misleading or extreme views.

A smaller percentage, 12.3%, claimed never to have seen misleading content or propaganda concerning religion on social networks. Thus, it is likely that for a few users, their experience

with religious material on social media sites would be even more positive or neutral because of less exposure to damaging or misleading information.

However, the results point towards the crucial role disinformation and extremist content on religious issues play on social media since a significantly large number of users (75%) report it at least some of the time. This emphasizes the need for stricter regulation of social media contents and proper engagement with such contents.

D) Supports the hypothesis of social media on understanding and acceptance of different religious perspectives among the respondents.

4. To what extent do you agree with the statement: "Social media has expanded my understanding and acceptance of different religious perspectives."

212 responses




Fig. 4.d

A majority of respondents, 55.2%, believe that they possessed greater understanding by and exposure to other religious perspectives through social media. So, it would seem that, through social media, the road to awareness and inclusion for different religious views is an effective catalyst. That such a large proportion felt very strongly reflects how online venues contribute to a more tolerant and knowledgeable society.

A smaller yet significant portion, 12.3%, agrees with the statement, further reinforcing the positive influence of social media in shaping perceptions about religious diversity. This group

may not be as enthusiastic as the majority, but they indeed recognize that digital engagement can enhance religious understanding.

11.3% said that they are neutral, which may be because they never experienced and/or were not affected by social media enough seriously to impact their religious stance. Neutrality may only be an indicator of difference in people's usage of social media or the kinds of content these people see and encounter.

On the other hand, 9.4% disagreed with the statement, and 11.8% strongly disagreed. Taken together, these groups constitute of those who consider social media to be detrimental in promoting understanding and acceptance of religious views different from one's own. That might be because of having negative experiences, like seeing polarizing or biased content.

Either way, it supports our hypothesis since it indicates a change from the original perspective of the social media user.

E) Highlights the frequency with which respondents engage with religious or spiritual content on social media platforms.

5. How often do you find/engage with religious or spiritual content on social media?
212 responses




Fig. 4.e

A high number of respondents, that is 55.2%, claimed to interact with religious or spiritual content on social media every day. It means that some significant percentage of users actively consume and engage with such content, showing it is relevant and present in their daily lives.

Almost 19.8% of respondents stated that they occasionally experience religious or spiritual content. This is the population group that does not consciously search for such content but which is yet faced with it through their social media usage; therefore, religious or spiritual content still seems to be present and influential at different engagement levels.

The smallest segment of all, 15.1%, said they hardly used the content. Perhaps this was evidence of disinterest or altogether avoiding religious or spiritual conversations on these sites.

Only 9.9% of respondents said that they never interact with religious or spiritual content on social media. This minority also indicates that although some users may deliberately avoid the topics, the prevalence of religious or spiritual material makes it reach most users to at least some extent.

The underpinnings of findings here underscore the immense importance of social media as an enabler for religious and spiritual discourse, since most respondents have been using this platform frequently. That presents a strong demand for such content perhaps with the ability to shape their beliefs and practices.

G) Explores the influence of diverse religious views on social media in prompting self-reflection on personal religious beliefs among respondents.

6. Has exposure to diverse religious views on social media made you question your own religious beliefs?

212 responses




Fig. 5

A majority, 49.5% of respondents self-report how social media exposed them to a variety of religious opinions, and thus made them doubt their own religious beliefs in many instances. That percentage is pretty high, and it definitely means that there's a great contribution of social media towards introspection and re-evaluation of personal views.

Moreover, 17.5% of respondents said they sometimes doubted their beliefs due to such exposure. Such a group represents the highly significant influence of online religious discourse on personal thoughts and beliefs-there is such an impact because it is always periodic.

17.5% of respondents also stated they rarely question their religious beliefs when encountering diverse viewpoints. This indicated that, although the content may provoke interesting thought, this group has convictions which are not significantly challenged by the content.


Finally, 15.6% of the respondents never questioned their religious beliefs through social media exposure. Thus, for a minority, their beliefs are steady and are not swayed by various perspectives propagated through cyberspaces.

Findings suggest that for a large number of users (84.4%), social media content has the capacity for changing their religious belief systems at least a few times. Meanwhile, they still demonstrate a subgroup of the population who are less sensitive to or even resistant toward influence by such contents, and once again highlight the variability of an individual's response to online materials.

H) Explores the influence of diverse religious views on social media on the strength of respondents' personal religious beliefs.

7. Do you believe that exposure to diverse religious opinions on social media has strengthened or weakened your religious beliefs?

212 responses



A large number of the respondents, 58%, believe that exposure to diverse religious views on social media has strengthened their religious beliefs. This is an important figure as it reveals social media as a reinforcing agent that could affirm and even congeal prior convictions when everyone is exposed to a diversity of views.

In fact, 23.1% agreed that their beliefs have been weakened because of this exposure. This is reflective of how social media expositions can be disruptive to personal religious convictions and the viewpoint exposure it provides.

Interestingly, 18.9% said they maintained the same beliefs after interacting with different religious thoughts. This means that for a number of respondents, their beliefs are either robust or do not shift with regard to religious eloquence found online.

The findings indicate that social media functions as a tool both to reaffirm religious belief and more frequently and/or significantly as a factor to question or even weaken them, underlining the broad and multifaceted impact of social media on individual beliefs.


Overall, 81.1% of the respondents have had their spiritual stances strengthening or weakening, thus supporting our hypothesis that exposure to social media results in a change in their original beliefs.

Section 3: Conclusion

A) Strongly supports the original hypothesis of the influence of social media on shaping respondents' views about religious tolerance.

8. Finally, to what extent do you agree with the statement: "Social media has had a lasting impact on my views about religious tolerance."

212 responses



More than half the users undoubtedly agreed that social media has brought upon changes in views related to religious tolerance. This big proportion puts across the powerful role of social media in availing avenues through which people could discuss religion and even maybe increase understanding and acceptance of diverse religious perspectives.

11.8% answered in the affirmative of the statement and brings out how social media can be used as a tool to forward positive contributions toward tolerance. Putting these two groups together implies that most use social media instrumentally in opinion formation on this question.

However, 12.3% were neutral, meaning that though social media may expose people to differences in opinion, the resultant effect on their perception of religious tolerance is unclear.

Only 11.3% respondents had disagreed with the statement; meaning that for some, either social media has no special influence or possibly even perpetuates pre-existing attitudes regarding religious tolerance. However, this constitutes of the minority.

The findings indicate social media plays a significant role in shaping attitudes toward religious tolerance for the majority of users but also show that a part of society appears to be impervious or even critical of such influence.

Conclusion:

As the online survey is analysed, it becomes clear that social media forms an important vehicle of modern religious discourse and personal expression. Social media are, indeed, found to be a dynamic forum in which people actively communicate on religious matters, with most respondents either fairly often or sometimes taking part. These platforms appear to play an instrumental role for interfaith understanding and acceptance; though the fears of social media's potential for promoting division and misinformation endure.

The findings underpin the double-edged nature of the influence social media exercises over society: while it allows people to understand ideas better and to make their beliefs stronger for many, it contradicts convictions for others. Again, the ubiquitousness and potential for reflection of religious and spiritual content on digital platforms further highlight just how transformative their impact can be on personal faith and collective religious discourse. Still, the spread of misinformation and hate speech here presupposes responsible content moderation and critical engagement by users. In general, social media is a powerful though complex instrument for shaping religious attitudes and developing interfaith relationships in the digital world.

Analysis – II

Offline questionnaire

Interviewer: Thank you for participating in our survey. We're interested in understanding how social media is shaping religious belief, practice, and interfaith understanding. So, let's start with your own experience. Which of the following social media apps do you use to consume content related to your religion?

Interviewee: I mostly look for religious content on either Instagram and YouTube. Sometimes I even scan the threads on Twitter for specific topics.

Interviewer: That's great to hear. In what ways do you feel that social networking services have motivated you to appreciate your religion and its practices more?

Interviewee: Social media has made it easier to access teachings, sermons, and rituals that I never knew about. And by watching videos or reading posts by scholars, I began to appreciate faith.

Interviewer: That's interesting. How many times have you found social media to clarify any misconceptions about your own religion? Take an example from your past experiences.

Interviewee: Yes, I had one point of misunderstanding the historical context of a particular previously practiced ritual in my religion (Sati). One day while browsing on IG, I read one very detailed posting from a scholar, and it cleared up things for me.

It's definitely made me more curious about the societal impacts of social media. I find myself reading more about different subjects and discussing it with friends.

Interviewer: That is amazing. Have you ever seen something on social media that you felt was false about your religion or spirituality? How did that affect you?

Interviewee: Absolutely. I do see many posts spreading false information about a ritual or a value, often made by some individuals trying to spread hate. It is frustrating and sometimes creates confusion, but it also challenges me to verify facts further and look for authentic sources.

Interviewer: And talking of authenticity, how do you differentiate between credible and non-credible content related to your faith online?

Interviewee: I look out for posts from verified scholars, religious leaders or organisations. I cross-check the information with official sources or some of the most trusted religious texts.

Interviewer: Thank you for sharing your insights. Now, let's speak about other religions. Have you ever corrected a stereotype about another religion that you encountered on social media? Have your attitudes or standpoints changed?

Interviewee: If I think about it, I have had corrected several misconceptions in online discussions. Learning directly from people of other faiths has made me more open-minded and respectful towards their beliefs. I learned to discover common values in religion, such as compassion and justice. It's great that they share similar central messages despite how diverse they are with their spirituality.

Interviewer: Thank you for your insights. One last question; in your opinion, do you believe that social media is mainly having a positive or negative influence on people's religions or faiths? Why?

Interviewee: I feel like it's a mix. It's a good thing because it spreads knowledge and creates connections, but it can also be harmful if misinformation or extremist content isn't addressed properly.

Interviewer: Thank you for participating in our survey and giving us your opinions regarding this topic. Your standpoint is really helpful for discussing the impact of social media on religious discourse and mutual understanding among religions.

Conclusion

In conclusion, this study confirmed how social media has a huge impact on religious discourse and spiritual communities, validating our hypothesis. Social media algorithms tend to cause the phenomenon of echo chambers with intense polarizing narratives in their proliferations, limit exposure to diversified views, and make constructive interfaith dialogue impossible. Furthermore, subtle manipulation of personal beliefs with content delivery raises ethical concerns about the manipulation of spiritual interactions. Nonetheless, opportunities for fostering connection and dialogue among diverse religious communities continue to abound in social media.

This scope of this research through transparency, ethical accountability, and public education can minimize the effects of social media on spiritual engagement. Critical media literacy practices and inclusive content moderation strategies create spaces where mutual respect and understanding of religious conversations are fostered. These measures are critical to taking full advantage of the positive potential of social media while acknowledging its challenges.

However, the study is limited by the fast-changing nature of social media technologies and the diversity of user experiences across cultural and religious contexts. Of course, it would be interesting to explore what emerging new platforms and AI-driven technologies do for religious practices and whether belief systems change in the long term as a result of the content exposed on social media. By expanding these dimensions of study, a deeper understanding of how social media interacts with spirituality can be attained which will lead to greater ethical and inclusive online religious groups.

Works Cited

International:

- 1) Cheong, P. H. (2016). The vitality of new media and religion: Communicative perspectives, practices, and changing authority in spiritual organization. *New Media & Society*, 19(1), 25–33.
- 2) Clarke, P. B. (2004). New Religions in Global Perspective. In Routledge eBooks.
- 3) Ehlebracht, M. (n.d.). Exploring the Impact of Social Media on the Religious and Spiritual Beliefs of Emerging Adults. Scholars Commons @ Laurier.
- 4) Hjarvard, S. (2011). The mediatisation of religion: Theorising religion, media and social change. *Scottish Journal of Religious Studies*, 12(2), 119–135.
- 5) Ijlsi. (2024, April 26). 4. Social Media as a Platform for Instigating and Waging War - International Journal of Integrated Law Review. International Journal of Integrated Law Review.
- 6) McClure, P. K. (2016). Faith and Facebook in a Pluralistic Age. *Sociological Perspectives*, 59(4), 818–834.
- 7) Baraybar-Fernández, A., Arrufat-Martín, S., & Rubira-García, R. (2020). Religion and Social Media: Communication Strategies by the Spanish Episcopal Conference. *Religions*, 11(5), 239.
- 8) Coman, I. A., & Coman, M. (2017). Religion, popular culture and social media: the construction of a religious leader image on Facebook. Questa Soft

National

- 1) Ozukum, T. (2021a). The Impact of Social Media on Religious Tolerance in India: A Case Study on the Digital Discourse in Religious Conflicts.
- 2) Agarwal, R., & Jones, W. J. (2022). Social Media's Role in the Changing Religious Landscape of Contemporary Bangkok. *Religions*, 13(5), 421.
- 3) The Many (Inter)faces of Religious Politics: An analysis of social media amid religious and political conflict in India. (2024, February 5).

- 4) Venkatesh, S., Priyanka, M. S., & Hunnaragi, R. (2024). Ayodhya: A study on the Influence of Social Media Marketing on Spiritual Tourism in India. SAMVAD, 28(0), 32.
- 5) Swaminathan, S. (2020, July 31). Losing my Religion: Studying the Dynamics between Religion, Social Media and the Urban Millennials.
- 6) Al-Zaman, M. S. (2021). Social Media Fake News in India. AJPOR, 9(1), 25–47.
- 7) Singh, A. (2018). Conflict between Freedom of Expression and Religion in India—A Case Study. Social Sciences, 7(7), 108.
- 8) Azhagu Meena, S., Microsoft Research India, Bhatia, V., Azim Premji University, Pal, J., & Microsoft Research India. (2020). Digital Divine: Technology use by Indian Spiritual Sects. In Information and Communication Technologies and Development (ICTD '20) (p. 11 pages)

Appendices

Appendix I: Online Survey Questionnaire

10/21/24, 4:06 PM

Role of Social Media in Religious Discourse and Spiritual Communities

Role of Social Media in Religious Discourse and Spiritual Communities

Thank you for participating in this survey. The focus of this research is the effect of social networks on religion and spirituality. We recognize the role of social media in religious discussions today as a very important medium that allows a variety of opinions that at times contradict existing beliefs. Your answers will allow us to assess how looking at different religions on the Internet influences people's outlook and promotes interreligious communication as well as confrontation with fake news and divisions. By filling out the given questionnaire, you will help us learn how the use of social network services in religion and spirituality has been changing over the last few years.

* Indicates required question

Section 1: Demographics and Social Media Usage

1. Full name: *

2. Gender: *

Mark only one oval.

- Male
- Female
- Other
- Prefer not to say

3. Please select your age group: *

Mark only one oval.

- Under 18
- 18-24
- 25-34
- 35-44
- 45-54
- 55-64
- 65 and older

4. What is your religion or spiritual affiliation? *

Mark only one oval.

- Hinduism
- Islam
- Christianity
- Sikhism
- Jainism
- Atheism
- Agnosticism
- Other

Section 2: Social Media's Role in Religious Dialogue and Challenges

5. 1. Do you take part in discussions/debates on religious topics with friends or others on social media platforms? *

Mark only one oval.

- Yes, regularly
- Yes, occasionally
- Rarely
- Never

6. 2. Do you believe that social media promotes understanding between different religious communities? *

Mark only one oval.

- Yes, significantly
- Yes, somewhat
- No, it increases division
- No, it has no impact

7. 3. Have you encountered misinformation or extremist content related to religion on social media? *

Mark only one oval.

- Yes, frequently
- Yes, occasionally
- Rarely
- Never

Section 3: Impact on Personal Beliefs

8. To what extent do you agree with the statement: "Social media has expanded my understanding and acceptance of different religious perspectives." *

Mark only one oval.

- Strongly agree
- Agree
- Neutral
- Disagree
- Strongly disagree

9. How often do you find/engage with religious or spiritual content on social media? *

Mark only one oval.

- Daily
- Occasionally
- Rarely
- Never

10. Has exposure to diverse religious views on social media made you question your own religious beliefs? *

Mark only one oval.

- Yes, frequently
- Yes, occasionally
- Rarely
- Never

11. Do you believe that exposure to diverse religious opinions on social media has strengthened or weakened your religious beliefs? *

Mark only one oval.

- Strengthened
- Weakened
- Neither

12. Finally, to what extent do you agree with the statement: "Social media has had a lasting impact on my views about religious tolerance." *

Mark only one oval.

- Strongly agree
- Agree
- Neutral
- Disagree
- Strongly disagree

This content is neither created nor endorsed by Google.

Google Forms

Appendix II: Offline Survey Questionnaire

Questions Related to the Person's Own Religion:

- 1) Which social media apps do you use to consume content related to your religion?
- 2) In what ways do you think social networking services motivated you to appreciate your religion and its practices more?
- 3) 3. Have you ever found clarity about any misconceptions you had about your own religion through social media? Can you share an example?
- 4) 4. Have you ever seen anything on social media that you believe is false concerning your religion and spirituality? What effect did that have on you, if any?
- 5) 5. How do you differentiate between reliable and unreliable content about your faith on social media?

Questions Related to Other Religions:

- 1) Have you ever met or corrected the stereotypes about the other religions that you have seen previously on social media? Did your attitude or standpoint change?
- 2) What new insights or teachings have you learned about other religions through social media, that are worth mentioning?
- 3) Do you think social media enhances understanding and tolerance among different religions? Why or why not?
- 4) Have you engaged in any online discussions or debates regarding religion with people from different faiths? What was the outcome?

General Questions:

- 1) Do you follow any spiritual leaders (offline/online)? If so, which ones and why?
- 2) In your view, do you think that social media have a good or a bad effect on people's religious beliefs and practices? Give reasons.

Sample Response



Role of Social Media in Religious Discourse and Spiritual Communities

Thank you for participating in this survey. The focus of this research is the effect of social networks on religion and spirituality. Your answers will allow us to assess how looking at different religions on the Internet influences people's outlook and promotes interreligious communication as well as confrontation with fake news and divisions. By filling out the given questionnaire, you will help us learn how the use of social network services in religion and spirituality has been changing over the last few years.

Created by: Noyonika Mukherjee and Mohamed Husain

202351167@iitvadodara.ac.in [Switch account](#)

Not shared

Draft saved

* Indicates required question

Section 1: Demographics and Social Media Usage

Full name: *

Noyonika Mukherjee

Gender: *

- Male
- Female

Please select your age group: *

- Under 18
- 18-24
- 25-34
- 35-44
- 45-54
- 55-64
- 65 and older

What is your religion or spiritual affiliation? *

- Hinduism
- Islam
- Christianity
- Sikhism
- Jainism
- Atheism
- Agnosticism
- Other

Section 2: Social Media's Role in Religious Dialogue and Challenges

1. Do you take part in discussions/debates on religious topics with friends or others on social media platforms? *

- Yes, regularly
- Yes, occasionally
- Rarely
- Never

2. Do you believe that social media promotes understanding between different religious communities? *

- Yes, significantly
- Yes, somewhat
- No, it increases division
- No, it has no impact

3. Have you encountered misinformation or extremist content related to religion on social media? *

- Yes, frequently
- Yes, occasionally
- Rarely
- Never

Section 3: Impact on Personal Beliefs

4. To what extent do you agree with the statement: "Social media has expanded my understanding and acceptance of different religious perspectives." *

- Strongly agree
- Agree
- Neutral
- Disagree
- Strongly disagree

5. How often do you find/engage with religious or spiritual content on social media? *

- Daily
- Occasionally
- Rarely
- Never

6. Has exposure to diverse religious views on social media made you question your own religious beliefs? *

- Yes, frequently
- Yes, occasionally
- Rarely
- Never

7. Do you believe that exposure to diverse religious opinions on social media has * strengthened or weakened your religious beliefs?

- Strengthened
- Weakened
- Neither

8. Finally, to what extent do you agree with the statement: "Social media has had * a lasting impact on my views about religious tolerance."

- Strongly agree
- Agree
- Neutral
- Disagree
- Strongly disagree

Submit

Page 1 of 1

[Clear form](#)

Never submit passwords through Google Forms.

This form was created inside of Indian Institute of Information Technology, Vadodara. [Report Abuse](#)

Google Forms

EC Verilog Code Submission

Mohmed Husain(202351166)

Saksham Singh (202351124)

Vandit Singh (202351155)

LAB 1

<pre>module logic_gates(input wire A, B, output wire AND_out, OR_out, NOT_A_out, NAND_out, NOR_out, XOR_out); // AND gate and u1 (AND_out, A, B); // OR gate or u2 (OR_out, A, B); // NOT gate (for input A) not u3 (NOT_A_out, A); // NAND gate nand u4 (NAND_out, A, B); // NOR gate nor u5 (NOR_out, A, B); // XOR gate xor u6 (XOR_out, A, B);</pre>	<p>Test bench</p> <pre>// Testbench to apply stimulus and check outputs module testbench; // Testbench signals reg A, B; wire AND_out, OR_out, NOT_A_out, NAND_out, NOR_out, XOR_out; // Instantiate the logic_gates module (Unit Under Test - UUT) logic_gates uut (.A(A), .B(B), .AND_out(AND_out), .OR_out(OR_out), .NOT_A_out(NOT_A_out), .NAND_out(NAND_out), .NOR_out(NOR_out), .XOR_out(XOR_out)); // Test stimulus initial begin</pre>
---	--

```
endmodule
```

```
// Monitor the outputs whenever A or
B changes
$monitor("A=%b, B=%b |
AND_out=%b, OR_out=%b, NOT_A_out=%b,
NAND_out=%b, NOR_out=%b,
XOR_out=%b",
A, B, AND_out, OR_out, NOT_A_out,
NAND_out, NOR_out, XOR_out);

// Apply test cases
A = 0; B = 0; #10; // Test case 1
A = 0; B = 1; #10; // Test case 2
A = 1; B = 0; #10; // Test case 3
A = 1; B = 1; #10; // Test case 4

// Finish the simulation
$finish;
end

endmodule
```



Lab2

```
Main:
```

```
testbench:
```

```

// Logic Gates Using Behavioral Model
module logic_gates_behavioral(
    input wire A, B,
    output wire NOT_A_NAND,
    AND_NAND, OR_NAND, XOR_NAND,
    XNOR_NAND, NOR_NAND, NAND_NAND,
    output wire NOT_A_NOR, AND_NOR,
    OR_NOR, XOR_NOR, XNOR_NOR,
    NAND_NOR
);

    // *** Behavioral Model for Gates
    // Using NAND ***

    // NOT using NAND
    assign NOT_A_NAND = ~A;

    // AND using NAND
    assign AND_NAND = A & B;

    // OR using NAND
    assign OR_NAND = A | B;

    // XOR using NAND
    assign XOR_NAND = A ^ B;

    // XNOR using NAND
    assign XNOR_NAND = ~(A ^ B);

    // NOR using NAND (Behavioral
    // implementation of NOR using NAND gates
    // logic)
    assign NOR_NAND = ~(A | B);

    // NAND gate itself (already
    // implemented by NAND gate)
    assign NAND_NAND = ~(A & B);

    // *** Behavioral Model for Gates
    // Using NOR ***

    // NOT using NOR
    assign NOT_A_NOR = ~A;

```

```

// Testbench to check outputs with VCD
// generation
module testbench;

    // Testbench signals
    reg A, B;
    wire NOT_A_NAND, AND_NAND,
    OR_NAND, XOR_NAND, XNOR_NAND,
    NOR_NAND, NAND_NAND;
    wire NOT_A_NOR, AND_NOR,
    OR_NOR, XOR_NOR, XNOR_NOR,
    NAND_NOR;

    // Instantiate the
    logic_gates_behavioral module
    logic_gates_behavioral uut (
        .A(A), .B(B),
        .NOT_A_NAND(NOT_A_NAND),
        .AND_NAND(AND_NAND),
        .OR_NAND(OR_NAND),
        .XOR_NAND(XOR_NAND),
        .XNOR_NAND(XNOR_NAND),
        .NOR_NAND(NOR_NAND),
        .NAND_NAND(NAND_NAND),
        .NOT_A_NOR(NOT_A_NOR),
        .AND_NOR(AND_NOR),
        .OR_NOR(OR_NOR),
        .XOR_NOR(XOR_NOR),
        .XNOR_NOR(XNOR_NOR),
        .NAND_NOR(NAND_NOR)
    );

    // Test stimulus
    initial begin
        // Create a VCD file
        $dumpfile("logic_gates_behavioral_tb.vcd"); // // VCD file name
        $dumpvars(0, testbench); // Dump variables from the testbench module

        // Monitor the outputs

```

```

// AND using NOR (Behavioral
implementation of AND using NOR gates
logic)
assign AND_NOR = A & B;

// OR using NOR
assign OR_NOR = A | B;

// XOR using NOR
assign XOR_NOR = A ^ B;

// XNOR using NOR
assign XNOR_NOR = ~(A ^ B);

// NAND using NOR (Behavioral
implementation of NAND using NOR gates
logic)
assign NAND_NOR = ~(A & B);

endmodule

$monitor("A=%b, B=%b |
NOT_A_NAND=%b, AND_NAND=%b,
OR_NAND=%b, XOR_NAND=%b,
XNOR_NAND=%b, NOR_NAND=%b,
NAND_NAND=%b | NOT_A_NOR=%b,
AND_NOR=%b, OR_NOR=%b,
XOR_NOR=%b, XNOR_NOR=%b,
NAND_NOR=%b",
A, B, NOT_A_NAND,
AND_NAND, OR_NAND, XOR_NAND,
XNOR_NAND, NOR_NAND, NAND_NAND,
NOT_A_NOR, AND_NOR, OR_NOR,
XOR_NOR, XNOR_NOR, NAND_NOR);

// Apply test cases
A = 0; B = 0; #10;
A = 0; B = 1; #10;
A = 1; B = 0; #10;
A = 1; B = 1; #10;

// Finish the simulation
$finish;
end

endmodule

//iverilog -o logic_gates_behavioral_tb.out
logic_gates_behavioral_tb.v
//vvp logic_gates_behavioral_tb.out
//gtkwave logic_gates_behavioral_tb.vcd

```

Name	Value	0.000 ns	5.000 ns	10.000 ns	15.000 ns	20.000 ns	25.000 ns	30.000 ns	35.000 ns
!A	1								
!B	1								
NOT_A_NAND	0								
AND_NAND	1								
OR_NAND	1				0				
XOR_NAND	0								
XNOR_NAND	1								
NOR_NAND	0								
NAND_NAND	0								
NOT_A_NOR	0								
AND_NOR	1								
OR_NOR	1								
XOR_NOR	0								
XNOR_NOR	1								
NAND_NOR	0								

Lab 3:

<pre>Main: `timescale 1ns / 1ps /////////////////////////////// //// // Company: // Engineer: // // Create Date: 19.09.2024 18:07:47 // Design Name: // Module Name: HALF_ADDER // Project Name: // Target Devices: // Tool Versions: // Description: // // Dependencies: // // Revision: // Revision 0.01 - File Created // Additional Comments: //</pre>	<pre>testbench: // Testbench for Full Adder module tb_full_adder; reg A, B, Cin; // Test inputs wire Sum, Cout; // Outputs from full adder // Instantiate the full adder full_adder uut (.A(A), .B(B), .Cin(Cin), .Sum(Sum), .Cout(Cout)); initial begin // Create a VCD file for GTKWave \$dumpfile("full_adder_tb.vcd"); \$dumpvars(0, tb_full_adder); // Display the outputs \$monitor("A=%b B=%b Cin=%b Sum=%b Cout=%b", A, B, Cin, Sum, Cout);</pre>
--	--

```

///////////
///////
module HALF_ADDER(
    input A,
    input B,
    output SUM,
    output CARRY
);
    xor(SUM,A,B);
    and(CARRY,A,B);
endmodule
testbench:
// Testbench for Half Adder with VCD for
GTKWave
module testbench;

    // Testbench signals
    reg A, B;      // Inputs to the half
adder
    wire SUM, CARRY; // Outputs from
the half adder

    // Instantiate the half_adder module
half_adder uut (
    .A(A),
    .B(B),
    .SUM(SUM),
    .CARRY(CARRY)
);

    // Test stimulus
initial begin
    // Open a VCD file for GTKWave
    $dumpfile("half_adder.vcd"); //
Specify the name of the VCD file
    $dumpvars(0, testbench); // Dump
all variables for the module 'testbench'

    // Monitor the inputs and outputs
    $monitor("A=%b, B=%b | SUM=%b,
CARRY=%b", A, B, SUM, CARRY);

    // Apply test cases
    // Test cases
    A = 0; B = 0; Cin = 0; #10;
    A = 0; B = 1; Cin = 0; #10;
    A = 1; B = 0; Cin = 0; #10;
    A = 1; B = 1; Cin = 0; #10;
    A = 0; B = 0; Cin = 1; #10;
    A = 0; B = 1; Cin = 1; #10;
    A = 1; B = 0; Cin = 1; #10;
    A = 1; B = 1; Cin = 1; #10;

    // End the simulation
    $finish;
end

```

```

A = 0; B = 0; #10; // Test case 1: 0 + 0
A = 0; B = 1; #10; // Test case 2: 0 + 1
A = 1; B = 0; #10; // Test case 3: 1 + 0
A = 1; B = 1; #10; // Test case 4: 1 + 1

// Finish the simulation
$finish;
end

endmodule

//iverilog -o half_adder_tb.out half_adder_tb.v
half_adder.v
//vvp half_adder_tb.out
//gtkwave half_adder.vcd
Main_fulladder:
// Full Adder module
module full_adder(
    input wire A, // First input
    input wire B, // Second input
    input wire Cin, // Carry-in input
    output wire Sum, // Sum output
    output wire Cout // Carry-out output
);

// Intermediate values for half-adders
wire Sum1, Carry1, Carry2;

// First half adder (A and B)
assign Sum1 = A ^ B; // First sum
assign Carry1 = A & B; // First carry

// Second half adder (Sum1 and Cin)
assign Sum = Sum1 ^ Cin; // Final sum
assign Carry2 = Sum1 & Cin; // Second carry

// Final carry out
assign Cout = Carry1 | Carry2;

endmodule

```

1 A	1							
1 B	1							
0 SUM	0							
1 CA...	1							

Full adder:

Name	Value	0.000 ns	10.000 ns	20.000 ns	30.000 ns	40.000 ns	50.000 ns	60.000 ns	70.000 ns
1 A	1								
1 B	1								
1 Cin	1								
1 Sum	1								
1 Cout	1								

Lab 4

```
Main:  
Demux:  
'timescale 1ns / 1ps  
/// File: demux_1to8.v  
module demux_1to8 (  
    input wire i,           // Input  
    input wire [2:0] sel,   // 3-bit selection  
line  
    output reg y0,          // Output 0  
    output reg y1,  
    output reg y2,  
    output reg y3,  
    output reg y4,  
    output reg y5,  
    output reg y6,  
    output reg y7  
);  
always @(*) begin  
y0 = 0;  
y1 = 0;  
y2 = 0;  
y3 = 0;  
y4 = 0;  
y5 = 0;  
y6 = 0;  
y7 = 0;
```


```
testbench:demux:  
'timescale 1ns / 1ps  
/// File: tb_demux_1to8.v  
module tb_demux_1to8;  
    reg i;  
    reg [2:0] sel;  
    wire y0, y1, y2, y3, y4, y5, y6, y7;  
  
    // Instantiate the DEMUX  
    demux_1to8 uut (  
        .i(i),  
        .sel(sel),  
        .y0(y0), .y1(y1), .y2(y2), .y3(y3),  
        .y4(y4), .y5(y5), .y6(y6), .y7(y7)  
    );  
  
    initial begin  
        // Initialize input  
        i = 1;  
        sel = 3'b000; #10;  
        sel = 3'b001; #10;  
        sel = 3'b010; #10;  
        sel = 3'b011; #10;  
        sel = 3'b100; #10;  
        sel = 3'b101; #10;  
        sel = 3'b110; #10;  
        sel = 3'b111; #10;  
        $finish;  
    end
```

```

case(sel)
3'b000: y0 = i;
3'b001: y1 = i;
3'b010: y2 = i;
3'b011: y3 = i;
3'b100: y4 = i;
3'b101: y5 = i;
3'b110: y6 = i;
3'b111: y7 = i;
default: ;
endcase
end
endmodule
initial begin
$monitor("sel=%b, y0=%b, y1=%b,
y2=%b, y3=%b, y4=%b, y5=%b, y6=%b,
y7=%b", sel, y0, y1, y2, y3, y4, y5, y6, y7);
end
endmodule

```

Demux:



Main:mux:

```

`timescale 1ns / 1ps
// File: mux_8to1.v
module mux_8to1 (
    input wire [2:0] sel, // 3-bit selection
    line
    input wire i0,          // Input 0

```

Testbench:mux:

```

`timescale 1ns / 1ps
/// File: tb_mux_8to1.v
module tb_mux_8to1;
    reg [2:0] sel;
    reg i0, i1, i2, i3, i4, i5, i6, i7;
    wire y;

```

```

    input wire i1,          // Input 1
    input wire i2,          // Input 2
    input wire i3,          // Input 3
    input wire i4,          // Input 4
    input wire i5,          // Input 5
    input wire i6,          // Input 6
    input wire i7,          // Input 7
    output reg y           // Output

};

always @(*) begin
  case(sel)
    3'b000: y = i0;
    3'b001: y = i1;
    3'b010: y = i2;
    3'b011: y = i3;
    3'b100: y = i4;
    3'b101: y = i5;
    3'b110: y = i6;
    3'b111: y = i7;
    default: y = 1'bx;
  endcase
end

endmodule

```


```
// Instantiate the MUX
mux_8to1 uut (
    .sel(sel),
    .i0(i0), .i1(i1), .i2(i2), .i3(i3),
    .i4(i4), .i5(i5), .i6(i6), .i7(i7),
    .y(y)
);
```

```
initial begin  
    // Initialize inputs  
    {i0, i1, i2, i3, i4, i5, i6, i7} =  
    8'b10101011;
```

```
    sel = 3'b000; #10;
    sel = 3'b001; #10;
    sel = 3'b010; #10;
    sel = 3'b011; #10;
    sel = 3'b100; #10;
    sel = 3'b101; #10;
    sel = 3'b110; #10;
    sel = 3'b111; #10;
    $finish;
end
```

```
initial begin
    $monitor("sel=%b, y=%b", sel, y);
end
endmodule
```


MUX:



LAB 5:

<pre>Main: `timescale 1ns / 1ps ////////////////////////////// ////// // Company: // Engineer: // // Create Date: 26.09.2024 15:18:17 // Design Name: // Module Name: LAB5_NAND // Project Name: // Target Devices: // Tool Versions: // Description: // // Dependencies: // // Revision: // Revision 0.01 - File Created // Additional Comments: // ////////////////////////////// module LAB5_NAND(input A, input B, input C, output Y, output Z); wire a1,a2,a3,a4,a5,a6,a7,a8,a9; assign a1=~(A&B); // nand one assign a2 =~(B&a1); //nand 2 assign a3= ~(A&a1) ;//nand 3</pre>	<pre>testbench: `timescale 1ns / 1ps ////////////////////////////// ////// // Testbench for LAB5_NAND ////////////////////////////// ////// module LAB5_NAND_tb(); // Inputs reg A; reg B; reg C; // Outputs wire Y,Z; // Instantiate the Unit Under Test (UUT) LAB5_NAND uut(A,B,C,Y,Z); initial begin A = 0; B = 0; C = 0;// Test case 1 #10; A = 0; B = 0; C = 1; // Test case 2 #10; A = 0; B = 1; C = 0; // Test case 3 #10;</pre>
---	--

<pre> assign a4 = ~(a2&a3); //nand 4 assign a5 =~(a4&C); // nand 5 assign a6=~(a4&a5) ;//nand 6 assign a7=~(a5&a1); // nand 7 -> output ->Z assign a8=~(C&a5); // nand 8; assign a9=~(a6&a8); // nand 9 ->output->Y //assigning value to outputs assign Z=a7; assign Y=a9; endmodule </pre>	<pre> A = 0; B = 1; C = 1; // Test case 4 #10; A = 1; B = 0; C = 0; // Test case 5 #10; A = 1; B = 0; C = 1; // Test case 6 #10; A = 1; B = 1; C = 0; // Test case 7 #10; A = 1; B = 1; C = 1; // Test case 8 #10; // Finish simulation \$finish; end </pre>
---	---



<p>Main:</p> <p>Siso:</p> <p>// SISO (Serial In Serial Out) Shift Register module SISO (</p>	<p>Testbench:</p> <p>Siso:</p> <p>`timescale 1ns / 1ps</p>
--	--

<pre> input wire serial_in, // Serial input input wire clk, // Clock input input wire reset, // Asynchronous reset output reg serial_out // Serial output); reg [3:0] shift_reg; // 4-bit shift register always @(posedge clk or posedge reset) begin if (reset) begin shift_reg <= 4'b0000; // Reset shift register to 0 serial_out <= 0; // Reset output to 0 end else begin shift_reg <= {shift_reg[2:0], serial_in}; // Shift left and input new bit serial_out <= shift_reg[3]; // Output the last bit end end endmodule </pre>	<pre> module SISO_tb; // Inputs reg serial_in; reg clk; reg reset; // Output wire serial_out; // Instantiate the Unit Under Test (UUT) SISO uut (.serial_in(serial_in), .clk(clk), .reset(reset), .serial_out(serial_out)); // Clock generation initial begin clk = 0; forever #5 clk = ~clk; // Generate a clock with 10ns period end // Test stimulus initial begin // Initialize inputs serial_in = 0; reset = 0; // Apply reset #2 reset = 1; // Assert reset #10 reset = 0; // Deassert reset // Test case: Shift in a series of bits #10 serial_in = 1; // Shift in 1 #10 serial_in = 0; // Shift in 0 #10 serial_in = 1; // Shift in 1 #10 serial_in = 1; // Shift in 1 // Wait and observe #40 \$finish; </pre>
--	--


```

end

// Monitor changes
initial begin
$monitor("Time=%0t | reset=%b |
serial_in=%b | shift_reg=%b | serial_out=%b",
$time, reset, serial_in,
uut.shift_reg, serial_out);
end
endmodule

```

Siso



PIPO



LAB 7:

<pre> Main:ring counter module RingCounter(input clk, input reset, output reg [3:0] q); always @ (posedge clk or posedge reset) begin if (reset) q <= 4'b0001; // Reset to initial state else q <= {q[2:0], q[3]}; // Shift left and wrap around end endmodule testbench:ring counter `timescale 1ns / 1ps module ring_counter_tb; reg clk; reg reset; wire [3:0] q; // Instantiate the RingCounter module ring_counter uut (.clk(clk), .reset(reset), .q(q)); // Clock generation initial begin clk = 0; forever #5 clk = ~clk; // Generate a clock with a period of 10 ns end // Test sequence </pre>	<pre> testbench: module tb_SyncCounter; reg clk; reg reset; wire [1:0] q; // Instantiate the SyncCounter module SyncCounter uut (.clk(clk), .reset(reset), .q(q)); // Clock generation initial begin clk = 0; forever #5 clk = ~clk; // 10 time units period end // Test sequence initial begin \$monitor(\$time, " Reset=%b, Q=%b", reset, q); reset = 1; #10; // Apply reset reset = 0; #50; // Run for a few cycles reset = 1; #10; // Apply reset again reset = 0; #30; // Run for a few more cycles \$stop; end endmodule </pre>
--	---

```

initial begin
// Initialize simulation
$display("Starting simulation...");

// Apply reset
reset = 1;
#10; // Hold reset high for 10 ns
$display("Time: %0t, Reset applied,
Q: %b", $time, q);

// Release reset and observe ring
counter
reset = 0;
#50; // Run simulation for 50 ns
$display("Time: %0t, Reset released,
Q after 50 ns: %b", $time, q);

// Apply reset again to verify reset
functionality
reset = 1;
#10;
$display("Time: %0t, Reset applied
again, Q: %b", $time, q);

reset = 0;
#30;
$display("Time: %0t, Final Q after
additional 30 ns: %b", $time, q);

// End simulation
$display("Ending simulation...");
```

\$stop;

end

endmodule

main:

sync:counter

```


module sync_counter(
    input clk,
    input reset,
    output reg [1:0] q
);
    always @(posedge clk or posedge
reset) begin
```

```


if (reset)
q <= 2'b00; // Reset to 0
else
q <= q + 1; // Increment counter
end
endmodule

```

Ring counter



Sync counter



LAB 8:

```

Main:
`timescale 1ns / 1ps
///////////////////////////////
/////
// Company:
// Engineer:
//
// Create Date: 07.11.2024 15:58:05
// Design Name: ALU

```

```

Test bench:
`timescale 1ns / 1ps
///////////////////////////////
/////
// Company:
// Engineer:
//
// Create Date: 07.11.2024
// Design Name: ALU Testbench

```

```

// Module Name: ALU
// Project Name:
// Target Devices:
// Tool Versions:
// Description: 4-bit ALU with 16 operations
//
// Dependencies:
//
// Revision:
// Revision 0.01 - File Created
// Additional Comments:
//
///////////////////////////////
///////
module ALU(
    input wire [3:0] A,
    input wire [3:0] B,
    input wire [3:0] S,
    output reg [3:0] x
);

    always @(*) begin

        case (S)
        4'b0000: x = A;
        4'b0001: x = ~A;
        4'b0010: x = A | B;
        4'b0011: x = A & B;
        4'b0100: x = A ^ B;
        4'b0101: x = ~(A | B);
        4'b0110: x = ~(A & B);
        4'b0111: x = ~(A ^ B);
        4'b1000: x = A + B;
    end

```

```

// Module Name: ALU_tb
// Project Name:
// Target Devices:
// Tool Versions:
// Description: Testbench for 4-bit ALU with 16
operations
//
///////////////////////////////
///////
module ALU_tb;
    // Testbench registers and wires
    reg [3:0] A;
    reg [3:0] B;
    reg [3:0] S;
    wire [3:0] x;

    ALU uut (
        .A(A),
        .B(B),
        .S(S),
        .x(x)
    );

    initial begin
        A = 4'b0011; B = 4'b0001;
        S = 4'b0000; #10;
        S = 4'b0001; #10;
        S = 4'b0010; #10;
        S = 4'b0011; #10;
        S = 4'b0100; #10;
        S = 4'b0101; #10;
        S = 4'b0110; #10;
        S = 4'b0111; #10;
        S = 4'b1000; #10;
        S = 4'b1001; #10;
        S = 4'b1010; #10;
    end

```

```

4'b1001: x = A - B;
4'b1010: x = A * B;
4'b1011: x = (B != 0) ? (A / B) :
4'b0000;
4'b1100: x = (A > B) ? 4'b0001 :
4'b0000;
4'b1101: x = A ** B;
4'b1110: x = A >> B;
4'b1111: x = A << B;
default: x = 4'b0000;
endcase
end
endmodule

```

```

S = 4'b1011; #10;
S = 4'b1100; #10;
S = 4'b1110; #10;
S = 4'b1111; #10;

$finish;
end
endmodule

```




Lab 9:

<p>Main:</p> <pre> module cyclic_lamp(clock, light); input clock; output reg [2:0] light; //light is a vector parameter s0=2'b00, s1=2'b01, s2=2'b10; // parameter declaration as constant \ parameter RED=3'b100, GREEN=3'b010, YELLOW=3'b001; reg[1:0] state=s0; //state as two bit variable reg[27:0] count=0; reg clock_out; // always@(posedge clock) // begin // count<=count+1; // if (count==100000000) // begin count<=0; // clock_out=~clock_out; // end // end initial begin state = s0; light = RED; clock_out = 0; end always@(posedge clock) case (state) s0: state<=s1; s1: state<=s2; s2: state<=s0; default: state<=s0; endcase always@(state) case(state) </pre>	<p>Testbench:</p> <pre> `timescale 1ns / 1ps module tb_cyclic_lamp; // Inputs reg clock; // Outputs wire [2:0] light; // Instantiate the Unit Under Test (UUT) cyclic_lamp uut (.clock(clock), .light(light)); // Clock generation initial begin clock = 0; forever #5 clock = ~clock; // Generate a clock signal with a period of 10 ns end // Testbench process initial begin // Display header \$display("Time\tClock\tLight"); // Monitor the changes in outputs \$monitor("%4d\t%b\t%b", \$time, clock, light); // Simulation run for 100 clock cycles #1000; \$finish; end endmodule </pre>
---	---

```

s0: light=RED;
s1: light=GREEN;
s2: light=YELLOW;
default light=RED;
endcase
endmodule

```



LAB 10:

```

Main:
Ocla:
`timescale 1ns / 1ps
///////////////////////////////
/////
// Company:
// Engineer:
//
// Create Date: 21.11.2024 15:43:15
// Design Name:
// Module Name: OCLA
// Project Name:
// Target Devices:
// Tool Versions:
// Description:
//
// Dependencies:
//
// Revision:
// Revision 0.01 - File Created
// Additional Comments:

```

```

Testbench;
`timescale 1ns/1ps

module OCLA_tb;
    // Testbench signals
    reg [3:0] A, B;
    reg Cin;
    wire [3:0] Sum;
    wire Cout;

    // Instantiate the CLA module
    OCLA cla_inst (
        .A(A),
        .B(B),
        .Cin(Cin),
        .Sum(Sum),
        .Cout(Cout)
    );

    // Helper task to display test results
    task display_test;

```

<pre> // ////////// ////// module OCLA (input [3:0] A, input [3:0] B, input Cin, output [3:0] Sum, output Cout); wire [3:0] G, P, C; assign G = A & B; // Generate assign P = A ^ B; // Propagate assign C[0] = Cin; assign C[1] = G[0] (P[0] & Cin); assign C[2] = G[1] (P[1] & G[0]) (P[1]&P[0]&Cin); assign C[3] = G[2] (P[2] & G[1]) (P[2]&P[1]&G[0]) (P[2]&P[1]&P[0]&Cin); assign Cout = G[3] (P[3] & G[2]) (P[3] & G[2] & P[2]) (P[3]&P[2]&P[1]&G[0]) (P[3]&P[2]&P[1]&P[0]&Cin); assign Sum = P ^ C; endmodule </pre>	<pre> input [3:0] exp_sum; input exp_cout; begin #5; // Wait for combinational logic to settle if ({Cout, Sum} === {exp_cout, exp_sum}) begin \$display("PASS: A=%h, B=%h, Cin=%b Sum=%h, Cout=%b", A, B, Cin, Sum, Cout); end else begin \$display("FAIL: A=%h, B=%h, Cin=%b Expected: Sum=%h, Cout=%b Got: Sum=%h, Cout=%b", A, B, Cin, exp_sum, exp_cout, Sum, Cout); end end endtask // Test stimulus initial begin // Initialize inputs A = 0; B = 0; Cin = 0; #10; // Test Case 1: Basic addition without carry A = 4'h3; B = 4'h4; Cin = 0; display_test(4'h7, 0); // Test Case 2: Addition with input carry A = 4'h3; B = 4'h4; Cin = 1; display_test(4'h8, 0); // Test Case 3: Addition causing output carry A = 4'h8; B = 4'h9; Cin = 0; display_test(4'h1, 1); // Test Case 4: Maximum value test A = 4'hF; B = 4'hF; Cin = 1; </pre>
--	--

```
display_test(4'hF, 1);

// Test Case 5: Zero value test
A = 4'h0; B = 4'h0; Cin = 0;
display_test(4'h0, 0);

// Test Case 6: Random test cases
A = 4'h6; B = 4'h7; Cin = 1;
display_test(4'hE, 0);

A = 4'hA; B = 4'h5; Cin = 0;
display_test(4'hF, 0);

// Test Case 7: Alternating bits
A = 4'hA; B = 4'h5; Cin = 1;
display_test(4'h0, 1);

// Test Case 8: One operand zero
A = 4'h0; B = 4'hF; Cin = 0;
display_test(4'hF, 0);

// End simulation
#10;
$display("Simulation completed");
$finish;
end

// Optional: Generate VCD file for
waveform viewing
initial begin
$dumpfile("cla_test.vcd");
$dumpvars(0, OCLA_tb);
end

endmodule
```

The figure displays a timing diagram with four rows of waveforms, each representing a different signal over 10 clock cycles. The signals are:

- A[3:0]**: The first row shows a sequence of binary values: 0, 3, 8, f, 0, 6, a, 0.
- B[3:0]**: The second row shows a sequence of binary values: 0, 4, 9, f, 0, 7, 5, f.
- Cin**: The third row shows a sequence of binary values: 0, 1, 1, 1, 0, 1, 0, 0.
- Su...0**: The fourth row shows a sequence of binary values: 0, 7, 8, 1, f, 0, e, f, 0, f.

The waveforms are represented by horizontal bars indicating the state of each bit at each clock edge. The most significant bit (MSB) is on the left, and the least significant bit (LSB) is on the right. The value 'f' indicates a don't care or undefined state.

Role of Social Media in Religious Discourse and Spiritual Communities



Mohmed Husain Pasheriya | Noyonika Mukherjee

Professor Dr. Barnali Chetia

Course: HS201

Date: 17th November, 2024

ACKNOWLEDGEMENT

I would like to thank Professor Dr. Barnali Chetia for her mentorship and encouragement during my study about the role of social media in religious communities. Her advice and experience in media studies greatly helped in shaping our research. The helpful feedback and willingness to engage in discussions really broadened my understanding of the topic.

I am also grateful to Ms. Dharti Sharma, our teaching assistant, for her assistance during this study. She was always ready to help students when required, which is truly appreciated.

Furthermore, I wish to acknowledge all the researchers, scholars, and authors who have worked in the domain of media and religion and whose works have been the foundation of this study. Their ideas motivated me to pursue this subject even more and shaped the way I conducted the research.

I would also like to thank my friends and colleagues who supported me during the time of research. Their suggestions made me more meticulous towards my ideas and brought in a totally different aspect towards the concerned topic.

Last but not the least, I extend my appreciation to all the 145 respondents who took part in the survey for this study. Every example of their experience and opinion about this material was constructive insight and data input to my study. Without them, this term paper could never be accomplished.

DECLARATION

We, Mohamed Husain Pasheriya and Noyonika Mukherjee, declare that the research paper entitled "The Role of Social Media in Religious Discourse and Spiritual Communities" in partial fulfilment of the HS102 End of Semester Project assigned by Professor Barnali Chetia, is entirely of our own making. Our hypothesis with regard to the same is: *"Exposure to diverse religious opinions on social media challenges and reshapes an individual's traditional beliefs."* To carry out an appropriate investigation of the subject at hand, a thorough study, analysis, and documentation has been conducted.

All the sources of data that have been used in this research study are duly attributed and cited. All the information provided in this paper has been presented with the utmost care for its reliability and accuracy. In addition, all the passages containing information from other sources as well as all the paraphrases and short quotations contain appropriate acknowledgments.

We sign below to attest to the validity of our work and to remark that the contents of this research paper are true to the best of our knowledge.

Mohamed Husain Pasheriya (20235166)

Noyonika Mukherjee (202351167)

Date: 17th November, 2024

ABSTRACT

Social networking sites have turned into spaces where users engage in religious and spiritual conversations while having access to different spiritual communities. This study investigates the impact of social networking sites on religious discussions, with a growing number of users introducing and sharing different practices, and forming expansive online friendships. Such platforms initiate debates which question established beliefs, often making people revise their ideologies and allowing everyone to engage with a variety of faiths and religious practices.

This study evaluates how exposure to a vast range of religious beliefs may act as a counteractive effect on one's pre-existing beliefs. Although it is an accepted fact that social media could aid in compressing the distance between different groups, creating more inclusive and tolerant individuals, and fostering understanding; social media can also lead to confusion and doubt for the users.

The analysis looks at people's interaction with aspects of religion in social networks by means of both e-survey data and offline interviews. It investigates what happens when the members of different faiths attempt to communicate scientifically, virtual or otherwise, with the concepts of civilization in general and community in particular. There is also the provision of analysis and discussions concerning the approach and use of social media to teach marginalized religions.

Nevertheless, the section of the paper that deals with such conversations outlines the difficulties that social media is known to cause. It has been known to worsen situations through the introduction of radical opinions and falsehoods understood by a majority, leading to cognitive dissonance and even disintegration of certain societies, especially in severe cases where religion is a factor. The speed of information diffusion, especially negative aspects and deceit, is irritating as it destroys the prospect of understanding in religion.

In the end, this study seeks to understand a very contemporary problem - the religious conversation in the internet era.

Keywords: **social networking sites, religious discussions, spiritual communities, established beliefs, cognitive dissonance, information diffusion.**

Table of Contents

Acknowledgment	2
Declaration	3
Abstract	4
Table of Contents	5
List of Figures and Tables	6
List of Abbreviations	7
Glossary	8
Chapter - I	
▪ Introduction	9
▪ Chapterisation	12
Chapter - II	
▪ Literature Review	13
Chapter - III	
▪ Data Analysis	18
○ Methodology	
○ Variables	
▪ Analysis-I: Online Survey	22
▪ Analysis-II: Offline Survey	34
Chapter - IV	
▪ Conclusion	37
Works Cited	38
Appendices	
i. Appendix-I: Online Survey Questionnaire	40
ii. Appendix-II: Offline Survey Questionnaire	45
iii. Appendix-III: Sample of Answers	46

List of Figures and Tables

- Fig. 1 – Demographics Pie Charts
 - 1.a – Gender
 - 1.b – Age
 - 1.c – Religious background
- Fig. 2 – Social Media’s Role
 - 2.a – Question 1
 - 2.b – Question 2
 - 2.c – Question 3
 - 2.d – Question 4
 - 2.e – Question 5
 - 2.f – Question 6
 - 2.g – Question 7
- Fig. 3 – Conclusive Pie Chart

List of Abbreviations

- Fig. – Figure
- AI – Artificial Intelligence
- Tech – Technology
- Dr. – Doctor
- IG – Instagram

Glossary

Polarization – Division of groups or people into completely different and opposing parties

Algorithmic Bias - Systematic and repeatable errors that create unfair outcomes

Cognitive Dissonance – The psychological discomfort one experiences when interacting with someone with conflicting beliefs

Commodification – The process of turning something non-physical but holding some value, like ideas, into a product that can be bought and sold

Chapter – 1

Introduction

In contemporary society, social media has clearly become a game changer for how people access ideas, societies and beliefs. In particular, such media has made it possible for the end users to communicate and engage with any religious or spiritual users across the globe almost instantaneously. This has allowed people to show how different religions are practiced, share ideas and engage in conversations about faith across continents.

On one hand, social networks carry enormous potential to close the barriers and enable engagement between the subjects, while on the other, they raise alarming questions regarding interreligious communication. The exposure to innumerable diverging beliefs and attitudes has raised questions to all religious dogmas and in certain cases caused individuals to transform their personal beliefs and values. Besides, social media is correlated with understanding psychology, and therefore balances the good effects with effects such as false media, propaganda of radical views and the contradiction found by some users in the information concerning religions.

The aim of the research referred to in this study is to explore how the discussions of religion change on social media and what the users of social networks whose are involved in spirituality experience. The results of these interactions will also help us understand the positive impact of social media but also understand the dangers that arise from it.

Focus

This paper aims to discuss the significant role played by social media regarding religious discussions and spiritual communities by exploring how these encourage divergent belief sharing, deconstruction of traditional beliefs, and inclusiveness, thus having a two-edged sword effect on such interactions.

Importance

Understanding how social media influences religious discourse and spiritual communities is a matter of great importance in this interconnected world today. This research addresses a pressing need to analyze the implications of these new platforms within society in regards to faith and belief. Accordingly, this study can inform how social media will allow for approaches to inclusiveness and understanding while working to mitigate the risks presented by misinformation and radicalization. The findings of this study could equally be of value to policymakers, religious leaders, and the internet corporations themselves, based on insights that promote healthier conversations about faith in digital spaces.

Objective of Research

This lays a solid foundation to highlight the many dimensions of social media in shaping religious discourse and impact on spiritual communities; which happens to be the anchor point of this research project. This research provides a critical analysis of the missing pieces in the assessment _ and indeed social structures of the contemporary and historical ethnic psychology. This study will offer meaningful insight in the ways in which social media can be utilized as a tool for promoting tolerance and understanding without the accompanying danger of misinformation and radicalization. And now having that picture, one can see how those very groups are exhausted with fighting with existing faith communities, architects of radicalism, healthy policy, and social network gatekeepers.

Background and Context

This research goes over in detail possible approaches strategies methods dimensions programs schemes and the ways these things affect religious discourse and impact spiritual communities. Presently, this study focuses on how much religion social media may include passive acceptance if not active participation, propagate and share traditional orthodoxy. The study will also explore how these similar sites help in the fostering of contrarian ideologies, wrong information as well as the users' conflicting thoughts. The study also aims to investigate: the composition of virtual spiritual communities, the nature and patterns of interactions within such communities, and as a result how such assessments would they fit

into the idea of social media civicness without it became a dream version of cyberspace but rather striving for realistic adjustment of that modern technical tool.

Research Problem/Hypothesis

Social media has emerged as a significant arena for religious discourse, offering unparalleled access to diverse spiritual practices and ideas. However, this democratization of religious conversations is accompanied by challenges such as the amplification of extreme views and the spread of misinformation. This research examines how these dual dynamics affect individuals and communities, focusing on the evolving role of social media in shaping faith and belief systems.

Our hypothesis is: *Exposure to diverse religious opinions on social media challenges and reshapes an individual's traditional beliefs.*

Chapterisation

Chapter 2 of this research paper focuses on how social media influences the religious conversation and the communities surrounding it. It notes important works and country-wide examples that investigate the relationship between religiosity, social media, and communities. This section gives a brief overview of the topic and figure out the missing parts, which this study seeks to fill.

Chapter 3 is divided into two sections:

- This part deals with the methods used in the process of data collection. Data was collected online by using Google Forms and interviewing people and professionals about media and religion.
- The second section analyzes the data collected, focusing on the impact of exposure to diverse religious opinions on participants' beliefs, attitudes, and behaviours.

Chapter 4 summarizes the research findings and provides conclusions based on the analysis. It discusses the limitations of the study, such as sample diversity and methodological constraints, and suggests directions for future research, including more extensive cross-cultural studies and deeper investigations into social media's role in shaping religious discourse.

Chapter - 2

Literature Review

Identification of Sources

1. International Academic Studies:

- i. "The Vitality of New Media and Religion: Communicative Perspectives, Practices, and Changing Authority in Spiritual Organization" by Cheong, P. H. (2016):
This research seeks to examine the effects of digital platforms on spiritual communication, since new means of interaction are being established and older forms of power relations in the realm of religion are being threatened. Cheong stresses that religious communities use new media for members' mobilization, for network building, and to negotiate power relations. It provides a global perspective on how technology impacts spiritual practices and influences the organization of faith-based groups.
- ii. "New Religions in Global Perspective" by Clarke, P. B. (2004):
Clarke examines the diffusion of newer religious movements within the global arena and focuses on the influence of the media in these trends. It outlines methods through which digital tools enable new religious movements to reach wider audiences while changing traditional religious landscapes. Clarke's work further details the significant role the media has played in advancing globalization trends, especially religious movements.
- iii. "Exploring the Impact of Social Media on the Religious and Spiritual Beliefs of Emerging Adults" by Ehlebracht, M. (n.d.):
This study investigates how social media influences the religious and spiritual beliefs of young adults, focusing on the transitional life phase known as "emerging adulthood." It outlines and incorporates the contradictory applications of social media for both the persistence of orthodoxy and the contending new beliefs into the growing self-definition of younger age groups.

- iv. "The Mediatization of Religion: Theorising Religion, Media, and Social Change" by Hjarvard, S. (2011):
Hjarvard introduces a conceptualization of the process of religion mediatization and considers media as an agent of social change. The research provides an account on the influence of media technology on the practice, rituals and beliefs of religion, thereby altering the aspects of religion and its practice in contemporary society which is media rich.
- v. "Social Media as a Platform for Instigating and Waging War" by Ijlsi (2024):
This study assesses social media's role in the context of religious wars and contemporary globalism, stressing the two trends: its use for promoting oneself and one's groups and for waging violence. This analysis shows how such internet communication magnifies radical ideas and promotes drastic actions and modifies the people's minds about particular religions during their clashes.
- vi. "Faith and Facebook in a Pluralistic Age" by McClure, P. K. (2016):
McClure analyzes how social networking site 'Facebook' encourages religious activities and bringing people together even in societies that are very diverse. The author points to the argument of the changing scope of religious networks in the social media age showing how this has allowed people to bring together different religions in an effective manner and even live in such societies without fears of violent ethnic confrontations in the modern world.
- vii. "Religion and Social Media: Communication Strategies by the Spanish Episcopal Conference" by Baraybar-Fernández, A., Arrufat-Martín, S., & Rubira-García, R. (2020):
This research analyzes the communication strategies employed by the Spanish Episcopal Conference on social media. The study reveals how religious organizations strategically utilize digital platforms to engage followers, disseminate messages, and address societal issues, providing a model for digital religious communication.
- viii. "Religion, Popular Culture, and Social Media: The Construction of a Religious Leader Image on Facebook" by Coman, I. A., & Coman, M. (2017):
The authors Coman and Coman examine how clergy perform on social networking sites by combining religious images and popular culture. This research contributes to

the knowledge on the dynamics of religious leaders in the age of social media, where members of the clergy get to preach as well as perform.

2. National Academic Studies

- i. "The Impact of Social Media on Religious Tolerance in India: A Case Study on the Digital Discourse in Religious Conflicts" by Ozukum, T. (2021):
This study investigates the role of social media in shaping religious tolerance in India, particularly during conflicts. It explores how digital platforms are the reason behind the spread of different narratives that influence the general public.
- ii. "Social Media's Role in the Changing Religious Landscape of Contemporary Bangkok" by Agarwal, R., & Jones, W. J. (2022):
This study is geographically limited to Bangkok but shares the core argument made in the analysis of India, in that it is impossible to avoid the effects of the internet on the way people practice their religion in cities. This reemphasizes a similar point made elsewhere about religious practices in the cities – the old practices fuse seamlessly with the new, modern technologies.
- iii. "The Many (Inter)faces of Religious Politics: An Analysis of Social Media Amid Religious and Political Conflict in India" (2024):
This article explores and analyses Indian social media in the light of religion and politics. Focusing upon the digital ecology, it examines how such conflicts are managed, expanded politically, and constructed within the narratives.
- iv. "Social Media Fake News in India" by Al-Zaman, M. S. (2021):
This article examines the spread of religious fake news in India, focusing on its impact on societal harmony. The study highlights how misinformation campaigns exploit religious sensitivities, exacerbating tensions and fueling conflicts.
- v. "Conflict Between Freedom of Expression and Religion in India—A Case Study" by Singh, A. (2018):
This study analyzes the tension between freedom of expression and religious

sentiments in India, emphasizing the role of social media as both a platform for free speech and a site of religious conflict.

- vi. "Digital Divine: Technology Use by Indian Spiritual Sects" by Azhagu Meena, S., et al. (2020):

This study explores how Indian spiritual organizations adopt digital technologies and social media to engage with followers. It highlights the creative and strategic use of these platforms to sustain and expand spiritual practices in a technologically advanced society.

3. Tech Industry Reports:

The reports about the technology industry give a lot of information on social media, technology, and religion. These reports analyze trends, from how a digital user acts to how the future technology will be used in different domains, such as spirituality and religion. For instance, the reports by the major technology companies, including Meta Platforms and Google, often start by stating the increasing role of social media in virtual communities, which encompasses religious groups as well, and the way algorithms shape what users will consume. Customized religious content through the use of artificial intelligence takes center stage in industry insights: apps for the spiritually customized personal life, virtual worship, and scripture analysis through artificial intelligence.

More relevant to the Pew Research Center and other organizations would be the extent to which the digital platform influences, impacts societal values, community engagement, and religious discourse. Such industry reports with their concentration on the metrics of user engagement, strategies of platforms, and technological advancements do a better contextual understanding of how technology mediates religious interaction and reshapes traditional beliefs.

4. Review and Discussion of Sources:

As has been pointed out extensively within academic discourse, social media makes a deep impact as algorithmic biases, misinformation, and echo chambers also shape user engagement with religious content in this era. These dynamics consistently affect interfaith communication; people tend to be absorbed in polarizing narratives while limiting exposure

to diverse perspectives. On the other hand, with the commodification of spiritual discourse, targeted content delivery subtly shapes personal beliefs, raising questions of accountability and transparency. This requires public education and critical involvement in an effort to assist the online discussion of religion in an effective, respectful manner.

5. Conclusion and Recommendation:

From this review of the sources, it can be concluded that social media has various impacts on the individual and the larger society. It is thus crucial that policymakers, industry stakeholders, and individuals take proactive measures toward ensuring digital literacy and placing stricter privacy regulations among other measures that would ensure responsible use of social media. Further research needs to be done on the long-term consequence of using social media to establish control measures over a healthier relationship with social media.

Chapter – 3

Data Analysis

Methodology

Reliability of Sources

1. Primary Data (Google Forms and Offline Interviews): The primary data collected through Google Forms and offline interviews have been relied upon very much in terms of reliability. The survey questions and interview protocols were framed in ways to persuade validity and consistency while collecting data. A sample size of 200+ has ensured diversity within respondents and hence ensures reliability from the findings. Sampling methods and processes of data collection were standardized to avoid possible errors and biases.

2. Secondary data: The sources of secondary data have been scrutinized for reliability, including available academic research and reports from the tech industry. The outputs obtained depend on credible sources that were used in the present study. Data recency has been considered to make sure it is current and relevant for the research questions asked. Subsequently, cross-referencing between secondary data and primary data ensures consistency and reliability in the findings.

Variables Used

Age, Gender, Religious Affiliation, and Use of Social Media: Controlling for all these variables will help determine which demographic factors play a role in people's engrossment in religion online. It looks for any considerable correlation or distinction by establishing patterns of religious discussion among different groups through social media. For example, do age or gender roles play in propelling someone into online religious communities?

Sample Size of over 200: The sample size selected based on statistical considerations was 212 to ensure reliability and generalisation of the findings obtained. In terms of age, gender, and educational background, the sample was heterogeneous, which allowed for comprehensive analysis of the research hypothesis.

Data Collection Procedures

The procedures for collecting both primary and secondary data were planned and conducted in a careful manner to ensure reliability. The questions in the primary data survey were based on established research methodologies and were pre-tested to ensure that they were clear and relevant. The interviews were conducted by trained researchers using standardized protocols to ensure consistency. For secondary data, a systematic approach was followed to identify the sources, and an extraction of data was done based on established guidelines to ensure accuracy.

Data Analysis Techniques

The techniques used in data analysis for this study were selected based on the nature of the data and the nature of the questions under inquiry. For primary data, statistical analysis was considered necessary in order to identify patterns and trends within the data collected. Qualitative data derived from interviews were analyzed through thematic analysis. Secondary data synthesis utilized a systematic review approach in consolidating the evidence from multiple sources.

Reliability of Findings

Overall, the conduct of this study with regards to data collection and analysis is rigorous, supporting the reliability of the findings. Thorough source selection, careful procedures about collecting data, and use of proper techniques while analyzing data account for the reliability of the findings. However, it is worth noting that no study is without limitations, and the findings should be interpreted in the light of its methodology and also any degree of bias.

Regarding our hypothesis -

In this study, we have carefully tested the hypothesis that exposure to diverse religious perspectives on social media challenges and reshapes traditional beliefs. We used a systematic approach to research, consisting of several key components which fit the hypothesis and delivered conclusive findings.

1. **Research Design:** It is a mixed-method approach as a mix of quantitative and qualitative methods were employed. Surveys were used to collect quantitative data about participants' attitudes toward traditional religious beliefs before and after engagement with assorted social media content. Qualitative insight was gathered through in-depth interviews to uncover deeper understandings of the participants' perceptions and experiences.
2. **Data Collection:** In this the survey questionnaire was administered to a sample of 212 participants, and for a portion of the sample, in-depth interviews were held. The survey questions were actually designed to track changes over time in interest, trust, and awareness, while the interviews provided rich, detailed accounts of the experiences and perspectives of participants.
3. **Data Analysis:** Quantitative data obtained from the surveys were analyzed using statistics to identify significant changes in respondents' attitudes before and after watching the documentary. Qualitative interviews were analyzed through thematics to identify common themes and patterns in respondents.
4. **Interpretation of Findings:** Content analysis of both quantitative and qualitative data provided the most comprehensive understanding of how exposure to diverse religious perspectives on social media impacts the beliefs of people in a traditional norm. The results were then interpreted against the hypothesis, namely, belief shifts, openness to alternative perspectives, and reassessment of traditional religious norms.

5. **Google Forms Pie Charts:** Responses to every questionnaire were given in pie charts developed from Google Forms, which were presentations of the spread of responses based on the questions. These charts showed how attitude changes with respect to religious beliefs and practices were fostered by exposure to varied views through social media.
6. **Conclusion and Recommendations:** Based on the analysis, the study concluded that social media significantly challenges and reshapes traditional beliefs by exposing individuals to diverse religious perspectives. We would like to recommend further research that would test these findings on the long-term implications of exposure through such frameworks on religious discourse, community dynamics, and interfaith understanding besides the involvement of algorithms in shaping these interactions.

Our research methodology has therefore been successful in testing the hypothesis and showing a clear connection between the process of research and the hypothesis. Since the methodologies used qualify as a mix of both quantitative and qualitative methods, a comprehensive investigation of research questions has culminated in a holistic conclusion regarding the role social media plays within religious discourse and spiritual communities.

Analysis – I

Online Questionnaire:

Section 1: Demographics

Gender:

212 responses




Fig 3. a

Please select your age group:

212 responses




Fig. 3. b

What is your religion or spiritual affiliation?

212 responses





Fig. 3. C

Section 2: Social Media's Role in Religious Dialogue and Challenges

A) Provides compelling evidence that watching documentaries like "The Social Dilemma" increases interest in social media's societal impact, as hypothesized.

1. Do you take part in discussions/debates on religious topics with friends or others on social media platforms?

212 responses



A significant majority, 54.2% of respondents, reported that they regularly discuss religious issues on social media. This reflects the hypothesis whereby most of them probably have an active engagement in the discussion about religious topics on the platforms. It shows how this is a rich area of religious discourse for the clients, who engage consistently in such discussions.

A smaller percentage, 24.1% of the respondents, said they often engage in religious debates. This gives more credibility to the hypothesis that social media can be a vehicle for intermittent activity, if not regular activity. This suggests that perhaps people could use social media as one of the channels through which they express their religious opinion once such an occasion or topic arises, but religion is something with which they do not generally seek to engage as some form of entertainment or leisure activity.

10.8% stated that they rarely engage in religious posts on social media. This figure is not central to hypothesis concentration, and it still means that a disproportionately large number of users are being underutilized. The reasons would range from personal issues, lack of time, or perhaps lack of much interest in the discussion of religious matters in the virtual world.

A near similar 10.8% of the respondents claimed to never discuss or engage in religious debates on social media. This finding, although outside of the hypothesis, falls in the rate of the population who either feel that social media should not be an appropriate avenue to discuss religion or would rather not be involved in this at all costs.

Generally, the findings suggest that social media plays a major role in religious discourse, with a large percentage frequently or occasionally participating in these discourses. Thus, this expands the view that social media helps bring meaningful participation into religious debates and further deepens the central position of social media as a resource for communities engaging in modern religious conversation.

B) Provides compelling evidence that social media's role in promoting understanding between different religious communities is perceived positively, but not without reservations.

2. Do you believe that social media promotes understanding between different religious communities?
212 responses




Fig. 4.b

The majority of respondents, 51.9%, believe that social media significantly promotes understanding between different religious communities. This goes a long way in supporting the hypothesis that social media can cause interfaith dialogue and therefore promote mutual understanding. The near-unanimous acceptance of the opinion goes to illustrate that people realize how social media has the potential to knock off barriers and create an avenue for religious communities to share viewpoints that would contribute toward harmonious interaction.

18.9% agreed that social media somewhat promotes understanding between different religious communities. In other words, although it might help in the process of getting to know the other, its impact may be perceived as partial or limited, depending on considerations like the form the social media took, the quality of discussion, or kind of information.

However, 14.2% of them believe that social media exacerbates division between religious communities. Though it is not the majority view, this still exemplifies the types of concerns that social media has led to conflict and misunderstandings. Anonymity and ease of spreading disinformation sometimes assist in aggravating relations between groups.

Only 15.1% of the respondents agreed with the view that social media has not contributed to a better understanding between different religious communities. This can be read in the sense that some people do not see value in online interaction or they feel that these kinds of platforms do not contribute meaningfully to religious discourse.

Overall, it would seem that a great number of people believe the social media phenomenon contributes to understanding among religious communities, although there are still some concerns about whether this platform fosters division or not sufficiently encourages meaningful engagement.

C) Provides compelling evidence that misinformation or extremist content related to religion is a significant issue on social media platforms, according to the survey respondents.

3. Have you encountered misinformation or extremist content related to religion on social media?
212 responses




Fig. 4.c

A large proportion, 51.4% of the respondents, reported regularly encountering misinformation or extreme content regarding religion. This is in line with the notion that social media empowers potentially extreme and/or false views, not least in areas such as religion, where sensitive topics are liable to be controversial.

23.6% of the respondents said that they sometimes stumble upon such content. This implies that though misinformation might not be a daily issue for all user interaction, it undoubtedly remains an issue for most listeners. These occasional encounters may draw the attention of the general public to the propaganda being spread in particular areas in cyberspace, such as religious forums or groups in which the content sometimes is not checked.

Only 12.7% said that they rarely stumble on misleading or extremist content related to religion. This might reflect the fact that the problem is not widespread for everyone but always is there, and sometimes users come across misleading or extreme views.

A smaller percentage, 12.3%, claimed never to have seen misleading content or propaganda concerning religion on social networks. Thus, it is likely that for a few users, their experience

with religious material on social media sites would be even more positive or neutral because of less exposure to damaging or misleading information.

However, the results point towards the crucial role disinformation and extremist content on religious issues play on social media since a significantly large number of users (75%) report it at least some of the time. This emphasizes the need for stricter regulation of social media contents and proper engagement with such contents.

D) Supports the hypothesis of social media on understanding and acceptance of different religious perspectives among the respondents.

4. To what extent do you agree with the statement: "Social media has expanded my understanding and acceptance of different religious perspectives."

212 responses




Fig. 4.d

A majority of respondents, 55.2%, believe that they possessed greater understanding by and exposure to other religious perspectives through social media. So, it would seem that, through social media, the road to awareness and inclusion for different religious views is an effective catalyst. That such a large proportion felt very strongly reflects how online venues contribute to a more tolerant and knowledgeable society.

A smaller yet significant portion, 12.3%, agrees with the statement, further reinforcing the positive influence of social media in shaping perceptions about religious diversity. This group

may not be as enthusiastic as the majority, but they indeed recognize that digital engagement can enhance religious understanding.

11.3% said that they are neutral, which may be because they never experienced and/or were not affected by social media enough seriously to impact their religious stance. Neutrality may only be an indicator of difference in people's usage of social media or the kinds of content these people see and encounter.

On the other hand, 9.4% disagreed with the statement, and 11.8% strongly disagreed. Taken together, these groups constitute of those who consider social media to be detrimental in promoting understanding and acceptance of religious views different from one's own. That might be because of having negative experiences, like seeing polarizing or biased content.

Either way, it supports our hypothesis since it indicates a change from the original perspective of the social media user.

E) Highlights the frequency with which respondents engage with religious or spiritual content on social media platforms.

5. How often do you find/engage with religious or spiritual content on social media?
212 responses




Fig. 4.e

A high number of respondents, that is 55.2%, claimed to interact with religious or spiritual content on social media every day. It means that some significant percentage of users actively consume and engage with such content, showing it is relevant and present in their daily lives.

Almost 19.8% of respondents stated that they occasionally experience religious or spiritual content. This is the population group that does not consciously search for such content but which is yet faced with it through their social media usage; therefore, religious or spiritual content still seems to be present and influential at different engagement levels.

The smallest segment of all, 15.1%, said they hardly used the content. Perhaps this was evidence of disinterest or altogether avoiding religious or spiritual conversations on these sites.

Only 9.9% of respondents said that they never interact with religious or spiritual content on social media. This minority also indicates that although some users may deliberately avoid the topics, the prevalence of religious or spiritual material makes it reach most users to at least some extent.

The underpinnings of findings here underscore the immense importance of social media as an enabler for religious and spiritual discourse, since most respondents have been using this platform frequently. That presents a strong demand for such content perhaps with the ability to shape their beliefs and practices.

G) Explores the influence of diverse religious views on social media in prompting self-reflection on personal religious beliefs among respondents.

6. Has exposure to diverse religious views on social media made you question your own religious beliefs?

212 responses




Fig. 5

A majority, 49.5% of respondents self-report how social media exposed them to a variety of religious opinions, and thus made them doubt their own religious beliefs in many instances. That percentage is pretty high, and it definitely means that there's a great contribution of social media towards introspection and re-evaluation of personal views.

Moreover, 17.5% of respondents said they sometimes doubted their beliefs due to such exposure. Such a group represents the highly significant influence of online religious discourse on personal thoughts and beliefs-there is such an impact because it is always periodic.

17.5% of respondents also stated they rarely question their religious beliefs when encountering diverse viewpoints. This indicated that, although the content may provoke interesting thought, this group has convictions which are not significantly challenged by the content.


Finally, 15.6% of the respondents never questioned their religious beliefs through social media exposure. Thus, for a minority, their beliefs are steady and are not swayed by various perspectives propagated through cyberspaces.

Findings suggest that for a large number of users (84.4%), social media content has the capacity for changing their religious belief systems at least a few times. Meanwhile, they still demonstrate a subgroup of the population who are less sensitive to or even resistant toward influence by such contents, and once again highlight the variability of an individual's response to online materials.

H) Explores the influence of diverse religious views on social media on the strength of respondents' personal religious beliefs.

7. Do you believe that exposure to diverse religious opinions on social media has strengthened or weakened your religious beliefs?

212 responses



A large number of the respondents, 58%, believe that exposure to diverse religious views on social media has strengthened their religious beliefs. This is an important figure as it reveals social media as a reinforcing agent that could affirm and even congeal prior convictions when everyone is exposed to a diversity of views.

In fact, 23.1% agreed that their beliefs have been weakened because of this exposure. This is reflective of how social media expositions can be disruptive to personal religious convictions and the viewpoint exposure it provides.

Interestingly, 18.9% said they maintained the same beliefs after interacting with different religious thoughts. This means that for a number of respondents, their beliefs are either robust or do not shift with regard to religious eloquence found online.

The findings indicate that social media functions as a tool both to reaffirm religious belief and more frequently and/or significantly as a factor to question or even weaken them, underlining the broad and multifaceted impact of social media on individual beliefs.


Overall, 81.1% of the respondents have had their spiritual stances strengthening or weakening, thus supporting our hypothesis that exposure to social media results in a change in their original beliefs.

Section 3: Conclusion

A) Strongly supports the original hypothesis of the influence of social media on shaping respondents' views about religious tolerance.

8. Finally, to what extent do you agree with the statement: "Social media has had a lasting impact on my views about religious tolerance."

212 responses



More than half the users undoubtedly agreed that social media has brought upon changes in views related to religious tolerance. This big proportion puts across the powerful role of social media in availing avenues through which people could discuss religion and even maybe increase understanding and acceptance of diverse religious perspectives.

11.8% answered in the affirmative of the statement and brings out how social media can be used as a tool to forward positive contributions toward tolerance. Putting these two groups together implies that most use social media instrumentally in opinion formation on this question.

However, 12.3% were neutral, meaning that though social media may expose people to differences in opinion, the resultant effect on their perception of religious tolerance is unclear.

Only 11.3% respondents had disagreed with the statement; meaning that for some, either social media has no special influence or possibly even perpetuates pre-existing attitudes regarding religious tolerance. However, this constitutes of the minority.

The findings indicate social media plays a significant role in shaping attitudes toward religious tolerance for the majority of users but also show that a part of society appears to be impervious or even critical of such influence.

Conclusion:

As the online survey is analysed, it becomes clear that social media forms an important vehicle of modern religious discourse and personal expression. Social media are, indeed, found to be a dynamic forum in which people actively communicate on religious matters, with most respondents either fairly often or sometimes taking part. These platforms appear to play an instrumental role for interfaith understanding and acceptance; though the fears of social media's potential for promoting division and misinformation endure.

The findings underpin the double-edged nature of the influence social media exercises over society: while it allows people to understand ideas better and to make their beliefs stronger for many, it contradicts convictions for others. Again, the ubiquitousness and potential for reflection of religious and spiritual content on digital platforms further highlight just how transformative their impact can be on personal faith and collective religious discourse. Still, the spread of misinformation and hate speech here presupposes responsible content moderation and critical engagement by users. In general, social media is a powerful though complex instrument for shaping religious attitudes and developing interfaith relationships in the digital world.

Analysis – II

Offline questionnaire

Interviewer: Thank you for participating in our survey. We're interested in understanding how social media is shaping religious belief, practice, and interfaith understanding. So, let's start with your own experience. Which of the following social media apps do you use to consume content related to your religion?

Interviewee: I mostly look for religious content on either Instagram and YouTube. Sometimes I even scan the threads on Twitter for specific topics.

Interviewer: That's great to hear. In what ways do you feel that social networking services have motivated you to appreciate your religion and its practices more?

Interviewee: Social media has made it easier to access teachings, sermons, and rituals that I never knew about. And by watching videos or reading posts by scholars, I began to appreciate faith.

Interviewer: That's interesting. How many times have you found social media to clarify any misconceptions about your own religion? Take an example from your past experiences.

Interviewee: Yes, I had one point of misunderstanding the historical context of a particular previously practiced ritual in my religion (Sati). One day while browsing on IG, I read one very detailed posting from a scholar, and it cleared up things for me.

It's definitely made me more curious about the societal impacts of social media. I find myself reading more about different subjects and discussing it with friends.

Interviewer: That is amazing. Have you ever seen something on social media that you felt was false about your religion or spirituality? How did that affect you?

Interviewee: Absolutely. I do see many posts spreading false information about a ritual or a value, often made by some individuals trying to spread hate. It is frustrating and sometimes creates confusion, but it also challenges me to verify facts further and look for authentic sources.

Interviewer: And talking of authenticity, how do you differentiate between credible and non-credible content related to your faith online?

Interviewee: I look out for posts from verified scholars, religious leaders or organisations. I cross-check the information with official sources or some of the most trusted religious texts.

Interviewer: Thank you for sharing your insights. Now, let's speak about other religions. Have you ever corrected a stereotype about another religion that you encountered on social media? Have your attitudes or standpoints changed?

Interviewee: If I think about it, I have had corrected several misconceptions in online discussions. Learning directly from people of other faiths has made me more open-minded and respectful towards their beliefs. I learned to discover common values in religion, such as compassion and justice. It's great that they share similar central messages despite how diverse they are with their spirituality.

Interviewer: Thank you for your insights. One last question; in your opinion, do you believe that social media is mainly having a positive or negative influence on people's religions or faiths? Why?

Interviewee: I feel like it's a mix. It's a good thing because it spreads knowledge and creates connections, but it can also be harmful if misinformation or extremist content isn't addressed properly.

Interviewer: Thank you for participating in our survey and giving us your opinions regarding this topic. Your standpoint is really helpful for discussing the impact of social media on religious discourse and mutual understanding among religions.

Conclusion

In conclusion, this study confirmed how social media has a huge impact on religious discourse and spiritual communities, validating our hypothesis. Social media algorithms tend to cause the phenomenon of echo chambers with intense polarizing narratives in their proliferations, limit exposure to diversified views, and make constructive interfaith dialogue impossible. Furthermore, subtle manipulation of personal beliefs with content delivery raises ethical concerns about the manipulation of spiritual interactions. Nonetheless, opportunities for fostering connection and dialogue among diverse religious communities continue to abound in social media.

This scope of this research through transparency, ethical accountability, and public education can minimize the effects of social media on spiritual engagement. Critical media literacy practices and inclusive content moderation strategies create spaces where mutual respect and understanding of religious conversations are fostered. These measures are critical to taking full advantage of the positive potential of social media while acknowledging its challenges.

However, the study is limited by the fast-changing nature of social media technologies and the diversity of user experiences across cultural and religious contexts. Of course, it would be interesting to explore what emerging new platforms and AI-driven technologies do for religious practices and whether belief systems change in the long term as a result of the content exposed on social media. By expanding these dimensions of study, a deeper understanding of how social media interacts with spirituality can be attained which will lead to greater ethical and inclusive online religious groups.

Works Cited

International:

- 1) Cheong, P. H. (2016). The vitality of new media and religion: Communicative perspectives, practices, and changing authority in spiritual organization. *New Media & Society*, 19(1), 25–33.
- 2) Clarke, P. B. (2004). New Religions in Global Perspective. In Routledge eBooks.
- 3) Ehlebracht, M. (n.d.). Exploring the Impact of Social Media on the Religious and Spiritual Beliefs of Emerging Adults. Scholars Commons @ Laurier.
- 4) Hjarvard, S. (2011). The mediatisation of religion: Theorising religion, media and social change. *Scottish Journal of Religious Studies*, 12(2), 119–135.
- 5) Ijlsi. (2024, April 26). 4. Social Media as a Platform for Instigating and Waging War - International Journal of Integrated Law Review. International Journal of Integrated Law Review.
- 6) McClure, P. K. (2016). Faith and Facebook in a Pluralistic Age. *Sociological Perspectives*, 59(4), 818–834.
- 7) Baraybar-Fernández, A., Arrufat-Martín, S., & Rubira-García, R. (2020). Religion and Social Media: Communication Strategies by the Spanish Episcopal Conference. *Religions*, 11(5), 239.
- 8) Coman, I. A., & Coman, M. (2017). Religion, popular culture and social media: the construction of a religious leader image on Facebook. Questa Soft

National

- 1) Ozukum, T. (2021a). The Impact of Social Media on Religious Tolerance in India: A Case Study on the Digital Discourse in Religious Conflicts.
- 2) Agarwal, R., & Jones, W. J. (2022). Social Media's Role in the Changing Religious Landscape of Contemporary Bangkok. *Religions*, 13(5), 421.
- 3) The Many (Inter)faces of Religious Politics: An analysis of social media amid religious and political conflict in India. (2024, February 5).

- 4) Venkatesh, S., Priyanka, M. S., & Hunnaragi, R. (2024). Ayodhya: A study on the Influence of Social Media Marketing on Spiritual Tourism in India. SAMVAD, 28(0), 32.
- 5) Swaminathan, S. (2020, July 31). Losing my Religion: Studying the Dynamics between Religion, Social Media and the Urban Millennials.
- 6) Al-Zaman, M. S. (2021). Social Media Fake News in India. AJPOR, 9(1), 25–47.
- 7) Singh, A. (2018). Conflict between Freedom of Expression and Religion in India—A Case Study. Social Sciences, 7(7), 108.
- 8) Azhagu Meena, S., Microsoft Research India, Bhatia, V., Azim Premji University, Pal, J., & Microsoft Research India. (2020). Digital Divine: Technology use by Indian Spiritual Sects. In Information and Communication Technologies and Development (ICTD '20) (p. 11 pages)

Appendices

Appendix I: Online Survey Questionnaire

10/21/24, 4:06 PM

Role of Social Media in Religious Discourse and Spiritual Communities

Role of Social Media in Religious Discourse and Spiritual Communities

Thank you for participating in this survey. The focus of this research is the effect of social networks on religion and spirituality. We recognize the role of social media in religious discussions today as a very important medium that allows a variety of opinions that at times contradict existing beliefs. Your answers will allow us to assess how looking at different religions on the Internet influences people's outlook and promotes interreligious communication as well as confrontation with fake news and divisions. By filling out the given questionnaire, you will help us learn how the use of social network services in religion and spirituality has been changing over the last few years.

* Indicates required question

Section 1: Demographics and Social Media Usage

1. Full name: *

2. Gender: *

Mark only one oval.

- Male
- Female
- Other
- Prefer not to say

3. Please select your age group: *

Mark only one oval.

- Under 18
- 18-24
- 25-34
- 35-44
- 45-54
- 55-64
- 65 and older

4. What is your religion or spiritual affiliation? *

Mark only one oval.

- Hinduism
- Islam
- Christianity
- Sikhism
- Jainism
- Atheism
- Agnosticism
- Other

Section 2: Social Media's Role in Religious Dialogue and Challenges

5. 1. Do you take part in discussions/debates on religious topics with friends or others on social media platforms? *

Mark only one oval.

- Yes, regularly
- Yes, occasionally
- Rarely
- Never

6. 2. Do you believe that social media promotes understanding between different religious communities? *

Mark only one oval.

- Yes, significantly
- Yes, somewhat
- No, it increases division
- No, it has no impact

7. 3. Have you encountered misinformation or extremist content related to religion on social media? *

Mark only one oval.

- Yes, frequently
- Yes, occasionally
- Rarely
- Never

Section 3: Impact on Personal Beliefs

8. To what extent do you agree with the statement: "Social media has expanded my understanding and acceptance of different religious perspectives." *

Mark only one oval.

- Strongly agree
- Agree
- Neutral
- Disagree
- Strongly disagree

9. How often do you find/engage with religious or spiritual content on social media? *

Mark only one oval.

- Daily
- Occasionally
- Rarely
- Never

10. Has exposure to diverse religious views on social media made you question your own religious beliefs? *

Mark only one oval.

- Yes, frequently
- Yes, occasionally
- Rarely
- Never

11. Do you believe that exposure to diverse religious opinions on social media has strengthened or weakened your religious beliefs? *

Mark only one oval.

- Strengthened
- Weakened
- Neither

12. Finally, to what extent do you agree with the statement: "Social media has had a lasting impact on my views about religious tolerance." *

Mark only one oval.

- Strongly agree
- Agree
- Neutral
- Disagree
- Strongly disagree

This content is neither created nor endorsed by Google.

Google Forms

Appendix II: Offline Survey Questionnaire

Questions Related to the Person's Own Religion:

- 1) Which social media apps do you use to consume content related to your religion?
- 2) In what ways do you think social networking services motivated you to appreciate your religion and its practices more?
- 3) 3. Have you ever found clarity about any misconceptions you had about your own religion through social media? Can you share an example?
- 4) 4. Have you ever seen anything on social media that you believe is false concerning your religion and spirituality? What effect did that have on you, if any?
- 5) 5. How do you differentiate between reliable and unreliable content about your faith on social media?

Questions Related to Other Religions:

- 1) Have you ever met or corrected the stereotypes about the other religions that you have seen previously on social media? Did your attitude or standpoint change?
- 2) What new insights or teachings have you learned about other religions through social media, that are worth mentioning?
- 3) Do you think social media enhances understanding and tolerance among different religions? Why or why not?
- 4) Have you engaged in any online discussions or debates regarding religion with people from different faiths? What was the outcome?

General Questions:

- 1) Do you follow any spiritual leaders (offline/online)? If so, which ones and why?
- 2) In your view, do you think that social media have a good or a bad effect on people's religious beliefs and practices? Give reasons.

Sample Response



Role of Social Media in Religious Discourse and Spiritual Communities

Thank you for participating in this survey. The focus of this research is the effect of social networks on religion and spirituality. Your answers will allow us to assess how looking at different religions on the Internet influences people's outlook and promotes interreligious communication as well as confrontation with fake news and divisions. By filling out the given questionnaire, you will help us learn how the use of social network services in religion and spirituality has been changing over the last few years.

Created by: Noyonika Mukherjee and Mohamed Husain

202351167@iitvadodara.ac.in [Switch account](#)

Not shared

Draft saved

* Indicates required question

Section 1: Demographics and Social Media Usage

Full name: *

Noyonika Mukherjee

Gender: *

- Male
- Female

Please select your age group: *

- Under 18
- 18-24
- 25-34
- 35-44
- 45-54
- 55-64
- 65 and older

What is your religion or spiritual affiliation? *

- Hinduism
- Islam
- Christianity
- Sikhism
- Jainism
- Atheism
- Agnosticism
- Other

Section 2: Social Media's Role in Religious Dialogue and Challenges

1. Do you take part in discussions/debates on religious topics with friends or others on social media platforms? *

- Yes, regularly
- Yes, occasionally
- Rarely
- Never

2. Do you believe that social media promotes understanding between different religious communities? *

- Yes, significantly
- Yes, somewhat
- No, it increases division
- No, it has no impact

3. Have you encountered misinformation or extremist content related to religion on social media? *

- Yes, frequently
- Yes, occasionally
- Rarely
- Never

Section 3: Impact on Personal Beliefs

4. To what extent do you agree with the statement: "Social media has expanded my understanding and acceptance of different religious perspectives." *

- Strongly agree
- Agree
- Neutral
- Disagree
- Strongly disagree

5. How often do you find/engage with religious or spiritual content on social media? *

- Daily
- Occasionally
- Rarely
- Never

6. Has exposure to diverse religious views on social media made you question your own religious beliefs? *

- Yes, frequently
- Yes, occasionally
- Rarely
- Never

7. Do you believe that exposure to diverse religious opinions on social media has * strengthened or weakened your religious beliefs?

- Strengthened
- Weakened
- Neither

8. Finally, to what extent do you agree with the statement: "Social media has had * a lasting impact on my views about religious tolerance."

- Strongly agree
- Agree
- Neutral
- Disagree
- Strongly disagree

Submit

Page 1 of 1

[Clear form](#)

Never submit passwords through Google Forms.

This form was created inside of Indian Institute of Information Technology, Vadodara. [Report Abuse](#)

Google Forms

LAB 1

Main:

```
//NAME = UDAY SINGH ID = 202351150
//NAME = SHIVAM KUMAR ID=202351130
// Logic Gates Module (Structural Model)
module logic_gates(
    input wire A, B,
    output wire AND_out, OR_out, NOT_A_out, NAND_out, NOR_out, XOR_out
);

// AND gate
and u1 (AND_out, A, B);

// OR gate
```

```
or u2 (OR_out, A, B);

// NOT gate (for input A)
not u3 (NOT_A_out, A);

// NAND gate
nand u4 (NAND_out, A, B);

// NOR gate
nor u5 (NOR_out, A, B);

// XOR gate
xor u6 (XOR_out, A, B);

endmodule
```

test bench

```
// Testbench to apply stimulus and check outputs
module testbench;

// Testbench signals
reg A, B;
wire AND_out, OR_out, NOT_A_out, NAND_out, NOR_out, XOR_out;

// Instantiate the logic_gates module (Unit Under Test - UUT)
logic_gates uut (
    .A(A),
    .B(B),
    .AND_out(AND_out),
    .OR_out(OR_out),
    .NOT_A_out(NOT_A_out),
    .NAND_out(NAND_out),
    .NOR_out(NOR_out),
    .XOR_out(XOR_out)
);

// Test stimulus
initial begin

    // Monitor the outputs whenever A or B changes
    $monitor("A=%b, B=%b | AND_out=%b, OR_out=%b, NOT_A_out=%b,
    NAND_out=%b, NOR_out=%b, XOR_out=%b",

```

```
A, B, AND_out, OR_out, NOT_A_out, NAND_out, NOR_out, XOR_out);  
  
// Apply test cases  
A = 0; B = 0; #10; // Test case 1  
A = 0; B = 1; #10; // Test case 2  
A = 1; B = 0; #10; // Test case 3  
A = 1; B = 1; #10; // Test case 4  
  
// Finish the simulation  
$finish;  
end  
  
endmodule
```


Output

```
shivam-kumar@iitanshivamkumar:~/Documents
```

```
shivam-kumar@iitanshivamkumar:~/Documents$ iverilog -o logic_gates_tb.out logic_gates_tb.v
shivam-kumar@iitanshivamkumar:~/Documents$ vvp logic_gates_tb.out
VCD info: dumpfile logic_gates_tb.vcd opened for output.
A=0, B=0 | AND_out=0, OR_out=0, NOT_A_out=1, NAND_out=1, NOR_out=1, XOR_out=0
A=0, B=1 | AND_out=0, OR_out=1, NOT_A_out=1, NAND_out=1, NOR_out=0, XOR_out=1
A=1, B=0 | AND_out=0, OR_out=1, NOT_A_out=0, NAND_out=1, NOR_out=0, XOR_out=1
A=1, B=1 | AND_out=1, OR_out=1, NOT_A_out=0, NAND_out=0, NOR_out=0, XOR_out=0
logic_gates_tb.v:64: $finish called at 40 (1s)
shivam-kumar@iitanshivamkumar:~/Documents$ gtkwave logic_gates_tb.vcd

GTKWave Analyzer v3.3.116 (w)1999-2023 BSI

[0] start time.
[40] end time.
GTKWAVE | Reloading waveform...
[0] start time.
[40] end time.
GTKWAVE | ...waveform reloaded
GTKWAVE | Reloading waveform...
[0] start time.
[40] end time.
GTKWAVE | ...waveform reloaded
GTKWAVE | Unsupported dumpfile type for rtlbrowse.
```



Lab2

Main:

```
// Logic Gates Using Behavioral Model

module logic_gates_behavioral(
    input wire A, B,
    output wire NOT_A_NAND, AND_NAND, OR_NAND, XOR_NAND,
    XNOR_NAND, NOR_NAND, NAND_NAND,
    output wire NOT_A_NOR, AND_NOR, OR_NOR, XOR_NOR, XNOR_NOR,
    NAND_NOR
);
```

```
// *** Behavioral Model for Gates Using NAND ***
```

```
// NOT using NAND
```

```
assign NOT_A_NAND = ~A;
```

```
// AND using NAND
```

```
assign AND_NAND = A & B;
```

```
// OR using NAND
```

```
assign OR_NAND = A | B;
```

```
// XOR using NAND
```

```
assign XOR_NAND = A ^ B;
```

```
// XNOR using NAND
```

```
assign XNOR_NAND = ~(A ^ B);

// NOR using NAND (Behavioral implementation of NOR using NAND gates
logic)
assign NOR_NAND = ~(A | B);

// NAND gate itself (already implemented by NAND gate)
assign NAND_NAND = ~(A & B);

// *** Behavioral Model for Gates Using NOR ***
// NOT using NOR
assign NOT_A_NOR = ~A;

// AND using NOR (Behavioral implementation of AND using NOR gates logic)
assign AND_NOR = A & B;

// OR using NOR
assign OR_NOR = A | B;

// XOR using NOR
assign XOR_NOR = A ^ B;

// XNOR using NOR
assign XNOR_NOR = ~(A ^ B);
```

```
// NAND using NOR (Behavioral implementation of NAND using NOR gates
logic)
assign NAND_NOR = ~(A & B);

endmodule
```

testbench:

```
// Testbench to check outputs with VCD generation

module testbench;

// Testbench signals
reg A, B;

wire NOT_A_NAND, AND_NAND, OR_NAND, XOR_NAND, XNOR_NAND, NOR_NAND,
NAND_NAND;

wire NOT_A_NOR, AND_NOR, OR_NOR, XOR_NOR, XNOR_NOR, NAND_NOR;

// Instantiate the logic_gates_behavioral module
logic_gates_behavioral uut (
    .A(A), .B(B),
    .NOT_A_NAND(NOT_A_NAND), .AND_NAND(AND_NAND), .OR_NAND(OR_NAND),
    .XOR_NAND(XOR_NAND), .XNOR_NAND(XNOR_NAND), .NOR_NAND(NOR_NAND),
    .NAND_NAND(NAND_NAND),
    .NOT_A_NOR(NOT_A_NOR), .AND_NOR(AND_NOR), .OR_NOR(OR_NOR),
    .XOR_NOR(XOR_NOR), .XNOR_NOR(XNOR_NOR), .NAND_NOR(NAND_NOR)
);

// Test stimulus
initial begin
    // Create a VCD file
    $dumpfile("logic_gates_behavioral_tb.vcd"); // VCD file name
    $dumpvars(0, testbench); // Dump variables from the testbench module

    // Monitor the outputs
    $monitor("A=%b, B=%b | NOT_A_NAND=%b, AND_NAND=%b, OR_NAND=%b,
    XOR_NAND=%b, XNOR_NAND=%b, NOR_NAND=%b, NAND_NAND=%b | NOT_A_NOR=%b,
    AND_NOR=%b, OR_NOR=%b, XOR_NOR=%b, XNOR_NOR=%b, NAND_NOR=%b",

```

```
A, B, NOT_A_NAND, AND_NAND, OR_NAND, XOR_NAND, XNOR_NAND,  
NOR_NAND, NAND_NAND, NOT_A_NOR, AND_NOR, OR_NOR, XOR_NOR, XNOR_NOR,  
NAND_NOR);
```

```
// Apply test cases
```

```
A = 0; B = 0; #10;
```

```
A = 0; B = 1; #10;
```

```
A = 1; B = 0; #10;
```

```
A = 1; B = 1; #10;
```

```
// Finish the simulation
```

```
$finish;
```

```
end
```

```
endmodule
```

```
//iverilog -o logic_gates_behavioral_tb.out logic_gates_behavioral_tb.v
```

```
//vvp logic_gates_behavioral_tb.out
```

```
//gtkwave logic_gates_behavioral_tb.vcd
```

Output:

```
shivam-kumar@iitanshivamkumar:~/Documents$ iverilog -o logic_gates_behavioral_tb.out logic_gates_behavioral_tb.v
shivam-kumar@iitanshivamkumar:~/Documents$ vvp logic_gates_behavioral_tb.out
VCD info: dumpfile logic_gates_behavioral_tb.vcd opened for output.
A=0, B=0 | NOT_A_NAND=1, AND_NAND=0, OR_NAND=0, XOR_NAND=0, XNOR_NAND=1, NOR_NAND=1, NAND_NAND=1 | NOT_A_NOR=1, AND_NOR=0, OR_NOR=0, XOR_NOR=0, XNOR_NOR=1, NOR_NOR=1
A=0, B=1 | NOT_A_NAND=1, AND_NAND=0, OR_NAND=1, XOR_NAND=1, XNOR_NAND=0, NOR_NAND=0, NAND_NAND=1 | NOT_A_NOR=1, AND_NOR=0, OR_NOR=1, XOR_NOR=1, XNOR_NOR=0, NOR_NOR=1
A=1, B=0 | NOT_A_NAND=0, AND_NAND=0, OR_NAND=1, XOR_NAND=1, XNOR_NAND=0, NOR_NAND=0, NAND_NAND=1 | NOT_A_NOR=0, AND_NOR=0, OR_NOR=1, XOR_NOR=1, XNOR_NOR=0, NOR_NOR=1
A=1, B=1 | NOT_A_NAND=0, AND_NAND=1, OR_NAND=1, XOR_NAND=0, XNOR_NAND=1, NOR_NAND=0, NAND_NAND=0 | NOT_A_NOR=0, AND_NOR=1, OR_NOR=0, XOR_NOR=1, XNOR_NOR=1, NOR_NOR=0
logic_gates_behavioral_tb.v:86: $finish called at 40 (1s)
shivam-kumar@iitanshivamkumar:~/Documents$ gtkwave logic_gates_behavioral_tb.vcd

GTKWave Analyzer v3.3.116 (w)1999-2023 BSI

[0] start time.
[40] end time.
```



Lab 3:

Main:

```
`timescale 1ns / 1ps

///////////////////////////////
/////////////////////////////
// Company:
// Engineer:
//
// Create Date: 19.09.2024 18:07:47
// Design Name:
// Module Name: HALF_ADDER
// Project Name:
// Target Devices:
// Tool Versions:
// Description:
//
// Dependencies:
//
// Revision:
```

```
// Revision 0.01 - File Created  
// Additional Comments:  
  
//  
//////////  
//////////
```

```
// NAME = UDAY SINGH ,ROLL NO = 202351150 ||  
NAME = SHIVAM KUMAR, ROLL NO = 202351130
```

```
module HALF_ADDER(
```

```
    input A,
```

```
    input B,
```

```
    output SUM,
```

```
    output CARRY
```

```
);
```

```
xor(SUM,A,B);
```

```
and(CARRY,A,B);
```

```
endmodule
```

```
testbench:
```

```
// Testbench for Half Adder with VCD for GTKWave
```

```
module testbench;
```

```
// Testbench signals

reg A, B;          // Inputs to the half adder
wire SUM, CARRY;  // Outputs from the half adder

// Instantiate the half_adder module
half_adder uut (
    .A(A),
    .B(B),
    .SUM(SUM),
    .CARRY(CARRY)
);

// Test stimulus
initial begin
    // Open a VCD file for GTKWave
    $dumpfile("half_adder.vcd"); // Specify the name
    of the VCD file
    $dumpvars(0, testbench);    // Dump all variables
    for the module 'testbench'

    // Monitor the inputs and outputs
```

```
$monitor("A=%b, B=%b | SUM=%b, CARRY=%b",
A, B, SUM, CARRY);

// Apply test cases
A = 0; B = 0; #10; // Test case 1: 0 + 0
A = 0; B = 1; #10; // Test case 2: 0 + 1
A = 1; B = 0; #10; // Test case 3: 1 + 0
A = 1; B = 1; #10; // Test case 4: 1 + 1

// Finish the simulation
$finish;

end

endmodule
```

```
//iverilog -o half_adder_tb.out half_adder_tb.v
half_adder.v

//vvp half_adder_tb.out
//gtkwave half_adder.vcd
```

Main_fulladder:

```
// Full Adder module
module full_adder(
    input wire A, // First input
    input wire B, // Second input
    input wire Cin, // Carry-in input
    output wire Sum, // Sum output
    output wire Cout // Carry-out output
);
```

// Intermediate values for half-adders

```
wire Sum1, Carry1, Carry2;
```

// First half adder (A and B)

```
assign Sum1 = A ^ B; // First sum
assign Carry1 = A & B; // First carry
```

// Second half adder (Sum1 and Cin)

```
assign Sum = Sum1 ^ Cin; // Final sum
assign Carry2 = Sum1 & Cin; // Second carry
```

```
// Final carry out  
assign Cout = Carry1 | Carry2;  
  
endmodule
```

```
testbench:  
// Testbench for Full Adder  
module tb_full_adder;  
  
reg A, B, Cin; // Test inputs  
wire Sum, Cout; // Outputs from full adder  
  
// Instantiate the full adder  
full_adder uut (  
    .A(A),  
    .B(B),  
    .Cin(Cin),  
    .Sum(Sum),  
    .Cout(Cout)
```

```
);
```

```
initial begin
```

```
// Create a VCD file for GTKWave
```

```
$dumpfile("full_adder_tb.vcd");
```

```
$dumpvars(0, tb_full_adder);
```

```
// Display the outputs
```

```
$monitor("A=%b B=%b Cin=%b | Sum=%b Cout=%b",  
A, B, Cin, Sum, Cout);
```

```
// Test cases
```

```
A = 0; B = 0; Cin = 0; #10;
```

```
A = 0; B = 1; Cin = 0; #10;
```

```
A = 1; B = 0; Cin = 0; #10;
```

```
A = 1; B = 1; Cin = 0; #10;
```

```
A = 0; B = 0; Cin = 1; #10;
```

```
A = 0; B = 1; Cin = 1; #10;
```

```
A = 1; B = 0; Cin = 1; #10;
```

```
A = 1; B = 1; Cin = 1; #10;
```


```
// End the simulation  
$finish;  
end  
  
endmodule
```

output : half adder

```
shivam-kumar@iitanshivamkumar:~/Documents$ iverilog -o half_adder_tb.out half_adder_tb.v
shivam-kumar@iitanshivamkumar:~/Documents$ vvp half_adder_tb.out
VCD info: dumpfile half_adder.vcd opened for output.
A=0, B=0 | SUM=0, CARRY=0
A=0, B=1 | SUM=1, CARRY=0
A=1, B=0 | SUM=1, CARRY=0
A=1, B=1 | SUM=0, CARRY=1
half_adder_tb.v:46: $finish called at 40 (1s)
shivam-kumar@iitanshivamkumar:~/Documents$ gtkwave half_adder.vcd

GTKWave Analyzer v3.3.116 (w)1999-2023 BSI

[0] start time.
[40] end time.
```



Full adder:



```
shivam-kumar@iitanshivamkumar:~/Documents
```

```
shivam-kumar@iitanshivamkumar:~/Documents
```

```
shivam-kumar@iitanshivamkumar:~/Documents$ iverilog -o full_adder_tb.out full_adder_tb.v
shivam-kumar@iitanshivamkumar:~/Documents$ vvp full_adder_tb.out
VCD info: dumpfile full_adder_tb.vcd opened for output.
A=0 B=0 Cin=0 | Sum=0 Cout=0
A=0 B=1 Cin=0 | Sum=1 Cout=0
A=1 B=0 Cin=0 | Sum=1 Cout=0
A=1 B=1 Cin=0 | Sum=0 Cout=1
A=0 B=0 Cin=1 | Sum=1 Cout=0
A=0 B=1 Cin=1 | Sum=0 Cout=1
A=1 B=0 Cin=1 | Sum=0 Cout=1
A=1 B=1 Cin=1 | Sum=1 Cout=1
full_adder_tb.v:60: $finish called at 80 (1s)
shivam-kumar@iitanshivamkumar:~/Documents$ gtkwave full_adder_tb.vcd

GTKWave Analyzer v3.3.116 (w)1999-2023 BSI

[0] start time.
[80] end time.
```

Lab 4

Main:

Demux:

```
`timescale 1ns / 1ps

//// File: demux_1to8.v

module demux_1to8 (
    input wire i,          // Input
    input wire [2:0] sel,   // 3-bit selection line
    output reg y0,         // Output 0
    output reg y1,
    output reg y2,
    output reg y3,
    output reg y4,
    output reg y5,
    output reg y6,
    output reg y7
);
    always @(*) begin
        y0 = 0;
        y1 = 0;
```

y2 = 0;

y3 = 0;

y4 = 0;

y5 = 0;

y6 = 0;

y7 = 0;

case(sel)

3'b000: y0 = i;

3'b001: y1 = i;

3'b010: y2 = i;

3'b011: y3 = i;

3'b100: y4 = i;

3'b101: y5 = i;

3'b110: y6 = i;

3'b111: y7 = i;

default: ;

endcase

end

endmodule

```
testbench:demux:  
`timescale 1ns / 1ps  
/// File: tb_demux_1to8.v  
module tb_demux_1to8;  
    reg i;  
    reg [2:0] sel;  
    wire y0, y1, y2, y3, y4, y5, y6, y7;  
  
    // Instantiate the DEMUX  
    demux_1to8 uut (  
        .i(i),  
        .sel(sel),  
        .y0(y0), .y1(y1), .y2(y2), .y3(y3),  
        .y4(y4), .y5(y5), .y6(y6), .y7(y7)  
    );  
  
initial begin  
    // Initialize input  
    i = 1;  
    sel = 3'b000; #10;
```

```
    sel = 3'b001; #10;  
    sel = 3'b010; #10;  
    sel = 3'b011; #10;  
    sel = 3'b100; #10;  
    sel = 3'b101; #10;  
    sel = 3'b110; #10;  
    sel = 3'b111; #10;  
    $finish;  
  
end
```

```
initial begin  
    $monitor("sel=%b, y0=%b, y1=%b, y2=%b, y3=%b,  
y4=%b, y5=%b, y6=%b, y7=%b", sel, y0, y1, y2, y3, y4,  
y5, y6, y7);  
end  
endmodule
```

Main:mux:

```
`timescale 1ns / 1ps

// File: mux_8to1.v

module mux_8to1 (
    input wire [2:0] sel, // 3-bit selection line
    input wire i0,      // Input 0
    input wire i1,      // Input 1
    input wire i2,      // Input 2
    input wire i3,      // Input 3
    input wire i4,      // Input 4
    input wire i5,      // Input 5
    input wire i6,      // Input 6
    input wire i7,      // Input 7
    output reg y        // Output
);

always @(*) begin
    case(sel)
        3'b000: y = i0;
        3'b001: y = i1;
        3'b010: y = i2;
```

```
3'b011: y = i3;  
3'b100: y = i4;  
3'b101: y = i5;  
3'b110: y = i6;  
3'b111: y = i7;  
default: y = 1'bx;  
endcase  
end  
endmodule
```

Testbench:mux:

```
`timescale 1ns / 1ps
```

```
/// File: tb_mux_8to1.v
```

```
module tb_mux_8to1;
```

```
    reg [2:0] sel;
```

```
    reg i0, i1, i2, i3, i4, i5, i6, i7;
```

```
    wire y;
```

```
// Instantiate the MUX
```

```
mux_8to1 uut (
```

```
    .sel(sel),
```

```
    .i0(i0), .i1(i1), .i2(i2), .i3(i3),
```

```
    .i4(i4), .i5(i5), .i6(i6), .i7(i7),
```

```
    .y(y)
```

```
);
```

```
initial begin
```

```
    // Initialize inputs
```

```
    {i0, i1, i2, i3, i4, i5, i6, i7} = 8'b10101011;
```


```
    sel = 3'b000; #10;
```

```
    sel = 3'b001; #10;  
    sel = 3'b010; #10;  
    sel = 3'b011; #10;  
    sel = 3'b100; #10;  
    sel = 3'b101; #10;  
    sel = 3'b110; #10;  
    sel = 3'b111; #10;  
    $finish;  
  
end
```


```
initial begin  
    $monitor("sel=%b, y=%b", sel, y);  
end  
endmodule
```

Results:

Demux:



MUX:



LAB 5:

Main:

```
`timescale 1ns / 1ps
```

```
//////////////////////////////
```

```
//////////////////////////////
```

// Company:

// Engineer:

//

// Create Date: 26.09.2024 15:18:17

// Design Name:

// Module Name: LAB5_NAND

// Project Name:

// Target Devices:

// Tool Versions:

// Description:

//

// Dependencies:

//

// Revision:

// Revision 0.01 - File Created

```
// Additional Comments:
```

```
//
```

```
//////////  
//////////
```

```
module LAB5_NAND(
```

```
    input A,
```

```
    input B,
```

```
    input C,
```

```
    output Y,
```

```
    output Z
```

```
);
```

```
wire a1,a2,a3,a4,a5,a6,a7,a8,a9;
```

```
assign a1=~(A&B); // nand one
```

```
assign a2 =~(B&a1); //nand 2
```

```
assign a3=~(A&a1) ;//nand 3
```

```
assign a4 = ~(a2&a3); //nand 4
```

```
assign a5 =~(a4&C); // nand 5
```

```
assign a6=~(a4&a5) ;//nand 6
```

```
assign a7=~(a5&a1);// nand 7 -> output ->Z
```

```
assign a8=~(C&a5);// nand 8;
```

```
assign a9=~(a6&a8); // nand 9 ->output->Y
```

```
//assigning value to outputs
```

```
assign Z=a7;
```

```
assign Y=a9;
```

```
endmodule
```

testbench:

```
`timescale 1ns / 1ps
```

```
//////////  
//////////
```

```
// Testbench for LAB5_NAND
```

```
//////////  
//////////
```

```
module LAB5_NAND_tb();
```

```
// Inputs
```

```
reg A;
```

```
reg B;
```

```
reg C;
```

```
// Outputs
```

```
wire Y,Z;
```

```
// Instantiate the Unit Under Test (UUT)
```

```
LAB5_NAND uut(A,B,C,Y,Z);
```

initial begin

A = 0; B = 0; C = 0;// Test case 1

#10;

A = 0; B = 0; C = 1; // Test case 2

#10;

A = 0; B = 1; C = 0; // Test case 3

#10;

A = 0; B = 1; C = 1; // Test case 4

#10;

```
A = 1; B = 0; C = 0; // Test case 5
```

```
#10;
```

```
A = 1; B = 0; C = 1; // Test case 6
```

```
#10;
```

```
A = 1; B = 1; C = 0; // Test case 7
```

```
#10;
```

```
A = 1; B = 1; C = 1; // Test case 8
```

```
#10;
```

```
// Finish simulation
```

```
$finish;
```

```
end
```

```
endmodule
```

results:

LAB_6

Main:

LAB 7:

Main:ring counter

```
module RingCounter(
```

```
    input clk,
```

```
    input reset,
```

```
    output reg [3:0] q
```

```
);
```

```
    always @(posedge clk or posedge reset) begin
```

```
        if (reset)
```

```
            q <= 4'b0001; // Reset to initial state
```

```
        else
```

```
            q <= {q[2:0], q[3]}; // Shift left and wrap around
```

```
    end
```

```
endmodule
```

testbench:ring counter

```
`timescale 1ns / 1ps
```

```
module ring_counter_tb;

    reg clk;
    reg reset;
    wire [3:0] q;

    // Instantiate the RingCounter module
    ring_counter uut (
        .clk(clk),
        .reset(reset),
        .q(q)
    );

    // Clock generation
    initial begin
        clk = 0;
        forever #5 clk = ~clk; // Generate a clock with a
        period of 10 ns
    end

    // Test sequence
```

```
initial begin
    // Initialize simulation
    $display("Starting simulation...");

    // Apply reset
    reset = 1;
    #10; // Hold reset high for 10 ns
    $display("Time: %0t, Reset applied, Q: %b", $time,
q);

    // Release reset and observe ring counter
    reset = 0;
    #50; // Run simulation for 50 ns
    $display("Time: %0t, Reset released, Q after 50 ns:
%b", $time, q);

    // Apply reset again to verify reset functionality
    reset = 1;
    #10;
    $display("Time: %0t, Reset applied again, Q: %b",
$time, q);
```

```
    reset = 0;  
    #30;  
    $display("Time: %0t, Final Q after additional 30 ns:  
%b", $time, q);  
  
    // End simulation  
    $display("Ending simulation...");  
    $stop;  
end  
endmodule  
main:  
sync:counter  
module sync_counter(  
    input clk,  
    input reset,  
    output reg [1:0] q  
);  
    always @(posedge clk or posedge reset) begin  
        if (reset)
```

```
    q <= 2'b00; // Reset to 0
  else
    q <= q + 1; // Increment counter
  end
endmodule

testbench:
module tb_SyncCounter;
  reg clk;
  reg reset;
  wire [1:0] q;
  // Instantiate the SyncCounter module
  SyncCounter uut (
    .clk(clk),
    .reset(reset),
    .q(q)
  );
  // Clock generation
  initial begin
    clk = 0;
    forever #5 clk = ~clk; // 10 time units period
```

```

end

// Test sequence

initial begin
    $monitor($time, " Reset=%b, Q=%b", reset, q);
    reset = 1; #10; // Apply reset
    reset = 0; #50; // Run for a few cycles
    reset = 1; #10; // Apply reset again
    reset = 0; #30; // Run for a few more cycles
    $stop;
end


endmodule

output:
ring counter

```



Sync counter



LAB 8:

Main:

```
`timescale 1ns / 1ps
```

```
//////////////////////////////  
//////////////////////////////
```

// Company:

// Engineer:

//

// Create Date: 07.11.2024 15:58:05

// Design Name: ALU

// Module Name: ALU

// Project Name:

// Target Devices:

// Tool Versions:

```
// Description: 4-bit ALU with 16 operations
//
// Dependencies:
//
// Revision:
// Revision 0.01 - File Created
// Additional Comments:
//
// /////////////////////////////////
///////////////////////////////
```

```
module ALU(
    input wire [3:0] A,
    input wire [3:0] B,
    input wire [3:0] S,
    output reg [3:0] x
);
```

```
always @(*) begin
```

case (S)

4'b0000: x = A;

4'b0001: x = ~A;

4'b0010: x = A | B;

4'b0011: x = A & B;

4'b0100: x = A ^ B;

4'b0101: x = ~(A | B);

4'b0110: x = ~(A & B);

4'b0111: x = ~(A ^ B);

4'b1000: x = A + B;

4'b1001: x = A - B;

4'b1010: x = A * B;

4'b1011: x = (B != 0) ? (A / B) : 4'b0000;

4'b1100: x = (A > B) ? 4'b0001 : 4'b0000;

4'b1101: x = A ** B;

4'b1110: x = A >> B;

4'b1111: x = A << B;

default: x = 4'b0000;

endcase

end

endmodule

Test bench:

```
`timescale 1ns / 1ps
```

```
//////////////////////////////  
//////////////////////////////
```

```
// Company:
```

```
// Engineer:
```

```
//
```

```
// Create Date: 07.11.2024
```

```
// Design Name: ALU Testbench
```

```
// Module Name: ALU_tb
```

```
// Project Name:
```

```
// Target Devices:
```

```
// Tool Versions:
```

```
// Description: Testbench for 4-bit ALU with 16  
operations
```

```
//
```

```
//////////  
//////////
```

```
module ALU_tb;  
  
// Testbench registers and wires  
  
reg [3:0] A;  
  
reg [3:0] B;  
  
reg [3:0] S;  
  
wire [3:0] x;
```

```
ALU uut (
```

```
    .A(A),
```

```
    .B(B),
```

```
    .S(S),
```

```
    .x(x)
```

```
);
```

```
initial begin
```

A = 4'b0011; B = 4'b0001;

S = 4'b0000; #10;

S = 4'b0001; #10;

S = 4'b0010; #10;

S = 4'b0011; #10;

S = 4'b0100; #10;

S = 4'b0101; #10;

S = 4'b0110; #10;

S = 4'b0111; #10;

S = 4'b1000; #10;

S = 4'b1001; #10;

S = 4'b1010; #10;

S = 4'b1011; #10;


S = 4'b1100; #10;

S = 4'b1110; #10;

S = 4'b1111; #10;

```
$finish;  
end  
endmodule
```

output:



Lab 9:

Main:

```
module cyclic_lamp(clock, light);
    input clock;
    output reg [2:0] light; //light is a vector
    parameter s0=2'b00, s1=2'b01, s2=2'b10; //
    parameter declaration as constant \
        parameter RED=3'b100, GREEN=3'b010,
        YELLOW=3'b001;
    reg[1:0] state=s0; //state as two bit variable
    reg[27:0] count=0;
    reg clock_out;

    // always@( posedge clock )
    // begin
    //     count<=count+1;
```

```
//      if (count==100000000)  
//          begin count<=0;  
//              clock_out=~clock_out;  
//          end  
//      end
```

```
initial begin  
    state = s0;  
    light = RED;  
    clock_out = 0;  
end
```

```
always@(posedge clock )  
    case (state)  
        s0: state<=s1;  
        s1: state<=s2;  
        s2: state<=s0;  
        default: state<=s0;  
    endcase
```

```
always@(state)
  case(state)
    s0: light=RED;
    s1: light=GREEN;
    s2: light=YELLOW;
    default light=RED;
  endcase
endmodule
```

Testbench:

```
`timescale 1ns / 1ps
```

```
module tb_cyclic_lamp;
```

```
// Inputs
```

```
reg clock;
```

```
// Outputs
```

```
wire [2:0] light;
```

```
// Instantiate the Unit Under Test (UUT)
```

```
cyclic_lamp uut (
```

```
.clock(clock),
```

```
.light(light)
);


// Clock generation
initial begin
    clock = 0;
    forever #5 clock = ~clock; // Generate a clock signal
    with a period of 10 ns
end

// Testbench process
initial begin
    // Display header
    $display("Time\tClock\tLight");
    // Monitor the changes in outputs
    $monitor("%4d\t%b\t%b", $time, clock, light);
    // Simulation run for 100 clock cycles
    #1000;
```

```
$finish;  
end
```

```
endmodule
```

Result:



LAB 10:

Main:

Ocla:

```
`timescale 1ns / 1ps
```

```
//////////////////////////////  
//////////////////////////////
```

// Company:

// Engineer:

//

// Create Date: 21.11.2024 15:43:15

// Design Name:

// Module Name: OCLA

// Project Name:

// Target Devices:

// Tool Versions:

```
// Description:  
//  
// Dependencies:  
//  
// Revision:  
// Revision 0.01 - File Created  
// Additional Comments:  
//  
//////////  
//////////
```

```
module OCLA (  
    input [3:0] A,  
    input [3:0] B,  
    input Cin,  
    output [3:0] Sum,  
    output Cout  
);  
    wire [3:0] G, P, C;  
    assign G = A & B;      // Generate
```

```
assign P = A ^ B;      // Propagate
assign C[0] = Cin;
assign C[1] = G[0] | (P[0] & Cin );
assign C[2] = G[1] | (P[1] & G[0]) | (P[1]&P[0]&Cin);
assign C[3] = G[2] | (P[2] & G[1]) | (P[2]&P[1]&G[0])
| (P[2]&P[1]&P[0]&Cin);
assign Cout = G[3] | (P[3] & G[2]) | (P[3] & G[2] &
P[2]) | (P[3]&P[2]&P[1]&G[0]) |
(P[3]&P[2]&P[1]&P[0]&Cin);
assign Sum = P ^ C;
endmodule
```

```
Testbench;
```

```
`timescale 1ns/1ps
```

```
module OCLA_tb;
```

```
    // Testbench signals
```

```
    reg [3:0] A, B;
```

```
    reg Cin;
```

```
    wire [3:0] Sum;
```

```
    wire Cout;
```

```
    // Instantiate the CLA module
```

```
    OCLA cla_inst (
```

```
        .A(A),
```

```
        .B(B),
```

```
.Cin(Cin),  
.Sum(Sum),  
.Cout(Cout)  
);
```

```
// Helper task to display test results  
task display_test;  
    input [3:0] exp_sum;  
    input exp_cout;  
    begin  
        #5; // Wait for combinational logic to settle  
        if ({Cout, Sum} === {exp_cout, exp_sum}) begin  
            $display("PASS: A=%h, B=%h, Cin=%b |  
Sum=%h, Cout=%b", A, B, Cin, Sum, Cout);  
        end else begin  
            $display("FAIL: A=%h, B=%h, Cin=%b |  
Expected: Sum=%h, Cout=%b | Got: Sum=%h,  
Cout=%b",  
A, B, Cin, exp_sum, exp_cout, Sum,  
Cout);  
        end  
    end
```

```
end  
endtask  
  
  
// Test stimulus  
initial begin  
    // Initialize inputs  
    A = 0; B = 0; Cin = 0;  
    #10;  
  
  
    // Test Case 1: Basic addition without carry  
    A = 4'h3; B = 4'h4; Cin = 0;  
    display_test(4'h7, 0);  
  
  
    // Test Case 2: Addition with input carry  
    A = 4'h3; B = 4'h4; Cin = 1;  
    display_test(4'h8, 0);  
  
  
    // Test Case 3: Addition causing output carry  
    A = 4'h8; B = 4'h9; Cin = 0;  
    display_test(4'h1, 1);
```

// Test Case 4: Maximum value test

A = 4'hF; B = 4'hF; Cin = 1;

display_test(4'hF, 1);

// Test Case 5: Zero value test

A = 4'h0; B = 4'h0; Cin = 0;

display_test(4'h0, 0);

// Test Case 6: Random test cases

A = 4'h6; B = 4'h7; Cin = 1;

display_test(4'hE, 0);

A = 4'hA; B = 4'h5; Cin = 0;

display_test(4'hF, 0);

// Test Case 7: Alternating bits

A = 4'hA; B = 4'h5; Cin = 1;

display_test(4'h0, 1);

```
// Test Case 8: One operand zero  
A = 4'h0; B = 4'hF; Cin = 0;  
display_test(4'hF, 0);  
  
// End simulation  
#10;  
$display("Simulation completed");  
$finish;  
end  
  
// Optional: Generate VCD file for waveform viewing  
initial begin  
$dumpfile("cla_test.vcd");  
$dumpvars(0, OCLA_tb);  
end  
  
endmodule
```

Output:

The figure displays a timing diagram for a digital circuit, likely a Full Adder, showing the state of four registers over time. The registers are labeled A[3:0], B[3:0], Cin, and Su[0:0]. The horizontal axis represents time, with major ticks at 0, 3, 6, and 9. The vertical axis represents the bits of each register.

- Register A:** Initial value 0, changing to 3 at time 0, then to 8 at time 3, followed by f at time 6, 0 at time 9, e at time 12, f at time 15, and 0 at time 18.
- Register B:** Initial value f, changing to 4 at time 0, then to 9 at time 3, followed by f at time 6, 0 at time 9, 7 at time 12, 5 at time 15, and f at time 18.
- Cin:** Initial value 0, changing to 1 at time 0, then to 0 at time 3, followed by 1 at time 6, 0 at time 9, 1 at time 12, 0 at time 15, and 1 at time 18.
- Register Su:** Initial value f, changing to 0 at time 0, then to 7 at time 3, 8 at time 6, 1 at time 9, f at time 12, e at time 15, f at time 18, and 0 at time 21.

The bottom row shows the output Z, which is high (blue) from time 18 to 21, indicating a carry-out from the most significant bit position.

LAB 1

Main:

```
//NAME = UDAY SINGH ID = 202351150
//NAME = SHIVAM KUMAR ID=202351130
// Logic Gates Module (Structural Model)
module logic_gates(
    input wire A, B,
    output wire AND_out, OR_out, NOT_A_out, NAND_out, NOR_out, XOR_out
);
// AND gate
and u1 (AND_out, A, B);

// OR gate
```

```
or u2 (OR_out, A, B);

// NOT gate (for input A)
not u3 (NOT_A_out, A);

// NAND gate
nand u4 (NAND_out, A, B);

// NOR gate
nor u5 (NOR_out, A, B);

// XOR gate
xor u6 (XOR_out, A, B);

endmodule
```

test bench

```
// Testbench to apply stimulus and check outputs
module testbench;

// Testbench signals
reg A, B;
wire AND_out, OR_out, NOT_A_out, NAND_out, NOR_out, XOR_out;

// Instantiate the logic_gates module (Unit Under Test - UUT)
logic_gates uut (
    .A(A),
    .B(B),
    .AND_out(AND_out),
    .OR_out(OR_out),
    .NOT_A_out(NOT_A_out),
    .NAND_out(NAND_out),
    .NOR_out(NOR_out),
    .XOR_out(XOR_out)
);

// Test stimulus
initial begin

    // Monitor the outputs whenever A or B changes
    $monitor("A=%b, B=%b | AND_out=%b, OR_out=%b, NOT_A_out=%b,
    NAND_out=%b, NOR_out=%b, XOR_out=%b",

```

```
A, B, AND_out, OR_out, NOT_A_out, NAND_out, NOR_out, XOR_out);  
  
// Apply test cases  
A = 0; B = 0; #10; // Test case 1  
A = 0; B = 1; #10; // Test case 2  
A = 1; B = 0; #10; // Test case 3  
A = 1; B = 1; #10; // Test case 4  
  
// Finish the simulation  
$finish;  
end  
  
endmodule
```


Output

```
shivam-kumar@iitanshivamkumar:~/Documents
```

```
shivam-kumar@iitanshivamkumar:~/Documents$ iverilog -o logic_gates_tb.out logic_gates_tb.v
shivam-kumar@iitanshivamkumar:~/Documents$ vvp logic_gates_tb.out
VCD info: dumpfile logic_gates_tb.vcd opened for output.
A=0, B=0 | AND_out=0, OR_out=0, NOT_A_out=1, NAND_out=1, NOR_out=1, XOR_out=0
A=0, B=1 | AND_out=0, OR_out=1, NOT_A_out=1, NAND_out=1, NOR_out=0, XOR_out=1
A=1, B=0 | AND_out=0, OR_out=1, NOT_A_out=0, NAND_out=1, NOR_out=0, XOR_out=1
A=1, B=1 | AND_out=1, OR_out=1, NOT_A_out=0, NAND_out=0, NOR_out=0, XOR_out=0
logic_gates_tb.v:64: $finish called at 40 (1s)
shivam-kumar@iitanshivamkumar:~/Documents$ gtkwave logic_gates_tb.vcd

GTKWave Analyzer v3.3.116 (w)1999-2023 BSI

[0] start time.
[40] end time.
GTKWAVE | Reloading waveform...
[0] start time.
[40] end time.
GTKWAVE | ...waveform reloaded
GTKWAVE | Reloading waveform...
[0] start time.
[40] end time.
GTKWAVE | ...waveform reloaded
GTKWAVE | Unsupported dumpfile type for rtlbrowse.
```



Lab2

Main:

```
// Logic Gates Using Behavioral Model

module logic_gates_behavioral(
    input wire A, B,
    output wire NOT_A_NAND, AND_NAND, OR_NAND, XOR_NAND,
    XNOR_NAND, NOR_NAND, NAND_NAND,
    output wire NOT_A_NOR, AND_NOR, OR_NOR, XOR_NOR, XNOR_NOR,
    NAND_NOR
);
```

```
// *** Behavioral Model for Gates Using NAND ***
```

```
// NOT using NAND
```

```
assign NOT_A_NAND = ~A;
```

```
// AND using NAND
```

```
assign AND_NAND = A & B;
```

```
// OR using NAND
```

```
assign OR_NAND = A | B;
```

```
// XOR using NAND
```

```
assign XOR_NAND = A ^ B;
```

```
// XNOR using NAND
```

```
assign XNOR_NAND = ~(A ^ B);

// NOR using NAND (Behavioral implementation of NOR using NAND gates
logic)
assign NOR_NAND = ~(A | B);

// NAND gate itself (already implemented by NAND gate)
assign NAND_NAND = ~(A & B);

// *** Behavioral Model for Gates Using NOR ***
// NOT using NOR
assign NOT_A_NOR = ~A;

// AND using NOR (Behavioral implementation of AND using NOR gates logic)
assign AND_NOR = A & B;

// OR using NOR
assign OR_NOR = A | B;

// XOR using NOR
assign XOR_NOR = A ^ B;

// XNOR using NOR
assign XNOR_NOR = ~(A ^ B);
```

```
// NAND using NOR (Behavioral implementation of NAND using NOR gates
logic)
assign NAND_NOR = ~(A & B);

endmodule
```

testbench:

```
// Testbench to check outputs with VCD generation

module testbench;

// Testbench signals
reg A, B;

wire NOT_A_NAND, AND_NAND, OR_NAND, XOR_NAND, XNOR_NAND, NOR_NAND,
NAND_NAND;

wire NOT_A_NOR, AND_NOR, OR_NOR, XOR_NOR, XNOR_NOR, NAND_NOR;

// Instantiate the logic_gates_behavioral module
logic_gates_behavioral uut (
    .A(A), .B(B),
    .NOT_A_NAND(NOT_A_NAND), .AND_NAND(AND_NAND), .OR_NAND(OR_NAND),
    .XOR_NAND(XOR_NAND), .XNOR_NAND(XNOR_NAND), .NOR_NAND(NOR_NAND),
    .NAND_NAND(NAND_NAND),
    .NOT_A_NOR(NOT_A_NOR), .AND_NOR(AND_NOR), .OR_NOR(OR_NOR),
    .XOR_NOR(XOR_NOR), .XNOR_NOR(XNOR_NOR), .NAND_NOR(NAND_NOR)
);

// Test stimulus
initial begin
    // Create a VCD file
    $dumpfile("logic_gates_behavioral_tb.vcd"); // VCD file name
    $dumpvars(0, testbench); // Dump variables from the testbench module

    // Monitor the outputs
    $monitor("A=%b, B=%b | NOT_A_NAND=%b, AND_NAND=%b, OR_NAND=%b,
    XOR_NAND=%b, XNOR_NAND=%b, NOR_NAND=%b, NAND_NAND=%b | NOT_A_NOR=%b,
    AND_NOR=%b, OR_NOR=%b, XOR_NOR=%b, XNOR_NOR=%b, NAND_NOR=%b",

```

```
A, B, NOT_A_NAND, AND_NAND, OR_NAND, XOR_NAND, XNOR_NAND,  
NOR_NAND, NAND_NAND, NOT_A_NOR, AND_NOR, OR_NOR, XOR_NOR, XNOR_NOR,  
NAND_NOR);
```

```
// Apply test cases
```

```
A = 0; B = 0; #10;
```

```
A = 0; B = 1; #10;
```

```
A = 1; B = 0; #10;
```

```
A = 1; B = 1; #10;
```

```
// Finish the simulation
```

```
$finish;
```

```
end
```

```
endmodule
```

```
//iverilog -o logic_gates_behavioral_tb.out logic_gates_behavioral_tb.v
```

```
//vvp logic_gates_behavioral_tb.out
```

```
//gtkwave logic_gates_behavioral_tb.vcd
```


Output:

```
shivam-kumar@iitanshshivamkumar:~/Documents$ iverilog -o logic_gates_behavioral_tb.out logic_gates_behavioral_tb.v
shivam-kumar@iitanshshivamkumar:~/Documents$ vvp logic_gates_behavioral_tb.out

VCD info: dumpfile logic_gates_behavioral_tb.vcd opened for output.
A=0, B=0 | NOT_A_NAND=1, AND_NAND=0, OR_NAND=0, XOR_NAND=0, XNOR_NAND=1, NOR_NAND=1, NAND_NAND=1 | NOT_A_NOR=1, AND_NOR=0, OR_NOR=0, XOR_NOR=0, XNOR_NOR=1, NOR_NOR=1
A=0, B=1 | NOT_A_NAND=1, AND_NAND=0, OR_NAND=1, XOR_NAND=1, XNOR_NAND=0, NOR_NAND=0, NAND_NAND=1 | NOT_A_NOR=1, AND_NOR=0, OR_NOR=1, XOR_NOR=1, XNOR_NOR=0, NOR_NOR=1
A=1, B=0 | NOT_A_NAND=0, AND_NAND=0, OR_NAND=1, XOR_NAND=1, XNOR_NAND=0, NOR_NAND=0, NAND_NAND=1 | NOT_A_NOR=0, AND_NOR=1, XOR_NOR=1, XNOR_NOR=0, NOR_NOR=1
A=1, B=1 | NOT_A_NAND=0, AND_NAND=1, OR_NAND=1, XOR_NAND=0, XNOR_NAND=1, NOR_NAND=0, NAND_NAND=0 | NOT_A_NOR=0, AND_NOR=1, XOR_NOR=0, XNOR_NOR=1, NOR_NOR=0
logic_gates_behavioral_tb.v:86: $finish called at 40 (1s)
shivam-kumar@iitanshshivamkumar:~/Documents$ gtkwave logic_gates_behavioral_tb.vcd

GTKWave Analyzer v3.3.116 (w)1999-2023 BSI

[0] start time.
[40] end time.
```



Lab 3:

Main:

```
`timescale 1ns / 1ps

///////////////////////////////
/////////////////////////////
// Company:
// Engineer:
//
// Create Date: 19.09.2024 18:07:47
// Design Name:
// Module Name: HALF_ADDER
// Project Name:
// Target Devices:
// Tool Versions:
// Description:
//
// Dependencies:
//
// Revision:
```

```
// Revision 0.01 - File Created  
// Additional Comments:  
  
//  
//////////  
//////////
```

```
// NAME = UDAY SINGH ,ROLL NO = 202351150 ||  
NAME = SHIVAM KUMAR, ROLL NO = 202351130
```

```
module HALF_ADDER(
```

```
    input A,
```

```
    input B,
```

```
    output SUM,
```

```
    output CARRY
```

```
);
```

```
xor(SUM,A,B);
```

```
and(CARRY,A,B);
```

```
endmodule
```

```
testbench:
```

```
// Testbench for Half Adder with VCD for GTKWave
```

```
module testbench;
```

```
// Testbench signals

reg A, B;          // Inputs to the half adder
wire SUM, CARRY;  // Outputs from the half adder

// Instantiate the half_adder module
half_adder uut (
    .A(A),
    .B(B),
    .SUM(SUM),
    .CARRY(CARRY)
);

// Test stimulus
initial begin
    // Open a VCD file for GTKWave
    $dumpfile("half_adder.vcd"); // Specify the name
    of the VCD file
    $dumpvars(0, testbench);    // Dump all variables
    for the module 'testbench'

    // Monitor the inputs and outputs
```

```
$monitor("A=%b, B=%b | SUM=%b, CARRY=%b",
A, B, SUM, CARRY);

// Apply test cases
A = 0; B = 0; #10; // Test case 1: 0 + 0
A = 0; B = 1; #10; // Test case 2: 0 + 1
A = 1; B = 0; #10; // Test case 3: 1 + 0
A = 1; B = 1; #10; // Test case 4: 1 + 1

// Finish the simulation
$finish;

end

endmodule
```

```
//iverilog -o half_adder_tb.out half_adder_tb.v
half_adder.v

//vvp half_adder_tb.out
//gtkwave half_adder.vcd
```

Main_fulladder:

```
// Full Adder module
module full_adder(
    input wire A, // First input
    input wire B, // Second input
    input wire Cin, // Carry-in input
    output wire Sum, // Sum output
    output wire Cout // Carry-out output
);
```

// Intermediate values for half-adders

```
wire Sum1, Carry1, Carry2;
```

// First half adder (A and B)

```
assign Sum1 = A ^ B; // First sum
assign Carry1 = A & B; // First carry
```

// Second half adder (Sum1 and Cin)

```
assign Sum = Sum1 ^ Cin; // Final sum
assign Carry2 = Sum1 & Cin; // Second carry
```

```
// Final carry out  
assign Cout = Carry1 | Carry2;  
  
endmodule
```

```
testbench:  
// Testbench for Full Adder  
module tb_full_adder;  
  
reg A, B, Cin; // Test inputs  
wire Sum, Cout; // Outputs from full adder  
  
// Instantiate the full adder  
full_adder uut (  
    .A(A),  
    .B(B),  
    .Cin(Cin),  
    .Sum(Sum),  
    .Cout(Cout)
```

```
);
```

```
initial begin
```

```
// Create a VCD file for GTKWave
```

```
$dumpfile("full_adder_tb.vcd");
```

```
$dumpvars(0, tb_full_adder);
```

```
// Display the outputs
```

```
$monitor("A=%b B=%b Cin=%b | Sum=%b Cout=%b",  
A, B, Cin, Sum, Cout);
```

```
// Test cases
```

```
A = 0; B = 0; Cin = 0; #10;
```

```
A = 0; B = 1; Cin = 0; #10;
```

```
A = 1; B = 0; Cin = 0; #10;
```

```
A = 1; B = 1; Cin = 0; #10;
```

```
A = 0; B = 0; Cin = 1; #10;
```

```
A = 0; B = 1; Cin = 1; #10;
```

```
A = 1; B = 0; Cin = 1; #10;
```

```
A = 1; B = 1; Cin = 1; #10;
```


```
// End the simulation  
$finish;  
end  
  
endmodule
```

output : half adder

```
shivam-kumar@iitanshivamkumar:~/Documents$ iverilog -o half_adder_tb.out half_adder_tb.v
shivam-kumar@iitanshivamkumar:~/Documents$ vvp half_adder_tb.out
VCD info: dumpfile half_adder.vcd opened for output.
A=0, B=0 | SUM=0, CARRY=0
A=0, B=1 | SUM=1, CARRY=0
A=1, B=0 | SUM=1, CARRY=0
A=1, B=1 | SUM=0, CARRY=1
half_adder_tb.v:46: $finish called at 40 (1s)
shivam-kumar@iitanshivamkumar:~/Documents$ gtkwave half_adder.vcd

GTKWave Analyzer v3.3.116 (w)1999-2023 BSI

[0] start time.
[40] end time.
```



Full adder:



```
shivam-kumar@iitanshivamkumar:~/Documents
```

```
shivam-kumar@iitanshivamkumar:~/Documents
```

```
shivam-kumar@iitanshivamkumar:~/Documents$ iverilog -o full_adder_tb.out full_adder_tb.v
shivam-kumar@iitanshivamkumar:~/Documents$ vvp full_adder_tb.out
VCD info: dumpfile full_adder_tb.vcd opened for output.
A=0 B=0 Cin=0 | Sum=0 Cout=0
A=0 B=1 Cin=0 | Sum=1 Cout=0
A=1 B=0 Cin=0 | Sum=1 Cout=0
A=1 B=1 Cin=0 | Sum=0 Cout=1
A=0 B=0 Cin=1 | Sum=1 Cout=0
A=0 B=1 Cin=1 | Sum=0 Cout=1
A=1 B=0 Cin=1 | Sum=0 Cout=1
A=1 B=1 Cin=1 | Sum=1 Cout=1
full_adder_tb.v:60: $finish called at 80 (1s)
shivam-kumar@iitanshivamkumar:~/Documents$ gtkwave full_adder_tb.vcd

GTKWave Analyzer v3.3.116 (w)1999-2023 BSI

[0] start time.
[80] end time.
```

Lab 4

Main:

Demux:

```
`timescale 1ns / 1ps

//// File: demux_1to8.v

module demux_1to8 (
    input wire i,          // Input
    input wire [2:0] sel,   // 3-bit selection line
    output reg y0,         // Output 0
    output reg y1,
    output reg y2,
    output reg y3,
    output reg y4,
    output reg y5,
    output reg y6,
    output reg y7
);
    always @(*) begin
        y0 = 0;
        y1 = 0;
```

y2 = 0;

y3 = 0;

y4 = 0;

y5 = 0;

y6 = 0;

y7 = 0;

case(sel)

3'b000: y0 = i;

3'b001: y1 = i;

3'b010: y2 = i;

3'b011: y3 = i;

3'b100: y4 = i;

3'b101: y5 = i;

3'b110: y6 = i;

3'b111: y7 = i;

default: ;

endcase

end

endmodule

```
testbench:demux:  
`timescale 1ns / 1ps  
/// File: tb_demux_1to8.v  
module tb_demux_1to8;  
    reg i;  
    reg [2:0] sel;  
    wire y0, y1, y2, y3, y4, y5, y6, y7;  
  
    // Instantiate the DEMUX  
    demux_1to8 uut (  
        .i(i),  
        .sel(sel),  
        .y0(y0), .y1(y1), .y2(y2), .y3(y3),  
        .y4(y4), .y5(y5), .y6(y6), .y7(y7)  
    );  
  
initial begin  
    // Initialize input  
    i = 1;  
    sel = 3'b000; #10;
```

```
    sel = 3'b001; #10;  
    sel = 3'b010; #10;  
    sel = 3'b011; #10;  
    sel = 3'b100; #10;  
    sel = 3'b101; #10;  
    sel = 3'b110; #10;  
    sel = 3'b111; #10;  
    $finish;  
  
end
```

```
initial begin  
    $monitor("sel=%b, y0=%b, y1=%b, y2=%b, y3=%b,  
y4=%b, y5=%b, y6=%b, y7=%b", sel, y0, y1, y2, y3, y4,  
y5, y6, y7);  
end  
endmodule
```

Main:mux:

```
`timescale 1ns / 1ps

// File: mux_8to1.v

module mux_8to1 (
    input wire [2:0] sel, // 3-bit selection line
    input wire i0,      // Input 0
    input wire i1,      // Input 1
    input wire i2,      // Input 2
    input wire i3,      // Input 3
    input wire i4,      // Input 4
    input wire i5,      // Input 5
    input wire i6,      // Input 6
    input wire i7,      // Input 7
    output reg y        // Output
);

always @(*) begin
    case(sel)
        3'b000: y = i0;
        3'b001: y = i1;
        3'b010: y = i2;
```

```
3'b011: y = i3;  
3'b100: y = i4;  
3'b101: y = i5;  
3'b110: y = i6;  
3'b111: y = i7;  
default: y = 1'bx;  
endcase  
end  
endmodule
```

Testbench:mux:

```
`timescale 1ns / 1ps
```

```
/// File: tb_mux_8to1.v
```

```
module tb_mux_8to1;
```

```
    reg [2:0] sel;
```

```
    reg i0, i1, i2, i3, i4, i5, i6, i7;
```

```
    wire y;
```

```
// Instantiate the MUX
```

```
mux_8to1 uut (
```

```
    .sel(sel),
```

```
    .i0(i0), .i1(i1), .i2(i2), .i3(i3),
```

```
    .i4(i4), .i5(i5), .i6(i6), .i7(i7),
```

```
    .y(y)
```

```
);
```

```
initial begin
```

```
    // Initialize inputs
```

```
    {i0, i1, i2, i3, i4, i5, i6, i7} = 8'b10101011;
```


```
    sel = 3'b000; #10;
```

```
    sel = 3'b001; #10;  
    sel = 3'b010; #10;  
    sel = 3'b011; #10;  
    sel = 3'b100; #10;  
    sel = 3'b101; #10;  
    sel = 3'b110; #10;  
    sel = 3'b111; #10;  
    $finish;  
  
end
```


```
initial begin  
    $monitor("sel=%b, y=%b", sel, y);  
end  
endmodule
```

Results:

Demux:



MUX:



LAB 5:

Main:

```
`timescale 1ns / 1ps
```

```
//////////////////////////////
```

```
//////////////////////////////
```

// Company:

// Engineer:

//

// Create Date: 26.09.2024 15:18:17

// Design Name:

// Module Name: LAB5_NAND

// Project Name:

// Target Devices:

// Tool Versions:

// Description:

//

// Dependencies:

//

// Revision:

// Revision 0.01 - File Created

```
// Additional Comments:
```

```
//
```

```
//////////  
//////////
```

```
module LAB5_NAND(
```

```
    input A,
```

```
    input B,
```

```
    input C,
```

```
    output Y,
```

```
    output Z
```

```
);
```

```
wire a1,a2,a3,a4,a5,a6,a7,a8,a9;
```

```
assign a1=~(A&B); // nand one
```

```
assign a2 =~(B&a1); //nand 2
```

```
assign a3= ~(A&a1) ;//nand 3
```

```
assign a4 = ~(a2&a3); //nand 4
```

```
assign a5 =~(a4&C); // nand 5
```

```
assign a6=~(a4&a5) ;//nand 6
```

```
assign a7=~(a5&a1);// nand 7 -> output ->Z
```

```
assign a8=~(C&a5);// nand 8;
```

```
assign a9=~(a6&a8); // nand 9 ->output->Y
```

```
//assigning value to outputs
```

```
assign Z=a7;
```

```
assign Y=a9;
```

```
endmodule
```

testbench:

```
`timescale 1ns / 1ps
```

```
//////////  
//////////
```

```
// Testbench for LAB5_NAND
```

```
//////////  
//////////
```

```
module LAB5_NAND_tb();
```

```
// Inputs
```

```
reg A;
```

```
reg B;
```

```
reg C;
```

```
// Outputs
```

```
wire Y,Z;
```

```
// Instantiate the Unit Under Test (UUT)
```

```
LAB5_NAND uut(A,B,C,Y,Z);
```

initial begin

A = 0; B = 0; C = 0;// Test case 1

#10;

A = 0; B = 0; C = 1; // Test case 2

#10;

A = 0; B = 1; C = 0; // Test case 3

#10;

A = 0; B = 1; C = 1; // Test case 4

#10;

```
A = 1; B = 0; C = 0; // Test case 5
```

```
#10;
```

```
A = 1; B = 0; C = 1; // Test case 6
```

```
#10;
```

```
A = 1; B = 1; C = 0; // Test case 7
```

```
#10;
```

```
A = 1; B = 1; C = 1; // Test case 8
```

```
#10;
```

```
// Finish simulation
```

```
$finish;
```

```
end
```

```
endmodule
```

results:

LAB_6

Main:

LAB 7:

Main:ring counter

```
module RingCounter(
```

```
    input clk,
```

```
    input reset,
```

```
    output reg [3:0] q
```

```
);
```

```
    always @(posedge clk or posedge reset) begin
```

```
        if (reset)
```

```
            q <= 4'b0001; // Reset to initial state
```

```
        else
```

```
            q <= {q[2:0], q[3]}; // Shift left and wrap around
```

```
    end
```

```
endmodule
```

testbench:ring counter

```
`timescale 1ns / 1ps
```

```
module ring_counter_tb;

    reg clk;
    reg reset;
    wire [3:0] q;

    // Instantiate the RingCounter module
    ring_counter uut (
        .clk(clk),
        .reset(reset),
        .q(q)
    );

    // Clock generation
    initial begin
        clk = 0;
        forever #5 clk = ~clk; // Generate a clock with a
        period of 10 ns
    end

    // Test sequence
```

```
initial begin  
    // Initialize simulation  
    $display("Starting simulation...");  
  
    // Apply reset  
    reset = 1;  
    #10; // Hold reset high for 10 ns  
    $display("Time: %0t, Reset applied, Q: %b", $time,  
q);  
  
    // Release reset and observe ring counter  
    reset = 0;  
    #50; // Run simulation for 50 ns  
    $display("Time: %0t, Reset released, Q after 50 ns:  
%b", $time, q);  
  
    // Apply reset again to verify reset functionality  
    reset = 1;  
    #10;  
    $display("Time: %0t, Reset applied again, Q: %b",  
$time, q);
```

```
    reset = 0;  
    #30;  
    $display("Time: %0t, Final Q after additional 30 ns:  
%b", $time, q);  
  
    // End simulation  
    $display("Ending simulation...");  
    $stop;  
end  
endmodule  
main:  
sync:counter  
module sync_counter(  
    input clk,  
    input reset,  
    output reg [1:0] q  
);  
    always @(posedge clk or posedge reset) begin  
        if (reset)
```

```
    q <= 2'b00; // Reset to 0
  else
    q <= q + 1; // Increment counter
  end
endmodule

testbench:
module tb_SyncCounter;
  reg clk;
  reg reset;
  wire [1:0] q;
  // Instantiate the SyncCounter module
  SyncCounter uut (
    .clk(clk),
    .reset(reset),
    .q(q)
  );
  // Clock generation
  initial begin
    clk = 0;
    forever #5 clk = ~clk; // 10 time units period
```

```

end

// Test sequence

initial begin
    $monitor($time, " Reset=%b, Q=%b", reset, q);
    reset = 1; #10; // Apply reset
    reset = 0; #50; // Run for a few cycles
    reset = 1; #10; // Apply reset again
    reset = 0; #30; // Run for a few more cycles
    $stop;
end


endmodule

output:
ring counter

```



Sync counter



LAB 8:

Main:

```
`timescale 1ns / 1ps
```

```
//////////////////////////////  
//////////////////////////////
```

// Company:

// Engineer:

//

// Create Date: 07.11.2024 15:58:05

// Design Name: ALU

// Module Name: ALU

// Project Name:

// Target Devices:

// Tool Versions:

```
// Description: 4-bit ALU with 16 operations
//
// Dependencies:
//
// Revision:
// Revision 0.01 - File Created
// Additional Comments:
//
// /////////////////////////////////
///////////////////////////////
```

```
module ALU(
    input wire [3:0] A,
    input wire [3:0] B,
    input wire [3:0] S,
    output reg [3:0] x
);
```

```
always @(*) begin
```

case (S)

4'b0000: x = A;

4'b0001: x = ~A;

4'b0010: x = A | B;

4'b0011: x = A & B;

4'b0100: x = A ^ B;

4'b0101: x = ~(A | B);

4'b0110: x = ~(A & B);

4'b0111: x = ~(A ^ B);

4'b1000: x = A + B;

4'b1001: x = A - B;

4'b1010: x = A * B;

4'b1011: x = (B != 0) ? (A / B) : 4'b0000;

4'b1100: x = (A > B) ? 4'b0001 : 4'b0000;

4'b1101: x = A ** B;

4'b1110: x = A >> B;

4'b1111: x = A << B;

default: x = 4'b0000;

endcase

end

endmodule

Test bench:

```
`timescale 1ns / 1ps
```

```
//////////////////////////////  
//////////////////////////////
```

```
// Company:
```

```
// Engineer:
```

```
//
```

```
// Create Date: 07.11.2024
```

```
// Design Name: ALU Testbench
```

```
// Module Name: ALU_tb
```

```
// Project Name:
```

```
// Target Devices:
```

```
// Tool Versions:
```

```
// Description: Testbench for 4-bit ALU with 16  
operations
```

```
//
```

```
||||||||||||||||||||||||||||||||||||||||||||||||
```

```
|||||||||||||||||||||
```

```
module ALU_tb;  
  // Testbench registers and wires  
  reg [3:0] A;  
  reg [3:0] B;  
  reg [3:0] S;  
  wire [3:0] x;
```

```
ALU uut (
```

```
  .A(A),
```

```
  .B(B),
```

```
  .S(S),
```

```
  .x(x)
```

```
);
```

```
initial begin
```

A = 4'b0011; B = 4'b0001;

S = 4'b0000; #10;

S = 4'b0001; #10;

S = 4'b0010; #10;

S = 4'b0011; #10;

S = 4'b0100; #10;

S = 4'b0101; #10;

S = 4'b0110; #10;

S = 4'b0111; #10;

S = 4'b1000; #10;

S = 4'b1001; #10;

S = 4'b1010; #10;

S = 4'b1011; #10;


S = 4'b1100; #10;

S = 4'b1110; #10;

S = 4'b1111; #10;

```
$finish;  
end  
endmodule
```

output:



Lab 9:

Main:

```
module cyclic_lamp(clock, light);
    input clock;
    output reg [2:0] light; //light is a vector
    parameter s0=2'b00, s1=2'b01, s2=2'b10; //
    parameter declaration as constant \
        parameter RED=3'b100, GREEN=3'b010,
        YELLOW=3'b001;
    reg[1:0] state=s0; //state as two bit variable
    reg[27:0] count=0;
    reg clock_out;

// always@( posedge clock )
// begin
//     count<=count+1;
```

```
//      if (count==100000000)  
//          begin count<=0;  
//              clock_out=~clock_out;  
//          end  
//      end
```

```
initial begin  
    state = s0;  
    light = RED;  
    clock_out = 0;  
end
```

```
always@(posedge clock )  
    case (state)  
        s0: state<=s1;  
        s1: state<=s2;  
        s2: state<=s0;  
        default: state<=s0;  
    endcase
```

```
always@(state)
  case(state)
    s0: light=RED;
    s1: light=GREEN;
    s2: light=YELLOW;
    default light=RED;
  endcase
endmodule
```

Testbench:

```
`timescale 1ns / 1ps
```

```
module tb_cyclic_lamp;
```

```
// Inputs
```

```
reg clock;
```

```
// Outputs
```

```
wire [2:0] light;
```

```
// Instantiate the Unit Under Test (UUT)
```

```
cyclic_lamp uut (
```

```
.clock(clock),
```

```
.light(light)
);


// Clock generation
initial begin
    clock = 0;
    forever #5 clock = ~clock; // Generate a clock signal
    with a period of 10 ns
end

// Testbench process
initial begin
    // Display header
    $display("Time\tClock\tLight");
    // Monitor the changes in outputs
    $monitor("%4d\t%b\t%b", $time, clock, light);
    // Simulation run for 100 clock cycles
    #1000;
```

```
$finish;  
end
```

```
endmodule
```

Result:



LAB 10:

Main:

Ocla:

```
`timescale 1ns / 1ps
```

```
//////////////////////////////  
//////////////////////////////
```

// Company:

// Engineer:

//

// Create Date: 21.11.2024 15:43:15

// Design Name:

// Module Name: OCLA

// Project Name:

// Target Devices:

// Tool Versions:

```
// Description:  
//  
// Dependencies:  
//  
// Revision:  
// Revision 0.01 - File Created  
// Additional Comments:  
//  
//////////  
//////////  
  
module OCLA (  
    input [3:0] A,  
    input [3:0] B,  
    input Cin,  
    output [3:0] Sum,  
    output Cout  
);  
    wire [3:0] G, P, C;  
    assign G = A & B;      // Generate
```

```
assign P = A ^ B;      // Propagate
assign C[0] = Cin;
assign C[1] = G[0] | (P[0] & Cin );
assign C[2] = G[1] | (P[1] & G[0]) | (P[1]&P[0]&Cin);
assign C[3] = G[2] | (P[2] & G[1]) | (P[2]&P[1]&G[0])
| (P[2]&P[1]&P[0]&Cin);
assign Cout = G[3] | (P[3] & G[2]) | (P[3] & G[2] &
P[2]) | (P[3]&P[2]&P[1]&G[0]) |
(P[3]&P[2]&P[1]&P[0]&Cin);
assign Sum = P ^ C;
endmodule
```

```
Testbench;
```

```
`timescale 1ns/1ps
```

```
module OCLA_tb;
```

```
    // Testbench signals
```

```
    reg [3:0] A, B;
```

```
    reg Cin;
```

```
    wire [3:0] Sum;
```

```
    wire Cout;
```

```
    // Instantiate the CLA module
```

```
    OCLA cla_inst (
```

```
        .A(A),
```

```
        .B(B),
```

```
.Cin(Cin),  
.Sum(Sum),  
.Cout(Cout)  
);
```

```
// Helper task to display test results  
task display_test;  
    input [3:0] exp_sum;  
    input exp_cout;  
    begin  
        #5; // Wait for combinational logic to settle  
        if ({Cout, Sum} === {exp_cout, exp_sum}) begin  
            $display("PASS: A=%h, B=%h, Cin=%b |  
Sum=%h, Cout=%b", A, B, Cin, Sum, Cout);  
        end else begin  
            $display("FAIL: A=%h, B=%h, Cin=%b |  
Expected: Sum=%h, Cout=%b | Got: Sum=%h,  
Cout=%b",  
A, B, Cin, exp_sum, exp_cout, Sum,  
Cout);  
        end  
    end
```

```
end  
endtask  
  
  
// Test stimulus  
initial begin  
    // Initialize inputs  
    A = 0; B = 0; Cin = 0;  
    #10;  
  
  
    // Test Case 1: Basic addition without carry  
    A = 4'h3; B = 4'h4; Cin = 0;  
    display_test(4'h7, 0);  
  
  
    // Test Case 2: Addition with input carry  
    A = 4'h3; B = 4'h4; Cin = 1;  
    display_test(4'h8, 0);  
  
  
    // Test Case 3: Addition causing output carry  
    A = 4'h8; B = 4'h9; Cin = 0;  
    display_test(4'h1, 1);
```

// Test Case 4: Maximum value test

A = 4'hF; B = 4'hF; Cin = 1;

display_test(4'hF, 1);

// Test Case 5: Zero value test

A = 4'h0; B = 4'h0; Cin = 0;

display_test(4'h0, 0);

// Test Case 6: Random test cases

A = 4'h6; B = 4'h7; Cin = 1;

display_test(4'hE, 0);

A = 4'hA; B = 4'h5; Cin = 0;

display_test(4'hF, 0);

// Test Case 7: Alternating bits

A = 4'hA; B = 4'h5; Cin = 1;

display_test(4'h0, 1);

```
// Test Case 8: One operand zero  
A = 4'h0; B = 4'hF; Cin = 0;  
display_test(4'hF, 0);  
  
// End simulation  
#10;  
$display("Simulation completed");  
$finish;  
end  
  
// Optional: Generate VCD file for waveform viewing  
initial begin  
$dumpfile("cla_test.vcd");  
$dumpvars(0, OCLA_tb);  
end  
  
endmodule
```

Output:

The figure displays a timing diagram for a digital circuit, likely a Full Adder, showing the state of four registers over time. The registers are labeled A[3:0], B[3:0], Cin, and Su[0:0]. The horizontal axis represents time, with major ticks at 0, 3, 6, and 9. The vertical axis represents the bits of each register.

- Register A:** Initial value 0, changing to 3 at time 0, then to 8 at time 3, then to f at time 6, then to 0 at time 9, then to 6 at time 12, then to a at time 15, and finally to 0 at time 18.
- Register B:** Initial value f, changing to 0 at time 0, then to 4 at time 3, then to 9 at time 6, then to f at time 9, then to 0 at time 12, then to 7 at time 15, then to 5 at time 18, and finally to f at time 21.
- Cin:** Initial value 0, changing to 1 at time 0, then to 0 at time 3, then to 1 at time 6, then to 0 at time 9, then to 1 at time 12, then to 0 at time 15, and finally to 1 at time 18.
- Su:** Initial value 0, changing to 7 at time 0, then to 8 at time 3, then to 1 at time 6, then to f at time 9, then to 0 at time 12, then to e at time 15, then to f at time 18, and finally to 0 at time 21.

The bottom row shows the output Z, which is high (blue) from time 0 to 18 and low (black) from time 18 to 21.

LAB 1

Main:

```
//NAME = UDAY SINGH ID = 202351150
//NAME = SHIVAM KUMAR ID=202351130
// Logic Gates Module (Structural Model)
module logic_gates(
    input wire A, B,
    output wire AND_out, OR_out, NOT_A_out, NAND_out, NOR_out, XOR_out
);
// AND gate
and u1 (AND_out, A, B);

// OR gate
```

```
or u2 (OR_out, A, B);

// NOT gate (for input A)
not u3 (NOT_A_out, A);

// NAND gate
nand u4 (NAND_out, A, B);

// NOR gate
nor u5 (NOR_out, A, B);

// XOR gate
xor u6 (XOR_out, A, B);

endmodule
```

test bench

```
// Testbench to apply stimulus and check outputs
module testbench;

// Testbench signals
reg A, B;
wire AND_out, OR_out, NOT_A_out, NAND_out, NOR_out, XOR_out;

// Instantiate the logic_gates module (Unit Under Test - UUT)
logic_gates uut (
    .A(A),
    .B(B),
    .AND_out(AND_out),
    .OR_out(OR_out),
    .NOT_A_out(NOT_A_out),
    .NAND_out(NAND_out),
    .NOR_out(NOR_out),
    .XOR_out(XOR_out)
);

// Test stimulus
initial begin

    // Monitor the outputs whenever A or B changes
    $monitor("A=%b, B=%b | AND_out=%b, OR_out=%b, NOT_A_out=%b,
    NAND_out=%b, NOR_out=%b, XOR_out=%b",

```

```
A, B, AND_out, OR_out, NOT_A_out, NAND_out, NOR_out, XOR_out);  
  
// Apply test cases  
A = 0; B = 0; #10; // Test case 1  
A = 0; B = 1; #10; // Test case 2  
A = 1; B = 0; #10; // Test case 3  
A = 1; B = 1; #10; // Test case 4  
  
// Finish the simulation  
$finish;  
end  
  
endmodule
```


Output

```
shivam-kumar@iitanshivamkumar:~/Documents
```

```
shivam-kumar@iitanshivamkumar:~/Documents$ iverilog -o logic_gates_tb.out logic_gates_tb.v
shivam-kumar@iitanshivamkumar:~/Documents$ vvp logic_gates_tb.out
VCD info: dumpfile logic_gates_tb.vcd opened for output.
A=0, B=0 | AND_out=0, OR_out=0, NOT_A_out=1, NAND_out=1, NOR_out=1, XOR_out=0
A=0, B=1 | AND_out=0, OR_out=1, NOT_A_out=1, NAND_out=1, NOR_out=0, XOR_out=1
A=1, B=0 | AND_out=0, OR_out=1, NOT_A_out=0, NAND_out=1, NOR_out=0, XOR_out=1
A=1, B=1 | AND_out=1, OR_out=1, NOT_A_out=0, NAND_out=0, NOR_out=0, XOR_out=0
logic_gates_tb.v:64: $finish called at 40 (1s)
shivam-kumar@iitanshivamkumar:~/Documents$ gtkwave logic_gates_tb.vcd

GTKWave Analyzer v3.3.116 (w)1999-2023 BSI

[0] start time.
[40] end time.
GTKWAVE | Reloading waveform...
[0] start time.
[40] end time.
GTKWAVE | ...waveform reloaded
GTKWAVE | Reloading waveform...
[0] start time.
[40] end time.
GTKWAVE | ...waveform reloaded
GTKWAVE | Unsupported dumpfile type for rtlbrowse.
```



Lab2

Main:

```
// Logic Gates Using Behavioral Model

module logic_gates_behavioral(
    input wire A, B,
    output wire NOT_A_NAND, AND_NAND, OR_NAND, XOR_NAND,
    XNOR_NAND, NOR_NAND, NAND_NAND,
    output wire NOT_A_NOR, AND_NOR, OR_NOR, XOR_NOR, XNOR_NOR,
    NAND_NOR
);
```

```
// *** Behavioral Model for Gates Using NAND ***
```

```
// NOT using NAND
```

```
assign NOT_A_NAND = ~A;
```

```
// AND using NAND
```

```
assign AND_NAND = A & B;
```

```
// OR using NAND
```

```
assign OR_NAND = A | B;
```

```
// XOR using NAND
```

```
assign XOR_NAND = A ^ B;
```

```
// XNOR using NAND
```

```
assign XNOR_NAND = ~(A ^ B);

// NOR using NAND (Behavioral implementation of NOR using NAND gates
logic)
assign NOR_NAND = ~(A | B);

// NAND gate itself (already implemented by NAND gate)
assign NAND_NAND = ~(A & B);

// *** Behavioral Model for Gates Using NOR ***
// NOT using NOR
assign NOT_A_NOR = ~A;

// AND using NOR (Behavioral implementation of AND using NOR gates logic)
assign AND_NOR = A & B;

// OR using NOR
assign OR_NOR = A | B;

// XOR using NOR
assign XOR_NOR = A ^ B;

// XNOR using NOR
assign XNOR_NOR = ~(A ^ B);
```

```
// NAND using NOR (Behavioral implementation of NAND using NOR gates
logic)
assign NAND_NOR = ~(A & B);

endmodule
```

testbench:

```
// Testbench to check outputs with VCD generation

module testbench;

// Testbench signals
reg A, B;

wire NOT_A_NAND, AND_NAND, OR_NAND, XOR_NAND, XNOR_NAND, NOR_NAND,
NAND_NAND;

wire NOT_A_NOR, AND_NOR, OR_NOR, XOR_NOR, XNOR_NOR, NAND_NOR;

// Instantiate the logic_gates_behavioral module
logic_gates_behavioral uut (
    .A(A), .B(B),
    .NOT_A_NAND(NOT_A_NAND), .AND_NAND(AND_NAND), .OR_NAND(OR_NAND),
    .XOR_NAND(XOR_NAND), .XNOR_NAND(XNOR_NAND), .NOR_NAND(NOR_NAND),
    .NAND_NAND(NAND_NAND),
    .NOT_A_NOR(NOT_A_NOR), .AND_NOR(AND_NOR), .OR_NOR(OR_NOR),
    .XOR_NOR(XOR_NOR), .XNOR_NOR(XNOR_NOR), .NAND_NOR(NAND_NOR)
);

// Test stimulus
initial begin
    // Create a VCD file
    $dumpfile("logic_gates_behavioral_tb.vcd"); // VCD file name
    $dumpvars(0, testbench); // Dump variables from the testbench module

    // Monitor the outputs
    $monitor("A=%b, B=%b | NOT_A_NAND=%b, AND_NAND=%b, OR_NAND=%b,
    XOR_NAND=%b, XNOR_NAND=%b, NOR_NAND=%b, NAND_NAND=%b | NOT_A_NOR=%b,
    AND_NOR=%b, OR_NOR=%b, XOR_NOR=%b, XNOR_NOR=%b, NAND_NOR=%b",

```

```
A, B, NOT_A_NAND, AND_NAND, OR_NAND, XOR_NAND, XNOR_NAND,  
NOR_NAND, NAND_NAND, NOT_A_NOR, AND_NOR, OR_NOR, XOR_NOR, XNOR_NOR,  
NAND_NOR);
```

```
// Apply test cases
```

```
A = 0; B = 0; #10;
```

```
A = 0; B = 1; #10;
```

```
A = 1; B = 0; #10;
```

```
A = 1; B = 1; #10;
```

```
// Finish the simulation
```

```
$finish;
```

```
end
```

```
endmodule
```

```
//iverilog -o logic_gates_behavioral_tb.out logic_gates_behavioral_tb.v
```

```
//vvp logic_gates_behavioral_tb.out
```

```
//gtkwave logic_gates_behavioral_tb.vcd
```


Output:

```
shivam-kumar@iitanshivamkumar:~/Documents$ iverilog -o logic_gates_behavioral_tb.out logic_gates_behavioral_tb.v
shivam-kumar@iitanshivamkumar:~/Documents$ vvp logic_gates_behavioral_tb.out

VCD info: dumpfile logic_gates_behavioral_tb.vcd opened for output.
A=0, B=0 | NOT_A_NAND=1, AND_NAND=0, OR_NAND=0, XOR_NAND=0, XNOR_NAND=1, NOR_NAND=1, NAND_NAND=1 | NOT_A_NOR=1, AND_NOR=0, OR_NOR=0, XOR_NOR=0, XNOR_NOR=1, NOR_NOR=1
A=0, B=1 | NOT_A_NAND=1, AND_NAND=0, OR_NAND=1, XOR_NAND=1, XNOR_NAND=0, NOR_NAND=0, NAND_NAND=1 | NOT_A_NOR=1, AND_NOR=0, OR_NOR=1, XOR_NOR=1, XNOR_NOR=0, NOR_NOR=1
A=1, B=0 | NOT_A_NAND=0, AND_NAND=0, OR_NAND=1, XOR_NAND=1, XNOR_NAND=0, NOR_NAND=0, NAND_NAND=1 | NOT_A_NOR=0, AND_NOR=1, XOR_NOR=1, XNOR_NOR=0, NOR_NOR=1
A=1, B=1 | NOT_A_NAND=0, AND_NAND=1, OR_NAND=1, XOR_NAND=0, XNOR_NAND=1, NOR_NAND=0, NAND_NAND=0 | NOT_A_NOR=0, AND_NOR=1, XOR_NOR=0, XNOR_NOR=1, NOR_NOR=0
logic_gates_behavioral_tb.v:86: $finish called at 40 (1s)
shivam-kumar@iitanshivamkumar:~/Documents$ gtkwave logic_gates_behavioral_tb.vcd

GTKWave Analyzer v3.3.116 (w)1999-2023 BSI

[0] start time.
[40] end time.
```



Lab 3:

Main:

```
`timescale 1ns / 1ps

///////////////////////////////
/////////////////////////////
// Company:
// Engineer:
//
// Create Date: 19.09.2024 18:07:47
// Design Name:
// Module Name: HALF_ADDER
// Project Name:
// Target Devices:
// Tool Versions:
// Description:
//
// Dependencies:
//
// Revision:
```

```
// Revision 0.01 - File Created  
// Additional Comments:  
  
//  
//////////  
//////////
```

```
// NAME = UDAY SINGH ,ROLL NO = 202351150 ||  
NAME = SHIVAM KUMAR, ROLL NO = 202351130
```

```
module HALF_ADDER(
```

```
    input A,
```

```
    input B,
```

```
    output SUM,
```

```
    output CARRY
```

```
);
```

```
xor(SUM,A,B);
```

```
and(CARRY,A,B);
```

```
endmodule
```

```
testbench:
```

```
// Testbench for Half Adder with VCD for GTKWave
```

```
module testbench;
```

```
// Testbench signals

reg A, B;          // Inputs to the half adder
wire SUM, CARRY;  // Outputs from the half adder

// Instantiate the half_adder module
half_adder uut (
    .A(A),
    .B(B),
    .SUM(SUM),
    .CARRY(CARRY)
);

// Test stimulus
initial begin
    // Open a VCD file for GTKWave
    $dumpfile("half_adder.vcd"); // Specify the name
    of the VCD file
    $dumpvars(0, testbench);    // Dump all variables
    for the module 'testbench'

    // Monitor the inputs and outputs
```

```
$monitor("A=%b, B=%b | SUM=%b, CARRY=%b",
A, B, SUM, CARRY);

// Apply test cases
A = 0; B = 0; #10; // Test case 1: 0 + 0
A = 0; B = 1; #10; // Test case 2: 0 + 1
A = 1; B = 0; #10; // Test case 3: 1 + 0
A = 1; B = 1; #10; // Test case 4: 1 + 1

// Finish the simulation
$finish;

end

endmodule
```

```
//iverilog -o half_adder_tb.out half_adder_tb.v
half_adder.v

//vvp half_adder_tb.out
//gtkwave half_adder.vcd
```

Main_fulladder:

```
// Full Adder module
module full_adder(
    input wire A, // First input
    input wire B, // Second input
    input wire Cin, // Carry-in input
    output wire Sum, // Sum output
    output wire Cout // Carry-out output
);
```

// Intermediate values for half-adders

```
wire Sum1, Carry1, Carry2;
```

// First half adder (A and B)

```
assign Sum1 = A ^ B; // First sum
assign Carry1 = A & B; // First carry
```

// Second half adder (Sum1 and Cin)

```
assign Sum = Sum1 ^ Cin; // Final sum
assign Carry2 = Sum1 & Cin; // Second carry
```

```
// Final carry out  
assign Cout = Carry1 | Carry2;  
  
endmodule
```

```
testbench:  
// Testbench for Full Adder  
module tb_full_adder;  
  
reg A, B, Cin; // Test inputs  
wire Sum, Cout; // Outputs from full adder  
  
// Instantiate the full adder  
full_adder uut (  
    .A(A),  
    .B(B),  
    .Cin(Cin),  
    .Sum(Sum),  
    .Cout(Cout)
```

```
);
```

```
initial begin
```

```
// Create a VCD file for GTKWave
```

```
$dumpfile("full_adder_tb.vcd");
```

```
$dumpvars(0, tb_full_adder);
```

```
// Display the outputs
```

```
$monitor("A=%b B=%b Cin=%b | Sum=%b Cout=%b",  
A, B, Cin, Sum, Cout);
```

```
// Test cases
```

```
A = 0; B = 0; Cin = 0; #10;
```

```
A = 0; B = 1; Cin = 0; #10;
```

```
A = 1; B = 0; Cin = 0; #10;
```

```
A = 1; B = 1; Cin = 0; #10;
```

```
A = 0; B = 0; Cin = 1; #10;
```

```
A = 0; B = 1; Cin = 1; #10;
```

```
A = 1; B = 0; Cin = 1; #10;
```

```
A = 1; B = 1; Cin = 1; #10;
```


```
// End the simulation  
$finish;  
end  
  
endmodule
```

output : half adder

```
shivam-kumar@iitanshivamkumar:~/Documents$ iverilog -o half_adder_tb.out half_adder_tb.v
shivam-kumar@iitanshivamkumar:~/Documents$ vvp half_adder_tb.out
VCD info: dumpfile half_adder.vcd opened for output.
A=0, B=0 | SUM=0, CARRY=0
A=0, B=1 | SUM=1, CARRY=0
A=1, B=0 | SUM=1, CARRY=0
A=1, B=1 | SUM=0, CARRY=1
half_adder_tb.v:46: $finish called at 40 (1s)
shivam-kumar@iitanshivamkumar:~/Documents$ gtkwave half_adder.vcd

GTKWave Analyzer v3.3.116 (w)1999-2023 BSI

[0] start time.
[40] end time.
```



Full adder:



```
shivam-kumar@iitanshivamkumar:~/Documents
```

```
shivam-kumar@iitanshivamkumar:~/Documents
```

```
shivam-kumar@iitanshivamkumar:~/Documents$ iverilog -o full_adder_tb.out full_adder_tb.v
shivam-kumar@iitanshivamkumar:~/Documents$ vvp full_adder_tb.out
VCD info: dumpfile full_adder_tb.vcd opened for output.
A=0 B=0 Cin=0 | Sum=0 Cout=0
A=0 B=1 Cin=0 | Sum=1 Cout=0
A=1 B=0 Cin=0 | Sum=1 Cout=0
A=1 B=1 Cin=0 | Sum=0 Cout=1
A=0 B=0 Cin=1 | Sum=1 Cout=0
A=0 B=1 Cin=1 | Sum=0 Cout=1
A=1 B=0 Cin=1 | Sum=0 Cout=1
A=1 B=1 Cin=1 | Sum=1 Cout=1
full_adder_tb.v:60: $finish called at 80 (1s)
shivam-kumar@iitanshivamkumar:~/Documents$ gtkwave full_adder_tb.vcd

GTKWave Analyzer v3.3.116 (w)1999-2023 BSI

[0] start time.
[80] end time.
```

Lab 4

Main:

Demux:

```
`timescale 1ns / 1ps

//// File: demux_1to8.v

module demux_1to8 (
    input wire i,          // Input
    input wire [2:0] sel,   // 3-bit selection line
    output reg y0,         // Output 0
    output reg y1,
    output reg y2,
    output reg y3,
    output reg y4,
    output reg y5,
    output reg y6,
    output reg y7
);
    always @(*) begin
        y0 = 0;
        y1 = 0;
```

y2 = 0;

y3 = 0;

y4 = 0;

y5 = 0;

y6 = 0;

y7 = 0;

case(sel)

3'b000: y0 = i;

3'b001: y1 = i;

3'b010: y2 = i;

3'b011: y3 = i;

3'b100: y4 = i;

3'b101: y5 = i;

3'b110: y6 = i;

3'b111: y7 = i;

default: ;

endcase

end

endmodule

```
testbench:demux:  
`timescale 1ns / 1ps  
/// File: tb_demux_1to8.v  
module tb_demux_1to8;  
    reg i;  
    reg [2:0] sel;  
    wire y0, y1, y2, y3, y4, y5, y6, y7;  
  
    // Instantiate the DEMUX  
    demux_1to8 uut (  
        .i(i),  
        .sel(sel),  
        .y0(y0), .y1(y1), .y2(y2), .y3(y3),  
        .y4(y4), .y5(y5), .y6(y6), .y7(y7)  
    );  
  
initial begin  
    // Initialize input  
    i = 1;  
    sel = 3'b000; #10;
```

```
    sel = 3'b001; #10;  
    sel = 3'b010; #10;  
    sel = 3'b011; #10;  
    sel = 3'b100; #10;  
    sel = 3'b101; #10;  
    sel = 3'b110; #10;  
    sel = 3'b111; #10;  
    $finish;  
  
end
```

```
initial begin  
    $monitor("sel=%b, y0=%b, y1=%b, y2=%b, y3=%b,  
y4=%b, y5=%b, y6=%b, y7=%b", sel, y0, y1, y2, y3, y4,  
y5, y6, y7);  
end  
endmodule
```

Main:mux:

```
`timescale 1ns / 1ps

// File: mux_8to1.v

module mux_8to1 (
    input wire [2:0] sel, // 3-bit selection line
    input wire i0,      // Input 0
    input wire i1,      // Input 1
    input wire i2,      // Input 2
    input wire i3,      // Input 3
    input wire i4,      // Input 4
    input wire i5,      // Input 5
    input wire i6,      // Input 6
    input wire i7,      // Input 7
    output reg y        // Output
);

always @(*) begin
    case(sel)
        3'b000: y = i0;
        3'b001: y = i1;
        3'b010: y = i2;
```

```
3'b011: y = i3;  
3'b100: y = i4;  
3'b101: y = i5;  
3'b110: y = i6;  
3'b111: y = i7;  
default: y = 1'bx;  
endcase  
end  
endmodule
```

Testbench:mux:

```
`timescale 1ns / 1ps
```

```
/// File: tb_mux_8to1.v
```

```
module tb_mux_8to1;
```

```
    reg [2:0] sel;
```

```
    reg i0, i1, i2, i3, i4, i5, i6, i7;
```

```
    wire y;
```

```
// Instantiate the MUX
```

```
mux_8to1 uut (
```

```
    .sel(sel),
```

```
    .i0(i0), .i1(i1), .i2(i2), .i3(i3),
```

```
    .i4(i4), .i5(i5), .i6(i6), .i7(i7),
```

```
    .y(y)
```

```
);
```

```
initial begin
```

```
    // Initialize inputs
```

```
    {i0, i1, i2, i3, i4, i5, i6, i7} = 8'b10101011;
```


```
    sel = 3'b000; #10;
```

```
    sel = 3'b001; #10;  
    sel = 3'b010; #10;  
    sel = 3'b011; #10;  
    sel = 3'b100; #10;  
    sel = 3'b101; #10;  
    sel = 3'b110; #10;  
    sel = 3'b111; #10;  
    $finish;  
  
end
```


```
initial begin  
    $monitor("sel=%b, y=%b", sel, y);  
end  
endmodule
```

Results:

Demux:



MUX:



LAB 5:

Main:

```
`timescale 1ns / 1ps
```

```
//////////////////////////////
```

```
//////////////////////////////
```

// Company:

// Engineer:

//

// Create Date: 26.09.2024 15:18:17

// Design Name:

// Module Name: LAB5_NAND

// Project Name:

// Target Devices:

// Tool Versions:

// Description:

//

// Dependencies:

//

// Revision:

// Revision 0.01 - File Created

```
// Additional Comments:
```

```
//
```

```
//////////  
//////////
```

```
module LAB5_NAND(
```

```
    input A,
```

```
    input B,
```

```
    input C,
```

```
    output Y,
```

```
    output Z
```

```
);
```

```
wire a1,a2,a3,a4,a5,a6,a7,a8,a9;
```

```
assign a1=~(A&B); // nand one
```

```
assign a2 =~(B&a1); //nand 2
```

```
assign a3= ~(A&a1) ;//nand 3
```

```
assign a4 = ~(a2&a3); //nand 4
```

```
assign a5 =~(a4&C); // nand 5
```

```
assign a6=~(a4&a5) ;//nand 6
```

```
assign a7=~(a5&a1);// nand 7 -> output ->Z
```

```
assign a8=~(C&a5);// nand 8;
```

```
assign a9=~(a6&a8); // nand 9 ->output->Y
```

```
//assigning value to outputs
```

```
assign Z=a7;
```

```
assign Y=a9;
```

```
endmodule
```

testbench:

```
`timescale 1ns / 1ps
```

```
//////////  
//////////
```

```
// Testbench for LAB5_NAND
```

```
//////////  
//////////
```

```
module LAB5_NAND_tb();
```

```
// Inputs
```

```
reg A;
```

```
reg B;
```

```
reg C;
```

```
// Outputs
```

```
wire Y,Z;
```

```
// Instantiate the Unit Under Test (UUT)
```

```
LAB5_NAND uut(A,B,C,Y,Z);
```

initial begin

A = 0; B = 0; C = 0;// Test case 1

#10;

A = 0; B = 0; C = 1; // Test case 2

#10;

A = 0; B = 1; C = 0; // Test case 3

#10;

A = 0; B = 1; C = 1; // Test case 4

#10;

```
A = 1; B = 0; C = 0; // Test case 5
```

```
#10;
```

```
A = 1; B = 0; C = 1; // Test case 6
```

```
#10;
```

```
A = 1; B = 1; C = 0; // Test case 7
```

```
#10;
```

```
A = 1; B = 1; C = 1; // Test case 8
```

```
#10;
```

```
// Finish simulation
```

```
$finish;
```

```
end
```

```
endmodule
```

results:

LAB_6

Main:

LAB 7:

Main:ring counter

```
module RingCounter(
```

```
    input clk,
```

```
    input reset,
```

```
    output reg [3:0] q
```

```
);
```

```
    always @(posedge clk or posedge reset) begin
```

```
        if (reset)
```

```
            q <= 4'b0001; // Reset to initial state
```

```
        else
```

```
            q <= {q[2:0], q[3]}; // Shift left and wrap around
```

```
    end
```

```
endmodule
```

testbench:ring counter

```
`timescale 1ns / 1ps
```

```
module ring_counter_tb;

    reg clk;
    reg reset;
    wire [3:0] q;

    // Instantiate the RingCounter module
    ring_counter uut (
        .clk(clk),
        .reset(reset),
        .q(q)
    );

    // Clock generation
    initial begin
        clk = 0;
        forever #5 clk = ~clk; // Generate a clock with a
        period of 10 ns
    end

    // Test sequence
```

```
initial begin  
    // Initialize simulation  
    $display("Starting simulation...");  
  
    // Apply reset  
    reset = 1;  
    #10; // Hold reset high for 10 ns  
    $display("Time: %0t, Reset applied, Q: %b", $time,  
q);  
  
    // Release reset and observe ring counter  
    reset = 0;  
    #50; // Run simulation for 50 ns  
    $display("Time: %0t, Reset released, Q after 50 ns:  
%b", $time, q);  
  
    // Apply reset again to verify reset functionality  
    reset = 1;  
    #10;  
    $display("Time: %0t, Reset applied again, Q: %b",  
$time, q);
```

```
    reset = 0;  
    #30;  
    $display("Time: %0t, Final Q after additional 30 ns:  
%b", $time, q);  
  
    // End simulation  
    $display("Ending simulation...");  
    $stop;  
end  
endmodule  
main:  
sync:counter  
module sync_counter(  
    input clk,  
    input reset,  
    output reg [1:0] q  
);  
    always @(posedge clk or posedge reset) begin  
        if (reset)
```

```
    q <= 2'b00; // Reset to 0
  else
    q <= q + 1; // Increment counter
  end
endmodule

testbench:
module tb_SyncCounter;
  reg clk;
  reg reset;
  wire [1:0] q;
  // Instantiate the SyncCounter module
  SyncCounter uut (
    .clk(clk),
    .reset(reset),
    .q(q)
  );
  // Clock generation
  initial begin
    clk = 0;
    forever #5 clk = ~clk; // 10 time units period
```

```

end

// Test sequence

initial begin
    $monitor($time, " Reset=%b, Q=%b", reset, q);
    reset = 1; #10; // Apply reset
    reset = 0; #50; // Run for a few cycles
    reset = 1; #10; // Apply reset again
    reset = 0; #30; // Run for a few more cycles
    $stop;
end


endmodule

output:
ring counter

```



Sync counter



LAB 8:

Main:

```
`timescale 1ns / 1ps
```

```
//////////////////////////////  
//////////////////////////////
```

// Company:

// Engineer:

//

// Create Date: 07.11.2024 15:58:05

// Design Name: ALU

// Module Name: ALU

// Project Name:

// Target Devices:

// Tool Versions:

```
// Description: 4-bit ALU with 16 operations
//
// Dependencies:
//
// Revision:
// Revision 0.01 - File Created
// Additional Comments:
//
// /////////////////////////////////
///////////////////////////////
```

```
module ALU(
    input wire [3:0] A,
    input wire [3:0] B,
    input wire [3:0] S,
    output reg [3:0] x
);
```

```
always @(*) begin
```

case (S)

4'b0000: x = A;

4'b0001: x = ~A;

4'b0010: x = A | B;

4'b0011: x = A & B;

4'b0100: x = A ^ B;

4'b0101: x = ~(A | B);

4'b0110: x = ~(A & B);

4'b0111: x = ~(A ^ B);

4'b1000: x = A + B;

4'b1001: x = A - B;

4'b1010: x = A * B;

4'b1011: x = (B != 0) ? (A / B) : 4'b0000;

4'b1100: x = (A > B) ? 4'b0001 : 4'b0000;

4'b1101: x = A ** B;

4'b1110: x = A >> B;

4'b1111: x = A << B;

default: x = 4'b0000;

endcase

end

endmodule

Test bench:

```
`timescale 1ns / 1ps
```

```
//////////////////////////////  
//////////////////////////////
```

```
// Company:
```

```
// Engineer:
```

```
//
```

```
// Create Date: 07.11.2024
```

```
// Design Name: ALU Testbench
```

```
// Module Name: ALU_tb
```

```
// Project Name:
```

```
// Target Devices:
```

```
// Tool Versions:
```

```
// Description: Testbench for 4-bit ALU with 16  
operations
```

```
//
```

```
||||||||||||||||||||||||||||||||||||||||||||||||
```

```
|||||||||||||||||||||
```

```
module ALU_tb;  
  // Testbench registers and wires  
  reg [3:0] A;  
  reg [3:0] B;  
  reg [3:0] S;  
  wire [3:0] x;
```

```
ALU uut (
```

```
  .A(A),
```

```
  .B(B),
```

```
  .S(S),
```

```
  .x(x)
```

```
);
```

```
initial begin
```

A = 4'b0011; B = 4'b0001;

S = 4'b0000; #10;

S = 4'b0001; #10;

S = 4'b0010; #10;

S = 4'b0011; #10;

S = 4'b0100; #10;

S = 4'b0101; #10;

S = 4'b0110; #10;

S = 4'b0111; #10;

S = 4'b1000; #10;

S = 4'b1001; #10;

S = 4'b1010; #10;

S = 4'b1011; #10;


S = 4'b1100; #10;

S = 4'b1110; #10;

S = 4'b1111; #10;

```
$finish;  
end  
endmodule
```

output:



Lab 9:

Main:

```
module cyclic_lamp(clock, light);
    input clock;
    output reg [2:0] light; //light is a vector
    parameter s0=2'b00, s1=2'b01, s2=2'b10; //
    parameter declaration as constant \
        parameter RED=3'b100, GREEN=3'b010,
        YELLOW=3'b001;
    reg[1:0] state=s0; //state as two bit variable
    reg[27:0] count=0;
    reg clock_out;

    // always@( posedge clock )
    // begin
    //     count<=count+1;
```

```
//      if (count==100000000)  
//          begin count<=0;  
//              clock_out=~clock_out;  
//          end  
//      end
```

```
initial begin  
    state = s0;  
    light = RED;  
    clock_out = 0;  
end
```

```
always@(posedge clock )  
    case (state)  
        s0: state<=s1;  
        s1: state<=s2;  
        s2: state<=s0;  
        default: state<=s0;  
    endcase
```

```
always@(state)
  case(state)
    s0: light=RED;
    s1: light=GREEN;
    s2: light=YELLOW;
    default light=RED;
  endcase
endmodule
```

Testbench:

```
`timescale 1ns / 1ps
```

```
module tb_cyclic_lamp;
```

```
// Inputs
```

```
reg clock;
```

```
// Outputs
```

```
wire [2:0] light;
```

```
// Instantiate the Unit Under Test (UUT)
```

```
cyclic_lamp uut (
```

```
.clock(clock),
```

```
.light(light)
);


// Clock generation
initial begin
    clock = 0;
    forever #5 clock = ~clock; // Generate a clock signal
    with a period of 10 ns
end

// Testbench process
initial begin
    // Display header
    $display("Time\tClock\tLight");
    // Monitor the changes in outputs
    $monitor("%4d\t%b\t%b", $time, clock, light);
    // Simulation run for 100 clock cycles
    #1000;
```

```
$finish;  
end
```

```
endmodule
```

Result:



LAB 10:

Main:

Ocla:

```
`timescale 1ns / 1ps
```

```
//////////////////////////////  
//////////////////////////////
```

// Company:

// Engineer:

//

// Create Date: 21.11.2024 15:43:15

// Design Name:

// Module Name: OCLA

// Project Name:

// Target Devices:

// Tool Versions:

```
// Description:  
//  
// Dependencies:  
//  
// Revision:  
// Revision 0.01 - File Created  
// Additional Comments:  
//  
//////////  
//////////
```

```
module OCLA (  
    input [3:0] A,  
    input [3:0] B,  
    input Cin,  
    output [3:0] Sum,  
    output Cout  
);  
    wire [3:0] G, P, C;  
    assign G = A & B;      // Generate
```

```
assign P = A ^ B;      // Propagate
assign C[0] = Cin;
assign C[1] = G[0] | (P[0] & Cin );
assign C[2] = G[1] | (P[1] & G[0]) | (P[1]&P[0]&Cin);
assign C[3] = G[2] | (P[2] & G[1]) | (P[2]&P[1]&G[0])
| (P[2]&P[1]&P[0]&Cin);
assign Cout = G[3] | (P[3] & G[2]) | (P[3] & G[2] &
P[2]) | (P[3]&P[2]&P[1]&G[0]) |
(P[3]&P[2]&P[1]&P[0]&Cin);
assign Sum = P ^ C;
endmodule
```

```
Testbench;
```

```
`timescale 1ns/1ps
```

```
module OCLA_tb;
```

```
    // Testbench signals
```

```
    reg [3:0] A, B;
```

```
    reg Cin;
```

```
    wire [3:0] Sum;
```

```
    wire Cout;
```

```
    // Instantiate the CLA module
```

```
    OCLA cla_inst (
```

```
        .A(A),
```

```
        .B(B),
```

```
.Cin(Cin),  
.Sum(Sum),  
.Cout(Cout)  
);
```

```
// Helper task to display test results  
task display_test;  
    input [3:0] exp_sum;  
    input exp_cout;  
    begin  
        #5; // Wait for combinational logic to settle  
        if ({Cout, Sum} === {exp_cout, exp_sum}) begin  
            $display("PASS: A=%h, B=%h, Cin=%b |  
Sum=%h, Cout=%b", A, B, Cin, Sum, Cout);  
        end else begin  
            $display("FAIL: A=%h, B=%h, Cin=%b |  
Expected: Sum=%h, Cout=%b | Got: Sum=%h,  
Cout=%b",  
A, B, Cin, exp_sum, exp_cout, Sum,  
Cout);  
        end  
    end
```

```
end  
endtask  
  
  
// Test stimulus  
initial begin  
    // Initialize inputs  
    A = 0; B = 0; Cin = 0;  
    #10;  
  
  
    // Test Case 1: Basic addition without carry  
    A = 4'h3; B = 4'h4; Cin = 0;  
    display_test(4'h7, 0);  
  
  
    // Test Case 2: Addition with input carry  
    A = 4'h3; B = 4'h4; Cin = 1;  
    display_test(4'h8, 0);  
  
  
    // Test Case 3: Addition causing output carry  
    A = 4'h8; B = 4'h9; Cin = 0;  
    display_test(4'h1, 1);
```

// Test Case 4: Maximum value test

A = 4'hF; B = 4'hF; Cin = 1;

display_test(4'hF, 1);

// Test Case 5: Zero value test

A = 4'h0; B = 4'h0; Cin = 0;

display_test(4'h0, 0);

// Test Case 6: Random test cases

A = 4'h6; B = 4'h7; Cin = 1;

display_test(4'hE, 0);

A = 4'hA; B = 4'h5; Cin = 0;

display_test(4'hF, 0);

// Test Case 7: Alternating bits

A = 4'hA; B = 4'h5; Cin = 1;

display_test(4'h0, 1);

```
// Test Case 8: One operand zero  
A = 4'h0; B = 4'hF; Cin = 0;  
display_test(4'hF, 0);  
  
// End simulation  
#10;  
$display("Simulation completed");  
$finish;  
end  
  
// Optional: Generate VCD file for waveform viewing  
initial begin  
$dumpfile("cla_test.vcd");  
$dumpvars(0, OCLA_tb);  
end  
  
endmodule
```

Output:

The figure displays a timing diagram for a digital circuit, likely a Full Adder, showing the state of four registers over time. The registers are labeled A[3:0], B[3:0], Cin, and Su[0:0]. The horizontal axis represents time, with major ticks at 0, 3, 6, and 9. The vertical axis represents the bits of each register.

- Register A:** Initial value 0, changing to 3 at time 0, then to 8 at time 3, followed by f at time 6, 0 at time 9, e at time 12, f at time 15, and 0 at time 18.
- Register B:** Initial value f, changing to 4 at time 0, then to 9 at time 3, followed by f at time 6, 0 at time 9, 7 at time 12, 5 at time 15, and f at time 18.
- Cin:** Initial value 0, changing to 1 at time 0, then to 0 at time 3, followed by 1 at time 6, 0 at time 9, 1 at time 12, 0 at time 15, and 1 at time 18.
- Register Su:** Initial value f, changing to 0 at time 0, then to 7 at time 3, 8 at time 6, 1 at time 9, f at time 12, e at time 15, f at time 18, and 0 at time 21.

The bottom row shows the output Z, which is high (blue) from time 18 to 21, indicating a carry-out from the most significant bit position.

LAB 1

Main:

```
//NAME = UDAY SINGH ID = 202351150
//NAME = SHIVAM KUMAR ID=202351130
// Logic Gates Module (Structural Model)
module logic_gates(
    input wire A, B,
    output wire AND_out, OR_out, NOT_A_out, NAND_out, NOR_out, XOR_out
);
// AND gate
and u1 (AND_out, A, B);

// OR gate
```

```
or u2 (OR_out, A, B);

// NOT gate (for input A)
not u3 (NOT_A_out, A);

// NAND gate
nand u4 (NAND_out, A, B);

// NOR gate
nor u5 (NOR_out, A, B);

// XOR gate
xor u6 (XOR_out, A, B);

endmodule
```

test bench

```
// Testbench to apply stimulus and check outputs
module testbench;

// Testbench signals
reg A, B;
wire AND_out, OR_out, NOT_A_out, NAND_out, NOR_out, XOR_out;

// Instantiate the logic_gates module (Unit Under Test - UUT)
logic_gates uut (
    .A(A),
    .B(B),
    .AND_out(AND_out),
    .OR_out(OR_out),
    .NOT_A_out(NOT_A_out),
    .NAND_out(NAND_out),
    .NOR_out(NOR_out),
    .XOR_out(XOR_out)
);

// Test stimulus
initial begin

    // Monitor the outputs whenever A or B changes
    $monitor("A=%b, B=%b | AND_out=%b, OR_out=%b, NOT_A_out=%b,
    NAND_out=%b, NOR_out=%b, XOR_out=%b",

```

```
A, B, AND_out, OR_out, NOT_A_out, NAND_out, NOR_out, XOR_out);  
  
// Apply test cases  
A = 0; B = 0; #10; // Test case 1  
A = 0; B = 1; #10; // Test case 2  
A = 1; B = 0; #10; // Test case 3  
A = 1; B = 1; #10; // Test case 4  
  
// Finish the simulation  
$finish;  
end  
  
endmodule
```


Output

```
shivam-kumar@iitanshivamkumar:~/Documents
```

```
shivam-kumar@iitanshivamkumar:~/Documents$ iverilog -o logic_gates_tb.out logic_gates_tb.v
shivam-kumar@iitanshivamkumar:~/Documents$ vvp logic_gates_tb.out
VCD info: dumpfile logic_gates_tb.vcd opened for output.
A=0, B=0 | AND_out=0, OR_out=0, NOT_A_out=1, NAND_out=1, NOR_out=1, XOR_out=0
A=0, B=1 | AND_out=0, OR_out=1, NOT_A_out=1, NAND_out=1, NOR_out=0, XOR_out=1
A=1, B=0 | AND_out=0, OR_out=1, NOT_A_out=0, NAND_out=1, NOR_out=0, XOR_out=1
A=1, B=1 | AND_out=1, OR_out=1, NOT_A_out=0, NAND_out=0, NOR_out=0, XOR_out=0
logic_gates_tb.v:64: $finish called at 40 (1s)
shivam-kumar@iitanshivamkumar:~/Documents$ gtkwave logic_gates_tb.vcd

GTKWave Analyzer v3.3.116 (w)1999-2023 BSI

[0] start time.
[40] end time.
GTKWAVE | Reloading waveform...
[0] start time.
[40] end time.
GTKWAVE | ...waveform reloaded
GTKWAVE | Reloading waveform...
[0] start time.
[40] end time.
GTKWAVE | ...waveform reloaded
GTKWAVE | Unsupported dumpfile type for rtlbrowse.
```



Lab2

Main:

```
// Logic Gates Using Behavioral Model

module logic_gates_behavioral(
    input wire A, B,
    output wire NOT_A_NAND, AND_NAND, OR_NAND, XOR_NAND,
    XNOR_NAND, NOR_NAND, NAND_NAND,
    output wire NOT_A_NOR, AND_NOR, OR_NOR, XOR_NOR, XNOR_NOR,
    NAND_NOR
);
```

```
// *** Behavioral Model for Gates Using NAND ***
```

```
// NOT using NAND
```

```
assign NOT_A_NAND = ~A;
```

```
// AND using NAND
```

```
assign AND_NAND = A & B;
```

```
// OR using NAND
```

```
assign OR_NAND = A | B;
```

```
// XOR using NAND
```

```
assign XOR_NAND = A ^ B;
```

```
// XNOR using NAND
```

```
assign XNOR_NAND = ~(A ^ B);

// NOR using NAND (Behavioral implementation of NOR using NAND gates
logic)
assign NOR_NAND = ~(A | B);

// NAND gate itself (already implemented by NAND gate)
assign NAND_NAND = ~(A & B);

// *** Behavioral Model for Gates Using NOR ***
// NOT using NOR
assign NOT_A_NOR = ~A;

// AND using NOR (Behavioral implementation of AND using NOR gates logic)
assign AND_NOR = A & B;

// OR using NOR
assign OR_NOR = A | B;

// XOR using NOR
assign XOR_NOR = A ^ B;

// XNOR using NOR
assign XNOR_NOR = ~(A ^ B);
```

```
// NAND using NOR (Behavioral implementation of NAND using NOR gates
logic)
assign NAND_NOR = ~(A & B);

endmodule
```

testbench:

```
// Testbench to check outputs with VCD generation

module testbench;

// Testbench signals
reg A, B;

wire NOT_A_NAND, AND_NAND, OR_NAND, XOR_NAND, XNOR_NAND, NOR_NAND,
NAND_NAND;

wire NOT_A_NOR, AND_NOR, OR_NOR, XOR_NOR, XNOR_NOR, NAND_NOR;

// Instantiate the logic_gates_behavioral module
logic_gates_behavioral uut (
    .A(A), .B(B),
    .NOT_A_NAND(NOT_A_NAND), .AND_NAND(AND_NAND), .OR_NAND(OR_NAND),
    .XOR_NAND(XOR_NAND), .XNOR_NAND(XNOR_NAND), .NOR_NAND(NOR_NAND),
    .NAND_NAND(NAND_NAND),
    .NOT_A_NOR(NOT_A_NOR), .AND_NOR(AND_NOR), .OR_NOR(OR_NOR),
    .XOR_NOR(XOR_NOR), .XNOR_NOR(XNOR_NOR), .NAND_NOR(NAND_NOR)
);

// Test stimulus
initial begin
    // Create a VCD file
    $dumpfile("logic_gates_behavioral_tb.vcd"); // VCD file name
    $dumpvars(0, testbench); // Dump variables from the testbench module

    // Monitor the outputs
    $monitor("A=%b, B=%b | NOT_A_NAND=%b, AND_NAND=%b, OR_NAND=%b,
    XOR_NAND=%b, XNOR_NAND=%b, NOR_NAND=%b, NAND_NAND=%b | NOT_A_NOR=%b,
    AND_NOR=%b, OR_NOR=%b, XOR_NOR=%b, XNOR_NOR=%b, NAND_NOR=%b",

```

```
A, B, NOT_A_NAND, AND_NAND, OR_NAND, XOR_NAND, XNOR_NAND,  
NOR_NAND, NAND_NAND, NOT_A_NOR, AND_NOR, OR_NOR, XOR_NOR, XNOR_NOR,  
NAND_NOR);
```

```
// Apply test cases
```

```
A = 0; B = 0; #10;
```

```
A = 0; B = 1; #10;
```

```
A = 1; B = 0; #10;
```

```
A = 1; B = 1; #10;
```

```
// Finish the simulation
```

```
$finish;
```

```
end
```

```
endmodule
```

```
//iverilog -o logic_gates_behavioral_tb.out logic_gates_behavioral_tb.v
```

```
//vvp logic_gates_behavioral_tb.out
```

```
//gtkwave logic_gates_behavioral_tb.vcd
```

Output:

```
shivam-kumar@iitanshshivamkumar:~/Documents$ iverilog -o logic_gates_behavioral_tb.out logic_gates_behavioral_tb.v
shivam-kumar@iitanshshivamkumar:~/Documents$ vvp logic_gates_behavioral_tb.out
VCD info: dumpfile logic_gates_behavioral_tb.vcd opened for output.
A=0, B=0 | NOT_A_NAND=1, AND_NAND=0, OR_NAND=0, XOR_NAND=1, XNOR_NAND=1, NOR_NAND=1, NAND_NAND=1 | NOT_A_NOR=1, AND_NOR=0, OR_NOR=0, XOR_NOR=0, XNOR_NOR=1, NOR_NOR=1
A=0, B=1 | NOT_A_NAND=1, AND_NAND=0, OR_NAND=1, XOR_NAND=0, NOR_NAND=0, NAND_NAND=1 | NOT_A_NOR=1, AND_NOR=0, OR_NOR=1, XOR_NOR=1, XNOR_NOR=0, NOR_NOR=1
A=1, B=0 | NOT_A_NAND=0, AND_NAND=0, OR_NAND=1, XOR_NAND=1, NOR_NAND=0, NAND_NAND=1 | NOT_A_NOR=0, AND_NOR=0, OR_NOR=1, XOR_NOR=1, XNOR_NOR=0, NOR_NOR=1
A=1, B=1 | NOT_A_NAND=0, AND_NAND=1, OR_NAND=1, XOR_NAND=0, NOR_NAND=0, NAND_NAND=0 | NOT_A_NOR=0, AND_NOR=1, OR_NOR=1, XOR_NOR=0, XNOR_NOR=1, NOR_NOR=1
logic_gates_behavioral_tb.v:86: $finish called at 40 (1s)
shivam-kumar@iitanshshivamkumar:~/Documents$ gtkwave logic_gates_behavioral_tb.vcd

GTKWave Analyzer v3.3.116 (w)1999-2023 BSI

[0] start time.
[40] end time.
```



Lab 3:

Main:

```
`timescale 1ns / 1ps

///////////////////////////////
/////////////////////////////
// Company:
// Engineer:
//
// Create Date: 19.09.2024 18:07:47
// Design Name:
// Module Name: HALF_ADDER
// Project Name:
// Target Devices:
// Tool Versions:
// Description:
//
// Dependencies:
//
// Revision:
```

```
// Revision 0.01 - File Created  
// Additional Comments:  
  
//  
//////////  
//////////
```

```
// NAME = UDAY SINGH ,ROLL NO = 202351150 ||  
NAME = SHIVAM KUMAR, ROLL NO = 202351130
```

```
module HALF_ADDER(
```

```
    input A,
```

```
    input B,
```

```
    output SUM,
```

```
    output CARRY
```

```
);
```

```
xor(SUM,A,B);
```

```
and(CARRY,A,B);
```

```
endmodule
```

```
testbench:
```

```
// Testbench for Half Adder with VCD for GTKWave
```

```
module testbench;
```

```
// Testbench signals

reg A, B;          // Inputs to the half adder
wire SUM, CARRY;  // Outputs from the half adder

// Instantiate the half_adder module
half_adder uut (
    .A(A),
    .B(B),
    .SUM(SUM),
    .CARRY(CARRY)
);

// Test stimulus
initial begin
    // Open a VCD file for GTKWave
    $dumpfile("half_adder.vcd"); // Specify the name
    of the VCD file
    $dumpvars(0, testbench);    // Dump all variables
    for the module 'testbench'

    // Monitor the inputs and outputs
```

```
$monitor("A=%b, B=%b | SUM=%b, CARRY=%b",
A, B, SUM, CARRY);

// Apply test cases
A = 0; B = 0; #10; // Test case 1: 0 + 0
A = 0; B = 1; #10; // Test case 2: 0 + 1
A = 1; B = 0; #10; // Test case 3: 1 + 0
A = 1; B = 1; #10; // Test case 4: 1 + 1

// Finish the simulation
$finish;

end

endmodule
```

```
//iverilog -o half_adder_tb.out half_adder_tb.v
half_adder.v

//vvp half_adder_tb.out
//gtkwave half_adder.vcd
```

Main_fulladder:

```
// Full Adder module
module full_adder(
    input wire A, // First input
    input wire B, // Second input
    input wire Cin, // Carry-in input
    output wire Sum, // Sum output
    output wire Cout // Carry-out output
);
```

// Intermediate values for half-adders

```
wire Sum1, Carry1, Carry2;
```

// First half adder (A and B)

```
assign Sum1 = A ^ B; // First sum
assign Carry1 = A & B; // First carry
```

// Second half adder (Sum1 and Cin)

```
assign Sum = Sum1 ^ Cin; // Final sum
assign Carry2 = Sum1 & Cin; // Second carry
```

```
// Final carry out  
assign Cout = Carry1 | Carry2;  
  
endmodule
```

```
testbench:  
// Testbench for Full Adder  
module tb_full_adder;  
  
reg A, B, Cin; // Test inputs  
wire Sum, Cout; // Outputs from full adder  
  
// Instantiate the full adder  
full_adder uut (  
    .A(A),  
    .B(B),  
    .Cin(Cin),  
    .Sum(Sum),  
    .Cout(Cout)
```

```
);
```

```
initial begin
```

```
// Create a VCD file for GTKWave
```

```
$dumpfile("full_adder_tb.vcd");
```

```
$dumpvars(0, tb_full_adder);
```

```
// Display the outputs
```

```
$monitor("A=%b B=%b Cin=%b | Sum=%b Cout=%b",  
A, B, Cin, Sum, Cout);
```

```
// Test cases
```

```
A = 0; B = 0; Cin = 0; #10;
```

```
A = 0; B = 1; Cin = 0; #10;
```

```
A = 1; B = 0; Cin = 0; #10;
```

```
A = 1; B = 1; Cin = 0; #10;
```

```
A = 0; B = 0; Cin = 1; #10;
```

```
A = 0; B = 1; Cin = 1; #10;
```

```
A = 1; B = 0; Cin = 1; #10;
```

```
A = 1; B = 1; Cin = 1; #10;
```


```
// End the simulation  
$finish;  
end  
  
endmodule
```

output : half adder


```
shivam-kumar@iitanshivamkumar:~/Documents$ iverilog -o half_adder_tb.out half_adder_tb.v
shivam-kumar@iitanshivamkumar:~/Documents$ vvp half_adder_tb.out
VCD info: dumpfile half_adder.vcd opened for output.
A=0, B=0 | SUM=0, CARRY=0
A=0, B=1 | SUM=1, CARRY=0
A=1, B=0 | SUM=1, CARRY=0
A=1, B=1 | SUM=0, CARRY=1
half_adder_tb.v:46: $finish called at 40 (1s)
shivam-kumar@iitanshivamkumar:~/Documents$ gtkwave half_adder.vcd

GTKWave Analyzer v3.3.116 (w)1999-2023 BSI

[0] start time.
[40] end time.
```



Full adder:



```
shivam-kumar@iitanshivamkumar:~/Documents
```

```
shivam-kumar@iitanshivamkumar:~/Documents
```

```
shivam-kumar@iitanshivamkumar:~/Documents$ iverilog -o full_adder_tb.out full_adder_tb.v
shivam-kumar@iitanshivamkumar:~/Documents$ vvp full_adder_tb.out
VCD info: dumpfile full_adder_tb.vcd opened for output.
A=0 B=0 Cin=0 | Sum=0 Cout=0
A=0 B=1 Cin=0 | Sum=1 Cout=0
A=1 B=0 Cin=0 | Sum=1 Cout=0
A=1 B=1 Cin=0 | Sum=0 Cout=1
A=0 B=0 Cin=1 | Sum=1 Cout=0
A=0 B=1 Cin=1 | Sum=0 Cout=1
A=1 B=0 Cin=1 | Sum=0 Cout=1
A=1 B=1 Cin=1 | Sum=1 Cout=1
full_adder_tb.v:60: $finish called at 80 (1s)
shivam-kumar@iitanshivamkumar:~/Documents$ gtkwave full_adder_tb.vcd

GTKWave Analyzer v3.3.116 (w)1999-2023 BSI

[0] start time.
[80] end time.
```

Lab 4

Main:

Demux:

```
`timescale 1ns / 1ps

//// File: demux_1to8.v

module demux_1to8 (
    input wire i,          // Input
    input wire [2:0] sel,   // 3-bit selection line
    output reg y0,         // Output 0
    output reg y1,
    output reg y2,
    output reg y3,
    output reg y4,
    output reg y5,
    output reg y6,
    output reg y7
);
    always @(*) begin
        y0 = 0;
        y1 = 0;
```

y2 = 0;

y3 = 0;

y4 = 0;

y5 = 0;

y6 = 0;

y7 = 0;

case(sel)

3'b000: y0 = i;

3'b001: y1 = i;

3'b010: y2 = i;

3'b011: y3 = i;

3'b100: y4 = i;

3'b101: y5 = i;

3'b110: y6 = i;

3'b111: y7 = i;

default: ;

endcase

end

endmodule

```
testbench:demux:  
`timescale 1ns / 1ps  
/// File: tb_demux_1to8.v  
module tb_demux_1to8;  
    reg i;  
    reg [2:0] sel;  
    wire y0, y1, y2, y3, y4, y5, y6, y7;  
  
    // Instantiate the DEMUX  
    demux_1to8 uut (  
        .i(i),  
        .sel(sel),  
        .y0(y0), .y1(y1), .y2(y2), .y3(y3),  
        .y4(y4), .y5(y5), .y6(y6), .y7(y7)  
    );  
  
initial begin  
    // Initialize input  
    i = 1;  
    sel = 3'b000; #10;
```

```
    sel = 3'b001; #10;  
    sel = 3'b010; #10;  
    sel = 3'b011; #10;  
    sel = 3'b100; #10;  
    sel = 3'b101; #10;  
    sel = 3'b110; #10;  
    sel = 3'b111; #10;  
    $finish;  
  
end
```

```
initial begin  
    $monitor("sel=%b, y0=%b, y1=%b, y2=%b, y3=%b,  
y4=%b, y5=%b, y6=%b, y7=%b", sel, y0, y1, y2, y3, y4,  
y5, y6, y7);  
end  
endmodule
```

Main:mux:

```
`timescale 1ns / 1ps

// File: mux_8to1.v

module mux_8to1 (
    input wire [2:0] sel, // 3-bit selection line
    input wire i0,      // Input 0
    input wire i1,      // Input 1
    input wire i2,      // Input 2
    input wire i3,      // Input 3
    input wire i4,      // Input 4
    input wire i5,      // Input 5
    input wire i6,      // Input 6
    input wire i7,      // Input 7
    output reg y        // Output
);

always @(*) begin
    case(sel)
        3'b000: y = i0;
        3'b001: y = i1;
        3'b010: y = i2;
```

```
3'b011: y = i3;  
3'b100: y = i4;  
3'b101: y = i5;  
3'b110: y = i6;  
3'b111: y = i7;  
default: y = 1'bx;  
endcase  
end  
endmodule
```

Testbench:mux:

```
`timescale 1ns / 1ps
```

```
/// File: tb_mux_8to1.v
```

```
module tb_mux_8to1;
```

```
    reg [2:0] sel;
```

```
    reg i0, i1, i2, i3, i4, i5, i6, i7;
```

```
    wire y;
```

```
// Instantiate the MUX
```

```
mux_8to1 uut (
```

```
    .sel(sel),
```

```
    .i0(i0), .i1(i1), .i2(i2), .i3(i3),
```

```
    .i4(i4), .i5(i5), .i6(i6), .i7(i7),
```

```
    .y(y)
```

```
);
```

```
initial begin
```

```
    // Initialize inputs
```

```
    {i0, i1, i2, i3, i4, i5, i6, i7} = 8'b10101011;
```


```
    sel = 3'b000; #10;
```

```
    sel = 3'b001; #10;  
    sel = 3'b010; #10;  
    sel = 3'b011; #10;  
    sel = 3'b100; #10;  
    sel = 3'b101; #10;  
    sel = 3'b110; #10;  
    sel = 3'b111; #10;  
    $finish;  
  
end
```


```
initial begin  
    $monitor("sel=%b, y=%b", sel, y);  
end  
endmodule
```

Results:

Demux:



MUX:



LAB 5:

Main:

```
`timescale 1ns / 1ps
```

```
//////////////////////////////
```

```
//////////////////////////////
```

// Company:

// Engineer:

//

// Create Date: 26.09.2024 15:18:17

// Design Name:

// Module Name: LAB5_NAND

// Project Name:

// Target Devices:

// Tool Versions:

// Description:

//

// Dependencies:

//

// Revision:

// Revision 0.01 - File Created

```
// Additional Comments:
```

```
//
```

```
//////////  
//////////
```

```
module LAB5_NAND(
```

```
    input A,
```

```
    input B,
```

```
    input C,
```

```
    output Y,
```

```
    output Z
```

```
);
```

```
wire a1,a2,a3,a4,a5,a6,a7,a8,a9;
```

```
assign a1=~(A&B); // nand one
```

```
assign a2 =~(B&a1); //nand 2
```

```
assign a3= ~(A&a1) ;//nand 3
```

```
assign a4 = ~(a2&a3); //nand 4
```

```
assign a5 =~(a4&C); // nand 5
```

```
assign a6=~(a4&a5) ;//nand 6
```

```
assign a7=~(a5&a1);// nand 7 -> output ->Z
```

```
assign a8=~(C&a5);// nand 8;
```

```
assign a9=~(a6&a8); // nand 9 ->output->Y
```

```
//assigning value to outputs
```

```
assign Z=a7;
```

```
assign Y=a9;
```

```
endmodule
```

testbench:

```
`timescale 1ns / 1ps
```

```
//////////  
//////////
```

```
// Testbench for LAB5_NAND
```

```
//////////  
//////////
```

```
module LAB5_NAND_tb();
```

```
// Inputs
```

```
reg A;
```

```
reg B;
```

```
reg C;
```

```
// Outputs
```

```
wire Y,Z;
```

```
// Instantiate the Unit Under Test (UUT)
```

```
LAB5_NAND uut(A,B,C,Y,Z);
```

initial begin

A = 0; B = 0; C = 0;// Test case 1

#10;

A = 0; B = 0; C = 1; // Test case 2

#10;

A = 0; B = 1; C = 0; // Test case 3

#10;

A = 0; B = 1; C = 1; // Test case 4

#10;

```
A = 1; B = 0; C = 0; // Test case 5
```

```
#10;
```

```
A = 1; B = 0; C = 1; // Test case 6
```

```
#10;
```

```
A = 1; B = 1; C = 0; // Test case 7
```

```
#10;
```

```
A = 1; B = 1; C = 1; // Test case 8
```

```
#10;
```

```
// Finish simulation
```

```
$finish;
```

```
end
```

```
endmodule
```

results:

LAB_6

Main:

LAB 7:

Main:ring counter

```
module RingCounter(
```

```
    input clk,
```

```
    input reset,
```

```
    output reg [3:0] q
```

```
);
```

```
    always @(posedge clk or posedge reset) begin
```

```
        if (reset)
```

```
            q <= 4'b0001; // Reset to initial state
```

```
        else
```

```
            q <= {q[2:0], q[3]}; // Shift left and wrap around
```

```
    end
```

```
endmodule
```

testbench:ring counter

```
`timescale 1ns / 1ps
```

```
module ring_counter_tb;

    reg clk;
    reg reset;
    wire [3:0] q;

    // Instantiate the RingCounter module
    ring_counter uut (
        .clk(clk),
        .reset(reset),
        .q(q)
    );

    // Clock generation
    initial begin
        clk = 0;
        forever #5 clk = ~clk; // Generate a clock with a
        period of 10 ns
    end

    // Test sequence
```

```
initial begin  
    // Initialize simulation  
    $display("Starting simulation...");  
  
    // Apply reset  
    reset = 1;  
    #10; // Hold reset high for 10 ns  
    $display("Time: %0t, Reset applied, Q: %b", $time,  
q);  
  
    // Release reset and observe ring counter  
    reset = 0;  
    #50; // Run simulation for 50 ns  
    $display("Time: %0t, Reset released, Q after 50 ns:  
%b", $time, q);  
  
    // Apply reset again to verify reset functionality  
    reset = 1;  
    #10;  
    $display("Time: %0t, Reset applied again, Q: %b",  
$time, q);
```

```
    reset = 0;  
    #30;  
    $display("Time: %0t, Final Q after additional 30 ns:  
%b", $time, q);  
  
    // End simulation  
    $display("Ending simulation...");  
    $stop;  
end  
endmodule  
main:  
sync:counter  
module sync_counter(  
    input clk,  
    input reset,  
    output reg [1:0] q  
);  
    always @(posedge clk or posedge reset) begin  
        if (reset)
```

```
    q <= 2'b00; // Reset to 0
  else
    q <= q + 1; // Increment counter
  end
endmodule

testbench:
module tb_SyncCounter;
  reg clk;
  reg reset;
  wire [1:0] q;
  // Instantiate the SyncCounter module
  SyncCounter uut (
    .clk(clk),
    .reset(reset),
    .q(q)
  );
  // Clock generation
  initial begin
    clk = 0;
    forever #5 clk = ~clk; // 10 time units period
```

```

end

// Test sequence

initial begin
    $monitor($time, " Reset=%b, Q=%b", reset, q);
    reset = 1; #10; // Apply reset
    reset = 0; #50; // Run for a few cycles
    reset = 1; #10; // Apply reset again
    reset = 0; #30; // Run for a few more cycles
    $stop;
end


endmodule

output:
ring counter

```



Sync counter



LAB 8:

Main:

```
`timescale 1ns / 1ps
```

```
//////////////////////////////  
//////////////////////////////
```

// Company:

// Engineer:

//

// Create Date: 07.11.2024 15:58:05

// Design Name: ALU

// Module Name: ALU

// Project Name:

// Target Devices:

// Tool Versions:

```
// Description: 4-bit ALU with 16 operations
//
// Dependencies:
//
// Revision:
// Revision 0.01 - File Created
// Additional Comments:
//
// /////////////////////////////////
///////////////////////////////
```

```
module ALU(
    input wire [3:0] A,
    input wire [3:0] B,
    input wire [3:0] S,
    output reg [3:0] x
);
```

```
always @(*) begin
```

case (S)

4'b0000: x = A;

4'b0001: x = ~A;

4'b0010: x = A | B;

4'b0011: x = A & B;

4'b0100: x = A ^ B;

4'b0101: x = ~(A | B);

4'b0110: x = ~(A & B);

4'b0111: x = ~(A ^ B);

4'b1000: x = A + B;

4'b1001: x = A - B;

4'b1010: x = A * B;

4'b1011: x = (B != 0) ? (A / B) : 4'b0000;

4'b1100: x = (A > B) ? 4'b0001 : 4'b0000;

4'b1101: x = A ** B;

4'b1110: x = A >> B;

4'b1111: x = A << B;

default: x = 4'b0000;

endcase

end

endmodule

Test bench:

```
`timescale 1ns / 1ps
```

```
//////////////////////////////  
//////////////////////////////
```

```
// Company:
```

```
// Engineer:
```

```
//
```

```
// Create Date: 07.11.2024
```

```
// Design Name: ALU Testbench
```

```
// Module Name: ALU_tb
```

```
// Project Name:
```

```
// Target Devices:
```

```
// Tool Versions:
```

```
// Description: Testbench for 4-bit ALU with 16  
operations
```

```
//
```

```
||||||||||||||||||||||||||||||||||||||||||||||||
```

```
|||||||||||||||||||||
```

```
module ALU_tb;  
  // Testbench registers and wires  
  reg [3:0] A;  
  reg [3:0] B;  
  reg [3:0] S;  
  wire [3:0] x;
```

```
ALU uut (
```

```
  .A(A),
```

```
  .B(B),
```

```
  .S(S),
```

```
  .x(x)
```

```
);
```

```
initial begin
```

A = 4'b0011; B = 4'b0001;

S = 4'b0000; #10;

S = 4'b0001; #10;

S = 4'b0010; #10;

S = 4'b0011; #10;

S = 4'b0100; #10;

S = 4'b0101; #10;

S = 4'b0110; #10;

S = 4'b0111; #10;

S = 4'b1000; #10;

S = 4'b1001; #10;

S = 4'b1010; #10;

S = 4'b1011; #10;

S = 4'b1100; #10;

S = 4'b1110; #10;

S = 4'b1111; #10;

```
$finish;  
end  
endmodule
```

output:



Lab 9:

Main:

```
module cyclic_lamp(clock, light);
    input clock;
    output reg [2:0] light; //light is a vector
    parameter s0=2'b00, s1=2'b01, s2=2'b10; //
    parameter declaration as constant \
        parameter RED=3'b100, GREEN=3'b010,
        YELLOW=3'b001;
    reg[1:0] state=s0; //state as two bit variable
    reg[27:0] count=0;
    reg clock_out;

    // always@( posedge clock )
    // begin
    //     count<=count+1;
```

```
//      if (count==100000000)  
//          begin count<=0;  
//              clock_out=~clock_out;  
//          end  
//      end
```

```
initial begin  
    state = s0;  
    light = RED;  
    clock_out = 0;  
end
```

```
always@(posedge clock )  
    case (state)  
        s0: state<=s1;  
        s1: state<=s2;  
        s2: state<=s0;  
        default: state<=s0;  
    endcase
```

```
always@(state)
  case(state)
    s0: light=RED;
    s1: light=GREEN;
    s2: light=YELLOW;
    default light=RED;
  endcase
endmodule
```

Testbench:

```
`timescale 1ns / 1ps
```

```
module tb_cyclic_lamp;
```

```
// Inputs
```

```
reg clock;
```

```
// Outputs
```

```
wire [2:0] light;
```

```
// Instantiate the Unit Under Test (UUT)
```

```
cyclic_lamp uut (
```

```
.clock(clock),
```

```
.light(light)
);


// Clock generation
initial begin
    clock = 0;
    forever #5 clock = ~clock; // Generate a clock signal
    with a period of 10 ns
end

// Testbench process
initial begin
    // Display header
    $display("Time\tClock\tLight");
    // Monitor the changes in outputs
    $monitor("%4d\t%b\t%b", $time, clock, light);
    // Simulation run for 100 clock cycles
    #1000;
```

```
$finish;  
end
```

```
endmodule
```

Result:



LAB 10:

Main:

Ocla:

```
`timescale 1ns / 1ps
```

```
//////////////////////////////  
//////////////////////////////
```

// Company:

// Engineer:

//

// Create Date: 21.11.2024 15:43:15

// Design Name:

// Module Name: OCLA

// Project Name:

// Target Devices:

// Tool Versions:

```
// Description:  
//  
// Dependencies:  
//  
// Revision:  
// Revision 0.01 - File Created  
// Additional Comments:  
//  
//////////  
//////////
```

```
module OCLA (  
    input [3:0] A,  
    input [3:0] B,  
    input Cin,  
    output [3:0] Sum,  
    output Cout  
);  
    wire [3:0] G, P, C;  
    assign G = A & B;      // Generate
```

```
assign P = A ^ B;      // Propagate
assign C[0] = Cin;
assign C[1] = G[0] | (P[0] & Cin );
assign C[2] = G[1] | (P[1] & G[0]) | (P[1]&P[0]&Cin);
assign C[3] = G[2] | (P[2] & G[1]) | (P[2]&P[1]&G[0])
| (P[2]&P[1]&P[0]&Cin);
assign Cout = G[3] | (P[3] & G[2]) | (P[3] & G[2] &
P[2]) | (P[3]&P[2]&P[1]&G[0]) |
(P[3]&P[2]&P[1]&P[0]&Cin);
assign Sum = P ^ C;
endmodule
```

```
Testbench;
```

```
`timescale 1ns/1ps
```

```
module OCLA_tb;
```

```
    // Testbench signals
```

```
    reg [3:0] A, B;
```

```
    reg Cin;
```

```
    wire [3:0] Sum;
```

```
    wire Cout;
```

```
    // Instantiate the CLA module
```

```
    OCLA cla_inst (
```

```
        .A(A),
```

```
        .B(B),
```

```
.Cin(Cin),  
.Sum(Sum),  
.Cout(Cout)  
);
```

```
// Helper task to display test results  
task display_test;  
    input [3:0] exp_sum;  
    input exp_cout;  
    begin  
        #5; // Wait for combinational logic to settle  
        if ({Cout, Sum} === {exp_cout, exp_sum}) begin  
            $display("PASS: A=%h, B=%h, Cin=%b |  
Sum=%h, Cout=%b", A, B, Cin, Sum, Cout);  
        end else begin  
            $display("FAIL: A=%h, B=%h, Cin=%b |  
Expected: Sum=%h, Cout=%b | Got: Sum=%h,  
Cout=%b",  
A, B, Cin, exp_sum, exp_cout, Sum,  
Cout);  
        end  
    end
```

```
end  
endtask  
  
  
// Test stimulus  
initial begin  
    // Initialize inputs  
    A = 0; B = 0; Cin = 0;  
    #10;  
  
  
    // Test Case 1: Basic addition without carry  
    A = 4'h3; B = 4'h4; Cin = 0;  
    display_test(4'h7, 0);  
  
  
    // Test Case 2: Addition with input carry  
    A = 4'h3; B = 4'h4; Cin = 1;  
    display_test(4'h8, 0);  
  
  
    // Test Case 3: Addition causing output carry  
    A = 4'h8; B = 4'h9; Cin = 0;  
    display_test(4'h1, 1);
```

// Test Case 4: Maximum value test

A = 4'hF; B = 4'hF; Cin = 1;

display_test(4'hF, 1);

// Test Case 5: Zero value test

A = 4'h0; B = 4'h0; Cin = 0;

display_test(4'h0, 0);

// Test Case 6: Random test cases

A = 4'h6; B = 4'h7; Cin = 1;

display_test(4'hE, 0);

A = 4'hA; B = 4'h5; Cin = 0;

display_test(4'hF, 0);

// Test Case 7: Alternating bits

A = 4'hA; B = 4'h5; Cin = 1;

display_test(4'h0, 1);

```
// Test Case 8: One operand zero  
A = 4'h0; B = 4'hF; Cin = 0;  
display_test(4'hF, 0);  
  
// End simulation  
#10;  
$display("Simulation completed");  
$finish;  
end  
  
// Optional: Generate VCD file for waveform viewing  
initial begin  
$dumpfile("cla_test.vcd");  
$dumpvars(0, OCLA_tb);  
end  
  
endmodule
```

Output:

The figure displays a timing diagram for a digital circuit, likely a Full Adder, showing the state of four registers over time. The registers are labeled A[3:0], B[3:0], Cin, and Su[0:0]. The horizontal axis represents time, with major ticks at 0, 3, 6, and 9. The vertical axis represents the bits of each register.

- Register A:** Initial value 0, changing to 3 at time 0, then to 8 at time 3, followed by f at time 6, 0 at time 9, e at time 12, f at time 15, and 0 at time 18.
- Register B:** Initial value f, changing to 4 at time 0, then to 9 at time 3, followed by f at time 6, 0 at time 9, 7 at time 12, 5 at time 15, and f at time 18.
- Cin:** Initial value 0, changing to 1 at time 0, then to 0 at time 3, followed by 1 at time 6, 0 at time 9, 1 at time 12, 0 at time 15, and 1 at time 18.
- Register Su:** Initial value f, changing to 0 at time 0, then to 7 at time 3, 8 at time 6, 1 at time 9, f at time 12, e at time 15, f at time 18, and 0 at time 21.

The bottom row shows the output Z, which is high (blue) from time 18 to 21, indicating a carry-out from the most significant bit position.