

Section 1. Querying Data

PostgreSQL Column Alias

Dashboard Properties SQL Statistics Dependencies Dependents **dvdrental/postgres@PostgreSQL ***

dvdrental/postgres@PostgreSQL ▾

Query Editor Query History

```
1 --1) Assigning a column alias to a column example
2 SELECT
3     first_name,
4     last_name
5 FROM customer;
6 --2) Assigning a column alias to an expression example
7 SELECT
8     first_name || ' ' || last_name AS full_name
9 FROM
10    customer;
11 --3) Column aliases that contain spaces
12 SELECT
13     first_name || ' ' || last_name "full name"
14 FROM
15    customer;
```

Data Output Explain Messages Notifications

	full name	
	text	🔒
1	Jared Ely	
2	Mary Smith	
3	Patricia Johnson	
4	Linda Williams	
5	Barbara Jones	
6	Elizabeth Brown	
7	Jennifer Davis	
8	Maria Miller	
9	Susan Wilson	
10	Margaret Moore	

Dashboard Properties SQL Statistics Dependencies Dependents **dvdrental/postgres@PostgreSQL ***

Query Editor Query History

```
1 --1) Assigning a column alias to a column example
2 SELECT
3     first_name,
4     last_name
5 FROM customer;
6 --2) Assigning a column alias to an expression example
7 SELECT
8     first_name || ' ' || last_name AS full_name
9 FROM
10    customer;
11 --3) Column aliases that contain spaces
12 SELECT
13     first_name || ' ' || last_name "full name"
14 FROM
```

Data Output Explain Messages Notifications

	first_name character varying (45)	last_name character varying (45)
1	Jared	Ely
2	Mary	Smith
3	Patricia	Johnson
4	Linda	Williams
5	Barbara	Jones
6	Elizabeth	Brown
7	Jennifer	Davis
8	Maria	Miller
9	Susan	Wilson
10	Margaret	Moore

✓ Successfully run. Total query runtime: 91 msec. 599 rows affected.

Dashboard Properties SQL Statistics Dependencies Dependents **dvdrental/postgres@PostgreSQL ***

Query Editor Query History

```
1 --1) Assigning a column alias to a column example
2 SELECT
3     first_name,
4     last_name
5 FROM customer;
6 --2) Assigning a column alias to an expression example
7 SELECT
8     first_name || ' ' || last_name AS full_name
9 FROM
10    customer;
11 --3) Column aliases that contain spaces
12 SELECT
13     first_name || ' ' || last_name "full name"
14 FROM
```

Data Output Explain Messages Notifications

	full_name text
1	Jared Ely
2	Mary Smith
3	Patricia Johnson
4	Linda Williams
5	Barbara Jones
6	Elizabeth Brown
7	Jennifer Davis
8	Maria Miller
9	Susan Wilson
10	Margaret Moore

✓ Successfully run. Total query runtime: 67 msec. 599 rows affected.



dvdrental/postgres@PostgreSQL ▾

Query Editor Query History

```

3      first_name,
4      last_name
5  FROM customer;
6
7  --2) Assigning a column alias to an expression example
8
9  SELECT
10     first_name || ' ' || last_name AS full_name
11
12  FROM
13     customer;
14
15  --3) Column aliases that contain spaces
16
17  SELECT
18     first_name || ' ' || last_name "full name"
19
20  FROM
21     customer;

```

Data Output Explain Messages Notifications

	full name	
	text	
1	Jared Ely	
2	Mary Smith	
3	Patricia Johnson	
4	Linda Williams	
5	Barbara Jones	
6	Elizabeth Brown	
7	Jennifer Davis	
8	Maria Miller	
9	Susan Wilson	
10	Margaret Moore	

✔ Successfully run. Total query runtime: 82 msec. 599 rows affected.

