

ANUSHKA DESAI

23070122035

Project 7: **Create Mongo and Mongo Express deployments ,services,configmaps and secret**

1. Minikube start and Apply outputs

```
PS C:\Users\anushka\OneDrive\Desktop\Devops-Lab-L1_2023-27\23070122035_AnushkaDesai\Project7_MongoDB_MongoExpress_Kubernetes> minikube start
🌟 minikube v1.38.1 on Microsoft Windows 11 Pro 25H2
🔮 Using the docker driver based on existing profile
👍 Starting "minikube" primary control-plane node in "minikube" cluster
🚧 Pulling base image v0.0.50 ...
🔄 Restarting existing docker container for "minikube" ...
🐳 Preparing Kubernetes v1.35.1 on Docker 29.2.1 ...
🔍 Verifying Kubernetes components...
  ▪ Using image registry.k8s.io/metrics-server/metrics-server:
v0.8.1
  ▪ Using image gcr.io/k8s-minikube/storage-provisioner:v5
🌻 Enabled addons: storage-provisioner, metrics-server, default-storageclass
🏃 Done! kubectl is now configured to use "minikube" cluster and "default" namespace by default
PS C:\Users\anushka\OneDrive\Desktop\Devops-Lab-L1_2023-27\23070122035_AnushkaDesai\Project7_MongoDB_MongoExpress_Kubernetes> kubectl apply -f mongo-mongoexpress.yaml
secret/mongodb-secret created
configmap/mongodb-configmap created
deployment.apps/mongodb-deployment created
service/mongo-service created
deployment.apps/mongo-express created
service/mongo-express-service created
```

2. Pods, deployments, services, configmap and secrets

```
PS C:\Users\anushka\OneDrive\Desktop\Devops-Lab-L1_2023-27\23070122035_AnushkaDesai\Project7_MongoDB_MongoExpress_Kubernetes> kubectl get pods
```

NAME	READY	STATUS	RESTARTS	AGE
mongo-express-cfffcf49d-hg6zt	1/1	Running	1 (70s ago)	4m2s
mongodb-deployment-df5cd6568-6xxkv	1/1	Running	0	4m2s
social-media-app-5444dcd88c-28wd9	1/1	Running	1 (48m ago)	4h13m
social-media-app-5444dcd88c-w76rf	1/1	Running	1 (48m ago)	4h13m

```
PS C:\Users\anushka\OneDrive\Desktop\Devops-Lab-L1_2023-27\23070122035_AnushkaDesai\Project7_MongoDB_MongoExpress_Kubernetes> kubectl get deployments
```

NAME	READY	UP-TO-DATE	AVAILABLE	AGE
mongo-express	1/1	1	1	4m35s
mongodb-deployment	1/1	1	1	4m36s
social-media-app	2/2	2	2	4h14m

```
PS C:\Users\anushka\OneDrive\Desktop\Devops-Lab-L1_2023-27\23070122035_AnushkaDesai\Project7_MongoDB_MongoExpress_Kubernetes> kubectl get services
```

NAME	TYPE	CLUSTER-IP	EXTERNAL-IP	PORT(S)	AGE
kubernetes	ClusterIP	10.96.0.1	<none>	443/TCP	4h28m
mongo-express-service	NodePort	10.104.207.39	<none>	8081:30081/TCP	4m44s
mongo-service	ClusterIP	10.109.178.12	<none>	27017/TCP	4m44s
social-media-service	NodePort	10.98.183.236	<none>	80:31975/TCP	117m

```
PS C:\Users\anushka\OneDrive\Desktop\Devops-Lab-L1_2023-27\23070122035_AnushkaDesai\Project7_MongoDB_MongoExpress_Kubernetes> kubectl get secrets
```

NAME	TYPE	DATA	AGE
mongodb-secret	Opaque	2	5m1s

```
PS C:\Users\anushka\OneDrive\Desktop\Devops-Lab-L1_2023-27\23070122035_AnushkaDesai\Project7_MongoDB_MongoExpress_Kubernetes> kubectl get configmaps
```

NAME	DATA	AGE
kube-root-ca.crt	1	4h28m

3. Mongoexpress Dashboard

Sectic

Devo

Proje

Chat

Ask Gemini

127.0.0.1:52706

Symbiosis Institute...

Scaler Topics

Prolog Programmin...

PDF to PPT Convert...

Mongo Express

Databases

Database Name

+ Create Database

View	admin	Del
View	config	Del
View	local	Del

Server Status

Hostname	mongodb-deployment-df5cd6568-6xxkv	MongoDB Version	8.2.12
Uptime	245 seconds	Node Version	18.20.3
Server Time	Thu, 20 Aug 2026 18:30:20 GMT	V8 Version	10.2.154.26-node.37