

ANUSHKA DESAI

23070122035

Project 9- Create apache2 server within a deployment and access it using host machine using commands learn using K8s.

1. pods_deployments_services_portforward

```
Output  Problems  Terminal  ...  kubectl - Project9_Apache_Kubernetes  +  -  [  [  ...

PS C:\Users\anushka\OneDrive\Desktop\Devops-Lab-L1_2023-27\23070122035_AnushkaDesai\Pro
ject9_Apache_Kubernetes> kubectl get pods
NAME                                READY   STATUS    RESTARTS   AGE
apache-deployment-5b744f9d47-2f94l  1/1     Running   0           6m43s

PS C:\Users\anushka\OneDrive\Desktop\Devops-Lab-L1_2023-27\23070122035_AnushkaDesai\Pro
ject9_Apache_Kubernetes> kubectl get deployments
NAME                                READY   UP-TO-DATE   AVAILABLE   AGE
apache-deployment                   1/1     1             1           6m55s
backend-deployment                  0/0     0             0           26m
cache-deployment                    0/0     0             0           26m
database-deployment                 0/0     0             0           26m
frontend-deployment                 0/0     0             0           26m
mongo-express                       0/0     0             0           56m
mongodb-deployment                  0/0     0             0           56m
social-media-app                    0/0     0             0           5h6m

PS C:\Users\anushka\OneDrive\Desktop\Devops-Lab-L1_2023-27\23070122035_AnushkaDesai\Pro
ject9_Apache_Kubernetes> kubectl get services
NAME                                TYPE        CLUSTER-IP      EXTERNAL-IP   PORT(S)          AGE
apache-service                      NodePort    10.108.213.73   <none>        80:30083/TCP     7m12s
backend-service                     ClusterIP   10.97.35.197    <none>        80/TCP           26m
cache-service                       ClusterIP   10.107.228.107 <none>        6379/TCP         26m
database-service                    ClusterIP   10.103.236.53   <none>        27017/TCP        26m
frontend-service                    NodePort    10.96.93.136    <none>        80:30082/TCP     26m
kubernetes                          ClusterIP   10.96.0.1       <none>        443/TCP          5h20m
mongo-express-service               NodePort    10.104.207.39   <none>        8081:30081/TCP   57m
mongo-service                       ClusterIP   10.109.178.12   <none>        27017/TCP        57m
social-media-service                NodePort    10.98.183.236   <none>        80:31975/TCP     170m

PS C:\Users\anushka\OneDrive\Desktop\Devops-Lab-L1_2023-27\23070122035_AnushkaDesai\Pro
ject9_Apache_Kubernetes> kubectl port-forward service/apache-service 8090:80
Forwarding from 127.0.0.1:8090 -> 80
Forwarding from [::1]:8090 -> 80
```

2. curl_from_host

```
PS C:\Users\anushka\OneDrive\Desktop\Devops-Lab-L1_2023-27\23070122035_AnushkaDesai\Project9_Apache_Kubernetes> curl.exe http://localhost:8090
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01//EN" "http://www.w3.org/TR/html4/strict.dtd">
<html>
<head>
<title>It works! Apache httpd</title>
</head>
<body>
<p>It works!</p>
</body>
</html>
PS C:\Users\anushka\OneDrive\Desktop\Devops-Lab-L1_2023-27\23070122035_AnushkaDesai\Project9_Apache_Kubernetes>
```



Symbiosis Institute...



Scaler Topics



Pr

It works!