


Name : Mohammed Al-Hajj
PRN : 23070122141
Branch : CSE-A3

Showing Docker Desktop



Step 1: Pull the Jenkins Docker Image

```
C:\Users\USER>docker pull jenkins/jenkins:lts
lts: Pulling from jenkins/jenkins
aa3e9ef32f73: Pull complete
ce55a371d187: Pull complete
a4b1a1e69b39: Pull complete
53373311d4de: Pull complete
43045d27df89: Pull complete
7e33c265139d: Pull complete
ff65e9e2ceac: Pull complete
188bd27c22d7: Pull complete
10655bddf081: Pull complete
4e813725ac37: Pull complete
27090cc614a3: Pull complete
5fdc0b64433e: Pull complete
fb38be8fcbe4: Download complete
Digest: sha256:f4f65e6cd1405cd889b7f5ac33f9d5cdc2a099de6b87fe8a3933b9c5d53d1d02
Status: Downloaded newer image for jenkins/jenkins:lts
docker.io/jenkins/jenkins:lts

What's next:
  View a summary of image vulnerabilities and recommendations → docker scout quickview jenkins/jenkins:lts
```

Step 2: Run the Jenkins Container

```
C:\Users\USER>docker run -d --name jenkins -p 8080:8080 -p 50000:50000 -v jenkins_home:/var/jenkins_home jenkins/jenkins:lts

What's next:
  Debug this container error with Gordon → docker ai "help me fix this container error"
docker: Error response from daemon: Conflict. The container name "/jenkins" is already in use by container "2cc949018eb5b8fa21f3d1361d7a1dd193d5f146016c8ee6d384d8da5631d662".
You have to remove (or rename) that container to be able to reuse that name.

Run 'docker run --help' for more information
```

Step 3: Verify the Running Container


```
C:\Users\USER>docker ps
CONTAINER ID   IMAGE          COMMAND                  CREATED        STATUS        PORTS
2cc949018eb5   jenkins/jenkins:lts   "/usr/bin/tini -- /u..." 20 minutes ago Up 20 minutes 0.0.0.0:8080->8080/tcp, [::]:8080->8080/tcp, 0.0.0.0:50000->50000/tcp, [::]:50000->50000/tcp
21056e1c76e9   docker.n8n.io/n8nio/n8n   "tini -- /docker-ent..." 19 hours ago   Up 19 hours   0.0.0.0:5678->5678/tcp, [::]:5678->5678/tcp
09fe212aa3d2   n8nio/n8n:latest      "tini -- /docker-ent..." 19 hours ago   Up 19 hours   5678/tcp
kind_keldysh
```

Step 4: Retrieve the Initial Jenkins Password

```
C:\Users\USER>docker exec jenkins cat /var/jenkins_home/secrets/initialAdminPassword
cat: /var/jenkins_home/secrets/initialAdminPassword: No such file or directory

C:\Users\USER>
```


Step 5: Access Jenkins



The screenshot shows the Jenkins dashboard. On the left, there are links for 'New Item', 'Build History', 'Build Queue' (showing 'No builds in the queue'), and 'Build Executor Status' (showing '0 of 2 executors busy'). The main area displays a table of builds. The table has columns for 'S' (Success), 'W' (Warning), 'Name', 'Last Success', 'Last Failure', and 'Last Duration'. A single build is listed: 'Docker-Pipeline' with a success status, a duration of '17 min', and a last successful build of '#1'. The bottom of the table shows icons for 'Icons', 'S', 'M', and 'L'.


S	W	Name	Last Success	Last Failure	Last Duration
✓	⚠	Docker-Pipeline	17 min #1	N/A	2.9 sec

Step 6: Open the Build Details



The screenshot shows the Jenkins build details page for 'Docker-Pipeline'. The left sidebar contains links for 'Status', 'Changes', 'Build Now', 'Delete Pipeline', 'Configure', 'Rename', 'Stages', and 'Pipeline Syntax'. The main area shows the 'Status' tab with a green checkmark and the text 'Docker-Pipeline'. Below this, there are 'Permalinks' for the build: 'Last build (#1), 18 min ago', 'Last stable build (#1), 18 min ago', 'Last successful build (#1), 18 min ago', and 'Last completed build (#1), 18 min ago'. At the bottom, there is a 'Builds' section with a search filter and a list of builds, showing 'Today' and '2:14 PM'.


Step 7: Open Console Output



The screenshot shows the Jenkins console output for build #3 of 'Docker-Pipeline'. The left sidebar contains links for 'Status', 'Changes', 'Console Output', 'Delete build #3', 'Pipeline Overview', 'Edit build information', 'Restart from Stage', 'Replay', 'Pipeline Steps', 'Workspaces', and 'Previous Build'. The main area shows the 'Console' tab with a text area containing the build log. The log starts with 'Started by user Mohamed Yousef Al-Hajj' and ends with 'Finished: SUCCESS'. The log content is as follows:

```
Started by user Mohamed Yousef Al-Hajj
[Pipeline] Start of Pipeline
[Pipeline] node
Running on Jenkins in /var/jenkins_home/workspace/Docker-Pipeline
[Pipeline] {
[Pipeline] stage
[Pipeline] { (Build)
[Pipeline] echo
Building Application...
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Test)
[Pipeline] echo
Running Tests...
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Deploy)
[Pipeline] echo
Deploying Application...
[Pipeline] }
[Pipeline] // stage
[Pipeline] }
[Pipeline] // node
[Pipeline] End of Pipeline
Finished: SUCCESS
```

Step 8 :Verify the GitHub Repository



Step 9 :Open the Jira Project Workspace

