

```

PS C:\WINDOWS\System32> cd "$HOME\OneDrive\Desktop"
PS C:\Users\dhruv\OneDrive\Desktop> git clone https://github.com/DhurvG/branching-development-model.git
Cloning into 'branching-development-model'...
warning: You appear to have cloned an empty repository.
PS C:\Users\dhruv\OneDrive\Desktop> cd branching-development-model
PS C:\Users\dhruv\OneDrive\Desktop\branching-development-model> git status
On branch main

No commits yet

nothing to commit (create/copy files and use "git add" to track)
PS C:\Users\dhruv\OneDrive\Desktop\branching-development-model> echo "# Branching Development Model" > README.md
PS C:\Users\dhruv\OneDrive\Desktop\branching-development-model> dir

Directory: C:\Users\dhruv\OneDrive\Desktop\branching-development-model


Mode                LastWriteTime         Length Name
----                -
-a-----         12-08-2026      13:14           64 README.md

```

```

PS C:\Users\dhruv\OneDrive\Desktop\branching-development-model> git add README.md
PS C:\Users\dhruv\OneDrive\Desktop\branching-development-model> git commit -m "Initial project setup"
[main (root-commit) b3ead1c] Initial project setup
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 README.md
PS C:\Users\dhruv\OneDrive\Desktop\branching-development-model> git push -u origin main
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 279 bytes | 93.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/DhurvG/branching-development-model.git
 * [new branch]      main -> main
branch 'main' set up to track 'origin/main'.
PS C:\Users\dhruv\OneDrive\Desktop\branching-development-model> git checkout -b develop
Switched to a new branch 'develop'
PS C:\Users\dhruv\OneDrive\Desktop\branching-development-model> git push -u origin develop
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'develop' on GitHub by visiting:
remote:   https://github.com/DhurvG/branching-development-model/pull/new/develop
remote:
To https://github.com/DhurvG/branching-development-model.git
 * [new branch]      develop -> develop
branch 'develop' set up to track 'origin/develop'.

```

```

PS C:\Users\dhruv\OneDrive\Desktop\branching-development-model> git branch
* develop
main
PS C:\Users\dhruv\OneDrive\Desktop\branching-development-model> git checkout -b feature/login
Switched to a new branch 'feature/login'
PS C:\Users\dhruv\OneDrive\Desktop\branching-development-model> echo "Login Feature" > login.txt
PS C:\Users\dhruv\OneDrive\Desktop\branching-development-model> git status
On branch feature/login
Untracked files:
  (use "git add <file>..." to include in what will be committed)
    login.txt

nothing added to commit but untracked files present (use "git add" to track)
PS C:\Users\dhruv\OneDrive\Desktop\branching-development-model> git add login.txt
PS C:\Users\dhruv\OneDrive\Desktop\branching-development-model> git commit -m "Add login feature"
[feature/login 40c7c4a] Add login feature
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 login.txt

```

```

PS C:\Users\dhruv\OneDrive\Desktop\branching-development-model> git push -u origin feature/login
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 315 bytes | 315.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'feature/login' on GitHub by visiting:
remote:   https://github.com/DhurvG/branching-development-model/pull/new/feature/login
remote:
To https://github.com/DhurvG/branching-development-model.git
 * [new branch]   feature/login -> feature/login
branch 'feature/login' set up to track 'origin/feature/login'.
PS C:\Users\dhruv\OneDrive\Desktop\branching-development-model> git checkout develop
Switched to branch 'develop'
Your branch is up to date with 'origin/develop'.
PS C:\Users\dhruv\OneDrive\Desktop\branching-development-model> git checkout -b feature/dashboard
Switched to a new branch 'feature/dashboard'
PS C:\Users\dhruv\OneDrive\Desktop\branching-development-model> echo "Dashboard Feature" > dashboard.txt
PS C:\Users\dhruv\OneDrive\Desktop\branching-development-model> git add dashboard.txt
PS C:\Users\dhruv\OneDrive\Desktop\branching-development-model> git commit -m "Add dashboard feature"
[feature/dashboard 4f997e9] Add dashboard feature
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 dashboard.txt
PS C:\Users\dhruv\OneDrive\Desktop\branching-development-model> git push -u origin feature/dashboard
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 329 bytes | 329.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'feature/dashboard' on GitHub by visiting:
remote:   https://github.com/DhurvG/branching-development-model/pull/new/feature/dashboard
remote:
To https://github.com/DhurvG/branching-development-model.git
 * [new branch]   feature/dashboard -> feature/dashboard
branch 'feature/dashboard' set up to track 'origin/feature/dashboard'.
PS C:\Users\dhruv\OneDrive\Desktop\branching-development-model> git branch
  develop
 * feature/dashboard
   feature/login
   main
PS C:\Users\dhruv\OneDrive\Desktop\branching-development-model> ^C
PS C:\Users\dhruv\OneDrive\Desktop\branching-development-model> git checkout develop
Switched to branch 'develop'
Your branch is up to date with 'origin/develop'.
PS C:\Users\dhruv\OneDrive\Desktop\branching-development-model> git merge feature/login
Updating b3ead1c..40c7c4a
Fast-forward
 login.txt | Bin 0 -> 32 bytes
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 login.txt
PS C:\Users\dhruv\OneDrive\Desktop\branching-development-model> git merge feature/dashboard
Merge made by the 'ort' strategy.
 dashboard.txt | Bin 0 -> 40 bytes
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 dashboard.txt
PS C:\Users\dhruv\OneDrive\Desktop\branching-development-model> git push origin develop
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (2/2), 412 bytes | 206.00 KiB/s, done.
Total 2 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/DhurvG/branching-development-model.git
 b3ead1c..c7a4957 develop -> develop
PS C:\Users\dhruv\OneDrive\Desktop\branching-development-model> git log --oneline --graph --all
*   c7a4957 (HEAD -> develop, origin/develop) Merge branch 'feature/dashboard' into develop git push origin develop# esp
    ecially if it merges an updated upstream into a topic branch.
|
| * 4f997e9 (origin/feature/dashboard, feature/dashboard) Add dashboard feature
| * | 40c7c4a (origin/feature/login, feature/login) Add login feature
|/
* b3ead1c (origin/main, main) Initial project setup

```

```

PS C:\Users\dhruv\OneDrive\Desktop\branching-development-model> kubectl config current-context
error: current-context is not set
PS C:\Users\dhruv\OneDrive\Desktop\branching-development-model> git checkout -b release/v1.0
fatal: a branch named 'release/v1.0' already exists
PS C:\Users\dhruv\OneDrive\Desktop\branching-development-model> git checkout release/v1.0
Already on 'release/v1.0'
PS C:\Users\dhruv\OneDrive\Desktop\branching-development-model> git status
On branch release/v1.0
nothing to commit, working tree clean
PS C:\Users\dhruv\OneDrive\Desktop\branching-development-model> git push -u origin release/v1.0
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'release/v1.0' on GitHub by visiting:
remote:      https://github.com/DhurvG/branching-development-model/pull/new/release/v1.0
remote:
To https://github.com/DhurvG/branching-development-model.git
 * [new branch]      release/v1.0 -> release/v1.0
branch 'release/v1.0' set up to track 'origin/release/v1.0'.
PS C:\Users\dhruv\OneDrive\Desktop\branching-development-model> git branch -a
  develop
  feature/dashboard
  feature/login
  main
* release/v1.0
  remotes/origin/develop
  remotes/origin/feature/dashboard
  remotes/origin/feature/login
  remotes/origin/main
  remotes/origin/release/v1.0

```

```

PS C:\Users\dhruv\OneDrive\Desktop\branching-development-model> git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.
PS C:\Users\dhruv\OneDrive\Desktop\branching-development-model> git merge release/v1.0
Updating b3ead1c..c7a4957
Fast-forward
 dashboard.txt | Bin 0 -> 40 bytes
 login.txt     | Bin 0 -> 32 bytes
 2 files changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 dashboard.txt
 create mode 100644 login.txt
PS C:\Users\dhruv\OneDrive\Desktop\branching-development-model> git push origin main
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/DhurvG/branching-development-model.git
 b3ead1c..c7a4957  main -> main
PS C:\Users\dhruv\OneDrive\Desktop\branching-development-model> git tag -a v1.0 -m "Release version 1.0"
PS C:\Users\dhruv\OneDrive\Desktop\branching-development-model> git push origin v1.0
Enumerating objects: 1, done.
Counting objects: 100% (1/1), done.
Writing objects: 100% (1/1), 172 bytes | 17.00 KiB/s, done.
Total 1 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/DhurvG/branching-development-model.git
 * [new tag]      v1.0 -> v1.0

```

```

PS C:\Users\dhruv\OneDrive\Desktop\branching-development-model> git log --oneline --graph --all
* c7a4957 (HEAD -> main, tag: v1.0, origin/release/v1.0, origin/main, origin/develop, release/v1.0, develop) Merge branch 'feature/dashboard' into develop git push origin develop# especially if it merges an updated upstream into a topic branch.
|
| * 4f997e9 (origin/feature/dashboard, feature/dashboard) Add dashboard feature
| * 40c7c4a (origin/feature/login, feature/login) Add login feature
|/
* b3ead1c Initial project setup

```