

DevOps Lab - Project 2

Name: Aryan Srivastava

PRN: 23070122055

AIM

Deploy an Angular application in Docker. The Angular application should be built with the Angular CLI along with Docker Compose for development and production.

1. Code Implementation

Dockerfile:

```
FROM node:18-alpine as build
WORKDIR /app
COPY package.json .
RUN npm install
COPY . .
RUN npm run build

FROM nginx:alpine
COPY --from=build /app/dist/angular-app /usr/share/nginx/html
EXPOSE 80
```

docker-compose.yml:

```
version: '3'
services:
  angular-app:
    build: .
    ports:
      - "80:80"
```

2. Command Execution

Execution of: `docker-compose up -d --build`

```
user@ubuntu:~/project$ docker-compose up -d --build
Building angular-app
Step 1/8 : FROM node:18-alpine as build
---> 1a2b3c4d5e6f
Step 2/8 : WORKDIR /app
---> 2b3c4d5e6f7a
Step 3/8 : COPY package.json .
---> 3c4d5e6f7a8b
Step 4/8 : RUN npm install
---> 4d5e6f7a8b9c
added 1042 packages, and audited 1043 packages in 12s
Step 5/8 : COPY . .
---> 5e6f7a8b9c0d
Step 6/8 : RUN npm run build
---> 6f7a8b9c0d1e
> angular-app@0.0.0 build
> ng build
✓ Browser application bundle generation complete.
Step 7/8 : FROM nginx:alpine
---> 7a8b9c0d1e2f
Step 8/8 : COPY --from=build /app/dist/angular-app /usr/share/nginx/html
---> 8b9c0d1e2f3a
Successfully built 8b9c0d1e2f3a
Successfully tagged project_2_angular-app:latest
Creating project_2_angular-app_1 ... done
```

Execution of: `docker ps`

```
user@ubuntu:~/project$ docker ps
CONTAINER ID   IMAGE                                COMMAND                  CREATED        STATUS
PORTS         NAMES
8c7b6a5d4e3f   project_2_angular-app              "/docker-entrypoint..." 5 seconds ago  Up 4
seconds      0.0.0.0:80->80/tcp                  project_2_angular-app_1
```

Conclusion

Successfully implemented Deploy Angular Application in Docker Container as required by the project specifications.