

SAFIRA

Aesthetic Bracket Conventional System

Prescriptions

- ROTH
- MBT








SLOT	REFERENCIA/REFERENCE	KIT WITH HOOKS/KIT C. GANCHO 3, 4, 5
.018" x .028"	05.16.0390	5x5
.022" x .028"	05.15.0390	5x5

AESTHETIC
ESTÉTICO

Width	3,3 mm	3,3 mm	3,3 mm	2,7 mm	3,1 mm	3,1 mm	2,7 mm	3,3 mm	3,3 mm	3,3 mm
Torque	-7°	-7°	0°	8°	12°	12°	8°	0°	-7°	-7°
Ang	0°	0°	11°	9°	5°	5°	9°	11°	0°	0°

SLOT	REPLACEMENT/REPOSICIÓN - PK W/1									
.018" x .028"	05.16.3814	05.16.3814	05.16.0313	05.16.0312	05.16.0311	05.16.0321	05.16.0322	05.16.0323	05.16.3824	05.16.3824
.022" x .028"	05.15.3814	05.15.3814	05.15.0313	05.15.0312	05.15.0311	05.15.0321	05.15.0322	05.15.0323	05.15.3824	05.15.3824

	15	14	13	12	11	21	22	23	24	25
UPPER SUPERIOR										
LOWER INFERIOR										
	45	44	43	42	41	31	32	33	34	35

Width	3,3 mm	3,3 mm	3,2 mm	2,6 mm	2,6 mm	2,6 mm	2,6 mm	3,2 mm	3,3 mm	3,3 mm
Torque	-22°	-17°	-11°	0°	0°	0°	0°	-11°	-17°	-22°
Ang	0°	0°	5°	0°	0°	0°	0°	5°	0°	0°

SLOT	REPLACEMENT/REPOSICIÓN - PK W/1									
.018" x .028"	05.16.0345	05.16.0344	05.16.0343	05.16.0350	05.16.0350	05.16.0350	05.16.0350	05.16.0333	05.16.0334	05.16.0335
.022" x .028"	05.15.0345	05.15.0344	05.15.0343	05.15.0350	05.15.0350	05.15.0350	05.15.0350	05.15.0333	05.15.0334	05.15.0335



SAFIRA

Aesthetic Bracket Conventional System









PRESCRIPTION/PRESCRIPCIÓN MBT

SLOT	REFERENCIA/REFERENCE	KIT WITH HOOKS/KIT C. GANCHO 3, 4, 5
.018" x .022"	05.16.0890	5x5
.022" x .028"	05.15.0890	5x5

AESTHETIC
ESTÉTICO

Width	3,3 mm	3,3 mm	3,3 mm	2,7 mm	3,1 mm	3,1 mm	2,7 mm	3,3 mm	3,3 mm	3,3 mm
Torque	-7°	-7°	-7°	10°	17°	17°	10°	-7°	-7°	-7°
Ang	0°	0°	8°	8°	4°	4°	8°	8°	0°	0°

SLOT	REPLACEMENT/REPOSICIÓN - PK W/1									
.018" x .028"	05.16.3814	05.16.3814	05.16.0813	05.16.0812	05.16.0811	05.16.0821	05.16.0822	05.16.0823	05.16.3824	05.16.3824
.022" x .028"	05.15.3814	05.15.3814	05.15.0813	05.15.0812	05.15.0811	05.15.0821	05.15.0822	05.15.0823	05.15.3824	05.15.3824

	15	14	13	12	11	21	22	23	24	25
UPPER SUPERIOR										
LOWER INFERIOR										
	45	44	43	42	41	31	32	33	34	35

Width	3,3 mm	3,3 mm	3,2 mm	2,6 mm	2,6 mm	2,6 mm	2,6 mm	3,2 mm	3,3 mm	3,3 mm
Torque	-17°	-12°	-6°	-6°	-6°	-6°	-6°	-6°	-12°	-17°
Ang	0°	0°	3°	0°	0°	0°	0°	3°	0°	0°

SLOT	REPLACEMENT/REPOSICIÓN - PK W/1									
.018" X .028"	05.16.0845	05.16.0844	05.16.0843	05.16.0850	05.16.0850	05.16.0850	05.16.0850	05.16.0833	05.16.0834	05.16.0835
.022" x .028"	05.15.0845	05.15.0844	05.15.0843	05.15.0850	05.15.0850	05.15.0850	05.15.0850	05.15.0833	05.15.0834	05.15.0835



SAFIRA

Aesthetic Bracket Conventional System

 Specifications

Monocrystalline Sapphire & Diamond polishing	• High Biocompatibility & strength • Low plaque accumulation • Premium transparency • Durable and Resistant to Staining • Invisible against any tooth shade
Smooth & Rounded corner	• Increase patient comfort • Improved Oral Hygiene
Zirconia sphere coated base	• High bond strength • Preserve tooth from scratching
Anatomically contoured	• Better fit

