Test Cases With Output:

Word List:

```
manyWords

BYTE "BICYCLE", 0

BYTE "CANOE", 0

BYTE "SCATEBOARD", 0

BYTE "OFFSIDE", 0

BYTE "TENNIS", 0

BYTE "SOFTBALL", 0

BYTE "KNOCKOUT", 0

BYTE "CHALLENGE", 0

BYTE "SLALOM", 0

BYTE "MARATHON", 0

BYTE 0 ; End of
```

If You Lose:


C:\Users\ace\source\repos\Practice\Debug\Practice.exe

```
Guessed letter are: A,E,
Guess a letter: Z
       0
----A--
Guessed letter are: A,E,Z,
Guess a letter: P
      .
0
/|
----A--
Guessed letter are: A,E,Z,P,
Guess a letter: +----+
```

```
0 /
-0---A--
Guessed letter are: A,E,Z,P,O,
Guess a letter: L
   ----<del>+</del>
|
|
|
|
-0---ALL
Guessed letter are: A,E,Z,P,O,L,
Guess a letter: Q
       |
|
|
|
|
|
```



If You Win:



C:\Users\acer\source\repos\Practice\Debug\Practice.exe
*
Guessed letter are:
Guess a letter: A
* †
A
Guessed letter are: A,
Guess a letter:

C:\Users\acer\source\repos\Practice\Debug\Practice.exe Guessed letter are: Guess a letter: A --A----Guessed letter are: A, Guess a letter: C C-A----Guessed letter are: A,C,

```
C:\Users\acer\source\repos\Practice\Debug\Practice.ex
--A----
Guessed letter are: A,
Guess a letter: C
C-A----
Guessed letter are: A,C,
Guess a letter: H
CHA-----
Guessed letter are: A,C,H,
```

```
C:\Users\acer\source\repos\Practice\Debug\Practice.exe
C-A----
Guessed letter are: A,C,
Guess a letter: H
CHA----
Guessed letter are: A,C,H,
Guess a letter: L
CHALL----
Guessed letter are: A,C,H,L,
```

```
C:\Users\acer\source\repos\Practice\Debug\Practice.exe
CHA----
Guessed letter are: A,C,H,
Guess a letter: L
CHALL----
Guessed letter are: A,C,H,L,
Guess a letter: E
CHALLE--E
Guessed letter are: A,C,H,L,E,
Guess a letter:
```

```
C:\Users\acer\source\repos\Practice\Debug\Practice.
CHALL----
Guessed letter are: A,C,H,L,
Guess a letter: E
CHALLE--E
Guessed letter are: A,C,H,L,E,
Guess a letter: N
CHALLEN-E
Guessed letter are: A,C,H,L,E,N,
```

C:\Users\acer\source\repos\Practice\Debug\Practice.exe